

CS202-Final Term Preparation 2026

CS202-Fundamentals of Frontend Development

admin

Vu Standard

Professional VU
Standard Academy

VU
STANDARD

OUR SERVICES

- ASSIGNMENTS
- QUIZ & GDB'S
- LMS HANDLING
- ONLINE CLASSES
- LECTURES VIEWS
- PROJECT HANDLING
- IMPORTANT NOTES

Results
85% To
100%

contact us
0315-0250218

پہلے ہمارے سلوکنگ کے رزلٹ دیکھیں
اور پھر ہم سے سروچار ملیں

https://www.youtube.com/@vustandard

FULL LM.
HANDLING
SERVICE

ASSIGNMENT
QUIZ'S AND GDB'S
HANDLING SERVICE

CS619
CS519
PROJECT
HANDLING



Vu Standard Team Contact Info

- 03150250218 & 03260250211
- usamashafique218@gmail.com

Student # 1 Quiz's collect

BC250204695: MUHAMMAD SHAHAB UD DIN
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 73 sec(s)
Quiz Start Time: 10:16 AM, 05 January 2026
Total Marks: 1

Question # 1 of 20 (Start time: 10:16:40 AM, 05 January 2026)

Which of the following function is not for traversing up the DOM tree?

Select the correct option

<input type="radio"/>	parents()
<input type="radio"/>	parent()
<input type="radio"/>	parentsUntil()
<input checked="" type="radio"/>	grandParents()

Click to Save Answer & Move to Next Question

BC250204695: MUHAMMAD SHAHAB UD DIN
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 84 sec(s)
Quiz Start Time: 10:16 AM, 05 January 2026
Total Marks: 1

Question # 2 of 20 (Start time: 10:17:05 AM, 05 January 2026)

----- is used to Insert content at the beginning of the selected elements.

Select the correct option

<input checked="" type="radio"/>	Prepend()
<input type="radio"/>	Before()
<input type="radio"/>	After()
<input type="radio"/>	Append()

Click to Save Answer & Move to Next Question

Vu

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left 81 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 3 of 20 (Start time: 10:17:16 AM, 05 January 2026)

AJAX is about:

Select the correct option

<input type="radio"/>	Receiving data from server without reloading the whole page
<input type="radio"/>	Both Sending and receiving data from server by reloading the whole page
<input type="radio"/>	Sending data to server without reloading the whole page
<input checked="" type="radio"/>	Both sending and receiving data from server without reloading the whole page

[Click to Save Answer & Move to Next Question](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left 83 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 4 of 20 (Start time: 10:17:29 AM, 05 January 2026)

JSON makes it possible to store _____ objects as text.

Select the correct option

<input type="radio"/>	C
<input type="radio"/>	C++
<input checked="" type="radio"/>	JavaScript
<input type="radio"/>	Java

[Click to Save Answer & Move to Next Question](#)

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 82 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 5 of 20 (Start time: 10:17:40 AM, 05 January 2026)		Total Marks: 1								
<p>The \$(document).ready() method allows us to execute a function when,</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
Select the correct option <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>Document is fully loaded</td> </tr> <tr> <td><input type="radio"/></td> <td>Document is partially loaded</td> </tr> <tr> <td><input type="radio"/></td> <td>Document is about to load</td> </tr> </table>			<input type="radio"/>	None of the given options	<input checked="" type="radio"/>	Document is fully loaded	<input type="radio"/>	Document is partially loaded	<input type="radio"/>	Document is about to load
<input type="radio"/>	None of the given options									
<input checked="" type="radio"/>	Document is fully loaded									
<input type="radio"/>	Document is partially loaded									
<input type="radio"/>	Document is about to load									
Click to Save Answer & Move to Next Question										

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 82 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 6 of 20 (Start time: 10:17:52 AM, 05 January 2026)		Total Marks: 1								
<p>What is the syntax for selecting HTML elements and performing some action on them in jQuery?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
Select the correct option <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input type="radio"/></td> <td>\$(selector)</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>\$(selector).action()</td> </tr> <tr> <td><input type="radio"/></td> <td>(selector).action()</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> </table>			<input type="radio"/>	\$(selector)	<input checked="" type="radio"/>	\$(selector).action()	<input type="radio"/>	(selector).action()	<input type="radio"/>	None of the given options
<input type="radio"/>	\$(selector)									
<input checked="" type="radio"/>	\$(selector).action()									
<input type="radio"/>	(selector).action()									
<input type="radio"/>	None of the given options									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 84 sec(s)

Quiz Start Time: 10:16 AM, 05 January 2026

Total Marks: 1

Question # 7 of 20 (Start time: 10:18:05 AM, 05 January 2026)

Which of the following property(ies) of XMLHttpRequest object is/are used to get a response from the server?

Select the correct option

<input checked="" type="radio"/> Both responseText & responseXML
<input type="radio"/> None of the given options
<input type="radio"/> responseXML
<input type="radio"/> responseText

[Click to Save Answer & Move to Next Question](#)

BC250204695: MUHAMMAD SHAHAB UD DIN

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 83 sec(s)

Quiz Start Time: 10:16 AM, 05 January 2026

Total Marks: 1

Question # 8 of 20 (Start time: 10:18:14 AM, 05 January 2026)

XML is used as a format for document storage and processing. _____.

Select the correct option

<input type="radio"/> offline
<input type="radio"/> online
<input type="radio"/> None of the given options
<input checked="" type="radio"/> both online and offline

[Click to Save Answer & Move to Next Question](#)

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)
Quiz Start Time: 10:16 AM, 05 January 2026

Question # 9 of 20 (Start time: 10:18:26 AM, 05 January 2026)
Total Marks: 1

In DOM tree, an ancestor can be _____.

Select the correct option

<input checked="" type="radio"/>	Parent, grand parent, great grand-parent and so on.
<input type="radio"/>	Siblings
<input type="radio"/>	All of the given options
<input type="radio"/>	Child, grand-child, great grand-child and so on.

Click to Save Answer & Move to Next Question

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)
Quiz Start Time: 10:16 AM, 05 January 2026

Question # 10 of 20 (Start time: 10:18:38 AM, 05 January 2026)
Total Marks: 1

All selectors in jQuery start with _____.

Select the correct option

<input type="radio"/>	%()
<input type="radio"/>	#()
<input checked="" type="radio"/>	\$()
<input type="radio"/>	-0

Click to Save Answer & Move to Next Question

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 11 of 20 (Start time: 10:18:49 AM, 05 January 2026)

----- is a lightweight data-interchange format.

Select the correct option

<input type="radio"/>	CSS	<input checked="" type="button"/> Reload Math Equations
<input type="radio"/>	HTML	
<input checked="" type="radio"/>	JSON	
<input type="radio"/>	Java	

[Click to Save Answer & Move to Next Question](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 12 of 20 (Start time: 10:18:59 AM, 05 January 2026)

Which of the following is a fast, small, and feature-rich JavaScript library?

Select the correct option

<input type="radio"/>	FQuery	
<input type="radio"/>	SQuery	
<input checked="" type="radio"/>	jQuery	
<input type="radio"/>	None of the given options	

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 84 sec(s)				
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1						
<p>Question # 13 of 20 (Start time: 10:19:09 AM, 05 January 2026)</p> <p>Which of the following is/are example(s) of event?</p> <p>Select the correct option</p> <table border="1" style="width: 100%;"> <tr> <td><input checked="" type="radio"/> All of the given options</td> </tr> <tr> <td><input type="radio"/> moving a mouse over an element</td> </tr> <tr> <td><input type="radio"/> clicking on an element</td> </tr> <tr> <td><input type="radio"/> selecting a radio button</td> </tr> </table> <p style="text-align: right;">Click to Save Answer & Move to Next Question</p>			<input checked="" type="radio"/> All of the given options	<input type="radio"/> moving a mouse over an element	<input type="radio"/> clicking on an element	<input type="radio"/> selecting a radio button
<input checked="" type="radio"/> All of the given options						
<input type="radio"/> moving a mouse over an element						
<input type="radio"/> clicking on an element						
<input type="radio"/> selecting a radio button						

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 85 sec(s)				
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1						
<p>Question # 14 of 20 (Start time: 10:19:20 AM, 05 January 2026)</p> <p>JSON uses syntax of _____.</p> <p>Select the correct option</p> <table border="1" style="width: 100%;"> <tr> <td><input type="radio"/> CSS</td> </tr> <tr> <td><input type="radio"/> HTML</td> </tr> <tr> <td><input checked="" type="radio"/> JavaScript</td> </tr> <tr> <td><input type="radio"/> Java</td> </tr> </table> <p style="text-align: right;">Click to Save Answer & Move to Next Question</p>			<input type="radio"/> CSS	<input type="radio"/> HTML	<input checked="" type="radio"/> JavaScript	<input type="radio"/> Java
<input type="radio"/> CSS						
<input type="radio"/> HTML						
<input checked="" type="radio"/> JavaScript						
<input type="radio"/> Java						

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 81 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1										
<p>Question # 15 of 20 (Start time: 10:19:30 AM, 05 January 2026)</p> <p>The JQuery code: \$("p").hide() will hide _____.</p>										
<p>Select the correct option</p> <table border="1"> <tr> <td><input checked="" type="radio"/></td> <td>all <p> elements</td> </tr> <tr> <td><input type="radio"/></td> <td>only last <p> element</td> </tr> <tr> <td><input type="radio"/></td> <td>only first <p> element</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> </table>			<input checked="" type="radio"/>	all <p> elements	<input type="radio"/>	only last <p> element	<input type="radio"/>	only first <p> element	<input type="radio"/>	None of the given options
<input checked="" type="radio"/>	all <p> elements									
<input type="radio"/>	only last <p> element									
<input type="radio"/>	only first <p> element									
<input type="radio"/>	None of the given options									
Click to Save Answer & Move to Next Question										
BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1										
<p>Question # 16 of 20 (Start time: 10:19:44 AM, 05 January 2026)</p> <p>What is meant by DOM traversing in JQuery?</p>										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>Select on element and move upwards or downwards to reach the required elements</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>Find the desired elements on the basis of their relationship with other elements</td> </tr> <tr> <td><input type="radio"/></td> <td>Select child, parent, ancestor, current, descendant and sibling</td> </tr> </table>			<input type="radio"/>	Select on element and move upwards or downwards to reach the required elements	<input checked="" type="radio"/>	All of the given options	<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements	<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling
<input type="radio"/>	Select on element and move upwards or downwards to reach the required elements									
<input checked="" type="radio"/>	All of the given options									
<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements									
<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1										
<p>Question # 17 of 20 (Start time: 10:19:55 AM, 05 January 2026)</p> <p>Which of the following is not a naming rule for XML elements?</p> <p>Select the correct option</p> <table border="1" style="width: 100%;"> <tr> <td><input type="radio"/></td> <td>It can contain letters, digits, hyphens, underscores, and periods.</td> </tr> <tr> <td><input type="radio"/></td> <td>It must start with a letter or underscore.</td> </tr> <tr> <td><input type="radio"/></td> <td>It cannot start with the letters xml or XML or Xml, etc.</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>It can contain spaces.</td> </tr> </table> <p style="text-align: right;">Click to Save Answer & Move to Next Question</p>			<input type="radio"/>	It can contain letters, digits, hyphens, underscores, and periods.	<input type="radio"/>	It must start with a letter or underscore.	<input type="radio"/>	It cannot start with the letters xml or XML or Xml, etc.	<input checked="" type="radio"/>	It can contain spaces.
<input type="radio"/>	It can contain letters, digits, hyphens, underscores, and periods.									
<input type="radio"/>	It must start with a letter or underscore.									
<input type="radio"/>	It cannot start with the letters xml or XML or Xml, etc.									
<input checked="" type="radio"/>	It can contain spaces.									

BC250204695: MUHAMMAD SHAHAB UD DIN		Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1										
<p>Question # 18 of 20 (Start time: 10:20:06 AM, 05 January 2026)</p> <p>How can JSON data be converted into native JavaScript objects?</p> <p>Select the correct option</p> <table border="1" style="width: 100%;"> <tr> <td><input type="radio"/></td> <td>Using the XMLParser function</td> </tr> <tr> <td><input type="radio"/></td> <td>Using the XMLHttpRequest function</td> </tr> <tr> <td><input type="radio"/></td> <td>Using the JSON.stringify() function</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>Using the JSON.parse() function</td> </tr> </table> <p style="text-align: right;">Click to Save Answer & Move to Next Question</p>			<input type="radio"/>	Using the XMLParser function	<input type="radio"/>	Using the XMLHttpRequest function	<input type="radio"/>	Using the JSON.stringify() function	<input checked="" type="radio"/>	Using the JSON.parse() function
<input type="radio"/>	Using the XMLParser function									
<input type="radio"/>	Using the XMLHttpRequest function									
<input type="radio"/>	Using the JSON.stringify() function									
<input checked="" type="radio"/>	Using the JSON.parse() function									

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left 74 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 19 of 20 (Start time: 10:20:17 AM, 05 January 2026)

To traverse sideways in the DOM Tree, _____ is not a function.

Select the correct option

<input type="radio"/> siblings()
<input type="radio"/> nextUntil()
<input checked="" type="radio"/> nexts()
<input type="radio"/> next()

[Click to Save Answer & Move to Next Question](#)

BC250204695: MUHAMMAD SHAHAB UD DIN
Time Left 74 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 10:16 AM, 05 January 2026 Total Marks: 1

Question # 20 of 20 (Start time: 10:20:41 AM, 05 January 2026)

Which of the following is not a benefit of using XML Schemas?

Select the correct option

<input type="radio"/> It is easier to define restrictions on data
<input type="radio"/> It is easier to convert data between different data types.
<input type="radio"/> It is easier to describe document content.
<input checked="" type="radio"/> It is only used for styling purposes

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

Student # 2

BC250431157: ASIA RIAZ

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 75 sec(s)
Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 1 of 20 (Start time: 08:54:35 PM, 05 January 2026)

innerWidth() method of JQuery returns:

Click to Save Answer & Move to Next Question

Select the correct option

<input checked="" type="radio"/>	width of an element including padding
<input type="radio"/>	width of an element including border
<input type="radio"/>	width of an element excluding border
<input type="radio"/>	width of an element excluding padding

BC250431157: ASIA RIAZ

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 85 sec(s)
Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 2 of 20 (Start time: 08:54:58 PM, 05 January 2026)

How can JSON data be converted into native JavaScript objects?

Click to Save Answer & Move to Next Question

Select the correct option

<input type="radio"/>	Using the XMLHttpRequest function
<input type="radio"/>	Using the JSON.stringify() function
<input checked="" type="radio"/>	Using the JSON.parse() function
<input type="radio"/>	Using the XMLParser function

Reload Math Equations

Click to Save Answer & Move to Next Question



Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ		Time Left 81 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 3 of 20 (Start time: 08:55:10 PM, 05 January 2026)		Total Marks: 1								
<p>AJAX is based on internet standards, and uses</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>None of the above</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>Combination of both (A) & (B)</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>(B). JavaScript/DOM (to display/use the data)</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>(A). XMLHttpRequest object (to retrieve data from a web server)</td> </tr> </table>			<input type="radio"/>	None of the above	<input checked="" type="radio"/>	Combination of both (A) & (B)	<input type="radio"/>	(B). JavaScript/DOM (to display/use the data)	<input type="radio"/>	(A). XMLHttpRequest object (to retrieve data from a web server)
<input type="radio"/>	None of the above									
<input checked="" type="radio"/>	Combination of both (A) & (B)									
<input type="radio"/>	(B). JavaScript/DOM (to display/use the data)									
<input type="radio"/>	(A). XMLHttpRequest object (to retrieve data from a web server)									
Click to Save Answer & Move to Next Question										

BC250431157: ASIA RIAZ		Time Left 75 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 4 of 20 (Start time: 08:55:23 PM, 05 January 2026)		Total Marks: 1								
<p>Which of the following method(s) is/are used for traversing up the DOM tree?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>parent()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>grandParents()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>parents() and grandParents()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>parental()</td> </tr> </table>			<input checked="" type="radio"/>	parent()	<input type="radio"/>	grandParents()	<input type="radio"/>	parents() and grandParents()	<input type="radio"/>	parental()
<input checked="" type="radio"/>	parent()									
<input type="radio"/>	grandParents()									
<input type="radio"/>	parents() and grandParents()									
<input type="radio"/>	parental()									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

<p>BC250431157: ASIA RIAZ</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 5 of 20 (Start time: 08:55:44 PM, 05 January 2026)</p> <p>Which of the following is not a naming rule for XML elements?</p>	<div style="text-align: right; margin-bottom: 5px;"> Time Left 81 sec(s) </div> <div style="text-align: right;">Quiz Start Time: 08:54 PM, 05 January 2026</div> <div style="text-align: right;">Total Marks: 1</div>
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>Select the correct option</p> <p><input checked="" type="radio"/> It can contain letters, digits, hyphens, underscores, and periods.</p> <p><input checked="" type="radio"/> It can contain spaces.</p> <p><input type="radio"/> It cannot start with the letters xml or XML, or Xml, etc.</p> <p><input type="radio"/> It must start with a letter or underscore.</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>BC250431157: ASIA RIAZ</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 6 of 20 (Start time: 08:55:58 PM, 05 January 2026)</p> <p>In DOM tree, a descendant can be _____</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>Select the correct option</p> <p><input type="radio"/> All of the given options</p> <p><input type="radio"/> Parent, grand parent, great grand-parent and so on.</p> <p><input checked="" type="radio"/> Child, grand-child, great grand-child and so on.</p> <p><input type="radio"/> Siblings</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ		Time Left 81 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 7 of 20 (Start time: 08:56:10 PM, 05 January 2026)		Total Marks: 1								
Which of the following is the default character encoding for XML documents?										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>UTF-16</td> </tr> <tr> <td><input type="radio"/></td> <td>UTF-32</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>UTF-8</td> </tr> </table>			<input type="radio"/>	None of the given options	<input type="radio"/>	UTF-16	<input type="radio"/>	UTF-32	<input checked="" type="radio"/>	UTF-8
<input type="radio"/>	None of the given options									
<input type="radio"/>	UTF-16									
<input type="radio"/>	UTF-32									
<input checked="" type="radio"/>	UTF-8									
Click to Save Answer & Move to Next Question										

BC250431157: ASIA RIAZ		Time Left 81 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 8 of 20 (Start time: 08:56:24 PM, 05 January 2026)		Total Marks: 1								
What is an XML Schema?										
<p>Select the correct option</p> <table border="1"> <tr> <td><input checked="" type="radio"/></td> <td>An XML-based alternative to DTD (Document Type Definition)</td> </tr> <tr> <td><input type="radio"/></td> <td>A structure for representing the data in a database</td> </tr> <tr> <td><input type="radio"/></td> <td>A language used to style XML documents</td> </tr> <tr> <td><input type="radio"/></td> <td>A method for transferring data over the internet</td> </tr> </table>			<input checked="" type="radio"/>	An XML-based alternative to DTD (Document Type Definition)	<input type="radio"/>	A structure for representing the data in a database	<input type="radio"/>	A language used to style XML documents	<input type="radio"/>	A method for transferring data over the internet
<input checked="" type="radio"/>	An XML-based alternative to DTD (Document Type Definition)									
<input type="radio"/>	A structure for representing the data in a database									
<input type="radio"/>	A language used to style XML documents									
<input type="radio"/>	A method for transferring data over the internet									
Click to Save Answer & Move to Next Question										

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ
Time Left 78 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Question # 9 of 20 (Start time: 08:56:40 PM, 05 January 2026)

Total Marks: 1

What does JSON stand for?

Select the correct option

<input type="radio"/>	JavaScript Online Notation	Reload Math Equations
<input checked="" type="radio"/>	JavaScript Object Notation	
<input type="radio"/>	JavaScript Object Network	
<input type="radio"/>	Java Standard Object Notation	

[Click to Save Answer & Move to Next Question](#)

BC250431157: ASIA RIAZ
Time Left 65 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Question # 9 of 20 (Start time: 08:56:40 PM, 05 January 2026)

Total Marks: 1

What does JSON stand for?

Select the correct option

<input type="radio"/>	JavaScript Online Notation	Reload Math Equations
<input checked="" type="radio"/>	JavaScript Object Notation	
<input type="radio"/>	JavaScript Object Network	
<input type="radio"/>	Java Standard Object Notation	

[Click to Save Answer & Move to Next Question](#)

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ
Time Left: 81 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 10 of 20 (Start time: 08:57:09 PM, 05 January 2026)

----- is used to insert content at the end of the selected elements.

Select the correct option

<input type="radio"/>	After()
<input checked="" type="radio"/>	Append()
<input type="radio"/>	Prepend()
<input type="radio"/>	Before()

[Click to Save Answer & Move to Next Question](#)

BC250431157: ASIA RIAZ
Time Left: 83 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 11 of 20 (Start time: 08:57:24 PM, 05 January 2026)

Which of the following is/are example(s) of event?

Select the correct option

<input type="radio"/>	clicking on an element
<input checked="" type="radio"/>	All of the given options
<input type="radio"/>	selecting a radio button
<input type="radio"/>	moving a mouse over an element

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ		Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 08:54 PM, 05 January 2026 Total Marks: 1										
Question # 12 of 20 (Start time: 08:57:36 PM, 05 January 2026)										
Which statement is true about both JSON and XML?										
<p>Select the correct option</p> <table border="1"> <tr> <td><input checked="" type="radio"/></td> <td>Both JSON and XML can be fetched with an XMLHttpRequest</td> </tr> <tr> <td><input type="radio"/></td> <td>Both JSON and XML cannot be parsed by programming languages</td> </tr> <tr> <td><input type="radio"/></td> <td>Both JSON and XML are not hierarchical</td> </tr> <tr> <td><input type="radio"/></td> <td>Both JSON and XML use end tags</td> </tr> </table>			<input checked="" type="radio"/>	Both JSON and XML can be fetched with an XMLHttpRequest	<input type="radio"/>	Both JSON and XML cannot be parsed by programming languages	<input type="radio"/>	Both JSON and XML are not hierarchical	<input type="radio"/>	Both JSON and XML use end tags
<input checked="" type="radio"/>	Both JSON and XML can be fetched with an XMLHttpRequest									
<input type="radio"/>	Both JSON and XML cannot be parsed by programming languages									
<input type="radio"/>	Both JSON and XML are not hierarchical									
<input type="radio"/>	Both JSON and XML use end tags									
Click to Save Answer & Move to Next Question										

BC250431157: ASIA RIAZ		Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 08:54 PM, 05 January 2026 Total Marks: 1										
Question # 13 of 20 (Start time: 08:57:50 PM, 05 January 2026)										
What is meant by DOM traversing in JQuery?										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>Select child, parent, ancestor, current, descendant and sibling</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>Find the desired elements on the basis of their relationship with other elements</td> </tr> <tr> <td><input type="radio"/></td> <td>Select an element and move upwards or downwards to reach the required elements</td> </tr> </table>			<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling	<input checked="" type="radio"/>	All of the given options	<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements	<input type="radio"/>	Select an element and move upwards or downwards to reach the required elements
<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling									
<input checked="" type="radio"/>	All of the given options									
<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements									
<input type="radio"/>	Select an element and move upwards or downwards to reach the required elements									
Click to Save Answer & Move to Next Question										

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

<p>BC250431157: ASIA RIAZ</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p>	Time Left 83 sec(s) Quiz Start Time: 08:54 PM, 05 January 2026								
Question # 14 of 20 (Start time: 08:58:01 PM, 05 January 2026)									
Total Marks: 1									
In DOM tree, an ancestor can be _____.									
Click to Save Answer & Move to Next Question									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>All of the given options</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input checked="" type="radio"/> </td> <td>Parent, grand parent, great grand-parent and so on.</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>Child, grand-child, great grand-child and so on.</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>Siblings</td> </tr> </table>		<input type="radio"/>	All of the given options	<input checked="" type="radio"/>	Parent, grand parent, great grand-parent and so on.	<input type="radio"/>	Child, grand-child, great grand-child and so on.	<input type="radio"/>	Siblings
<input type="radio"/>	All of the given options								
<input checked="" type="radio"/>	Parent, grand parent, great grand-parent and so on.								
<input type="radio"/>	Child, grand-child, great grand-child and so on.								
<input type="radio"/>	Siblings								
Click to Save Answer & Move to Next Question									

<p>BC250431157: ASIA RIAZ</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p>	Time Left 82 sec(s) Quiz Start Time: 08:54 PM, 05 January 2026								
Question # 15 of 20 (Start time: 08:58:15 PM, 05 January 2026)									
Total Marks: 1									
Why are XML Schemas considered more powerful than DTD?									
Click to Save Answer & Move to Next Question									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>They support JavaScript</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>They use CSS for styling</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input checked="" type="radio"/> </td> <td>They support data types and namespaces</td> </tr> <tr> <td style="text-align: center; vertical-align: top;"> <input type="radio"/> </td> <td>They are less complex than DTDs</td> </tr> </table>		<input type="radio"/>	They support JavaScript	<input type="radio"/>	They use CSS for styling	<input checked="" type="radio"/>	They support data types and namespaces	<input type="radio"/>	They are less complex than DTDs
<input type="radio"/>	They support JavaScript								
<input type="radio"/>	They use CSS for styling								
<input checked="" type="radio"/>	They support data types and namespaces								
<input type="radio"/>	They are less complex than DTDs								
Click to Save Answer & Move to Next Question									

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 16 of 20 (Start time: 08:58:30 PM, 05 January 2026)

What is the syntax for selecting HTML elements and performing some action on them in jQuery?

Select the correct option

<input type="radio"/>	(selector).action()
<input type="radio"/>	None of the given options
<input checked="" type="radio"/>	\$(selector).action()
<input type="radio"/>	\$(selector)

[Click to Save Answer & Move to Next Question](#)

BC250431157: ASIA RIAZ
Time Left: 80 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 17 of 20 (Start time: 08:58:42 PM, 05 January 2026)

----- is a lightweight data-interchange format.

Select the correct option

<input type="radio"/>	Java
<input type="radio"/>	CSS
<input type="radio"/>	HTML
<input checked="" type="radio"/>	JSON

[Click to Save Answer & Move to Next Question](#)

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ		Time Left 82 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 18 of 20 (Start time: 08:58:56 PM, 05 January 2026)		Total Marks: 1								
<p>----- is used to insert content at the beginning of the selected elements.</p>										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>Append()</td> </tr> <tr> <td><input type="radio"/></td> <td>Before()</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>Prepend()</td> </tr> <tr> <td><input type="radio"/></td> <td>After()</td> </tr> </table>			<input type="radio"/>	Append()	<input type="radio"/>	Before()	<input checked="" type="radio"/>	Prepend()	<input type="radio"/>	After()
<input type="radio"/>	Append()									
<input type="radio"/>	Before()									
<input checked="" type="radio"/>	Prepend()									
<input type="radio"/>	After()									
Click to Save Answer & Move to Next Question										

BC250431157: ASIA RIAZ		Time Left 82 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 19 of 20 (Start time: 08:59:07 PM, 05 January 2026)		Total Marks: 1								
<p>XML is used as a format for document storage and processing. -----</p>										
<p>Select the correct option</p> <table border="1"> <tr> <td><input checked="" type="radio"/></td> <td>both online and offline</td> </tr> <tr> <td><input type="radio"/></td> <td>online</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>offline</td> </tr> </table>			<input checked="" type="radio"/>	both online and offline	<input type="radio"/>	online	<input type="radio"/>	None of the given options	<input type="radio"/>	offline
<input checked="" type="radio"/>	both online and offline									
<input type="radio"/>	online									
<input type="radio"/>	None of the given options									
<input type="radio"/>	offline									
Click to Save Answer & Move to Next Question										

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC250431157: ASIA RIAZ

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 84 sec(s)

Quiz Start Time: 08:54 PM, 05 January 2026

Total Marks: 1

Question # 20 of 20 (Start time: 08:59:20 PM, 05 January 2026)

The JQuery code: \$("p").hide() will hide _____.

Select the correct option

<input type="radio"/>	only last <p> element
<input checked="" type="radio"/>	all <p> elements
<input type="radio"/>	None of the given options
<input type="radio"/>	only first <p> element

Click to Save Answer & Move to Next Question

Vu Standard 0315U.

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

Student # 3

BC230201448: AYESHA SAEED

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 75 sec(s)
Quiz Start Time: 09:47 PM, 05 January 2026

Question # 1 of 20 (Start time: 09:47:30 PM, 05 January 2026) Total Marks: 1

AJAX is about:

Select the correct option

<input type="radio"/>	Receiving data from server without reloading the whole page
<input checked="" type="radio"/>	Both sending and receiving data from server without reloading the whole page
<input type="radio"/>	Both Sending and receiving data from server by reloading the whole page
<input type="radio"/>	Sending data to server without reloading the whole page

Click to Save Answer & Move to Next Question

BC230201448: AYESHA SAEED

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 47 sec(s)
Quiz Start Time: 09:47 PM, 05 January 2026

Question # 2 of 20 (Start time: 09:47:45 PM, 05 January 2026) Total Marks: 1

----- is a lightweight data-interchange format.

Select the correct option

<input type="radio"/>	Java
<input type="radio"/>	CSS
<input type="radio"/>	HTML
<input checked="" type="radio"/>	JSON

Reload Math Equations

Click to Save Answer & Move to Next Question

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED	Time Left 69 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)									
Quiz Start Time: 09:47 PM, 05 January 2026									
Question # 3 of 20 (Start time: 09:48:32 PM, 05 January 2026)									
Total Marks: 1									
<p>In JQuery, outerWidth() method returns:</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td style="padding: 5px;">width of an element including border and padding</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">width of an element excluding padding</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">width of an element including padding</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">width of an element excluding border and padding</td> </tr> </table>		<input checked="" type="radio"/>	width of an element including border and padding	<input type="radio"/>	width of an element excluding padding	<input type="radio"/>	width of an element including padding	<input type="radio"/>	width of an element excluding border and padding
<input checked="" type="radio"/>	width of an element including border and padding								
<input type="radio"/>	width of an element excluding padding								
<input type="radio"/>	width of an element including padding								
<input type="radio"/>	width of an element excluding border and padding								
Click to Save Answer & Move to Next Question									

BC230201448: AYESHA SAEED	Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)									
Quiz Start Time: 09:47 PM, 05 January 2026									
Question # 4 of 20 (Start time: 09:48:58 PM, 05 January 2026)									
Total Marks: 1									
<p>Which of the following property(ies) of XMLHttpRequest object is/are used to get a response from the server?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td style="padding: 5px;">Both responseText & responseXML</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">responseText</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">responseXML</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td style="padding: 5px;">None of the given options</td> </tr> </table>		<input checked="" type="radio"/>	Both responseText & responseXML	<input type="radio"/>	responseText	<input type="radio"/>	responseXML	<input type="radio"/>	None of the given options
<input checked="" type="radio"/>	Both responseText & responseXML								
<input type="radio"/>	responseText								
<input type="radio"/>	responseXML								
<input type="radio"/>	None of the given options								
Click to Save Answer & Move to Next Question									

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED
Time Left: 83 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Question # 5 of 20 (Start time: 09:49:11 PM, 05 January 2026)

Total Marks: 1

What is the function of responseText in AJAX?

Select the correct option

<input checked="" type="radio"/>	get the response data as a string
<input type="radio"/>	All of the given options
<input type="radio"/>	get the response data as an integer
<input type="radio"/>	get the response data as XML data

Click to Save Answer & Move to Next Question

BC230201448: AYESHA SAEED
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Question # 6 of 20 (Start time: 09:49:23 PM, 05 January 2026)

Total Marks: 1

Which of the following is NOT a jQuery Sliding Methods?

Select the correct option

<input checked="" type="radio"/>	slideSwitch()
<input type="radio"/>	slideUp()
<input type="radio"/>	slideDown()
<input type="radio"/>	slideToggle()

Click to Save Answer & Move to Next Question

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)	Time Left: 78 sec(s) Quiz Start Time: 09:47 PM, 05 January 2026								
<p>Question # 7 of 20 (Start time: 09:48:39 PM, 05 January 2026)</p> <p>Total Marks: 1</p> <p>In JQuery, innerHeight() method returns:</p> <div style="border: 1px solid #ccc; height: 100px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>height of an element including border</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>height of an element excluding border</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input checked="" type="radio"/></td> <td>height of an element including padding</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>height of an element excluding padding</td> </tr> </table>		<input type="radio"/>	height of an element including border	<input type="radio"/>	height of an element excluding border	<input checked="" type="radio"/>	height of an element including padding	<input type="radio"/>	height of an element excluding padding
<input type="radio"/>	height of an element including border								
<input type="radio"/>	height of an element excluding border								
<input checked="" type="radio"/>	height of an element including padding								
<input type="radio"/>	height of an element excluding padding								
<input type="button" value="Click to Save Answer & Move to Next Question"/>									

BC230201448: AYESHA SAEED CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)	Time Left: 82 sec(s) Quiz Start Time: 09:47 PM, 05 January 2026								
<p>Question # 8 of 20 (Start time: 09:49:57 PM, 05 January 2026)</p> <p>Total Marks: 1</p> <p>Which of the following is not a naming rule for XML elements?</p> <div style="border: 1px solid #ccc; height: 100px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px; padding: 5px;"><input checked="" type="radio"/></td> <td>It can contain spaces.</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>It can contain letters, digits, hyphens, underscores, and periods.</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>It cannot start with the letters xml or XML or Xml, etc.</td> </tr> <tr> <td style="width: 15px; padding: 5px;"><input type="radio"/></td> <td>It must start with a letter or underscore.</td> </tr> </table>		<input checked="" type="radio"/>	It can contain spaces.	<input type="radio"/>	It can contain letters, digits, hyphens, underscores, and periods.	<input type="radio"/>	It cannot start with the letters xml or XML or Xml, etc.	<input type="radio"/>	It must start with a letter or underscore.
<input checked="" type="radio"/>	It can contain spaces.								
<input type="radio"/>	It can contain letters, digits, hyphens, underscores, and periods.								
<input type="radio"/>	It cannot start with the letters xml or XML or Xml, etc.								
<input type="radio"/>	It must start with a letter or underscore.								
<input type="button" value="Click to Save Answer & Move to Next Question"/>									

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED
Time Left: 83 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Question # 9 of 20 (Start time: 09:50:11 PM, 05 January 2026)

Total Marks: 1

JSON makes it possible to store _____ objects as text.

Select the correct option

<input checked="" type="radio"/> JavaScript	<input type="radio"/> C
<input type="radio"/> Java	<input type="radio"/> C++

[Click to Save Answer & Move to Next Question](#)

BC230201448: AYESHA SAEED
Time Left: 76 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Question # 10 of 20 (Start time: 09:50:24 PM, 05 January 2026)

Total Marks: 1

Which of the following is the default character encoding for XML documents?

Select the correct option

<input checked="" type="radio"/> UTF-8	<input type="radio"/> UTF-16
<input type="radio"/> None of the given options	<input type="radio"/> UTF-32

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED		Time Left 82 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 11 of 20 (Start time: 09:50:44 PM, 05 January 2026)		Total Marks: 1								
XML is used as a format for document storage and processing. _____.										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>offline</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>both online and offline</td> </tr> <tr> <td><input type="radio"/></td> <td>online</td> </tr> </table>			<input type="radio"/>	offline	<input type="radio"/>	None of the given options	<input checked="" type="radio"/>	both online and offline	<input type="radio"/>	online
<input type="radio"/>	offline									
<input type="radio"/>	None of the given options									
<input checked="" type="radio"/>	both online and offline									
<input type="radio"/>	online									
Click to Save Answer & Move to Next Question										

BC230201448: AYESHA SAEED		Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 12 of 20 (Start time: 09:50:57 PM, 05 January 2026)		Total Marks: 1								
In DOM tree, a descendant can be _____.										
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>Siblings</td> </tr> <tr> <td><input type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>Child, grand-child, great grand-child and so on.</td> </tr> <tr> <td><input type="radio"/></td> <td>Parent, grand parent, great grand-parent and so on.</td> </tr> </table>			<input type="radio"/>	Siblings	<input type="radio"/>	All of the given options	<input checked="" type="radio"/>	Child, grand-child, great grand-child and so on.	<input type="radio"/>	Parent, grand parent, great grand-parent and so on.
<input type="radio"/>	Siblings									
<input type="radio"/>	All of the given options									
<input checked="" type="radio"/>	Child, grand-child, great grand-child and so on.									
<input type="radio"/>	Parent, grand parent, great grand-parent and so on.									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Total Marks: 1

Question # 13 of 20 (Start time: 09:51:09 PM, 05 January 2026)

----- is used to insert content at the end of the selected elements.

Select the correct option

<input type="radio"/>	After()
<input checked="" type="radio"/>	Append()
<input type="radio"/>	Prepend()
<input type="radio"/>	Before()

Click to Save Answer & Move to Next Question

BC230201448: AYESHA SAEED
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 09:47 PM, 05 January 2026

Total Marks: 1

Question # 14 of 20 (Start time: 09:51:21 PM, 05 January 2026)

In JQuery, outerHeight() method returns:

Select the correct option

<input checked="" type="radio"/>	height of an element including border and padding
<input type="radio"/>	height of an element including padding
<input type="radio"/>	height of an element excluding padding
<input type="radio"/>	height of an element excluding border and padding

Click to Save Answer & Move to Next Question

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED		Time Left 85 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 15 of 20 (Start time: 09:51:32 PM, 05 January 2026)		Total Marks: 1								
<p>Which of the following is/are example(s) of event?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>moving a mouse over an element</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>clicking on an element</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>selecting a radio button</td> </tr> </table>			<input checked="" type="radio"/>	All of the given options	<input type="radio"/>	moving a mouse over an element	<input type="radio"/>	clicking on an element	<input type="radio"/>	selecting a radio button
<input checked="" type="radio"/>	All of the given options									
<input type="radio"/>	moving a mouse over an element									
<input type="radio"/>	clicking on an element									
<input type="radio"/>	selecting a radio button									
Click to Save Answer & Move to Next Question										

BC230201448: AYESHA SAEED		Time Left 80 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 16 of 20 (Start time: 09:51:44 PM, 05 January 2026)		Total Marks: 1								
<p>Which of the following is not a benefit of using XML Schemas?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>It is only used for styling purposes</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>It is easier to define restrictions on data</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>It is easier to describe document content.</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>It is easier to convert data between different data types.</td> </tr> </table>			<input checked="" type="radio"/>	It is only used for styling purposes	<input type="radio"/>	It is easier to define restrictions on data	<input type="radio"/>	It is easier to describe document content.	<input type="radio"/>	It is easier to convert data between different data types.
<input checked="" type="radio"/>	It is only used for styling purposes									
<input type="radio"/>	It is easier to define restrictions on data									
<input type="radio"/>	It is easier to describe document content.									
<input type="radio"/>	It is easier to convert data between different data types.									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED		Time Left 82 sec(s)
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)		
Question # 17 of 20 (Start time: 09:52:04 PM, 05 January 2026)		Total Marks: 1
<p>AJAX is based on internet standards, and uses</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>		
Select the correct option		
<input checked="" type="radio"/>	Combination of both (A) & (B)	
<input type="radio"/>	(B). JavaScript/DOM (to display/use the data)	
<input type="radio"/>	(A). XMLHttpRequest object (to retrieve data from a web server)	
<input type="radio"/>	None of the above	
Click to Save Answer & Move to Next Question		

BC230201448: AYESHA SAEED		Time Left 82 sec(s)
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)		
Question # 18 of 20 (Start time: 09:52:18 PM, 05 January 2026)		Total Marks: 1
<p>What does JSON stand for?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>		
Select the correct option		
<input checked="" type="radio"/>	JavaScript Object Notation	Reload Math Equations
<input type="radio"/>	JavaScript Online Notation	
<input type="radio"/>	JavaScript Object Network	
<input type="radio"/>	Java Standard Object Notation	
Click to Save Answer & Move to Next Question		

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED		Time Left 80 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 19 of 20 (Start time: 09:52:32 PM, 05 January 2026)		Total Marks: 1								
<p>Which of the following is a fast, small, and feature-rich JavaScript library?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>FQuery</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>jQuery</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>SQuery</td> </tr> </table>			<input type="radio"/>	FQuery	<input type="radio"/>	None of the given options	<input checked="" type="radio"/>	jQuery	<input type="radio"/>	SQuery
<input type="radio"/>	FQuery									
<input type="radio"/>	None of the given options									
<input checked="" type="radio"/>	jQuery									
<input type="radio"/>	SQuery									
Click to Save Answer & Move to Next Question										

BC230201448: AYESHA SAEED		Time Left 73 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 19 of 20 (Start time: 09:52:32 PM, 05 January 2026)		Total Marks: 1								
<p>Which of the following is a fast, small, and feature-rich JavaScript library?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>FQuery</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>jQuery</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>SQuery</td> </tr> </table>			<input type="radio"/>	FQuery	<input type="radio"/>	None of the given options	<input checked="" type="radio"/>	jQuery	<input type="radio"/>	SQuery
<input type="radio"/>	FQuery									
<input type="radio"/>	None of the given options									
<input checked="" type="radio"/>	jQuery									
<input type="radio"/>	SQuery									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC230201448: AYESHA SAEED

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 82 sec(s)

Quiz Start Time: 09:47 PM, 05 January 2026

Total Marks: 1

Question # 20 of 20 (Start time: 09:52:54 PM, 05 January 2026)

----- is used to insert content at the beginning of the selected elements.

Select the correct option

Prepend()

Before()

After()

Append()

[Click to Save Answer & Move to Next Question](#)

Vu Standard 0315U.

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

Student # 4

BC220416120: MUHAMMAD AHMED JAMIL

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 83 sec(s)
Quiz Start Time: 07:56 PM, 06 January 2026

Total Marks: 1

Question # 1 of 20 (Start time: 07:56:13 PM, 06 January 2026)

What is the syntax for selecting HTML elements and performing some action on them in jQuery?

Click to Save Answer & Move to Next Question

Select the correct option

\$(selector).action()

(selector).action()

\$(selector)

None of the given options

Time Left: 82 sec(s)
Quiz Start Time: 07:56 PM, 06 January 2026

Total Marks: 1

Question # 2 of 20 (Start time: 07:56:25 PM, 06 January 2026)

----- is a lightweight data-interchange format.

Click to Save Answer & Move to Next Question

Select the correct option

HTML

Java

CSS

JSON

Reload Math Equations

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL	Time Left 83 sec(s)				
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)					
Quiz Start Time: 07:56 PM, 06 January 2026					
Total Marks: 1					
<p>Question # 3 of 20 (Start time: 07:56:36 PM, 06 January 2026)</p> <p>Which of the following is NOT a jQuery Sliding Methods?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>					
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/> slideSwitch()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/> slideUp()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/> slideDown()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/> slideToggle()</td> </tr> </table>		<input checked="" type="radio"/> slideSwitch()	<input type="radio"/> slideUp()	<input type="radio"/> slideDown()	<input type="radio"/> slideToggle()
<input checked="" type="radio"/> slideSwitch()					
<input type="radio"/> slideUp()					
<input type="radio"/> slideDown()					
<input type="radio"/> slideToggle()					
Click to Save Answer & Move to Next Question					
 <p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Quiz Start Time: 07:56 PM, 06 January 2026</p> <p>Total Marks: 1</p>					
<p>Question # 4 of 20 (Start time: 07:56:46 PM, 06 January 2026)</p> <p>In an XML document, all elements can contain _____.</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>					
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/> sub elements</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/> All of the given options</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/> attributes</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/> text</td> </tr> </table>		<input type="radio"/> sub elements	<input checked="" type="radio"/> All of the given options	<input type="radio"/> attributes	<input type="radio"/> text
<input type="radio"/> sub elements					
<input checked="" type="radio"/> All of the given options					
<input type="radio"/> attributes					
<input type="radio"/> text					
Click to Save Answer & Move to Next Question					

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left 80 sec(s)

Quiz Start Time: 07:56 PM, 06 January 2026

Question # 5 of 20 (Start time: 07:56:59 PM, 06 January 2026) Total Marks: 1

Which statement is true about both JSON and XML?

Select the correct option

Both JSON and XML cannot be parsed by programming languages

Both JSON and XML use end tags

Both JSON and XML can be fetched with an XMLHttpRequest

Both JSON and XML are not hierarchical

[Reload Math Equations](#)

[Click to Save Answer & Move to Next Question](#)

BC220416120: MUHAMMAD AHMED JAMIL

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left 78 sec(s)

Quiz Start Time: 07:56 PM, 06 January 2026

Total Marks: 1

Question # 6 of 20 (Start time: 07:57:13 PM, 06 January 2026)

What is meant by DOM traversing in jQuery?

Select the correct option

<input type="radio"/>	Select on element and move upwards or downwards to reach the required elements
<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling
<input checked="" type="radio"/>	All of the given options
<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements

Click to Save Answer & Move to Next Question

VuSta

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 7 of 20 (Start time: 07:57:30 PM, 06 January 2026)		Total Marks: 1								
<p>The \$(document).ready() method allows us to execute a function when,</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input type="radio"/></td> <td>Document is partially loaded</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>Document is fully loaded</td> </tr> <tr> <td><input type="radio"/></td> <td>Document is about to load</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> </table>			<input type="radio"/>	Document is partially loaded	<input checked="" type="radio"/>	Document is fully loaded	<input type="radio"/>	Document is about to load	<input type="radio"/>	None of the given options
<input type="radio"/>	Document is partially loaded									
<input checked="" type="radio"/>	Document is fully loaded									
<input type="radio"/>	Document is about to load									
<input type="radio"/>	None of the given options									
Click to Save Answer & Move to Next Question										

BC220416120: MUHAMMAD AHMED JAMIL		Time Left 83 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 8 of 20 (Start time: 07:57:42 PM, 06 January 2026)		Total Marks: 1								
<p>What is an XML Schema?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input checked="" type="radio"/></td> <td>An XML-based alternative to DTD (Document Type Definition)</td> </tr> <tr> <td><input type="radio"/></td> <td>A method for transferring data over the internet</td> </tr> <tr> <td><input type="radio"/></td> <td>A language used to style XML documents</td> </tr> <tr> <td><input type="radio"/></td> <td>A structure for representing the data in a database</td> </tr> </table>			<input checked="" type="radio"/>	An XML-based alternative to DTD (Document Type Definition)	<input type="radio"/>	A method for transferring data over the internet	<input type="radio"/>	A language used to style XML documents	<input type="radio"/>	A structure for representing the data in a database
<input checked="" type="radio"/>	An XML-based alternative to DTD (Document Type Definition)									
<input type="radio"/>	A method for transferring data over the internet									
<input type="radio"/>	A language used to style XML documents									
<input type="radio"/>	A structure for representing the data in a database									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

<p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 9 of 20 (Start time: 07:57:53 PM, 06 January 2026)</p> <p>Which of the following property(ies) of XMLHttpRequest object is/are used to get a response from the server?</p>	Time Left 86 sec(s) Quiz Start Time: 07:56 PM, 06 January 2026 Total Marks: 1
<input type="button" value="Click to Save Answer & Move to Next Question"/>	

<p>Select the correct option</p> <p><input checked="" type="radio"/> Both responseText & responseXML.</p> <p><input type="radio"/> None of the given options</p> <p><input type="radio"/> responseText</p> <p><input type="radio"/> responseXML</p>	Time Left 84 sec(s) Quiz Start Time: 07:56 PM, 06 January 2026 Total Marks: 1
<input type="button" value="Click to Save Answer & Move to Next Question"/>	

<p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 10 of 20 (Start time: 07:58:01 PM, 06 January 2026)</p> <p>In DOM tree, an ancestor can be _____.</p>	Time Left 84 sec(s) Quiz Start Time: 07:56 PM, 06 January 2026 Total Marks: 1
<input type="button" value="Click to Save Answer & Move to Next Question"/>	

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 07:56 PM, 06 January 2026 Total Marks: 1

Question # 11 of 20 (Start time: 07:56:09 PM, 06 January 2026)

How can JSON data be converted into native JavaScript objects?

Select the correct option

<input type="radio"/>	Using the XMLParser function
<input type="radio"/>	Using the JSON.stringify() function
<input checked="" type="radio"/>	Using the JSON.parse() function
<input type="radio"/>	Using the XMLHttpRequest function

[Click to Save Answer & Move to Next Question](#)

BC220416120: MUHAMMAD AHMED JAMIL
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4) Quiz Start Time: 07:56 PM, 06 January 2026 Total Marks: 1

Question # 12 of 20 (Start time: 07:58:23 PM, 06 January 2026)

Which of the following is/are example(s) of event?

Select the correct option

<input type="radio"/>	selecting a radio button
<input type="radio"/>	clicking on an element
<input checked="" type="radio"/>	All of the given options
<input type="radio"/>	moving a mouse over an element

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL
Time Left: 85 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 07:56 PM, 06 January 2026

Total Marks: 1

Question # 13 of 20 (Start time: 07:58:33 PM, 06 January 2026)

In DOM tree, a descendant can be _____.

Select the correct option

<input type="radio"/>	Parent, grand parent, great grand-parent and so on.
<input type="radio"/>	Siblings
<input type="radio"/>	All of the given options
<input checked="" type="radio"/>	Child, grand-child, great grand-child and so on.

[Click to Save Answer & Move to Next Question](#)

BC220416120: MUHAMMAD AHMED JAMIL
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 07:56 PM, 06 January 2026

Total Marks: 1

Question # 14 of 20 (Start time: 07:58:41 PM, 06 January 2026)

Which of the following function is not for traversing up the DOM tree?

Select the correct option

<input checked="" type="radio"/>	grandParents()
<input type="radio"/>	parent()
<input type="radio"/>	parentsUntil()
<input type="radio"/>	parents()

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

<p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 15 of 20 (Start time: 07:58:53 PM, 06 January 2026)</p> <p>In JQuery, outerWidth() method returns:</p>	Time Left 83 sec(s) Quiz Start Time: 07:56 PM, 06 January 2026								
Total Marks: 1									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;"><input checked="" type="radio"/></td> <td>width of an element including border and padding</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td>width of an element excluding padding</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td>width of an element excluding border and padding</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td>width of an element including padding</td> </tr> </table>		<input checked="" type="radio"/>	width of an element including border and padding	<input type="radio"/>	width of an element excluding padding	<input type="radio"/>	width of an element excluding border and padding	<input type="radio"/>	width of an element including padding
<input checked="" type="radio"/>	width of an element including border and padding								
<input type="radio"/>	width of an element excluding padding								
<input type="radio"/>	width of an element excluding border and padding								
<input type="radio"/>	width of an element including padding								
Click to Save Answer & Move to Next Question									
<p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 16 of 20 (Start time: 07:59:04 PM, 06 January 2026)</p> <p>----- is used to Insert content at the beginning of the selected elements.</p>									
Time Left 83 sec(s) Quiz Start Time: 07:56 PM, 06 January 2026									
Total Marks: 1									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; text-align: center;"><input type="radio"/></td> <td>After()</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td>Append()</td> </tr> <tr> <td style="text-align: center;"><input checked="" type="radio"/></td> <td>Prepend()</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td>Before()</td> </tr> </table>		<input type="radio"/>	After()	<input type="radio"/>	Append()	<input checked="" type="radio"/>	Prepend()	<input type="radio"/>	Before()
<input type="radio"/>	After()								
<input type="radio"/>	Append()								
<input checked="" type="radio"/>	Prepend()								
<input type="radio"/>	Before()								
Click to Save Answer & Move to Next Question									

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 17 of 20 { Start time: 07:59:16 PM, 06 January 2026 }		Total Marks: 1								
<p>What is the function of document ready event?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
Select the correct option <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input type="radio"/></td> <td>To prevent an event from performing its default action</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>To prevent any jQuery code from running before the document is finished loading</td> </tr> <tr> <td><input type="radio"/></td> <td>To prevent any jQuery code from running after the document has finished loading</td> </tr> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> </table>			<input type="radio"/>	To prevent an event from performing its default action	<input checked="" type="radio"/>	To prevent any jQuery code from running before the document is finished loading	<input type="radio"/>	To prevent any jQuery code from running after the document has finished loading	<input type="radio"/>	None of the given options
<input type="radio"/>	To prevent an event from performing its default action									
<input checked="" type="radio"/>	To prevent any jQuery code from running before the document is finished loading									
<input type="radio"/>	To prevent any jQuery code from running after the document has finished loading									
<input type="radio"/>	None of the given options									
Click to Save Answer & Move to Next Question										

BC220416120: MUHAMMAD AHMED JAMIL		Time Left 85 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 18 of 20 { Start time: 07:59:26 PM, 06 January 2026 }		Total Marks: 1								
<p>XML is used as a format for document storage and processing. _____.</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
Select the correct option <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15px;"><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>online</td> </tr> <tr> <td><input type="radio"/></td> <td>offline</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>both online and offline</td> </tr> </table>			<input type="radio"/>	None of the given options	<input type="radio"/>	online	<input type="radio"/>	offline	<input checked="" type="radio"/>	both online and offline
<input type="radio"/>	None of the given options									
<input type="radio"/>	online									
<input type="radio"/>	offline									
<input checked="" type="radio"/>	both online and offline									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220416120: MUHAMMAD AHMED JAMIL	Time Left 85 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)									
Quiz Start Time: 07:56 PM, 06 January 2026									
Total Marks: 1									
<p>Question # 19 of 20 (Start time: 07:59:37 PM, 06 January 2026)</p> <p>What is the function of responseText in AJAX?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>get the response data as a string</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>get the response data as an integer</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>get the response data as XML data</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>All of the given options</td> </tr> </table>		<input checked="" type="radio"/>	get the response data as a string	<input type="radio"/>	get the response data as an integer	<input type="radio"/>	get the response data as XML data	<input type="radio"/>	All of the given options
<input checked="" type="radio"/>	get the response data as a string								
<input type="radio"/>	get the response data as an integer								
<input type="radio"/>	get the response data as XML data								
<input type="radio"/>	All of the given options								
Click to Save Answer & Move to Next Question									
 <p>BC220416120: MUHAMMAD AHMED JAMIL</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Quiz Start Time: 07:56 PM, 06 January 2026</p> <p>Total Marks: 1</p>									
<p>Question # 20 of 20 (Start time: 07:59:46 PM, 06 January 2026)</p> <p>Which of the following feature is not part of the JQuery library?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>									
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>CSS manipulation</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>Effects and animations</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>HTML/DOM manipulation</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>None of the given options</td> </tr> </table>		<input type="radio"/>	CSS manipulation	<input type="radio"/>	Effects and animations	<input type="radio"/>	HTML/DOM manipulation	<input checked="" type="radio"/>	None of the given options
<input type="radio"/>	CSS manipulation								
<input type="radio"/>	Effects and animations								
<input type="radio"/>	HTML/DOM manipulation								
<input checked="" type="radio"/>	None of the given options								
Click to Save Answer & Move to Next Question									

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

Student # 5

BC220403641: HAFZA ZAHID

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 81 sec(s)
Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 1 of 20 (Start time: 08:01:19 PM, 06 January 2026)

----- is a lightweight data-interchange format.

Select the correct option

HTML
 Java
 JSON
 CSS

Reload Math Equations

Click to Save Answer & Move to Next Question

BC220403641: HAFZA ZAHID

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Time Left: 82 sec(s)
Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 2 of 20 (Start time: 08:01:32 PM, 06 January 2026)

----- is used to insert content at the end of the selected elements.

Select the correct option

Prepend()
 After()
 Append()
 Before()

Click to Save Answer & Move to Next Question

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)	Time Left 85 sec(s) Quiz Start Time: 08:01 PM, 06 January 2026
Question # 3 of 20 (Start time: 08:01:45 PM, 06 January 2026)	
<p>Which of the following feature is not part of the jQuery library?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>	
Total Marks: 1	
Select the correct option	
<input checked="" type="radio"/> None of the given options <input type="radio"/> Effects and animations <input type="radio"/> CSS manipulation <input type="radio"/> HTML/DOM manipulation	
Click to Save Answer & Move to Next Question	

BC220403641: HAFZA ZAHID CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)	Time Left 82 sec(s) Quiz Start Time: 08:01 PM, 06 January 2026
Question # 4 of 20 (Start time: 08:01:55 PM, 06 January 2026)	
<p>In DOM tree, an ancestor can be _____.</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>	
Total Marks: 1	
Select the correct option	
<input type="radio"/> Child, grand-child, great grand-child and so on. <input checked="" type="radio"/> Parent, grand parent, great grand-parent and so on. <input type="radio"/> Siblings <input type="radio"/> All of the given options	
Click to Save Answer & Move to Next Question	

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID
Time Left: 81 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 5 of 20 (Start time: 08:02:07 PM, 06 January 2026)

To traverse sideways in the DOM Tree, _____ is not a function.

Select the correct option

<input type="radio"/>	nextUntil()
<input type="radio"/>	siblings()
<input type="radio"/>	next()
<input checked="" type="radio"/>	nexts()

[Click to Save Answer & Move to Next Question](#)

BC220403641: HAFZA ZAHID
Time Left: 85 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 6 of 20 (Start time: 08:02:19 PM, 06 January 2026)

In JQuery, outerWidth() method returns:

Select the correct option

<input type="radio"/>	width of an element including padding
<input type="radio"/>	width of an element excluding padding
<input checked="" type="radio"/>	width of an element including border and padding
<input type="radio"/>	width of an element excluding border and padding

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID	Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)									
Quiz Start Time: 08:01 PM, 06 January 2026									
Total Marks: 1									
<p>Question # 7 of 20 (Start time: 08:02:31 PM, 06 January 2026)</p> <p>What is meant by DOM traversing in jQuery?</p>									
<p>Select the correct option</p> <table border="1"> <tr> <td><input checked="" type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>Find the desired elements on the basis of their relationship with other elements</td> </tr> <tr> <td><input type="radio"/></td> <td>Select child, parent, ancestor, current, descendant and sibling</td> </tr> <tr> <td><input type="radio"/></td> <td>Select an element and move upwards or downwards to reach the required elements</td> </tr> </table>		<input checked="" type="radio"/>	All of the given options	<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements	<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling	<input type="radio"/>	Select an element and move upwards or downwards to reach the required elements
<input checked="" type="radio"/>	All of the given options								
<input type="radio"/>	Find the desired elements on the basis of their relationship with other elements								
<input type="radio"/>	Select child, parent, ancestor, current, descendant and sibling								
<input type="radio"/>	Select an element and move upwards or downwards to reach the required elements								
Click to Save Answer & Move to Next Question									

BC220403641: HAFZA ZAHID	Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)									
Quiz Start Time: 08:01 PM, 06 January 2026									
Total Marks: 1									
<p>Question # 8 of 20 (Start time: 08:02:42 PM, 06 January 2026)</p> <p>Which of the following is a fast, small, and feature-rich JavaScript library?</p>									
<p>Select the correct option</p> <table border="1"> <tr> <td><input type="radio"/></td> <td>None of the given options</td> </tr> <tr> <td><input type="radio"/></td> <td>SQuery</td> </tr> <tr> <td><input type="radio"/></td> <td>FQuery</td> </tr> <tr> <td><input checked="" type="radio"/></td> <td>jQuery</td> </tr> </table>		<input type="radio"/>	None of the given options	<input type="radio"/>	SQuery	<input type="radio"/>	FQuery	<input checked="" type="radio"/>	jQuery
<input type="radio"/>	None of the given options								
<input type="radio"/>	SQuery								
<input type="radio"/>	FQuery								
<input checked="" type="radio"/>	jQuery								
Click to Save Answer & Move to Next Question									

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 9 of 20 (Start time: 08:02:51 PM, 06 January 2026)		Total Marks: 1								
<p>Which of the following is/are example(s) of event?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>All of the given options</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>selecting a radio button</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>moving a mouse over an element</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>clicking on an element</td> </tr> </table>			<input checked="" type="radio"/>	All of the given options	<input type="radio"/>	selecting a radio button	<input type="radio"/>	moving a mouse over an element	<input type="radio"/>	clicking on an element
<input checked="" type="radio"/>	All of the given options									
<input type="radio"/>	selecting a radio button									
<input type="radio"/>	moving a mouse over an element									
<input type="radio"/>	clicking on an element									
Click to Save Answer & Move to Next Question										

BC220403641: HAFZA ZAHID		Time Left 84 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 10 of 20 (Start time: 08:03:01 PM, 06 January 2026)		Total Marks: 1								
<p>AJAX is about:</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>Both sending and receiving data from server by reloading the whole page</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>Sending data to server without reloading the whole page</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>Both sending and receiving data from server without reloading the whole page</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>Receiving data from server without reloading the whole page</td> </tr> </table>			<input type="radio"/>	Both sending and receiving data from server by reloading the whole page	<input type="radio"/>	Sending data to server without reloading the whole page	<input checked="" type="radio"/>	Both sending and receiving data from server without reloading the whole page	<input type="radio"/>	Receiving data from server without reloading the whole page
<input type="radio"/>	Both sending and receiving data from server by reloading the whole page									
<input type="radio"/>	Sending data to server without reloading the whole page									
<input checked="" type="radio"/>	Both sending and receiving data from server without reloading the whole page									
<input type="radio"/>	Receiving data from server without reloading the whole page									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID
Time Left: 85 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Question # 11 of 20 (Start time: 08:03:12 PM, 06 January 2026)

Total Marks: 1

Which of the following is not a benefit of using XML Schemas?

Select the correct option

It is easier to describe document content.

It is only used for styling purposes

It is easier to convert data between different data types.

It is easier to define restrictions on data

[Click to Save Answer & Move to Next Question](#)

BC220403641: HAFZA ZAHID
Time Left: 82 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Question # 12 of 20 (Start time: 08:03:21 PM, 06 January 2026)

Total Marks: 1

The JQuery code: \$("p").hide() will hide _____

Select the correct option

only first <p> element

only last <p> element

all <p> elements

None of the given options

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Question # 13 of 20 (Start time: 08:03:33 PM, 06 January 2026)

Total Marks: 1

How can JSON data be converted into native JavaScript objects?

Select the correct option

Using the XMLParser function

Using the XMLHttpRequest function

Using the JSON.parse() function

Using the JSON.stringify() function

[Click to Save Answer & Move to Next Question](#)

BC220403641: HAFZA ZAHID
Time Left: 85 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Question # 14 of 20 (Start time: 08:03:43 PM, 06 January 2026)

Total Marks: 1

In an XML document, all elements can contain _____.

Select the correct option

attributes

text

All of the given options

sub elements

[Click to Save Answer & Move to Next Question](#)

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID
Time Left: 84 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 15 of 20 (Start time: 08:03:54 PM, 06 January 2026)

Which of the following is NOT a jQuery Sliding Methods?

Select the correct option

<input type="radio"/>	slideDown()
<input type="radio"/>	slideToggle()
<input checked="" type="radio"/>	slideSwitch()
<input type="radio"/>	slideUp()

Click to Save Answer & Move to Next Question

BC220403641: HAFZA ZAHID
Time Left: 80 sec(s)

CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)

Quiz Start Time: 08:01 PM, 06 January 2026

Total Marks: 1

Question # 16 of 20 (Start time: 08:04:05 PM, 06 January 2026)

XML is used as a format for document storage and processing. _____.

Select the correct option

<input checked="" type="radio"/>	both online and offline
<input type="radio"/>	offline
<input type="radio"/>	online
<input type="radio"/>	None of the given options

Click to Save Answer & Move to Next Question

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

<p>BC220403641: HAFZA ZAHID</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 17 of 20 (Start time: 08:04:19 PM, 06 January 2026)</p> <p>Which of the following is not a naming rule for XML elements?</p>	<div style="text-align: right; margin-bottom: 5px;">Time Left: 84 sec(s)</div> <div style="text-align: right;">Quiz Start Time: 08:01 PM, 06 January 2026</div> <div style="text-align: right;">Total Marks: 1</div>
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>Select the correct option</p> <p><input checked="" type="radio"/> It must start with a letter or underscore.</p> <p><input type="radio"/> It can contain spaces.</p> <p><input type="radio"/> It can contain letters, digits, hyphens, underscores, and periods.</p> <p><input type="radio"/> It cannot start with the letters xml or XML or Xml, etc.</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>BC220403641: HAFZA ZAHID</p> <p>CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)</p> <p>Question # 18 of 20 (Start time: 08:04:28 PM, 06 January 2026)</p> <p>JSON uses syntax of _____.</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	
<p>Select the correct option</p> <p><input type="radio"/> HTML</p> <p><input type="radio"/> Java</p> <p><input checked="" type="radio"/> JavaScript</p> <p><input type="radio"/> CSS</p>	
<input type="button" value="Click to Save Answer & Move to Next Question"/>	

Vu Standard Social Platform

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)

BC220403641: HAFZA ZAHID		Time Left 80 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 19 of 20 (Start time: 08:04:40 PM, 06 January 2026)		Total Marks: 1								
<p>In JQuery, innerHeight() method returns:</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>height of an element excluding padding</td> </tr> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>height of an element including padding</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>height of an element excluding border</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>height of an element including border</td> </tr> </table>			<input type="radio"/>	height of an element excluding padding	<input checked="" type="radio"/>	height of an element including padding	<input type="radio"/>	height of an element excluding border	<input type="radio"/>	height of an element including border
<input type="radio"/>	height of an element excluding padding									
<input checked="" type="radio"/>	height of an element including padding									
<input type="radio"/>	height of an element excluding border									
<input type="radio"/>	height of an element including border									
Click to Save Answer & Move to Next Question										

BC220403641: HAFZA ZAHID		Time Left 85 sec(s)								
CS202 - Fundamentals of Front End Development (Graded Quiz No. 4)										
Question # 20 of 20 (Start time: 08:04:59 PM, 06 January 2026)		Total Marks: 1								
<p>Which of the following method(s) is/are used for traversing up the DOM tree?</p> <div style="border: 1px solid #ccc; height: 40px; margin-top: 10px;"></div>										
<p>Select the correct option</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 5px;"><input checked="" type="radio"/></td> <td>parent()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>grandParents()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>parents() and grandParents()</td> </tr> <tr> <td style="padding: 5px;"><input type="radio"/></td> <td>parental()</td> </tr> </table>			<input checked="" type="radio"/>	parent()	<input type="radio"/>	grandParents()	<input type="radio"/>	parents() and grandParents()	<input type="radio"/>	parental()
<input checked="" type="radio"/>	parent()									
<input type="radio"/>	grandParents()									
<input type="radio"/>	parents() and grandParents()									
<input type="radio"/>	parental()									
Click to Save Answer & Move to Next Question										

Vu Standard

Vu Standard Social Platform:

Whatsapp Study Group: Click on → [Vu Standard Whatsapp Group](#)

YouTube Channel Must Subscribe for Support → [@vustandard](#)