

KEALEE

ATTACHED HOUSING YIELD STUDY — PRELIMINARY, NOT A SITE PLAN
THE PARCELS ARE ZONED RE. THIS STUDY APPLIES THE RMF-20 TABLE AS THE REZONING THE OWNER WOULD SEEK; NOTHING HERE IS PERMITTED UNTIL THE COUNCIL APPROVES A ZONING MAP AMENDMENT.

Aragona Village Blocks EE and DD (16 approved SFD lots) — conversion to townhouses, two-over-twos and duplexes

Zone RMF-20 - certified intensity table Sec. 27-4202 - generated 2026-09-17

PARCELS (PGAtlas Address|Property — owner of record, assessment)

Acct 4007985 - BRANDYWINE BUILDERS LLC - 0.806 ac assessed / 0.807 ac GIS - plat 05230085 - L 26757 F002
Acct 4007993 - BRANDYWINE BUILDERS LLC - 0.693 ac assessed / 0.693 ac GIS - plat 05230085 - L 26757 F002
Acct 4008009 - BRANDYWINE BUILDERS LLC - 0.689 ac assessed / 0.689 ac GIS - plat 05230085 - L 26757 F002
Acct 4008082 - BRANDYWINE BUILDERS LLC - 0.689 ac assessed / 0.689 ac GIS - plat 05230086 - L 26757 F002
Acct 4008090 - BRANDYWINE BUILDERS LLC - 0.921 ac assessed / 0.921 ac GIS - plat 05230086 - L 26757 F002
Acct 4007777 - BRANDYWINE BUILDERS LLC - 1.05 ac assessed / 1.059 ac GIS - plat 05230085 - L 26757 F002
Acct 4007969 - BRANDYWINE BUILDERS LLC - 1.57 ac assessed / 1.571 ac GIS - plat 05230085 - L 26757 F002
Acct 4007951 - BRANDYWINE BUILDERS LLC - 1.13 ac assessed / 1.128 ac GIS - plat 05230085 - L 26757 F002
Acct 4007944 - BRANDYWINE BUILDERS LLC - 0.692 ac assessed / 0.690 ac GIS - plat 05230085 - L 26757 F002
Acct 4008074 - BRANDYWINE BUILDERS LLC - 0.702 ac assessed / 0.703 ac GIS - plat 05230086 - L 26757 F002
Acct 4008066 - BRANDYWINE BUILDERS LLC - 0.697 ac assessed / 0.695 ac GIS - plat 05230086 - L 26757 F002
Acct 4008058 - BRANDYWINE BUILDERS LLC - 0.922 ac assessed / 0.919 ac GIS - plat 05230086 - L 26757 F002
Acct 4008041 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.914 ac GIS - plat 05230086 - L 26757 F002
Acct 4008033 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.921 ac GIS - plat 05230086 - L 26757 F002
Acct 4008025 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.920 ac GIS - plat 05230086 - L 26757 F002
Acct 4008017 - BRANDYWINE BUILDERS LLC - 0.993 ac assessed / 0.992 ac GIS - plat 05230086 - L 26757 F002

WHAT CANNOT BE BUILT ON (county layers, clipped to the tract)

Woodland conservation (approved TCP areas) 3.31 ac - slopes >25% in bodies 0.00 ac (graded banks 0.90 ac, regraded) - 15–25% 2.02 ac (built with grading) - stream buffer 0.00 ac - floodplain 0.00 ac - wetlands 0.00 ac FROM THE APPROVED PLAN (aragona-constraints-keepout.json). Primary Management Area (approved plan) 0.70 ac - Wetlands (approved plan) 0.70 ac - Wetland buffer 25 ft (C&E) 1.37 ac - Slopes "e 25% (approved plan) 0.16 ac — taken out. Slopes 15–25% (approved plan) 1.77 ac — shown, built with grading. Dashed green: Forest conservation easement (approved TCP2). PMA boundary (approved plan). Digitised from "Aragona Hills Residential Site.pdf" (existing site plans), sheet layers EX_PMA_HATCH, WETLAND-HATCH, SS-HATCHING-25&ABOVE, SS-HATCHING-15-25, ESMTCF; georeferenced to PGAtlas lot polygons (16 lots, similarity fit, scale 1 in = 42.86 ft, rms = 10 ft on lot lines).

Developable 344,100 sf (7,899 ac)

The Primary Management Area, the woodland conservation threshold and any expanded buffers are set by an approved Natural Resources Inventory and TCP; not by these layers. A 50-ft stream buffer and slopes over 25% are the minimum that would be taken; the NRI may take more.

RMF-20 STANDARDS BY DWELLING TYPE (Sec. 27-4202)

Townhouse: 20 du/lot; net - lot "e 25 ft wide - coverage "d 40% - yards 15/8/20 ft - height "d 50 ft
Two-family (duplex): 40 du/lot; net - lot "e 60 ft wide - coverage "d 35% - yards 15/8/20 ft - height "d 50 ft
Two-over-two (stacked, 2 units per bay): null du/lot; net - lot "e null ft wide - coverage "d null% - yards null/null/null ft - height "d null ft
Mixed use (retail below, dwellings above): null du/lot; net - lot "e null ft wide - coverage "d null% - yards null/null/null ft - height "d null ft

YIELD — THIS LAYOUT

Townhouse: 37 bays / 37 du - 20.22 du/lot on 1.83 net ac (cap 20) OVER - lot coverage 44.4% (cap 40%) - parking 74 at 26du ASSUMED — front-load garage + driveway on the lot
Two-family (duplex): 22 bays / 22 du - 13.72 du/lot on 1.603 net ac (cap 40) - lot coverage 44.4% (cap 35%) - parking 44 at 26du ASSUMED — garage + driveway on each lot
Two-over-two (stacked, 2 units per bay): 13 bays / 26 du - 30.76 du/lot on 0.845 net ac (cap null) - lot coverage 48% (cap null%) - parking 39 at 1.5du ASSUMED — one garage space per unit + surface bays along the street
Parking: 7 surface spaces drawn (dashed) + 144 in garages and driveways = 151 against 157 required at the assumed ratios.

TOTAL 85 DWELLING UNITS IN 72 BAYS - 5.94 du/lot gross on the 14.309-ac tract

CEILINGS if the whole developable ground were one type (x 0.8 for streets, parking, open space):

Townhouse: 126 du
Two-family (duplex): 252 du
Two-over-two (stacked, 2 units per bay): — du

STORMWATER MANAGEMENT (ESD, MDE Ch. 5)

Impervious 132,118 sf (21.2%), Rv 0.2408, ESDv 12,506 cf at P_E 1.0 in 1" 15,633 sf of micro-bioretentation. Reserved for stormwater: 0 sf.

The 0 sf reserved is short of the 31,266 sf (practice + 2) the drawn programme wants; add micro-bioretentation in the parking lots and along the streets, or reduce impervious cover.

Micro-bioretentation in every surface parking lot island and a bioswale along each private street, credited under ESD; rooftop disconnection is not available over parking. Design per the DPPE stormwater concept approval that precedes the DSP.

UNIT ASSUMPTIONS

Townhouse: 20 × 90 ft lot, 20 × 40 ft footprint, 1 du per bay, sticks of "d 6
Two-family (duplex): 30 × 90 ft lot, 30 × 40 ft footprint, 1 du per bay, sticks of "d 2
Two-over-two (stacked, 2 units per bay): 24 × 100 ft lot, 24 × 48 ft footprint, 2 du per bay, sticks of "d 8
Mixed use (retail below, dwellings above): 100 × 200 ft lot, 100 × 70 ft footprint, 22 du per bay, 7,000 sf of retail, 5 storeys "H 62 ft
Private streets in 40-ft strips (20-ft pavement, walk one side), each treeing off GUNPOWDER — the existing public right-of-way — with no new access to any other road. Visitor parking, open space and the Landscape Manual 4.7 buffer to the RE lots are DSP work not drawn here.

APPROVALS

RMF-20: townhouse, two-family and multifamily (two-over-two) dwellings are listed uses with their own intensity standards in the certified Sec. 27-4203 table; a Detailed Site Plan is the approval path for residential in the commercial zones (confirm the use table entry for each type — the use table is not carried by this engine).
Sec. 27-6300 parking: Sec. 27-6400 landscaping (Landscape Manual 4.7 buffers against the RE lots). Sec. 25-121 woodland conservation, Sec. 24 subdivision (a preliminary plan of subdivision creates fee-simple townhouse and duplex lots; two-over-twos are condominium or fee-simple with a DSP), stormwater concept (DPPE), WSSC hydraulic planning analysis.

This is a yield study prepared by the Kealee site-plan engine from county GIS and the certified zoning table; it is not a Detailed Site Plan, not a survey and not a determination of what the Planning Board will approve.

