

KEALEE

design, build, deliver

PROJECT
1005 Rollins Ave

ADDRESS
1005 Rollins Ave

JURISDICTION
prince georges md

ZONE
RSF-65

SHEET
C-100 — Existing Conditions and Boundary Plan

SCALE
1" = 20'

STATUS
PRELIMINARY

SHEET NO.
1 OF 5

COORDINATES
EPSG:2248

H: NAD83

V: NAVD83 (feet)

PROFESSIONAL RESPONSIBILITY

Maryland Licensed Surveyor

certifies boundary_determination, topographic_survey

SEAL AND SIGNATURE

All content on this sheet falls within one professional scope.

SITE DATA

ZONE RSF-65

TAX / PARCEL ID 348854

GROSS LOT AREA 9,596 SF 0.220 AC

LOT FRONTAGE 45' MIN 65.07'

SETBACKS REQUIRED PROVIDED

FRONT YARD 25' 25'

SIDE YARD 8' 8'

REAR YARD 30' 30'

COVERAGE MAX PROPOSED

LOT COVERAGE 35% 17.1%

BUILDING FOOTPRINT — 1,640 SF

DATUM

HORIZONTAL EPSG:2248 NAD83

VERTICAL NAVD83 (feet)

SITE ANALYSIS

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

SEQUENCE OF CONSTRUCTION

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sidewalk control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and stabilize all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGC CODE SEC. 30-106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

PROPERTY BOUNDARY

BRL — BUILDING RESTRICTION LINE

PROPOSED STRUCTURE

EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

STREET CENTRELINE

PROPOSED PAVEMENT — DRIVEWAY / WALK

EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEDIMENT CONTROL, GRADING, SOILS & DRAINAGE

SIGNATURE DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE DATE

REVISIONS

NOTE

SOILS TABLE

USDA NRCS SSURGO — required by POC Code Sec. 30-130(a)(13)

MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRIC	HYD. GROUP	DRAINAGE CLASS
AaB	Adelphia silt loam, 2 to 5 percent slopes complex	37	No	C	Moderately well drained
ACA	Adelphia Aquasol complex, 0 to 2 percent slopes	43	No	D	Somewhat poorly drained
ACB	Adelphia Aquasol complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
ADA	Adelphia Hartsel complex, 0 to 2 percent slopes	24	No	BD	Somewhat poorly drained
AaB	Adelphia Hartsel complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
AaB	Adelphia Hartsel complex, 2 to 5 percent slopes	24	No	BD	Somewhat poorly drained
AaB	Adelphia Hartsel complex, 2 to 5 percent slopes	37	No	C	Moderately well drained
AaC	Adelphia Hartsel complex, 5 to 10 percent slopes	24	No	BD	Somewhat poorly drained

SOURCE AND ACCURACY

Parcel boundary — Jurisdiction gis — Prince George's County / M-ACPPC — PGAtlas Property — level 1

Existing contours — Prince George's County / M-NCPPC — PGAtlas — level 1

Contours: PGAtlas ElevationMapServer1 — Contour = 2 Ft (2023), 2 ft interval, NAVD83 (feet)

GRAPHIC SCALE — 1" = 20'

0 20 40 60 80 FEET

KEALEE

design, build, deliver

PROJECT
1005 Rollins Ave

ADDRESS
1005 Rollins Ave

JURISDICTION
prince georges md

ZONE
RSF-65

SHEET
C-200 — Overall Site and Zoning Plan

SCALE
1" = 20'

STATUS
PRELIMINARY

SHEET NO.
2 OF 5

COORDINATES
EPSG:2248

H: NAD83

V: NAVD83 (feet)

PROFESSIONAL RESPONSIBILITY

Maryland Professional Engineer

certifies: sllg_signed

SEAL AND SIGNATURE

Architect

certifies: architectural_footprint

SEAL AND SIGNATURE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEEDING CONTROL, DRAGGING, SOLID & DRAINAGE

SIGNATURE

DATE

DPE SITE/ROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE

DATE

REVISIONS

— none —

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sediment control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and establish all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGD CODE SEC. 30.106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK, GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

KEALEE

design, build, deliver

PROJECT
1005 Rollins Ave

ADDRESS
1005 Rollins Ave

JURISDICTION
prince georges md

ZONE
RSF-65

SHEET
C-500 — Utility Plan

SCALE
1" = 20'

STATUS
PRELIMINARY

SHEET NO.
4 OF 5

COORDINATES
EPSG:2248

H: NAD83

V: NAVD83 (feet)

PROFESSIONAL RESPONSIBILITY

Maryland Professional Engineer

certified utility design

SEAL AND SIGNATURE

All content on this sheet falls within one professional scope.

SITE DATA

ZONE RSF-65

TAX / PARCEL ID 34854

GROSS LOT AREA 9,596 SF

LOT FRONTAGE 45' MIN 65.07'

SETBACKS REQUIRED PROVIDED

FRONT YARD 25' 25'

SIDE YARD 8' 8'

REAR YARD 30' 30'

COVERAGE MAX PROPOSED

LOT COVERAGE 35% 17.1%

BUILDING FOOTPRINT — 1,640 SF

DATUM

HORIZONTAL EPSG:2248 NAD83

VERTICAL NAVD83 (feet)

SITE ANALYSIS

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

SEQUENCE OF CONSTRUCTION

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sidewalk control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and stabilize all disturbed areas 1 DAY

7. Remove sediment control devices when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGC CODE SEC. 30-106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

— PROPERTY BOUNDARY

- - - - - BRL — BUILDING RESTRICTION LINE

— PROPOSED STRUCTURE

— EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

- - - - - STREET CENTRELINE

— PROPOSED PAVEMENT — DRIVEWAY / WALK

- - - - - EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEDIMENT CONTROL, GRADING, SOILS & DRAINAGE

SIGNATURE DATE

DPE SITEROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE DATE

REVISIONS

— NONE —

SOILS TABLE

USDA NRCS SSURGO — required by POC Code Sec. 30-130(a)(13)

MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRIC	HYD. GROUP	DRAINAGE CLASS
AaB	Adelphia silt loam, 2 to 5 percent slopes complex	37	No	C	Moderately well drained
ACA	Adelphia Aquasol complex, 0 to 2 percent slopes	43	No	D	Somewhat poorly drained
ACB	Adelphia Aquasol complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
ADA	Adelphia Hapludal complex, 0 to 2 percent slopes	24	No	BD	Somewhat poorly drained
ADB	Adelphia Hapludal complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
AaB	Adelphia Hapludal complex, 2 to 5 percent slopes	24	No	BD	Somewhat poorly drained
AaB	Adelphia Hapludal complex, 2 to 5 percent slopes	37	No	C	Moderately well drained
AaC	Adelphia Hapludal complex, 5 to 10 percent slopes	24	No	BD	Somewhat poorly drained

SOURCE AND ACCURACY
Parcel boundary — Jurisdiction gis — Prince George's County / M-ACPPC — PGAtlas Property — level 1
Existing contours — Prince George's County / M-NCPPC — PGAtlas — level 1
Contours: PGAtlas ElevationMapServer1 — Contour = 2 Ft (2023), 2 ft interval, NAVD83 (feet)

GRAPHIC SCALE — 1" = 20'

0 20 40 60 80 FEET

KEALEE

design, build, deliver

PROJECT
1005 Rollins Ave

ADDRESS
1005 Rollins Ave

JURISDICTION
prince georges md

ZONE
RSF-65

SHEET
L-100 — Landscape and Tree Canopy Plan

SCALE
1" = 20'

STATUS
PRELIMINARY

SHEET NO.
5 OF 5

COORDINATES
EPSG:2248

H: NAD83

V: NAVD83 (feet)

PROFESSIONAL RESPONSIBILITY

Qualified Environmental Professional

certified tree_conservation

SEAL AND SIGNATURE

All content on this sheet falls within one professional scope.

SITE DATA

ZONE RSF-65

TAX / PARCEL ID 34854

GROSS LOT AREA 9,596 SF 0.220 AC

LOT FRONTAGE 45' MIN 65.07'

SETBACKS REQUIRED PROVIDED

FRONT YARD 25' 25'

SIDE YARD 8' 8'

REAR YARD 30' 30'

COVERAGE MAX PROPOSED

LOT COVERAGE 35% 17.1%

BUILDING FOOTPRINT — 1,640 SF

DATUM

HORIZONTAL EPSG:2248 NAD83

VERTICAL NAVD83 (feet)

SITE ANALYSIS

1. Gross tract area 9,596 SF

2. Area of dwelling 1,640 SF

3. Wooded area NOT ESTABLISHED

4. Floodplain area NOT ESTABLISHED

5. Net tract area 9,596 SF

6. TOTAL AREA DISTURBED NOT QUANTIFIED

SEQUENCE OF CONSTRUCTION

1. Pre-construction meeting 1 DAY

2. Obtain necessary permits 2 DAYS

3. Notify Miss Utility at 811 at least 48 hours prior to any excavation 1 DAY

4. Construct stabilized construction entrance and perimeter sidewalk control 2 DAYS

5. Rough grade, construct dwelling, utilities and driveway 12 MONTHS

6. Fine grade and stabilize all disturbed areas 1 DAY

7. Remove sediment control device when written permission has been granted 1 DAY

TOTAL ESTIMATED TIME OF CONSTRUCTION: 12 MONTHS

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.

2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGC CODE SEC. 30-106.

3. PROPOSED GRADE SHOWN SOLID; EXISTING GRADE SHOWN DASHED.

4. ROUGH EARTHWORK GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.

5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

PROPERTY BOUNDARY

BRL — BUILDING RESTRICTION LINE

PROPOSED STRUCTURE

EXISTING CONTOUR — PGATLAS 2 FT (2023), NAVD83

STREET CENTRELINE

PROPOSED PAVEMENT — DRIVEWAY / WALK

EASEMENT

PRINCE GEORGE'S COUNTY SOIL CONSERVATION DISTRICT APPROVAL

SEDIMENT CONTROL, GRADING, SOILS & DRAINAGE

SIGNATURE DATE

DPE SITEROAD PLAN REVIEW DIVISION APPROVAL

SIGNATURE DATE

REVISIONS

NOTE

SOILS TABLE

USDA NRCS SSURGO — required by POC Code Sec. 30-130(a)(13)

MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRIC	HYD. GROUP	DRAINAGE CLASS
AaB	Adelphia silt loam, 2 to 5 percent slopes complex	37	No	C	Moderately well drained
ACA	Adelphia Aquasol complex, 0 to 2 percent slopes	43	No	D	Somewhat poorly drained
ACB	Adelphia Aquasol complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
ADA	Adelphia Hartsel complex, 0 to 2 percent slopes	24	No	BD	Somewhat poorly drained
ADB	Adelphia Hartsel complex, 0 to 2 percent slopes	37	No	C	Moderately well drained
AIB	Adelphia Hartsel complex, 2 to 5 percent slopes	24	No	BD	Somewhat poorly drained
AIB	Adelphia Hartsel complex, 2 to 5 percent slopes	37	No	C	Moderately well drained
AIC	Adelphia Hartsel complex, 5 to 10 percent slopes	24	No	BD	Somewhat poorly drained

SOURCE AND ACCURACY

Parcel boundary — Jurisdiction gis — Prince George's County / M-ACPPC — PGAtlas Property — level 1

Existing contours — Prince George's County / M-ACPPC — PGAtlas — level 1

Contours: PGAtlas ElevationMapServer1 — Contour = 2 Ft (2023), 2 ft interval, NAVD83 (feet)

GRAPHIC SCALE — 1" = 20'

0 20 40 60 80 FEET