

KEALEE

design, build, deliver

PROJECT

1005 Rollins Ave

ADDRESS

1005 Rollins Ave

JURISDICTION

prince georges md

ZONE

RSF-65

SHEET

C-200 — Overall Site and Zoning Plan

SCALE

1" = 10'

STATUS

PRELIMINARY

SHEET NO.

1 OF 1

COORDINATES

EPSG:2248

H: NAD83

V: NAVD83 (feet)

PROFESSIONAL RESPONSIBILITY

Maryland Licensed Surveyor

certifies: boundary, determination, topographic, survey

SEAL AND SIGNATURE

Maryland Professional Engineer

certifies: site, layout

SEAL AND SIGNATURE

Architect

certifies: architectural, footprint

SEAL AND SIGNATURE

This sheet carries content from more than one professional discipline. Each seal and below applies only to the subjects listed beside it. No professional certifies content outside their stated scope, and the sheet is not divided into separate drawings for that purpose.

SITE DATA		
ZONE	RSF-65	
TAX / PARCEL ID	348854	
GROSS LOT AREA	9,596 SF	0.220 AC
SETBACKS	REQUIRED	PROVIDED
FRONT YARD	25'	25'
SIDE YARD	8'	8'
REAR YARD	20'	20'
COVERAGE	MAX	PROPOSED
LOT COVERAGE	35%	17.7%
BUILDING FOOTPRINT	—	1,700 SF
DATUM		
HORIZONTAL	EPSG-2248	NAD83
VERTICAL	NAVD83 (feet)	

GENERAL NOTES

1. CONTRACTOR SHALL CONTACT MISS UTILITY AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.
2. ALL EXISTING AND PROPOSED UTILITIES SHOWN PER PGC CODE SEC. 32.106.
3. PROPOSED GRADE SHOWN SOLID, EXISTING GRADE SHOWN DASHED.
4. ROUGH EARTHWORK GRADES AND UTILITY ELEVATIONS SHOWN TO TENTHS OF A FOOT.
5. BOUNDARY SHOWN IS COMPILED JURISDICTION GIS, NOT A BOUNDARY SURVEY.

LEGEND

- PROPERTY BOUNDARY
- - - - - SETBACK / BUILDABLE ENVELOPE
- PROPOSED STRUCTURE
- EXISTING CONTOUR (2 FT)
- - - - - EASEMENT

GRADING CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAN CONFORMS TO THE REQUIREMENTS OF SUBTITLE 32, DIVISION 2 OF THE CODE OF PRINCE GEORGES COUNTY WATER RESOURCES PROTECTION AND GRADING CODE AND THAT I OR MY STAFF HAVE INSPECTED THIS SITE AND THAT DRAINAGE FLOWS FROM UNPAID PROPERTIES ONTO THIS SITE, AND FROM THIS SITE ONTO DRAINAGE PROPERTIES, HAVE BEEN ADDRESSED IN SUBSTANTIAL ACCORDANCE WITH APPLICABLE CODES, SIGNED, SEALED AND DATED BY A PROFESSIONAL ENGINEER LICENSED IN THE STATE OF MARYLAND.

Prince Georges County (PGC) Site/Grading/Grading Design Review Checklist, Item A.10

STABILIZATION COMPLIANCE PREAMBLE

Stabilization practices on all projects must be in compliance with the requirements of COMAR 26.17.01 by January 6, 2015, regardless of when an erosion and sediment control plan was approved.

COMAR 26.17.01, 2015 (Regulation of erosion and sediment control)

STANDARD STABILIZATION NOTE

Following initial soil disturbance or re-disturbance, permanent or temporary stabilization must be completed within (a) Three (3) calendar days as to the surface of all perimeter ditches, swales, ditches, perimeter slopes, and (b) Slopes steeper than 3 horizontal to 1 vertical (3:1); and (c) Seven (7) calendar days as to all other stabilized or graded areas on the project site not under active grading.

2015 Maryland Standard and Specifications for Soil Erosion and Sediment Control - The standard stabilization note (adopted by COMAR 26.17.01, 2015)

REVISIONS

— none —

SOURCE AND ACCURACY
Parcel boundary — Jurisdiction gis — Prince Georges County / M/NCPPC — PGAtlas Property — level 1
Existing contours — Prince Georges County / M/NCPPC — PGAtlas — level 1

GRAPHIC SCALE — 1" = 10'

0 10 20 30 40 FEET