

PROJECT BASIS

- Blocks EE and DD / Schooner Court, Prince George's County, Maryland
- 16 existing lots · approximately 14.30 acres · mapped RE zone
- Hypothetical CGO rezoning concept: 199 dwelling units in 148 attached-housing bays
- 68 townhouses · 29 duplex dwellings · 102 two-over-two dwellings
- 485 parking spaces represented against 347 assumed required spaces
- 41,007 sf open space represented against 31,165 sf preliminary requirement
- 30,209 sf ESD area reserved against 30,046 sf preliminary practice footprint

PRELIMINARY · NOT FOR PERMIT, BIDDING, OR CONSTRUCTION


This package is a feasibility and rezoning concept generated from county GIS and planning assumptions. It is not a boundary/topographic survey and has not been sealed by a Maryland surveyor, professional engineer, architect, or landscape architect.

PACKAGE INDEX



P-000	Package Cover, Basis and Limitations	01 / 14
C-000	Cover Sheet, Approvals and General Notes	02 / 14
C-100	Existing Conditions and Boundary Plan	03 / 14
C-200	Overall Site and Zoning Plan	04 / 14
C-300	Demolition Plan	05 / 14
C-400	Grading and Drainage Plan	06 / 14
C-500	Utility Plan	07 / 14
C-600	Stormwater Management Plan	08 / 14
C-700	Sediment and Erosion Control Plan	09 / 14
C-800	Road, Driveway and Paving Plan	10 / 14
C-900	Civil Details	11 / 14
L-100	Landscape and Tree Canopy Plan	12 / 14
Y-100	Attached-Housing Yield Study	13 / 14
A-100	Concept Building Elevations and Massing	14 / 14

REQUIRED BEFORE A SUBMISSION OR ISSUED SITE PLAN

- Boundary and topographic survey tied to recorded plats, easements, title, and current vertical datum.
- Approved zoning map amendment and entitlement strategy; the current mapped zone is RE, not CGO.
- NR/ITCP2, PMA, woodland-conservation, wetland, floodplain, and specimen-tree confirmation.
- Final grading, retaining walls, accessible routes, earthwork, drainage areas, storm drain, and outfall design.
- DPIE-approved stormwater concept and computations; final ESD practice geometry and maintenance access.
- WSSC utility verification, profiles, inverts, fire-flow/hydrant analysis, and service connections.
- DPW&T access approval, roadway profiles, sight distance, turning templates, and pavement sections.
- Final architecture, fire access, building code, landscape, lighting, photometric, and professional seals.



SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP.	DRAINAGE CLASS
A/A	Adelphi-Azalea complex, 0 to 5 percent slopes	.23	No	C	Moderately well drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
A/B	Adelphi-Azalea complex, 2 to 5 percent slopes	.24	No	B/D	Somewhat poorly drained
A/C	Adelphi-Azalea complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



KEALEE
design, title, deliver
PROJECT
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CDD, converted to townhouses, two-over-two and duplexes
ADDRESS
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CDD, converted to townhouses, two-over-two and duplexes
JURISDICTION
Prince George's County, Maryland
DATE
2024
CGO
C-100 — Existing Conditions and Boundary Plan
SCALE
1" = 60'
SHEET
PRELIMINARY
SHEET NO.
2 OF 11
COORDINATES
EPCO 2248
H. NAD83
V. NAD83 (Bv)

PLAN TYPE AND PREPARATION	
PLAN TYPE	SITE DEVELOPMENT / FINE GRADING
SHEET	C-100 — Existing Conditions and Boundary Plan
SURVEY	Maryland Licensed Surveyor
DRAWN BY	KEALEE SITE PLAN ENGINEER
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS	
1. C-100	Owner Consent, Approvals and General Notes
2. C-100	Grading Conditions and Boundary Plan
3. C-100	Overall Site and Zoning Plan
4. C-100	Grading Plan
5. C-100	Grading and Drainage Plan
6. C-100	Utility Plan
7. C-100	Grading and Drainage Plan
8. C-100	Grading and Drainage Plan
9. C-100	Grading and Drainage Plan
10. C-100	Grading and Drainage Plan
11. C-100	Grading and Drainage Plan

SITE DATA	
ZONE	CGO
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN. NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX. PROPOSED
LOT COVERAGE	25.7%
BUILDING FOOTPRINT	147,744 SF
DATUM	
HORIZONTAL	EPCO 2248 NAD83
VERTICAL	NAD83 (Bv)


SITE ANALYSIS	
1. Gross lot area	460,086 SF
2. Gross lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Wooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.0%
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS

BUILDING DATA							
LOT	G	R	FF	SP	HT	STY	
LOT 1							
LOT 2							
LOT 3							
LOT 4							
LOT 5							
LOT 6							
LOT 7							
LOT 8							
LOT 9							
LOT 10							
LOT 11							
LOT 12							
LOT 13							
LOT 14							
LOT 15							
LOT 16							
LOT 17							
LOT 18							
LOT 19							
LOT 20							
LOT 21							
LOT 22							
LOT 23							
LOT 24							
LOT 25							
LOT 26							
LOT 27							
LOT 28							
LOT 29							
LOT 30							
LOT 31							
LOT 32							
LOT 33							
LOT 34							
LOT 35							
LOT 36							
LOT 37							
LOT 38							
LOT 39							
LOT 40							
LOT 41							
LOT 42							
LOT 43							
LOT 44							
LOT 45							
LOT 46							
LOT 47							
LOT 48							
LOT 49							
LOT 50							
LOT 51							
LOT 52							
LOT 53							
LOT 54							
LOT 55							
LOT 56							
LOT 57							
LOT 58							
LOT 59							
LOT 60							
LOT 61							
LOT 62							
LOT 63							
LOT 64							
LOT 65							
LOT 66							
LOT 67							
LOT 68							
LOT 69							
LOT 70							
LOT 71							
LOT 72							
LOT 73							
LOT 74							
LOT 75							
LOT 76							
LOT 77							
LOT 78							
LOT 79							
LOT 80							
LOT 81							
LOT 82							
LOT 83							
LOT 84							
LOT 85							
LOT 86							
LOT 87							
LOT 88							
LOT 89							
LOT 90							
LOT 91							
LOT 92							
LOT 93							
LOT 94							
LOT 95							
LOT 96							
LOT 97							
LOT 98							
LOT 99							
LOT 100							
LOT 101							
LOT 102							
LOT 103							
LOT 104							
LOT 105							
LOT 106							
LOT 107							
LOT 108							
LOT 109							
LOT 110							
LOT 111							
LOT 112							
LOT 113							
LOT 114							
LOT 115							
LOT 116							
LOT 117							
LOT 118							
LOT 119							
LOT 120							
LOT 121							
LOT 122							
LOT 123							
LOT 124							
LOT 125							
LOT 126							
LOT 127							
LOT 128							
LOT 129							
LOT 130							
LOT 131							
LOT 132							
LOT 133							
LOT 134							
LOT 135							
LOT 136							
LOT 137							
LOT 138							
LOT 139							
LOT 140							
LOT 141							
LOT 142							
LOT 143							
LOT 144							
LOT 145							
LOT 146							
LOT 147							
LOT 148							

SEQUENCE OF CONSTRUCTION	
1. Pre-construction meeting	1 DAY
2. Obtain necessary permits	2 DAYS
3. Notify MDOT and BEJ at least 48 hours prior to any excavation	1 DAY
4. Install stabilized construction entrance and perimeter sediment control	2 DAYS
5. Rough grade the lot	5 DAYS
6. Connect dwelling	10 DAYS
7. Install water, sewer and storm services and the driveway	5 DAYS
8. Fine grade and stabilize all disturbed areas	1 DAY
9. Remove sediment control once the impervious ground surface is established	
TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS	

PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE	DATE
SEAL	EXPIRATION DATE



KEALEE
design, build, deliver
PROJECT
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-two and duplexes
ADDRESS
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-two and duplexes
JURISDICTION
Prince George's County, Maryland
DATE
2024
CGO
C-200 — Overall Site and Zoning Plan
SCALE
1" = 60'
SHEET
PRELIMINARY
3 OF 11
COORDINATES
EPSG:2248
H NAD83
V NAVD83 (ENG)

PLANT TYPE AND PREPARATION	
PLANT TYPE	SITE DEVELOPMENT / FINE GRADING
SHEET	C-200 — Overall Site and Zoning Plan
DISCIPLINE	Maryland Professional Engineer
DRAWN BY	KEALEE SITE PLAN ENGINEER
DESIGNED BY	
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS	
1	C-200 — Cover Sheet, Approvals and General Notes
2	C-200 — Overall Constraints and Boundary Plan
3	C-200 — Overall Site and Zoning Plan
4	C-200 — Overall Site and Zoning Plan
5	C-400 — Grading and Drainage Plan
6	C-500 — Utility Plan
7	C-500 — Stormwater Management Plan
8	C-700 — Erosion Control and Erosion Control Plan
9	C-800 — Road, Grading and Planting Plan
10	C-900 — Civil Details
11	C-1000 — Landscaping and Tree Canopy Plan

SITE DATA	
ZONE	CGO
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX PROPOSED
LOT COVERAGE	25 %
BUILDING FOOTPRINT	147,744 SF
DATA	
HORIZONTAL	EPSG:2248 NAD83
VERTICAL	NAVD83 (ENG)


SITE ANALYSIS	
1. Gross lot area	460,086 SF
2. Gross lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Wooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.00
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS

BUILDING DATA		G	R	FF	SP	HT	STY
LOT 1							
LOT 2							
LOT 3							
LOT 4							
LOT 5							
LOT 6							
LOT 7							
LOT 8							
LOT 9							
LOT 10							
LOT 11							
LOT 12							
LOT 13							
LOT 14							
LOT 15							
LOT 16							
LOT 17							
LOT 18							
LOT 19							
LOT 20							
LOT 21							
LOT 22							
LOT 23							
LOT 24							
LOT 25							
LOT 26							
LOT 27							
LOT 28							
LOT 29							
LOT 30							
LOT 31							
LOT 32							
LOT 33							
LOT 34							
LOT 35							
LOT 36							
LOT 37							
LOT 38							
LOT 39							
LOT 40							
LOT 41							
LOT 42							
LOT 43							
LOT 44							
LOT 45							
LOT 46							
LOT 47							
LOT 48							
LOT 49							
LOT 50							
LOT 51							
LOT 52							
LOT 53							
LOT 54							
LOT 55							
LOT 56							
LOT 57							
LOT 58							
LOT 59							
LOT 60							
LOT 61							
LOT 62							
LOT 63							
LOT 64							
LOT 65							
LOT 66							
LOT 67							
LOT 68							
LOT 69							
LOT 70							
LOT 71							
LOT 72							
LOT 73							
LOT 74							
LOT 75							
LOT 76							
LOT 77							
LOT 78							
LOT 79							
LOT 80							
LOT 81							
LOT 82							
LOT 83							
LOT 84							
LOT 85							
LOT 86							
LOT 87							
LOT 88							
LOT 89							
LOT 90							
LOT 91							
LOT 92							
LOT 93							
LOT 94							
LOT 95							
LOT 96							
LOT 97							
LOT 98							
LOT 99							
LOT 100							
LOT 101							
LOT 102							
LOT 103							
LOT 104							
LOT 105							
LOT 106							
LOT 107							
LOT 108							
LOT 109							
LOT 110							
LOT 111							
LOT 112							
LOT 113							
LOT 114							
LOT 115							
LOT 116							
LOT 117							
LOT 118							
LOT 119							
LOT 120							
LOT 121							
LOT 122							
LOT 123							
LOT 124							
LOT 125							
LOT 126							
LOT 127							
LOT 128							
LOT 129							
LOT 130							
LOT 131							
LOT 132							
LOT 133							
LOT 134							
LOT 135							
LOT 136							
LOT 137							
LOT 138							
LOT 139							
LOT 140							
LOT 141							
LOT 142							
LOT 143							
LOT 144							
LOT 145							
LOT 146							
LOT 147							
LOT 148							



SEQUENCE OF CONSTRUCTION	
1. Pre-construction meeting	1 DAY
2. Obtain necessary permits	2 DAYS
3. Install necessary utility and EIS at least 48 hours prior to any excavation	1 DAY
4. Install stabilized construction entrance and perimeter sediment control	2 DAYS
5. Rough grade the lot	5 DAYS
6. Construct dwelling	6 MONTHS
7. Install water, sewer and storm services and the driveway	10 DAYS
8. Fine grade and stabilize all disturbed areas	5 DAYS
9. Remove sediment control once the impervious green section penetration	1 DAY
TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS	

PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE	DATE
SEAL	EXPIRATION DATE
REVISIONS	



SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP.	DRAINAGE CLASS
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	C	Moderately well drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	B/D	Somewhat poorly drained
A/B	Adelphi-Azalea complex, 2 to 5 percent slopes	.24	No	B/D	Somewhat poorly drained
A/C	Adelphi-Azalea complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



PROJECT

ADDRESS

ADMINISTRATOR

DATE

COG

SCALE

PRELIMINARY

COORDINATES

H NAD83

V NAD83 (Bv)

PROJECT

ADDRESS

ADMINISTRATOR

DATE

COG

SCALE

PRELIMINARY

COORDINATES

H NAD83

V NAD83 (Bv)

PLAN TYPE AND PREPARATION

PLAN TYPE

SHEET

SHEET

DESIGNED BY

CHECKED BY

PLAN TYPE

SHEET

SHEET

DESIGNED BY

CHECKED BY

REVISIONS

NO.

DATE

DESCRIPTION

NO.

DATE

DESCRIPTION

INDEX OF DRAWINGS

1. C-1000

2. C-1000

3. C-1000

4. C-1000

5. C-1000

6. C-1000

7. C-1000

8. C-1000

9. C-1000

10. C-1000

11. C-1000

1. C-1000

2. C-1000

3. C-1000

4. C-1000

5. C-1000

6. C-1000

7. C-1000

8. C-1000

9. C-1000

10. C-1000

11. C-1000

SITE DATA

ZONE

TAX PARCEL ID

GROSS TRACT AREA

TRACT AREA

NET LOT AREA

LOT FRONTAGE

SETBACKS

FRONT YARD

SIDE YARD

REAR YARD

COVERAGE

LOT COVERAGE

BUILDING FOOTPRINT

DATA

HORIZONTAL

VERTICAL

ZONE

TAX PARCEL ID

GROSS TRACT AREA

TRACT AREA

NET LOT AREA

LOT FRONTAGE

SETBACKS

FRONT YARD

SIDE YARD

REAR YARD

COVERAGE

LOT COVERAGE

BUILDING FOOTPRINT

DATA

HORIZONTAL

VERTICAL

SITE ANALYSIS

1. Gross lot area

2. Gross lot area

3. Gross lot area

4. Gross lot area

5. Net lot area

6. TOTAL AREA DISTURBED

7. SWM REQUIRED

1. Gross lot area

2. Gross lot area

3. Gross lot area

4. Gross lot area

5. Net lot area

6. TOTAL AREA DISTURBED

7. SWM REQUIRED

BUILDING DATA

LOT 1

LOT 2

LOT 3

LOT 4

LOT 5

LOT 6

LOT 7

LOT 8

LOT 9

LOT 10

LOT 11

LOT 12

LOT 13

LOT 14

LOT 15

LOT 16

LOT 17

LOT 18

LOT 19

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 26

LOT 27

LOT 28

LOT 29

LOT 30

LOT 31

LOT 32

LOT 33

LOT 34

LOT 35

LOT 36

LOT 37

LOT 38

LOT 39

LOT 40

LOT 41

LOT 42

LOT 43

LOT 44

LOT 45

LOT 46

LOT 47

LOT 48

LOT 49

LOT 50

LOT 51

LOT 52

LOT 53

LOT 54

LOT 55

LOT 56

LOT 57

LOT 58

LOT 59

LOT 60

LOT 61

LOT 62

LOT 63

LOT 64

LOT 65

LOT 66

LOT 67

LOT 68

LOT 69

LOT 70

LOT 71

LOT 72

LOT 73

LOT 74

LOT 75

LOT 76

LOT 77

LOT 78

LOT 79

LOT 80

LOT 81

LOT 82

LOT 83

LOT 84

LOT 85

LOT 86

LOT 87

LOT 88

LOT 89

LOT 90

LOT 91

LOT 92

LOT 93

LOT 94

LOT 95

LOT 96

LOT 97

LOT 98

LOT 99

LOT 100

LOT 101

LOT 102

LOT 103

LOT 104

LOT 105

LOT 106

LOT 107

LOT 108

LOT 109

LOT 110

LOT 111

LOT 112

LOT 113

LOT 114

LOT 115

LOT 116

LOT 117

LOT 118

LOT 119

LOT 120

LOT 121

LOT 122

LOT 123

LOT 124

LOT 125

LOT 126

LOT 127

LOT 128

LOT 129

LOT 130

LOT 131

LOT 132

LOT 133

LOT 134

LOT 135

LOT 136

LOT 137

LOT 138

LOT 139

LOT 140

LOT 141

LOT 142

LOT 143

LOT 144

LOT 145

LOT 146

LOT 147

LOT 148

LOT 1

LOT 2

LOT 3

LOT 4

LOT 5

LOT 6

LOT 7

LOT 8

LOT 9

LOT 10

LOT 11

LOT 12

LOT 13

LOT 14

LOT 15

LOT 16

LOT 17

LOT 18

LOT 19

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 26

LOT 27

LOT 28

LOT 29

LOT 30

LOT 31

LOT 32

LOT 33

LOT 34

LOT 35

LOT 36

LOT 37

LOT 38

LOT 39

LOT 40

LOT 41

LOT 42

LOT 43

LOT 44

LOT 45

LOT 46

LOT 47

LOT 48

LOT 49

LOT 50

LOT 51

LOT 52

LOT 53

LOT 54

LOT 55

LOT 56

LOT 57

LOT 58

LOT 59

LOT 60

LOT 61

LOT 62

LOT 63

LOT 64

LOT 65

LOT 66

LOT 67

LOT 68

LOT 69

LOT 70

LOT 71

LOT 72

LOT 73

LOT 74

LOT 75

LOT 76

LOT 77

LOT 78

LOT 79

LOT 80

LOT 81

LOT 82

LOT 83

LOT 84

LOT 85

LOT 86

LOT 87

LOT 88

LOT 89

LOT 90

LOT 91

LOT 92

LOT 93

LOT 94

LOT 95

LOT 96

LOT 97

LOT 98

LOT 99

LOT 100

LOT 101

LOT 102

LOT 103

LOT 104

LOT 105

LOT 106

LOT 107

LOT 108

LOT 109

LOT 110

LOT 111

LOT 112

LOT 113

LOT 114

LOT 115

LOT 116

LOT 117

LOT 118

LOT 119

LOT 120

LOT 121

LOT 122

LOT 123

LOT 124

LOT 125

LOT 126

LOT 127

LOT 128

LOT 129

LOT 130

LOT 131

LOT 132

LOT 133

LOT 134

LOT 135

LOT 136

LOT 137

LOT 138

LOT 139

LOT 140

LOT 141

LOT 142

LOT 143

LOT 144

LOT 145

LOT 146

LOT 147

LOT 148

SEQUENCE OF CONSTRUCTION

1. Clearing and grubbing

2. Clearing and grubbing

3. Rough grading

4. Final grading

5. Final grading

6. Final grading

7. Final grading

8. Final grading

9. Final grading

10. Final grading

11. Final grading

12. Final grading

13. Final grading

14. Final grading

15. Final grading

16. Final grading

17. Final grading

18. Final grading

19. Final grading

20. Final grading

21. Final grading

22. Final grading

23. Final grading

24. Final grading

25. Final grading

26. Final grading

27. Final grading

28. Final grading

29. Final grading

30. Final grading

31. Final grading

32. Final grading

33. Final grading

34. Final grading

35. Final grading

36. Final grading

37. Final grading

38. Final grading

39. Final grading

40. Final grading

41. Final grading

42. Final grading

43. Final grading

44. Final grading

45. Final grading

46. Final grading

47. Final grading

48. Final grading

49. Final grading

50. Final grading

51. Final grading

52. Final grading

53. Final grading

54. Final grading

55. Final grading

56. Final grading

57. Final grading

58. Final grading

59. Final grading

60. Final grading

61. Final grading

62. Final grading

63. Final grading

64. Final grading

65. Final grading

66. Final grading

67. Final grading

68. Final grading

69. Final grading

70. Final grading

71. Final grading

72. Final grading

73. Final grading

74. Final grading

75. Final grading

76. Final grading

77. Final grading

78. Final grading

79. Final grading

80. Final grading

81. Final grading

82. Final grading

83. Final grading

84. Final grading

85. Final grading

86. Final grading

87. Final grading

88. Final grading

89. Final grading

90. Final grading

91. Final grading

92. Final grading

93. Final grading

94. Final grading

95. Final grading

96. Final grading

97. Final grading

98. Final grading

99. Final grading

100. Final grading

101. Final grading

102. Final grading

103. Final grading

104. Final grading

105. Final grading

106. Final grading

107. Final grading

108. Final grading

109. Final grading

110. Final grading

111. Final grading

112. Final grading

113. Final grading

114. Final grading

115. Final grading

116. Final grading

117. Final grading

118. Final grading

119. Final grading

120. Final grading

121. Final grading

122. Final grading

123. Final grading

124. Final grading

125. Final grading

126. Final grading

127. Final grading

128. Final grading

129. Final grading

130. Final grading

131. Final grading

132. Final grading

133. Final grading

134. Final grading

135. Final grading

136. Final grading

137. Final grading

138. Final grading

139. Final grading

140. Final grading

141. Final grading

142. Final grading

143. Final grading

144. Final grading

145. Final grading

146. Final grading

147. Final grading

148. Final grading

1. Clearing and grubbing

2. Clearing and grubbing

3. Rough grading

4. Final grading

5. Final grading

6. Final grading

7. Final grading

8. Final grading

9. Final grading

10. Final grading

11. Final grading

12. Final grading

13. Final grading

14. Final grading

15. Final grading

16. Final grading

17. Final grading

18. Final grading

19. Final grading

20. Final grading

21. Final grading

22. Final grading

23. Final grading

24. Final grading

25. Final grading

26. Final grading

27. Final grading

28. Final grading

29. Final grading

30. Final grading

31. Final grading

32. Final grading

33. Final grading

34. Final grading

35. Final grading

36. Final grading

37. Final grading

38. Final grading

39. Final grading

40. Final grading

41. Final grading

42. Final grading

43. Final grading

44. Final grading

45. Final grading

46. Final grading

47. Final grading

48. Final grading

49. Final grading

50. Final grading

51. Final grading

52. Final grading

53. Final grading

54. Final grading

55. Final grading

56. Final grading

57. Final grading

58. Final grading

59. Final grading

60. Final grading

61. Final grading

62. Final grading

63. Final grading

64. Final grading

65. Final grading

66. Final grading

67. Final grading

68. Final grading

69. Final grading

70. Final grading

71. Final grading

72. Final grading

73. Final grading

74. Final grading

75. Final grading

76. Final grading

77. Final grading

78. Final grading

79. Final grading

80. Final grading

81. Final grading

82. Final grading

83. Final grading

84. Final grading

85. Final grading

86. Final grading

87. Final grading

88. Final grading

89. Final grading

90. Final grading

91. Final grading

92. Final grading

93. Final grading

94. Final grading

95. Final grading

96. Final grading

97. Final grading

98. Final grading

99. Final grading

100. Final grading

101. Final grading

102. Final grading

103. Final grading

104. Final grading

105. Final grading

106. Final grading

107. Final grading

108. Final grading

109. Final grading

110. Final grading

111. Final grading

112. Final grading

113. Final grading

114. Final grading

115. Final grading

116. Final grading

117. Final grading

118. Final grading

119. Final grading

120. Final grading

121. Final grading

122. Final grading

123. Final grading

124. Final grading

125. Final grading

126. Final grading

127. Final grading

128. Final grading

129. Final grading

130. Final grading

131. Final grading

132. Final grading

133. Final grading

134. Final grading

135. Final grading

136. Final grading

137. Final grading

138. Final grading

139. Final grading

140. Final grading

141. Final grading

142. Final grading

143. Final grading

144. Final grading

145. Final grading

146. Final grading

147. Final grading

148. Final grading

PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

REVISIONS

NO.

DATE

DESCRIPTION

NO.

DATE

DESCRIPTION

GRAPHIC SCALE - 1" = 60'

0

60

120

180

240

FEET

0



60


120

180

240

FEET





KEALEE
design, build, deliver
PROJECT
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-two and duplexes
ADDRESS
Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-two and duplexes
JURISDICTION
Prince Georges County, Maryland
DATE
2024
CGO
PROJECT
C-500 — Utility Plan
SCALE
1" = 60'
STATUS
PRELIMINARY
SHEET NO.
6 OF 11
COORDINATES
EPSG:2248
H NAD83
V NAD83 (Bv)

PLAN TYPE AND PREPARATION	
PLAN TYPE	SITE DEVELOPMENT / P&E GRADING
SHEET	C-500 — Utility Plan
SPECIAL	Maryland Professional Engineer
DRAWN BY	KEALEE SITE PLAN ENGINE
DESIGNED BY	
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS	
1	C-500 — Cover Sheet, Approvals and General Notes
2	C-500 — Grading Constraints and Boundary Plan
3	C-500 — Overall Site and Zoning Plan
4	C-500 — Grading Plan
5	C-500 — Grading and Drainage Plan
6	C-500 — Utility Plan
7	C-500 — Stormwater Management Plan
8	C-500 — Erosion Control and Erosion Control Plan
9	C-500 — Road, Grading and Paving Plan
10	C-500 — Civil Details
11	C-500 — Landscaping and Tree Canopy Plan

SITE DATA	
ZONE	CGO
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX PROPOSED
LOT COVERAGE	25.7%
BUILDING FOOTPRINT	147,744 SF
DATUM	
HORIZONTAL	EPSG:2248 NAD83
VERTICAL	NAD83 (Bv)

SITE ANALYSIS	
1. Gross lot area	460,086 SF
2. Area of lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Flooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.0%
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS

BUILDING DATA		G	R	FF	SP	HT	STY
LOT 1	LOT 2						
LOT 3	LOT 4						
LOT 5	LOT 6						
LOT 7	LOT 8						
LOT 9	LOT 10						
LOT 11	LOT 12						
LOT 13	LOT 14						
LOT 15	LOT 16						
LOT 17	LOT 18						
LOT 19	LOT 20						
LOT 21	LOT 22						
LOT 23	LOT 24						
LOT 25	LOT 26						
LOT 27	LOT 28						
LOT 29	LOT 30						
LOT 31	LOT 32						
LOT 33	LOT 34						
LOT 35	LOT 36						
LOT 37	LOT 38						
LOT 39	LOT 40						
LOT 41	LOT 42						
LOT 43	LOT 44						
LOT 45	LOT 46						
LOT 47	LOT 48						
LOT 49	LOT 50						
LOT 51	LOT 52						
LOT 53	LOT 54						
LOT 55	LOT 56						
LOT 57	LOT 58						
LOT 59	LOT 60						
LOT 61	LOT 62						
LOT 63	LOT 64						
LOT 65	LOT 66						
LOT 67	LOT 68						
LOT 69	LOT 70						
LOT 71	LOT 72						
LOT 73	LOT 74						
LOT 75	LOT 76						
LOT 77	LOT 78						
LOT 79	LOT 80						
LOT 81	LOT 82						
LOT 83	LOT 84						
LOT 85	LOT 86						
LOT 87	LOT 88						
LOT 89	LOT 90						
LOT 91	LOT 92						
LOT 93	LOT 94						
LOT 95	LOT 96						
LOT 97	LOT 98						
LOT 99	LOT 100						
LOT 101	LOT 102						
LOT 103	LOT 104						
LOT 105	LOT 106						
LOT 107	LOT 108						
LOT 109	LOT 110						
LOT 111	LOT 112						
LOT 113	LOT 114						
LOT 115	LOT 116						
LOT 117	LOT 118						
LOT 119	LOT 120						
LOT 121	LOT 122						
LOT 123	LOT 124						
LOT 125	LOT 126						
LOT 127	LOT 128						
LOT 129	LOT 130						
LOT 131	LOT 132						
LOT 133	LOT 134						
LOT 135	LOT 136						
LOT 137	LOT 138						
LOT 139	LOT 140						
LOT 141	LOT 142						
LOT 143	LOT 144						
LOT 145	LOT 146						
LOT 147	LOT 148						

SEQUENCE OF CONSTRUCTION		1 DAY
1. Pre-construction meeting		2 DAYS
2. Obtain necessary permits		1 DAY
3. Notify MDOT early at EIS at least 48 hours prior to any excavation		2 DAYS
4. Install stabilized construction entrance and perimeter sediment control		5 DAYS
5. Rough grade the lot		10 DAYS
6. Connect dwelling		5 DAYS
7. Install water, sewer and storm services and the driveway		1 DAY
8. Fine grade and stabilize all disturbed areas		
9. Remove sediment control once the impervious ground surface penetration		
TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS		

PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE	DATE
SEAL	EXPIRATION DATE
REVISIONS	

SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP.	DRAINAGE CLASS
AUA	Adelphi-Azalea complex, 0 to 5 percent slopes	.43	No	C	Moderately well drained
AUB	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
AUA	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AUB	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AUC	Adelphi-Azalea complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained

CONCRETE CURB AND GUTTER — POC DPW&T STD. 300.01

1. For all projects with a gutter system, the gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

CONCRETE SIDEWALK RAMP TYPE A — POC DPW&T STD. 300.07

1. For all projects with a sidewalk ramp, the sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

BUILDING DATA						
	G	B	FF	SP	HT	STY
LOF 1						
LOF 2						
LOF 3						
LOF 4						
LOF 5						
LOF 6						
LOF 7						
LOF 8						
LOF 9						
LOF 10						
LOF 11						
LOF 12						
LOF 13						
LOF 14						
LOF 15						
LOF 16						
LOF 17						
LOF 18						
LOF 19						
LOF 20						
LOF 21						
LOF 22						
LOF 23						
LOF 24						
LOF 25						
LOF 26						
LOF 27						
LOF 28						
LOF 29						
LOF 30						
LOF 31						
LOF 32						
LOF 33						
LOF 34						
LOF 35						
LOF 36						
LOF 37						
LOF 38						
LOF 39						
LOF 40						
LOF 41						
LOF 42						
LOF 43						
LOF 44						
LOF 45						
LOF 46						
LOF 47						
LOF 48						
LOF 49						
LOF 50						
LOF 51						
LOF 52						
LOF 53						
LOF 54						
LOF 55						
LOF 56						
LOF 57						
LOF 58						
LOF 59						
LOF 60						
LOF 61						
LOF 62						
LOF 63						
LOF 64						
LOF 65						
LOF 66						
LOF 67						
LOF 68						
LOF 69						
LOF 70						
LOF 71						
LOF 72						
LOF 73						
LOF 74						
LOF 75						
LOF 76						
LOF 77						
LOF 78						
LOF 79						
LOF 80						
LOF 81						
LOF 82						
LOF 83						
LOF 84						
LOF 85						
LOF 86						
LOF 87						
LOF 88						
LOF 89						
LOF 90						
LOF 91						
LOF 92						
LOF 93						
LOF 94						
LOF 95						
LOF 96						
LOF 97						
LOF 98						
LOF 99						
LOF 100						
LOF 101						
LOF 102						
LOF 103						
LOF 104						
LOF 105						
LOF 106						
LOF 107						
LOF 108						
LOF 109						
LOF 110						
LOF 111						
LOF 112						
LOF 113						
LOF 114						
LOF 115						
LOF 116						
LOF 117						
LOF 118						
LOF 119						
LOF 120						
LOF 121						
LOF 122						
LOF 123						
LOF 124						
LOF 125						
LOF 126						
LOF 127						
LOF 128						
LOF 129						
LOF 130						
LOF 131						
LOF 132						
LOF 133						
LOF 134						
LOF 135						
LOF 136						
LOF 137						
LOF 138						
LOF 139						
LOF 140						
LOF 141						
LOF 142						
LOF 143						
LOF 144						
LOF 145						
LOF 146						
LOF 147						
LOF 148						

CONCRETE CURBS AND GUTTER — PGCC PDWPT STD. 300.01

Specifications:

1. All curb and gutter shall be constructed in accordance with the approved, single "T" curb design.
2. The curb and gutter shall be constructed of concrete or precast concrete.
3. The curb and gutter shall be constructed of concrete or precast concrete.
4. The curb and gutter shall be constructed of concrete or precast concrete.
5. The curb and gutter shall be constructed of concrete or precast concrete.
6. The curb and gutter shall be constructed of concrete or precast concrete.

CONCRETE SIDEWALK RAMP TYPE A — PGCC PDWPT STD. 300.07

Specifications:


1. All concrete sidewalk and ramp shall be constructed in accordance with the approved, single "T" curb design.
2. The sidewalk and ramp shall be constructed of concrete or precast concrete.
3. The sidewalk and ramp shall be constructed of concrete or precast concrete.
4. The sidewalk and ramp shall be constructed of concrete or precast concrete.
5. The sidewalk and ramp shall be constructed of concrete or precast concrete.
6. The sidewalk and ramp shall be constructed of concrete or precast concrete.

SECTION		DEPARTMENT OF PUBLIC WORKS CONCRETE CURB AND GUTTER	DATE
PROJECT NO.	DATE		

SECTION		DEPARTMENT OF PUBLIC WORKS CONCRETE SIDEWALK RAMP TYPE "A"	DATE
PROJECT NO.	DATE		

REPRODUCED FROM THE PGCC PDWPT STANDARD SPECIFICATIONS COVERINGS

GRAPHIC SCALE — 1" = 60'







KEALEE
design, build, deliver
PROJECT: Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-tens and duplexes
ADDRESS: Angona Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned COQ, converted to townhouses, two-over-tens and duplexes
JURISDICTION: Prince Georges's County, Maryland
DATE: 2024
COG: C-900 — Civil Details
SCALE: 1" = 60'
STATUS: PRELIMINARY
SHEET NO: 10 OF 11
COORDINATES: EPSG:2248
H NAD83
V NAD83 (Bv)

PLAN TYPE AND PREPARATION	
PLAN TYPE	SITE DEVELOPMENT / P&E GRADING
SHEET	C-900 — Civil Details
DISCIPLINE	Maryland Professional Engineer
DRAWN BY	KEALEE SITE PLAN ENGINEER
DESIGNED BY	
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS	
1. C-900	Owner Review, Approvals and General Notes
2. C-900	Grading, Constraints and Boundary Plan
3. C-900	Overall Site and Zoning Plan
4. C-900	Grading Plan
5. C-900	Grading and Drainage Plan
6. C-900	Utility Plan
7. C-900	Stormwater Management Plan
8. C-900	Soil and Erosion Control Plan
9. C-900	Road, Grading and Paving Plan
10. C-900	Civil Details
11. C-900	Landscaping and Tree Canopy Plan

SITE DATA	
ZONE	COG
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX PROPOSED
LOT COVERAGE	25.7%
BUILDING FOOTPRINT	147,744 SF
DATUM	
HORIZONTAL	EPSG:2248 NAD83
VERTICAL	NAD83 (Bv)

SITE ANALYSIS	
1. Gross lot area	460,086 SF
2. Area of lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Non-wooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.0%
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS

BUILDING DATA		G	R	FF	SP	HT	STY
LOT 1	LOT 1						
LOT 2	LOT 2						
LOT 3	LOT 3						
LOT 4	LOT 4						
LOT 5	LOT 5						
LOT 6	LOT 6						
LOT 7	LOT 7						
LOT 8	LOT 8						
LOT 9	LOT 9						
LOT 10	LOT 10						
LOT 11	LOT 11						
LOT 12	LOT 12						
LOT 13	LOT 13						
LOT 14	LOT 14						
LOT 15	LOT 15						
LOT 16	LOT 16						
LOT 17	LOT 17						
LOT 18	LOT 18						
LOT 19	LOT 19						
LOT 20	LOT 20						
LOT 21	LOT 21						
LOT 22	LOT 22						
LOT 23	LOT 23						
LOT 24	LOT 24						
LOT 25	LOT 25						
LOT 26	LOT 26						
LOT 27	LOT 27						
LOT 28	LOT 28						
LOT 29	LOT 29						
LOT 30	LOT 30						
LOT 31	LOT 31						
LOT 32	LOT 32						
LOT 33	LOT 33						
LOT 34	LOT 34						
LOT 35	LOT 35						
LOT 36	LOT 36						
LOT 37	LOT 37						
LOT 38	LOT 38						
LOT 39	LOT 39						
LOT 40	LOT 40						
LOT 41	LOT 41						
LOT 42	LOT 42						
LOT 43	LOT 43						
LOT 44	LOT 44						
LOT 45	LOT 45						
LOT 46	LOT 46						
LOT 47	LOT 47						
LOT 48	LOT 48						
LOT 49	LOT 49						
LOT 50	LOT 50						
LOT 51	LOT 51						
LOT 52	LOT 52						
LOT 53	LOT 53						
LOT 54	LOT 54						
LOT 55	LOT 55						
LOT 56	LOT 56						
LOT 57	LOT 57						
LOT 58	LOT 58						
LOT 59	LOT 59						
LOT 60	LOT 60						
LOT 61	LOT 61						
LOT 62	LOT 62						
LOT 63	LOT 63						
LOT 64	LOT 64						
LOT 65	LOT 65						
LOT 66	LOT 66						
LOT 67	LOT 67						
LOT 68	LOT 68						
LOT 69	LOT 69						
LOT 70	LOT 70						
LOT 71	LOT 71						
LOT 72	LOT 72						
LOT 73	LOT 73						
LOT 74	LOT 74						
LOT 75	LOT 75						
LOT 76	LOT 76						
LOT 77	LOT 77						
LOT 78	LOT 78						
LOT 79	LOT 79						
LOT 80	LOT 80						
LOT 81	LOT 81						
LOT 82	LOT 82						
LOT 83	LOT 83						
LOT 84	LOT 84						
LOT 85	LOT 85						
LOT 86	LOT 86						
LOT 87	LOT 87						
LOT 88	LOT 88						
LOT 89	LOT 89						
LOT 90	LOT 90						
LOT 91	LOT 91						
LOT 92	LOT 92						
LOT 93	LOT 93						
LOT 94	LOT 94						
LOT 95	LOT 95						
LOT 96	LOT 96						
LOT 97	LOT 97						
LOT 98	LOT 98						
LOT 99	LOT 99						
LOT 100	LOT 100						
LOT 101	LOT 101						
LOT 102	LOT 102						
LOT 103	LOT 103						
LOT 104	LOT 104						
LOT 105	LOT 105						
LOT 106	LOT 106						
LOT 107	LOT 107						
LOT 108	LOT 108						
LOT 109	LOT 109						
LOT 110	LOT 110						
LOT 111	LOT 111						
LOT 112	LOT 112						
LOT 113	LOT 113						
LOT 114	LOT 114						
LOT 115	LOT 115						
LOT 116	LOT 116						
LOT 117	LOT 117						
LOT 118	LOT 118						
LOT 119	LOT 119						
LOT 120	LOT 120						
LOT 121	LOT 121						
LOT 122	LOT 122						
LOT 123	LOT 123						
LOT 124	LOT 124						
LOT 125	LOT 125						
LOT 126	LOT 126						
LOT 127	LOT 127						
LOT 128	LOT 128						
LOT 129	LOT 129						
LOT 130	LOT 130						
LOT 131	LOT 131						
LOT 132	LOT 132						
LOT 133	LOT 133						
LOT 134	LOT 134						
LOT 135	LOT 135						
LOT 136	LOT 136						
LOT 137	LOT 137						
LOT 138	LOT 138						
LOT 139	LOT 139						
LOT 140	LOT 140						
LOT 141	LOT 141						
LOT 142	LOT 142						
LOT 143	LOT 143						
LOT 144	LOT 144						
LOT 145	LOT 145						
LOT 146	LOT 146						
LOT 147	LOT 147						
LOT 148	LOT 148						

SEQUENCE OF CONSTRUCTION		1 DAY
1. Pre-construction meeting		1 DAY
2. Obtain necessary permits		1 DAY
3. Notify MDOT early at EIS at least 48 hours prior to any excavation		1 DAY
4. Install stabilized construction entrance and perimeter sediment control		2 DAYS
5. Rough grade the lot		5 DAYS
6. Connect dwelling		10 DAYS
7. Install water, sewer and storm services and the driveway		5 DAYS
8. Fine grade and stabilize all disturbed areas		1 DAY
9. Remove sediment control once the impervious ground surface penetration		
TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS		

PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE	DATE
SEAL	EXPIRATION DATE
REVISIONS	

SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP	DRAINAGE CLASS
AUA	Adelphi-Azalea complex, 0 to 5 percent slopes	23	No	C	Moderately well drained
AUB	Adelphi-Azalea complex, 0 to 2 percent slopes	43	No	D	Somewhat poorly drained
AUA	Adelphi-Azalea complex, 0 to 2 percent slopes	24	No	B/D	Somewhat poorly drained
AUB	Adelphi-Azalea complex, 2 to 5 percent slopes	24	No	B/D	Somewhat poorly drained
AUC	Adelphi-Azalea complex, 5 to 10 percent slopes	24	No	B/D	Somewhat poorly drained

CONCRETE CURB AND GUTTER — POC DPW&T STD. 300.01

1. For all projects with a gutter system, the gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

2. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

3. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

4. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

5. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The gutter system shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

CONCRETE SIDEWALK RAMP TYPE A — POC DPW&T STD. 300.07


1. For all projects with a sidewalk ramp, the sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.


2. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

3. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

4. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

5. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01. The sidewalk ramp shall be installed in accordance with the standards set forth in the Maryland Department of Transportation (MDOT) Standard Specifications for Construction, Section 205.01.

[illegible]



KEALEE

ATTACHED-HOUSING YIELD STUDY — PRELIMINARY, NOT A SITE PLAN

THE PARCELS ARE ZONED RE. THIS STUDY APPLIES THE CGO TABLE AS THE REZONING THE OWNER WOULD SEEK; NOTHING HERE IS PERMITTED UNTIL THE COUNCIL APPROVES A ZONING MAP AMENDMENT. THE APPROVED TCP'S WOODLAND CONSERVATION (3.31 AC) IS NOT RESERVED; A NEW TCP IS PART OF THE REZONING AND THE SEC. 25-121 REQUIREMENT IS MET BY AFFORESTATION, RE-PLANTED OR OFF-SITE BANKING.

Aragona Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CGO, converted to townhouses, two-over-tuos and duplexes

Zone CGO - certified intensity table Sec. 27-4203 - generated 2025-09-17

PARCELS (PGAtlas Address/Property — owner of record, assessment)

Act 4007895 - BRANDYWINE BUILDERS LLC - 0.887 ac assessed / 0.887 ac GIS - plat 05230085 - L26757 F002
Act 4007895 - BRANDYWINE BUILDERS LLC - 0.889 ac assessed / 0.889 ac GIS - plat 05230085 - L26757 F002
Act 4008008 - BRANDYWINE BUILDERS LLC - 0.689 ac assessed / 0.689 ac GIS - plat 05230085 - L26757 F002
Act 4008008 - BRANDYWINE BUILDERS LLC - 0.689 ac assessed / 0.689 ac GIS - plat 05230085 - L26757 F002
Act 4008009 - BRANDYWINE BUILDERS LLC - 0.821 ac assessed / 0.821 ac GIS - plat 05230086 - L26757 F002
Act 4007897 - BRANDYWINE BUILDERS LLC - 1.05 ac assessed / 1.05 ac GIS - plat 05230085 - L26757 F002
Act 4007898 - BRANDYWINE BUILDERS LLC - 1.57 ac assessed / 1.57 ac GIS - plat 05230085 - L26757 F002
Act 4007951 - BRANDYWINE BUILDERS LLC - 1.13 ac assessed / 1.13 ac GIS - plat 05230085 - L26757 F002
Act 4007954 - BRANDYWINE BUILDERS LLC - 0.802 ac assessed / 0.802 ac GIS - plat 05230085 - L26757 F002
Act 4008074 - BRANDYWINE BUILDERS LLC - 0.703 ac assessed / 0.703 ac GIS - plat 05230086 - L26757 F002
Act 4008068 - BRANDYWINE BUILDERS LLC - 0.687 ac assessed / 0.685 ac GIS - plat 05230086 - L26757 F002
Act 4008068 - BRANDYWINE BUILDERS LLC - 0.687 ac assessed / 0.685 ac GIS - plat 05230086 - L26757 F002
Act 4008068 - BRANDYWINE BUILDERS LLC - 0.827 ac assessed / 0.819 ac GIS - plat 05230086 - L26757 F002
Act 4008061 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.914 ac GIS - plat 05230086 - L26757 F002
Act 4008033 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.921 ac GIS - plat 05230086 - L26757 F002
Act 4008035 - BRANDYWINE BUILDERS LLC - 0.919 ac assessed / 0.920 ac GIS - plat 05230086 - L26757 F002
Act 4008037 - BRANDYWINE BUILDERS LLC - 0.963 ac assessed / 0.962 ac GIS - plat 05230086 - L26757 F002

Tract 653,303 of 14,309 ac - Riverbay is the county parcel type — not a liability

WHAT CANNOT BE BUILT ON (county layers, clipped to the tract)

Woodland conservation (approved TCP areas) 0.00 ac - slopes < 25% in bodies 0.00 ac (graded banks 0.80 ac, regraded) - 15-25% 2.02 ac (built with grading) - stream buffer 0.00 ac - floodplain 0.00 ac - wetlands 0.00 ac

Developable 623,303 of 14,309 ac

The Primary Management Plan, the Woodland Conservation Plan and any Appointed buffers are set by an approved Natural Resources Inventory and TCP; not by these layers. A 50-ft stream buffer and slopes over 25% are the minimum that would be taken; the NRI may take more.

CGO STANDARDS BY DWELLING TYPE (Sec. 27-4203)

Townhouse: 20 bays: 10 ft x 20 ft wide - coverage: 65% - yards: 10/15 ft - height: 12 ft 6 in
Two-family (duplex): 40 duplex: 10 ft x 20 ft wide - coverage: 65% - yards: 10/15 ft - height: 12 ft 6 in
Two-over-two (stacked): 2 units per bay: 48 duplex: 10 ft x 20 ft wide - coverage: 65% - yards: 10/15 ft - height: 12 ft 6 in
Mixed use (retail below, dwellings above): 48 duplex: 10 ft x 20 ft wide - coverage: 65% - yards: 10/15 ft - height: 12 ft 6 in

YIELD — THIS LAYOUT

Townhouse: 68 bays 178 du - 19.33 du/ac on 3.518 net ac (cap 20) - lot coverage: 44.4% (cap 65%) - parking: 136 at 20/du ASSUMED — 1 car front-load garage + 1 driveway space on the lot
Two-family (duplex): 29 bays: 29 du - 12.89 du/ac on 2.249 net ac (cap 40) - lot coverage: 44.4% (cap 65%) - parking: 58 at 20/du ASSUMED — 2 car front-load garage + 2 driveway spaces on each lot
Two-over-two (stacked): 2 units per bay: 51 bay: 122 du - 29.98 du/ac on 3.927 net ac (cap 48) - lot coverage: 44% (cap 70%) - parking: 53 at 1.5 du/du ASSUMED — 2 car front-load garage per bay (one space per unit) + 1 driveway space + surface bays along the street
Parking: 29 surface spaces (stacked) = 456 + 456 garages and driveways = 488 against 347 required at the assumed ratios.

TOTAL 199 DWELLING UNITS IN 148 BAYS · 13.91 du/ac gross on the 14,309-ac tract

CELLINGS IF the whole developable ground were one type (x 0.8 for streets, parking, open space)

Townhouse: 228 ac —
Two-family (duplex): 457 du
Two-over-two (stacked): 2 units per bay: 549 du

STORMWATER MANAGEMENT (ESD, MDE Ch. 9)

Approximate 200,000 gpd of runoff from the tract at P.E. 1.0 in 1" 30,046 sf of micro-bioremediation. Reserved for stormwater: 30,209 sf.
30,209 sf is reserved for ESD practices (1 micro-bioremediation area in the ground the rows left, 8000) against the 30,046 sf footprint at P.E. 1.0 in; the higher P.E. the soils may require (Table 5-3) is met by bioswales along the private streets and the DPE concept.

Micro-bioremediation in every surface parking lot island and a bioswale along each private street, credited under ESD; no/low disconnection is not available over parking. Design per the DPE stormwater concept approval that precedes this.

UNIT ASSUMPTIONS

Townhouse: 20 x 80 ft lot, 20 x 40 ft footprint, 1 du per bay, sticks of 16
Two-family (duplex): 30 x 80 ft lot, 30 x 40 ft footprint, 1 du per bay, sticks of 12
Two-over-two (stacked): 2 units per bay: 24 x 100 ft lot, 24 x 48 ft footprint, 2 du per bay, sticks of 16
Mixed use (retail below, dwellings above): 100 x 200 ft lot, 100 x 70 ft footprint, 22 du per bay, 7,000 sf retail, 5 stories 14 62 ft
Private streets in 40 ft strips (20 ft pavement, walk one side), each being off GUNPOWDER — the existing public right-of-way — with no free access to any other road. Visitor parking, open space and the Landscape Manual 4.7 buffer to the RE lot; use TCP work not shown here.

DESIGN STANDARDS APPLIED (Subtitle 24 Subdivision Regulations, Subtitle 27, DPE, IFC)

Sec. 24-121(a)(1): every lot front and takes access from one street only; (a)(8) corner lots truncated at platting (a)(10) no unnecessary street — the approved right-of-way is kept and the road front on it.
Sec. 24-121(a)(7): new streets are continuous, two off the existing street at right angles; (a)(5) public, secondary streets 50 ft; primary 60 ft if signed way — these are private streets; (a) Sec. 24-330(a)(7) governs: 1/2 22-ft pavement (28 ft down, alley 1/2 18 ft, 1/2 10 ft public, utility easement contiguous to the right-of-way (24-128(b)(12)), right-of-way by the HOA/condominium with Fire Chief approval of emergency access.
Turnarounds: a road end over 150 ft ends in a 45-ft radius bulb (40 ft pavement) — FPC C203-4 is adopted by Statute 12-11 to drive.
Sec. 27-4203 (CGO) yards: front 10 ft, side 8 ft (end units, party walls within a stick), rear 15 ft — 45 ft — 45 ft — 45 ft (the driveway apron for the front-load garage governs over the 10-ft minimum). 10-ft breaks between sticks of 16 ft (6 x 8 ft) and yards, rear 30 ft (80 ft lot, 10 ft wide, coverage, height per the certified zoning table).
Pedestrian/access: a 5-ft sidewalk runs along the front of every building at the street line (Sec. 23-135), on the lot in the front yard, crossed by the driveway; every building front faces a street just to walk. No street is laid on the property line — a 25-ft landscape strip is kept between any street and the tract boundary (Landscape Manual Sec. 4.7 sets the buffer/yard at 25 ft).
Vehicle access: every townhouse, duplex and two-over-two front a street (the lot public right-of-way of a private street and top to open driveway to a front-load garage) — 1 car for the 20-ft townhouse, 2 car for the 30-ft duplex and the 24-ft two-over-two bay; no lot is subdivided and more takes access from an adjoining lot (Sec. 24-128(a)).
Table 24-430(c): required street width 100 ft outside a Transit Oriented Corner: slopes over 25%, 100-year floodplain and wetlands taken out of the developable ground (county layers, the NRI/TCP governs at quarter-acre plan).
Sec. 24-134 mandatory dedication of parkland 5% of the gross tract (31,165 sf) — provided on site as recreation open space on an HOA parcel: 41,007 sf down.
Sec. 24-121(a)(10): a DPE-approved stormwater concept precedes the preliminary plan — ESD to the MDP (MDE Manual Ch. 9) micro-bioremediation in the riparian areas down, bioswales along each private street, (a)(14) 5-ft buffer, 25 woodland conservation by TCP2.
Sec. 23-135: curb gutter and 8-ft sidewalk on the street side of every lot (the frontage 16 100 ft); DPE grading practices: 1/2 2.5%, swales 2-4%, banks 1/2 3.1 (residential), slopes steeper than 4:1 set back 10-20 ft from buildings.
Landscape Manual Sec. 4.7 buffer/yard against the RE lots and Sec. 4.6 street trees along every street; Sec. 25-128 tree canopy on the gross tract — DDP work, the widths are not drawn here.
Sec. 27-4300 parking: the ratios used (2.0/du townhouse and duplex on the lot, 1.5/du two-over-two) are ASSUMED — the certified tables carried by this engine do not include the parking schedule; visitor parking at 0.5/du is customary and not drawn.

APPROVALS

CGO townhouse, two-family and multifamily (two-over-two) dwellings are listed uses with their own intensity standards in the certified Sec. 27-4203 table; a Detailed Site Plan is the approval path for residential in the commercial zones (confirm the use table only for each type — the use table is not carried by this engine).
Sec. 27-5300 parking; Sec. 27-6400 landscaping (Landscape Manual 4.7 buffer/yard against the RE lots); Sec. 25-121 woodland conservation; Sec. 24 subdivision (a preliminary plan of subdivision creates free-lease townhouse and duplex lots; two-over-two) are consistent in two strips with a DPE, stormwater concept (DPE, MDC hydraulic planning analysis).

This is a yield study prepared by the Kealee site-plan engine from county GIS and the certified zoning table. It is not a Detailed Site Plan, not a survey and not a determination of what the Planning Board will approve.

BUILDING ELEVATIONS — CONCEPT MASSING

Aragona Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CGO, converted to townhouses, two-over-tuos and duplexes - zone CGO - drawn from the yield study's dimensions; openings, materials and roof form are placeholders for the architect. Heights are to the parapet or ridge, measured from average grade at the building.

TWO-OVER-TWO — STACKED, TWO DWELLINGS PER BAY — FRONT ELEVATION · 1/8" = 1'

Four of 8 bays; 4 lower two-story dwelling over its garage and an upper two-story dwelling, 24-ft bays; 44-ft to the parapet.




TOWNHOUSE — STICK OF SIX — FRONT ELEVATION · 1/8" = 1'

20-ft units, three stories with a front-load garage, 36-ft to the ridge.



TWO-FAMILY (DUPLEX) — SIDE BY SIDE — FRONT ELEVATION · 1/8" = 1'

Two 30-ft dwellings under one roof, two storeys, 32-ft to the ridge.



CONCEPT MASSING ONLY — not construction documents. Storey heights 14 ft (retail) / 12 ft (residential over retail) / 10 ft (townhouse, two-over-two, duplex) are assumptions; the zone cap is the certified Sec. 27-4203 figure.