

PORTER SUBDIVISION | LOTS 1 & 2

1005 & 1009 ROLLINS AVENUE, PRINCE GEORGE'S COUNTY, MARYLAND



PROJECT AND DRAWING BASIS

Two detached dwellings. Boundary control: recorded Porter Subdivision plat, PM 231 / 50. Existing contours: 2-foot interval, NAVD88. Proposed buildings retain the supplied BEST-BACKUP footprint and siting.

Recorded areas: Lot 1 9,598 SF; Lot 2 8,008 SF; net lots 17,606 SF; public dedication 4,219 SF; gross tract 21,825 SF.

Tax Map 73, Grid B3; former Parcel 326, Preliminary Plan 4-06111; Record File 5-09121. Zoning: RSF-65 (R-55 at plat recording).

MEASURED DWELLING CLEARANCES

LOT	FRONT	SIDES	REAR
Lot 1	31.00 ft	8.40 / 10.60 ft	62.86 ft
Lot 2	31.00 ft	8.26 / 11.65 ft	Triangular lot

Design lines: front 30 ft; sides 8 ft; Lot 1 rear 20 ft. Lot 2 uses the applicant-directed triangular-lot side-yard treatment. The table reports actual geometry and does not represent an agency determination.

LOT COVERAGE

LOT	DWELLING	FOOTPRINT / LOT
Lot 1	1,196 SF	12.46%
Lot 2	1,196 SF	14.94%

35% maximum shown in the project zoning criteria. Ratios above are dwelling footprint only. Site paving is accounted for separately in the drainage calculations.

UTILITY CONNECTIONS

Both lots: water and sanitary connections toward the existing 8-inch mains in Modupeola Way, through the 20-foot WSSC corridor on Lot 13. Private utility segment runs from the Lot 1 / 12 / 13 corner toward the Lot 1 / 2 / 12 corner. The unsupported upper private-easement segment is removed.

Public corridor alignment uses the transcribed S 84-00-24 W line, 33.45 ft. Connections at the public/private junction are diagrammatic; final WSSC fitting, separation, depth and tie-in details govern. Private legal width is per the easement instrument, not inferred from the sketch.

LEGEND

- Recorded lot line
- Building restriction line
- Utility easement
- Water house connection
- Sanitary house connection

DW-1 / DW-2 identify reserved stormwater locations. The staff report describes infiltration drywells under Concept 41230-2006-00; final approved sizing and outlet details are required before construction.