

ROLLINS AVENUE | 1005 & 1009

Record conditions and property schedule

Porter Subdivision, Lots 1 and 2. Recorded plat PM 231 / 50. This dossier accompanies the revised user-selected C-001. It does not establish current agency approval.

PROPERTY	RECORDED AREA	DWELLING
Lot 1 / 1005	9,598 SF	1,196 SF
Lot 2 / 1009	8,008 SF	1,196 SF
Net lots	17,606 SF	2,392 SF
Public dedication	4,219 SF	
Gross tract	21,825 SF	

1. Development of this property shall be in accordance with the approved Stormwater Management Concept Plan 41230-2006-00, or any approved revisions thereafter.
2. Approval of this plat is based upon a reasonable expectation that public water and sewer service will be available when needed, and is conditioned on fulfilling all of the Washington Suburban Sanitary Commission authorization DA 4916 Z 08 commitments.
3. The applicant, his heirs, successors and or assignees shall utilize an abutting driveway design, constructed per DPW&T standards and requirements. Separate, standard residential driveway aprons shall be provided along Rollins Avenue, if deemed appropriate by DPW&T upon the issuance of street construction permits.

ADJOINERS OF RECORD

- LOTS 13, 14 AND 15 - Addition to Pleasant Park, Plat Book VJ 185, Plat 76
- LOT 12 - Addition to Pleasant Park, Plat Book VJ 185, Plat 76
- OUTLOT A - Addition to Pleasant Park, Plat Book VJ 185, Plat 76
- JEAN M. YOUNG - L.14377 F.589
- MAITLAND W. DADE - L.11452 F.473
- PATRICIA L. FERRELL - L.12766 F.721
- VALLE GARGAN SUBDIVISION - P.B. WWW 19, P. 41
- EDWARD B. ROLLINS, TRUSTEE, ET AL - L.12790 F.155

ROLLINS AVENUE | 1005 & 1009

Measurements and proposed work-limit takeoff

Quantities below are measured from the vector paths in the user-selected PDF at its verified 3.6 points per foot scale. The two dwelling polygons each measure approximately 1,196 SF. They are not measurements from a later replacement drawing.

MEASURE	LOT 1	LOT 2
Front clearance	31.00 ft	31.00 ft
Side clearances	8.10 / 10.90	10.58 / 8.15
Footprint coverage	12.46%	14.94%
Polygon work area	9,598.47 SF	8,008.84 SF

Total proposed LOD union: 19,170.91 SF, rounded up to 19,171 SF on C-001. Offsite polygon area outside both lots: 1,563.60 SF. Small PDF path-rounding differences are included in geometric takeoffs, while recorded areas govern the property schedule.

The proposed LOD covers full-lot development and the depicted paving/public utility corridor. Utility reconstruction and work access may change its final extent. Final ESC design and offsite authorizations remain required. The work-limit outline is not a designed sediment barrier.

BOUNDARY / BUILDING COORDINATION

Bearing labels were corrected to the recorded 79-29-14 and 10-30-46 calls; frontage is 134.64 ft on Lot 2. The outer frontage label is 222.27 ft. The source coordinate geometry is retained for survey reconciliation. No legal boundary has been adjusted merely to force numerical closure.

The selected PDF shows both nominal 46 x 26 dwellings. The available Kingsworth source is a basement/foundation page with an optional one-car garage and rear areaway. Final basement, veneer, egress/areaway, stoop and roof projections must be coordinated before a complete zoning clearance calculation or grading design is issued.

ROLLINS AVENUE | 1005 & 1009

Soils and environmental evidence

Soil map unit AeB: Adelpia-Holmdel-Urban land complex, 0 to 5 percent slopes. Parcel-intersection query retrieved September 9, 2026. Component properties follow; these regional map properties do not replace site testing.

HSG	DRAINAGE	HYDRIC	K FACTOR
B/D	Somewhat poorly drained	No	.24
C	Moderately well drained	No	.37
D	Not reported	No	Not reported

Source: USDA NRCS Soil Data Access. The returned major-component rows include B/D, C and D groups. Do not assign a single infiltration rate or hydrologic group to facility design without site investigation.

HISTORICAL PLANNING RECORD

The Porter 4-06111 staff report identifies NRI/116/06, a woodland exemption dated June 7, 2007, and Stormwater Concept 41230-2006-00 dated May 21, 2007 with drywells. It reports no streams, wetlands, 100-year floodplain or Marlboro clay on the site. These are historical findings; the current applicable approvals and exemption letter must be obtained and checked.

FACILITY DESIGN INPUTS STILL REQUIRED

Surveyed drainage areas, flow paths and receiving outfall; field grades and floor/slab elevations.

Soil profile, tested infiltration rate, seasonal groundwater and limiting-layer elevations.

Approved design storm criteria, ESD sizing, facility sections and storage; outlet, overflow, drawdown and maintenance design.

Current tree-conservation approval or exemption; final species, quantities, sizes, canopy calculations and planting locations.

The selected plan's ESD footprints and Q/WQv summary were preliminary. This revision does not promote those screening quantities into approved hydraulic design. Supporting engineering calculations must use the final building and pavement coverage, including all applicable contributing areas.

ROLLINS AVENUE | 1005 & 1009

Professional certification blocks - unsigned

GRADING CERTIFICATE

I HEREBY CERTIFY THAT THIS PLAN CONFORMS TO THE REQUIREMENTS OF SUBTITLE 32, DIVISION 2 OF THE CODE OF PRINCE GEORGE'S COUNTY WATER RESOURCES PROTECTION AND GRADING CODE; AND THAT I OR MY STAFF HAVE INSPECTED THIS SITE AND THAT DRAINAGE FLOWS FROM UPHILL PROPERTIES ONTO THIS SITE, AND FROM THIS SITE ONTO DOWNHILL PROPERTIES, HAVE BEEN ADDRESSED IN SUBSTANTIAL ACCORDANCE WITH APPLICABLE CODES. SIGNED, SEALED AND DATED BY A PROFESSIONAL ENGINEER LICENSED IN THE STATE OF MARYLAND.

MARYLAND PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

NAME / LICENSE NUMBER / EXPIRATION

SIGNATURE / DATE

SEAL

OWNER / APPLICANT NAME / ADDRESS / PHONE

DESIGNER NAME / ADDRESS / PHONE

CHECKER / DATE

ROLLINS AVENUE | 1005 & 1009

Application completion worksheet

DRAFT FOR THE RESPONSIBLE DESIGN PROFESSIONAL. Status reflects the files available here; it is not a county certification or agency decision. Complete official submittal and applicable design-review checklists with the application.

R01 - OPEN: Field survey, grading, floors, driveway profiles and utility inverts

R02 - PARTIAL: Both addresses added; owner and responsible professional details/signatures required

R03 - OPEN: Public utility containment and continuous approved connections

R04 - OPEN: Recorded private easement limits and WSSC junction design

R05 - OPEN: Approved concept and full stormwater design/report

R06 - PARTIAL: Proposed measured LOD added; final ESC design and approvals remain

R07 - PARTIAL: Soil component table/historical evidence added; current environmental/landscape documents remain

R08 - PARTIAL: Measured per-lot footprint clearances/ratios added; yard interpretation and projections remain

R09 - PARTIAL: Recorded areas and label corrections made; survey/control reconciliation remains

R10 - CLOSED: Full recorded conditions/adjoiners/legend supplied without ellipses

R11 - OPEN: Frontage width, cross slopes, driveway profiles and DPW&T determination

R12 - OPEN: Complete coordinated architectural, structural and trade/energy drawings

R13 - PARTIAL: Source dossier and preparation worksheet supplied; executed applications/approvals remain


REFERENCE AND SUBMISSION FILES

County Building Permit / Site-Road Design Review Checklist: [DocumentCenter/View/33110](#). Fine Grading Design Checklist: [DocumentCenter/View/4549](#). Fine Grading Submittal Checklist: [DocumentCenter/View/4569](#). Current county index checked September 9, 2026; direct PDF downloads returned HTTP 403. Use the linked official forms listed in [README.md](#).

Attach applicable current concept, fine-grading, ESC, stormwater, WSSC, street and environmental approvals; ownership/authorization and parcel identification; executed professional certifications and supporting calculations. Check application-stage versus issuance-stage prerequisites with the responsible reviewer.

ROLLINS AVENUE | 1005 & 1009

Utility source reference - original page 2



Source reproduction only. The original sketch controls the depicted connection concept; it does not supply a dimensioned private legal width or final surveyed vertical design.

ROLLINS AVENUE | 1005 & 1009

Baseline drainage summary - preliminary

The selected baseline contains the following drainage summary. It is retained here for design coordination. These are baseline screening outputs, not a completed hydraulic report or final ESD facility sizing.

PARAMETER	LOT 1	LOT 2
Baseline catchment SF	9,599	8,009
Baseline impervious %	17.0	20.4
Baseline pre Q (cfs)	0.37	0.31
Baseline post Q (cfs)	0.55	0.48
Baseline WQv (CF)	163	156
Depicted ESD footprint	214 SF	241 SF

The property schedule uses recorded areas 9,598 / 8,008 SF. The baseline catchment values above were computed geometry values. Recalculate the drainage model from final surveyed catchments and the complete selected building/pavement design before sizing facilities.

CALCULATION PACKAGE TO COMPLETE

Existing and proposed drainage maps with tributary areas and runoff classifications.

Rainfall depths/intensities, documented times of concentration and pre/post discharge calculations.

ESD volume, recharge and applicable quantity-control analysis; tested infiltration and facility storage/outlet computations.

Finished grades, facility sections, groundwater/limiting-layer separation and drawdown.

Receiving outfall capacity and the 100-year blocked-system overflow route; coordinated building protection levels.

No new stormwater performance is claimed by reproducing these values. Final approval must be coordinated with Concept 41230-2006-00 or its applicable approved revision.