




Aragona Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CGO, converted to townhouses, two-over-twos and duplexes
Prince George's County, Maryland

C-000	Cover Sheet, Approvals and General Notes
C-100	Existing Conditions and Boundary Plan
C-200	Overall Site and Zoning Plan
C-300	Demolition Plan
C-400	Grading and Drainage Plan
C-500	Utility Plan
C-600	Stormwater Management Plan
C-700	Sediment and Erosion Control Plan
C-800	Road, Driveway and Paving Plan
C-900	Civil Details
L-100	Landscape and Tree Canopy Plan



[illegible]

MAP UNIT	MAP UNIT NAME	K-FACT	HYDRIC	HYD. GRP	DRAINAGE CLASS
AuB	Adelphie silt loam, 2 to 5 percent slopes complex	37	No	C	Modestly well drained
AcA	Adelphie-Aquasco complex, 0 to 2 percent slopes	43	No	D	Screenwash poorly drained
AGa	Adelphie-Holmield complex, 0 to 2 percent slopes	24	No	B/D	Screenwash poorly drained
AGB	Adelphie-Holmield complex, 2 to 5 percent slopes	24	No	B/D	Screenwash poorly drained
AOC	Adelphie-Holmield complex, 5 to 10 percent slopes	24	No	B/D	Screenwash poorly drained





SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP.	DRAINAGE CLASS
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	C	Moderately well drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
A/A	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	B/D	Somewhat poorly drained
A/B	Adelphi-Azalea complex, 2 to 5 percent slopes	.24	No	B/D	Somewhat poorly drained
A/C	Adelphi-Azalea complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



KEALEE

design, build, deliver

PROJECT

Adelphi Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CDD, converted to townhouses, two-over-two and duplexes

ADDRESS

Adelphi Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CDD, converted to townhouses, two-over-two and duplexes

JURISDICTION

Prince George's County, Maryland

DATE

2024

CGO

C-100 — Existing Conditions and Boundary Plan

SCALE

1" = 60'

STATUS

PRELIMINARY

DATE

2024-10-10

2 OF 11

COORDINATES

EPSG:2248

H NAD83

V NAD83 (Bv)

PLAN TYPE AND PREPARATION

PLAN TYPE SITE DEVELOPMENT / FINE DRAINAGE

REMARK C-100 — Existing Conditions and Boundary Plan

DISCIPLINE Maryland Licensed Surveyor

DRAWN BY KEALEE SITE PLAN ENGINEER

CHECKED BY

REVISIONS

NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS

1	C-100	Owner Consent, Approvals and General Notes
2	C-100	Existing Conditions and Boundary Plan
3	C-100	Overall Site and Zoning Plan
4	C-100	Development Plan
5	C-100	Grading and Drainage Plan
6	C-100	Utility Plan
7	C-100	Stormwater Management Plan
8	C-100	Soil Erosion and Sediment Control Plan
9	C-100	Soil Erosion and Sediment Control Plan
10	C-100	Soil Erosion and Sediment Control Plan
11	C-100	Soil Erosion and Sediment Control Plan
12	C-100	Soil Erosion and Sediment Control Plan
13	C-100	Soil Erosion and Sediment Control Plan
14	C-100	Soil Erosion and Sediment Control Plan
15	C-100	Soil Erosion and Sediment Control Plan
16	C-100	Soil Erosion and Sediment Control Plan
17	C-100	Soil Erosion and Sediment Control Plan
18	C-100	Soil Erosion and Sediment Control Plan
19	C-100	Soil Erosion and Sediment Control Plan
20	C-100	Soil Erosion and Sediment Control Plan
21	C-100	Soil Erosion and Sediment Control Plan
22	C-100	Soil Erosion and Sediment Control Plan
23	C-100	Soil Erosion and Sediment Control Plan
24	C-100	Soil Erosion and Sediment Control Plan
25	C-100	Soil Erosion and Sediment Control Plan
26	C-100	Soil Erosion and Sediment Control Plan
27	C-100	Soil Erosion and Sediment Control Plan
28	C-100	Soil Erosion and Sediment Control Plan
29	C-100	Soil Erosion and Sediment Control Plan
30	C-100	Soil Erosion and Sediment Control Plan
31	C-100	Soil Erosion and Sediment Control Plan
32	C-100	Soil Erosion and Sediment Control Plan
33	C-100	Soil Erosion and Sediment Control Plan
34	C-100	Soil Erosion and Sediment Control Plan
35	C-100	Soil Erosion and Sediment Control Plan
36	C-100	Soil Erosion and Sediment Control Plan
37	C-100	Soil Erosion and Sediment Control Plan
38	C-100	Soil Erosion and Sediment Control Plan
39	C-100	Soil Erosion and Sediment Control Plan
40	C-100	Soil Erosion and Sediment Control Plan
41	C-100	Soil Erosion and Sediment Control Plan
42	C-100	Soil Erosion and Sediment Control Plan
43	C-100	Soil Erosion and Sediment Control Plan
44	C-100	Soil Erosion and Sediment Control Plan
45	C-100	Soil Erosion and Sediment Control Plan
46	C-100	Soil Erosion and Sediment Control Plan
47	C-100	Soil Erosion and Sediment Control Plan
48	C-100	Soil Erosion and Sediment Control Plan
49	C-100	Soil Erosion and Sediment Control Plan
50	C-100	Soil Erosion and Sediment Control Plan
51	C-100	Soil Erosion and Sediment Control Plan
52	C-100	Soil Erosion and Sediment Control Plan
53	C-100	Soil Erosion and Sediment Control Plan
54	C-100	Soil Erosion and Sediment Control Plan
55	C-100	Soil Erosion and Sediment Control Plan
56	C-100	Soil Erosion and Sediment Control Plan
57	C-100	Soil Erosion and Sediment Control Plan
58	C-100	Soil Erosion and Sediment Control Plan
59	C-100	Soil Erosion and Sediment Control Plan
60	C-100	Soil Erosion and Sediment Control Plan
61	C-100	Soil Erosion and Sediment Control Plan
62	C-100	Soil Erosion and Sediment Control Plan
63	C-100	Soil Erosion and Sediment Control Plan
64	C-100	Soil Erosion and Sediment Control Plan
65	C-100	Soil Erosion and Sediment Control Plan
66	C-100	Soil Erosion and Sediment Control Plan
67	C-100	Soil Erosion and Sediment Control Plan
68	C-100	Soil Erosion and Sediment Control Plan
69	C-100	Soil Erosion and Sediment Control Plan
70	C-100	Soil Erosion and Sediment Control Plan
71	C-100	Soil Erosion and Sediment Control Plan
72	C-100	Soil Erosion and Sediment Control Plan
73	C-100	Soil Erosion and Sediment Control Plan
74	C-100	Soil Erosion and Sediment Control Plan
75	C-100	Soil Erosion and Sediment Control Plan
76	C-100	Soil Erosion and Sediment Control Plan
77	C-100	Soil Erosion and Sediment Control Plan
78	C-100	Soil Erosion and Sediment Control Plan
79	C-100	Soil Erosion and Sediment Control Plan
80	C-100	Soil Erosion and Sediment Control Plan
81	C-100	Soil Erosion and Sediment Control Plan
82	C-100	Soil Erosion and Sediment Control Plan
83	C-100	Soil Erosion and Sediment Control Plan
84	C-100	Soil Erosion and Sediment Control Plan
85	C-100	Soil Erosion and Sediment Control Plan
86	C-100	Soil Erosion and Sediment Control Plan
87	C-100	Soil Erosion and Sediment Control Plan
88	C-100	Soil Erosion and Sediment Control Plan
89	C-100	Soil Erosion and Sediment Control Plan
90	C-100	Soil Erosion and Sediment Control Plan
91	C-100	Soil Erosion and Sediment Control Plan
92	C-100	Soil Erosion and Sediment Control Plan
93	C-100	Soil Erosion and Sediment Control Plan
94	C-100	Soil Erosion and Sediment Control Plan
95	C-100	Soil Erosion and Sediment Control Plan
96	C-100	Soil Erosion and Sediment Control Plan
97	C-100	Soil Erosion and Sediment Control Plan
98	C-100	Soil Erosion and Sediment Control Plan
99	C-100	Soil Erosion and Sediment Control Plan
100	C-100	Soil Erosion and Sediment Control Plan
101	C-100	Soil Erosion and Sediment Control Plan
102	C-100	Soil Erosion and Sediment Control Plan
103	C-100	Soil Erosion and Sediment Control Plan
104	C-100	Soil Erosion and Sediment Control Plan
105	C-100	Soil Erosion and Sediment Control Plan
106	C-100	Soil Erosion and Sediment Control Plan
107	C-100	Soil Erosion and Sediment Control Plan
108	C-100	Soil Erosion and Sediment Control Plan
109	C-100	Soil Erosion and Sediment Control Plan
110	C-100	Soil Erosion and Sediment Control Plan
111	C-100	Soil Erosion and Sediment Control Plan
112	C-100	Soil Erosion and Sediment Control Plan
113	C-100	Soil Erosion and Sediment Control Plan
114	C-100	Soil Erosion and Sediment Control Plan
115	C-100	Soil Erosion and Sediment Control Plan
116	C-100	Soil Erosion and Sediment Control Plan
117	C-100	Soil Erosion and Sediment Control Plan
118	C-100	Soil Erosion and Sediment Control Plan
119	C-100	Soil Erosion and Sediment Control Plan
120	C-100	Soil Erosion and Sediment Control Plan
121	C-100	Soil Erosion and Sediment Control Plan
122	C-100	Soil Erosion and Sediment Control Plan
123	C-100	Soil Erosion and Sediment Control Plan
124	C-100	Soil Erosion and Sediment Control Plan
125	C-100	Soil Erosion and Sediment Control Plan
126	C-100	Soil Erosion and Sediment Control Plan
127	C-100	Soil Erosion and Sediment Control Plan
128	C-100	Soil Erosion and Sediment Control Plan
129	C-100	Soil Erosion and Sediment Control Plan
130	C-100	Soil Erosion and Sediment Control Plan
131	C-100	Soil Erosion and Sediment Control Plan
132	C-100	Soil Erosion and Sediment Control Plan
133	C-100	Soil Erosion and Sediment Control Plan
134	C-100	Soil Erosion and Sediment Control Plan
135	C-100	Soil Erosion and Sediment Control Plan
136	C-100	Soil Erosion and Sediment Control Plan
137	C-100	Soil Erosion and Sediment Control Plan
138	C-100	Soil Erosion and Sediment Control Plan
139	C-100	Soil Erosion and Sediment Control Plan
140	C-100	Soil Erosion and Sediment Control Plan
141	C-100	Soil Erosion and Sediment Control Plan
142	C-100	Soil Erosion and Sediment Control Plan
143	C-100	Soil Erosion and Sediment Control Plan
144	C-100	Soil Erosion and Sediment Control Plan
145	C-100	Soil Erosion and Sediment Control Plan
146	C-100	Soil Erosion and Sediment Control Plan
147	C-100	Soil Erosion and Sediment Control Plan
148	C-100	Soil Erosion and Sediment Control Plan

SITE DATA


ZONE	CGO
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX PROPOSED
LOT COVERAGE	25 %
BUILDING FOOTPRINT	147,744 SF
DATA	
HORIZONTAL	EPSG:2248 NAD83
VERTICAL	NAD83 (Bv)

SITE ANALYSIS

1. Gross lot area	460,086 SF
2. Gross lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Wooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.00
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS


BUILDING DATA


	G	R	FF	SP	HT	STY
LOT 1						
LOT 2						
LOT 3						
LOT 4						
LOT 5						
LOT 6						
LOT 7						
LOT 8						
LOT 9						
LOT 10						
LOT 11						
LOT 12						
LOT 13						
LOT 14						
LOT 15						
LOT 16						
LOT 17						
LOT 18						
LOT 19						
LOT 20						
LOT 21						
LOT 22						
LOT 23						
LOT 24						
LOT 25						
LOT 26						
LOT 27						
LOT 28						
LOT 29						
LOT 30						
LOT 31						
LOT 32						
LOT 33						
LOT 34						
LOT 35						
LOT 36						
LOT 37						
LOT 38						
LOT 39						
LOT 40						
LOT 41						
LOT 42						
LOT 43						
LOT 44						
LOT 45						
LOT 46						
LOT 47						
LOT 48						
LOT 49						
LOT 50						
LOT 51						
LOT 52						
LOT 53						
LOT 54						
LOT 55						
LOT 56						
LOT 57						
LOT 58						
LOT 59						
LOT 60						
LOT 61						
LOT 62						
LOT 63						
LOT 64						
LOT 65						
LOT 66						
LOT 67						
LOT 68						
LOT 69						
LOT 70						
LOT 71						
LOT 72						
LOT 73						
LOT 74						
LOT 75						
LOT 76						
LOT 77						
LOT 78						
LOT 79						
LOT 80						
LOT 81						
LOT 82						
LOT 83						
LOT 84						
LOT 85						
LOT 86						
LOT 87						
LOT 88						
LOT 89						
LOT 90						
LOT 91						
LOT 92						
LOT 93						
LOT 94						
LOT 95						
LOT 96						
LOT 97						
LOT 98						
LOT 99						
LOT 100						
LOT 101						
LOT 102						
LOT 103						
LOT 104						
LOT 105						
LOT 106						
LOT 107						
LOT 108						
LOT 109						
LOT 110						
LOT 111						
LOT 112						
LOT 113						
LOT 114						
LOT 115						
LOT 116						
LOT 117						
LOT 118						
LOT 119						
LOT 120						
LOT 121						
LOT 122						
LOT 123						
LOT 124						
LOT 125						
LOT 126						
LOT 127						
LOT 128						
LOT 129						
LOT 130						
LOT 131						
LOT 132						
LOT 133						
LOT 134						
LOT 135						
LOT 136						
LOT 137						
LOT 138				</		





SIGNATURE _____ DATE _____

LICENSE NO. _____ EXPIRATION DATE _____

[illegible]



SOILS TABLE					
MAP UNIT	MAP UNIT NAME	K-FACT	HYDRIC	HYD. GRP	DRAINAGE CLASS
AUA	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	C	Moderately well drained
AUB	Adelphi-Azalea complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
AUA	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AUB	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AUC	Adelphi-Azalea complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained



KEALEE
design, title, deliver
PROJECT: Adelphi Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CCG, converted to townhouses, two-over-tens and duplexes
ADDRESS: Adelphi Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CCG, converted to townhouses, two-over-tens and duplexes
JURISDICTION: Prince Georges County, Maryland
DATE: 2024
CGO: C-400 — Grading and Drainage Plan
SCALE: 1" = 60'
SHEET: PRELIMINARY
SHEET NO: 5 OF 11
COORDINATES: EPSG:2248
H NAD83
V NAD83 (ft)

PLAN TYPE AND PREPARATION	
PLAN TYPE	SITE DEVELOPMENT / FINE GRADING
SHEET	C-400 — Grading and Drainage Plan
DISCIPLINE	Survey Professional Engineer
DRAWN BY	KEALEE SITE PLAN ENGINEER
DESIGNED BY	
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS	
1. C-100	Owner Consent, Approvals and General Notes
2. C-100	Grading, Constraints and Boundary Plan
3. C-100	Overall Site and Zoning Plan
4. C-100	Grading Plan
5. C-400	Grading and Drainage Plan
6. C-400	Utility Plan
7. C-400	Grading and Drainage Plan
8. C-100	Grading and Drainage Plan
9. C-100	Grading and Drainage Plan
10. C-100	Grading and Drainage Plan
11. C-100	Grading and Drainage Plan

SITE DATA	
ZONE	CGO
TAX PARCEL ID	TRACT
GROSS TRACT AREA	460,086 SF 10.562 AC
TRACT AREA	623,303 SF 14.309 AC
NET LOT AREA	623,303 SF 14.309 AC
LOT FRONTAGE	20' MIN NOT REQUIRED
SETBACKS	REQUIRED
FRONT YARD	—
SIDE YARD	—
REAR YARD	—
COVERAGE	MAX PROPOSED
LOT COVERAGE	25 %
BUILDING FOOTPRINT	147,744 SF
DATUM	
HORIZONTAL	EPSG:2248 NAD83
VERTICAL	NAD83 (ft)

SITE ANALYSIS	
1. Gross lot area	460,086 SF
2. Gross lot area	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Wooded area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0.00
7. SWM REQUIRED — Sec. 32.174(a)(3)	EXEMPT — 5,000 SF OR LESS


BUILDING DATA							
	G	R	FF	SP	HT	STY	
LOF 1							
LOF 2							
LOF 3							
LOF 4							
LOF 5							
LOF 6							
LOF 7							
LOF 8							
LOF 9							
LOF 10							
LOF 11							
LOF 12							
LOF 13							
LOF 14							
LOF 15							
LOF 16							
LOF 17							
LOF 18							
LOF 19							
LOF 20							
LOF 21							
LOF 22							
LOF 23							
LOF 24							
LOF 25							
LOF 26							
LOF 27							
LOF 28							
LOF 29							
LOF 30							
LOF 31							
LOF 32							
LOF 33							
LOF 34							
LOF 35							
LOF 36							
LOF 37							
LOF 38							
LOF 39							
LOF 40							
LOF 41							
LOF 42							
LOF 43							
LOF 44							
LOF 45							
LOF 46							
LOF 47							
LOF 48							
LOF 49							
LOF 50							
LOF 51							
LOF 52							
LOF 53							
LOF 54							
LOF 55							
LOF 56							
LOF 57							
LOF 58							
LOF 59							
LOF 60							
LOF 61							
LOF 62							
LOF 63							
LOF 64							
LOF 65							
LOF 66							
LOF 67							
LOF 68							
LOF 69							
LOF 70							
LOF 71							
LOF 72							
LOF 73							
LOF 74							
LOF 75							
LOF 76							
LOF 77							
LOF 78							
LOF 79							
LOF 80							
LOF 81							
LOF 82							
LOF 83							
LOF 84							
LOF 85							
LOF 86							
LOF 87							
LOF 88							
LOF 89							
LOF 90							
LOF 91							
LOF 92							
LOF 93							
LOF 94							
LOF 95							
LOF 96							
LOF 97							
LOF 98							
LOF 99							
LOF 100							
LOF 101							
LOF 102							
LOF 103							
LOF 104							
LOF 105							
LOF 106							
LOF 107							
LOF 108							
LOF 109							
LOF 110							
LOF 111							
LOF 112							
LOF 113							
LOF 114							
LOF 115							
LOF 116							
LOF 117							
LOF 118							
LOF 119							
LOF 120							
LOF 121							
LOF 122							
LOF 123							
LOF 124							
LOF 125							
LOF 126							
LOF 127							
LOF 128							
LOF 129							
LOF 130							
LOF 131							
LOF 132							
LOF 133							
LOF 134							
LOF 135							
LOF 136							
LOF 137							
LOF 138							
LOF 139							
LOF 140							
LOF 141							
LOF 142							
LOF 143							
LOF 144							
LOF 145							
LOF 146							
LOF 147							
LOF 148							

SEQUENCE OF CONSTRUCTION	
1. Pre-construction meeting	1 DAY
2. Obtain necessary permits	2 DAYS
3. Install necessary utility and EIS at least 48 hours prior to any excavation	1 DAY
4. Install stabilized construction entrance and perimeter sediment control	2 DAYS
5. Rough grade the lot	5 DAYS
6. Connect dwelling	6 MONTHS
7. Install water, sewer and storm services and the driveway	10 DAYS
8. Fine grade and stabilize all disturbed areas	5 DAYS
9. Remove sediment control once the impervious grade section penetration	1 DAY
TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS	



PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE	DATE
TEAL	LICENSE NO.
	EXPIRATION DATE

(PROPOSED NOTES) — GRADING CERTIFICATE, STABILIZATION COMPLIANCE PREAMBLE, STANDARD STABILIZATION NOTE — ARE CARRIED IN FULL DRAWING C-100.



MAP UNIT	MAP UNIT NAME	K-FACT	HYDRIC	HYD. GRP	DRAINAGE CLASS
AuB	Adelphipia silt loam, 2 to 5 percent slopes complex	.37	No	C	Moderately well drained
AuA	Adelphipia-Aguasao complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
AuA	Adelphipia-Holmsted complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AuA	Adelphipia-Holmsted complex, 2 to 5 percent slopes	.24	No	B/D	Somewhat poorly drained
AuC	Adelphipia-Holmsted complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



KEALEE	
design, build, deliver	
PROJECT	
Angeneo Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CGO, converted to townhouses, two-over-tens and	
ADDRESS	
Angeneo Village Blocks EE and DD (Schooner Court, 16 approved SPD lots) — rezoned CGO, converted to townhouses, two-over-tens and	
DESCRIPTION	
Prince George's County, Maryland	
JOB#	
CGO	
OWNER	
C-600 — Stormwater Management Plan	
SCALE	
2" = 60'	
SHEET NO.	
PRELIMINARY	
SHEET NO.	
7 OF 11	
COORDINATES	
EPG0.2348	
N-NADE83	
V-NAVG88 (wet)	

INDEX OF DRAWINGS

C-000	Cover Sheet, Approvals and General Notes
C-100	Existing Conditions and Boundary Plan
C-200	Overall Site and Zoning Plan
C-300	Permittion Plan
C-400	Grading and Drainage Plan
C-500	Utility Plan
C-600	Stormwater Management Plan
C-700	Sediment and Erosion Control Plan
C-800	Road, Driveway and Paving Plan
C-900	Civil Details
L-100	Landscape and Tree Canopy Plan

SITE DATA		
ZONE	CGO	
TAX / PARCEL ID	TRACT	
GROSS TRACT AREA	460,086 SF	10.562 AC
TRACT AREA	623,303 SF	14.309 AC
NET LOT AREA	623,303 SF	14.309 AC
LOT FRONTAGE	20 MN	NOT
SETBACKS	REQUIRED	PROVIDED
FRONT YARD	—	—
SIDE YARD	—	—
REAR YARD	—	—
COVERAGE	MAX	PROPOSED
LOT COVERAGE	—	23.7%
BUILDING FOOTPRINT	—	147,744 SF
DATUM		
HORIZONTAL	EPSG:2248	NAD83
VERTICAL	NVAD88 (feet)	

SITE ANALYSIS	
1. Gross tract area	460,086 SF
2. Area of dwelling	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Floodplain area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0 SF
7. SWM REQUIRED — Sec. 32-174a(3)	EXEMPT — 5,000 SF OR

BUILDING DATA	G	B	FF	SP	HT	STY
LOF 1						
LOF 2						
LOF 3						
LOF 4						
LOF 5						
LOF 6						
LOF 7						
LOF 8						
LOF 9						
LOF 10						
LOF 11						
LOF 12						
LOF 13						
LOF 14						
LOF 15						
LOF 16						
LOF 17						
LOF 18						
LOF 19						
LOF 20						
LOF 21						
LOF 22						
LOF 23						
LOF 24						
LOF 25						
LOF 26						
LOF 27						
LOF 28						
LOF 29						
LOF 30						
LOF 31						
LOF 32						
LOF 33						
LOF 34						
LOF 35						
LOF 36						
LOF 37						
LOF 38						
LOF 39						
LOF 40						
LOF 41						
LOF 42						
LOF 43						
LOF 44						
LOF 45						
LOF 46						
LOF 47						
LOF 48						
LOF 49						
LOF 50						
LOF 51						
LOF 52						
LOF 53						
LOF 54						
LOF 55						
LOF 56						
LOF 57						
LOF 58						
LOF 59						
LOF 60						
LOF 61						
LOF 62						
LOF 63						
LOF 64						
LOF 65						
LOF 66						
LOF 67						
LOF 68						
LOF 69						
LOF 70						
LOF 71						
LOF 72						
LOF 73						
LOF 74						
LOF 75						
LOF 76						
LOF 77						
LOF 78						
LOF 79						
LOF 80						
LOF 81						
LOF 82						
LOF 83						
LOF 84						
LOF 85						
LOF 86						
LOF 87						
LOF 88						
LOF 89						
LOF 90						
LOF 91						
LOF 92						
LOF 93						
LOF 94						
LOF 95						
LOF 96						
LOF 97						
LOF 98						
LOF 99						
LOF 100						
LOF 101						
LOF 102						
LOF 103						
LOF 104						
LOF 105						
LOF 106						
LOF 107						
LOF 108						
LOF 109						
LOF 110						
LOF 111						
LOF 112						
LOF 113						
LOF 114						
LOF 115						
LOF 116						
LOF 117						
LOF 118						
LOF 119						
LOF 120						
LOF 121						
LOF 122						
LOF 123						
LOF 124						
LOF 125						
LOF 126						
LOF 127						
LOF 128						
LOF 129						
LOF 130						
LOF 131						
LOF 132						
LOF 133						
LOF 134						
LOF 135						
LOF 136						
LOF 137						
LOF 138						
LOF 139						
LOF 140						
LOF 141						
LOF 142						
LOF 143						
LOF 144						
LOF 145						
LOF 146						
LOF 147						
LOF 148						


SEQUENCE OF CONSTRUCTION	
1. Pre-construction meeting	1 DAY
2. Obtain necessary permits	2 DAYS
3. Notify Alaska Utility at 4811 at least 48 hours prior to any excavation	1 DAY
4. Install stabilized construction entrance and perimeter sediment control	2 DAYS
5. Rough-grade the lot	2 DAYS
6. Construct driveway	6 MONTHS
7. Install water, sewer and storm services and the driveway	10 DAYS
8. Fine grade and stabilize disturbed areas	5 DAYS
9. Remove sediment control once the inspector gives written permission	1 DAY
TOTAL ESTIMATED TIME OF CONSTRUCTION: 8 MONTHS	

PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.



SEAL

SIGNATURE _____ DATE _____

LICENSE NO. _____ EXPIRATION DATE _____



MAP UNIT	MAP UNIT NAME	K-FACTOR	HYDRO	HYD. GRP	DRAINAGE CLASS
AUA	Adelphi-Aquia complex, 0 to 2 percent slopes	.43	No	C	Moderately well drained
AUB	Adelphi-Aquia complex, 2 to 5 percent slopes	.34	No	B/D	Somewhat poorly drained
AUC	Adelphi-Aquia complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



KEALEE

design, title, deliver

PROJECT

Angonia Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned COQ, converted to townhouses, two-over-tens and duplexes

ADDRESS

Angonia Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned COQ, converted to townhouses, two-over-tens and duplexes

ADMINISTRATOR

Prince George's County, Maryland

DATE

2024

COG

C-700 — Sediment and Erosion Control Plan

SCALE

1" = 60'

STATUS

PRELIMINARY

COORDINATES

EPSG:2248

H NAD83

V NAD83 (ft)

PLAN TYPE AND PREPARATION

PLAN TYPE

SITE DEVELOPMENT / FINE GRADING

REVISION

C-700 — Sediment and Erosion Control Plan

SIGNATURE

Maryland Professional Engineer

DRAWN BY

KEALEE SITE PLAN ENGINE

DESIGNED BY

CHECKED BY

REVISIONS

NO.

DATE

DESCRIPTION

INDEX OF DRAWINGS

1

C-700

Lower Erosion Approvals and General Notes

2

C-700

Grading Constraints and Boundary Plan

3

C-700

Overall Site and Zoning Plan

4

C-700

Grading Plan

5

C-700

Grading and Drainage Plan

6

C-700

Utility Plan

7

C-700

Stormwater Management Plan

8

C-700

Sediment and Erosion Control Plan

9

C-700

Road, Grading and Driveway Plan

10

C-700

Chart Details

11

C-700

Landscaping and Tree Canopy Plan

SITE DATA

ZONE

COG

TAX PARCEL ID

TRACT

GROSS TRACT AREA

460,086 SF

10,562 AC

TRACT AREA

623,303 SF

14,309 AC

NET LOT AREA

623,303 SF

14,309 AC

LOT FRONTAGE

20' MIN

NOT REQUIRED

SETBACKS

REQUIRED

REQUIRED

FRONT YARD

—

—

SIDE YARD

—

—

REAR YARD

—

—

COVERAGE

MAX

PROPOSED

LOT COVERAGE

23.7%

23.7%

BUILDING FOOTPRINT

—

147,744 SF

DATA

HORIZONTAL

EPSG:2248

NAD83

VERTICAL

NAD83 (ft)

SITE ANALYSIS

1

Grass Plant Area

400,086 SF

2

Grass Plant Area

147,744 SF

3

Wooded Area

NOT ESTABLISHED

4

Wooded Area

NOT ESTABLISHED

5

Net to Area

623,303 SF

6

TOTAL AREA DISTURBED

0.00

7

SWM REQUIRED — Sec. 32.174(a)(3)

EXEMPT — 5,000 SF OR LESS

BUILDING DATA

G

R

FF

SP

HT

STY

LOT 1

LOT 2

LOT 3

LOT 4

LOT 5

LOT 6

LOT 7

LOT 8

LOT 9

LOT 10

LOT 11

LOT 12

LOT 13

LOT 14

LOT 15

LOT 16

LOT 17

LOT 18

LOT 19

LOT 20

LOT 21

LOT 22

LOT 23

LOT 24

LOT 25

LOT 26

LOT 27

LOT 28

LOT 29

LOT 30

LOT 31

LOT 32

LOT 33

LOT 34

LOT 35

LOT 36

LOT 37

LOT 38

LOT 39

LOT 40

LOT 41

LOT 42

LOT 43

LOT 44

LOT 45

LOT 46

LOT 47

LOT 48

LOT 49

LOT 50

LOT 51

LOT 52

LOT 53

LOT 54

LOT 55

LOT 56

LOT 57

LOT 58

LOT 59

LOT 60

LOT 61

LOT 62

LOT 63

LOT 64

LOT 65

LOT 66

LOT 67

LOT 68

LOT 69

LOT 70

LOT 71

LOT 72

LOT 73

LOT 74

LOT 75

LOT 76

LOT 77

LOT 78

LOT 79

LOT 80

LOT 81

LOT 82

LOT 83

LOT 84

LOT 85

LOT 86

LOT 87

LOT 88

LOT 89

LOT 90

LOT 91

LOT 92

LOT 93

LOT 94

LOT 95

LOT 96

LOT 97

LOT 98

LOT 99

LOT 100

LOT 101

LOT 102

LOT 103

LOT 104

LOT 105

LOT 106

LOT 107

LOT 108

LOT 109

LOT 110

LOT 111

LOT 112

LOT 113

LOT 114

LOT 115

LOT 116

LOT 117

LOT 118

LOT 119

LOT 120

LOT 121

LOT 122

LOT 123

LOT 124

LOT 125

LOT 126

LOT 127

LOT 128

LOT 129

LOT 130

LOT 131

LOT 132

LOT 133

LOT 134

LOT 135

LOT 136

LOT 137

LOT 138

LOT 139

LOT 140

LOT 141

LOT 142

LOT 143

LOT 144

LOT 145

LOT 146

LOT 147

LOT 148

SEQUENCE OF CONSTRUCTION

1

Site Preparation

2

Clearing

3

Grading

4

Foundation

5

Structural

6

Roofing

7

Interior

8

Exterior

9

Landscaping

10

Final

TOTAL ESTIMATED TIME OF CONSTRUCTION: 6 MONTHS

PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.

SIGNATURE

DATE

TITLE

EXPIRATION DATE

GRAPHIC SCALE — 1" = 60'

0


60

120



180

240

FEET



MAP UNIT	MAP UNIT NAME	K-FACT	HYDRIC	HYD. GRP	DRAINAGE CLASS
AuB	Adelphina silt loam, 2 to 5 percent slopes complex	.37	No	C	Moderately well drained
AuA	Adelphina-Aguasico complex, 0 to 2 percent slopes	.43	No	D	Somewhat poorly drained
AuA	Adelphina-Holmdel complex, 0 to 2 percent slopes	.24	No	B/D	Somewhat poorly drained
AuA	Adelphina-Holmdel complex, 2 to 5 percent slopes	.24	No	B/D	Somewhat poorly drained
AuC	Adelphina-Holmdel complex, 5 to 10 percent slopes	.24	No	B/D	Somewhat poorly drained



KEELEE
design build deliver

MOUNTAIN STATE PROJECTS:

Arlington Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CGO, converted to townhouses, two-over-two flats and townhomes.

Arlington Village Blocks EE and DD (Schooner Court, 16 approved SFD lots) — rezoned CGO, converted to townhouses, two-over-two flats and townhomes.

Prince George's County, Maryland

SCHOOL DISTRICT PROJECTS:

CDO
CDO
CDO
C-900 — Civil Details
CDO
"I" = "GO"
CDO
PRELIMINARY
CDO
10 OF 11

COMMUNITY DEVELOPMENT:

EPRG 2248
H NAGEL
v HENDERSON (REV)

PLANT TYPE AND PREPARATION	
PLANT TYPE	SITE DEVELOPMENT / PIPE GRADING
SHEET	C-500 — Civil Details
DISCIPLINE	Maryland Professional Engineer
DRAWN BY	KEALEE SITE PLAN ENGINE
DESIGNED BY	
CHECKED BY	

REVISIONS		
NO.	DATE	DESCRIPTION

INDEX OF DRAWINGS

C-000	Cover Sheet, Approvals and General Notes
C-100	Existing Conditions and Boundary Plan
C-200	Overall Site and Zoning Plan
C-300	Permittion Plan
C-400	Grading and Drainage Plan
C-500	Utility Plan
C-600	Stormwater Management Plan
C-700	Sediment and Erosion Control Plan
C-800	Road, Driveway and Paving Plan
C-900	Civil Details
L-100	Landscape and Tree Canopy Plan


SITE DATA		
ZONE	CSO	
TAX / PARCEL ID		
GROSS TRACT AREA	62,080 SF	10,962 AC
TRACT AREA	62,080 SF	14,309 AC
NET LOT AREA	62,080 SF	14,309 AC
LOT EASEMENTS		NONE
SETBACKS	REQUIRED	PROVIDED ^{1,2}
FRONT YARD	—	—
SIDE YARD	—	—
REAR YARD	—	—
COVERAGES	MAX	PROVIDED ^{1,2}
LOT COVERAGE	—	23.7%
BIELING/FOOTPRINT	—	147,144 SF
DATUM		
HORIZONTAL	EPSC 82M	NAD83
VERTICAL	NAVD83 (RMS)	

SITE ANALYSIS	
1. Gross tract area	460,086 SF
2. Area of dwelling	147,744 SF
3. Wooded area	NOT ESTABLISHED
4. Floodplain area	NOT ESTABLISHED
5. Net lot area	623,303 SF
6. TOTAL AREA DISTURBED	0 SF
7. SWM REQUIRED — Sec. 32-14(a)(3)	EXEMPT — 5,000 SF OR

BUILDING DATA	Q	R	FF	SF	HT	STY
LOF 1						
LOF 2						
LOF 3						
LOF 4						
LOF 5						
LOF 6						
LOF 7						
LOF 8						
LOF 9						
LOF 10						
LOF 11						
LOF 12						
LOF 13						
LOF 14						
LOF 15						
LOF 16						
LOF 17						
LOF 18						
LOF 19						
LOF 20						
LOF 21						
LOF 22						
LOF 23						
LOF 24						
LOF 25						
LOF 26						
LOF 27						
LOF 28						
LOF 29						
LOF 30						
LOF 31						
LOF 32						
LOF 33						
LOF 34						
LOF 35						
LOF 36						
LOF 37						
LOF 38						
LOF 39						
LOF 40						
LOF 41						
LOF 42						
LOF 43						
LOF 44						
LOF 45						
LOF 46						
LOF 47						
LOF 48						
LOF 49						
LOF 50						
LOF 51						
LOF 52						
LOF 53						
LOF 54						
LOF 55						
LOF 56						
LOF 57						
LOF 58						
LOF 59						
LOF 60						
LOF 61						
LOF 62						
LOF 63						
LOF 64						
LOF 65						
LOF 66						
LOF 67						
LOF 68						
LOF 69						
LOF 70						
LOF 71						
LOF 72						
LOF 73						
LOF 74						
LOF 75						
LOF 76						
LOF 77						
LOF 78						
LOF 79						
LOF 80						
LOF 81						
LOF 82						
LOF 83						
LOF 84						
LOF 85						
LOF 86						
LOF 87						
LOF 88						
LOF 89						
LOF 90						
LOF 91						
LOF 92						
LOF 93						
LOF 94						
LOF 95						
LOF 96						
LOF 97						
LOF 98						
LOF 99						
LOF 100						
LOF 101						
LOF 102						
LOF 103						
LOF 104						
LOF 105						
LOF 106						
LOF 107						
LOF 108						
LOF 109						
LOF 110						
LOF 111						
LOF 112						
LOF 113						
LOF 114						
LOF 115						
LOF 116						
LOF 117						
LOF 118						
LOF 119						
LOF 120						
LOF 121						
LOF 122						
LOF 123						
LOF 124						
LOF 125						
LOF 126						
LOF 127						
LOF 128						
LOF 129						
LOF 130						
LOF 131						
LOF 132						
LOF 133						
LOF 134						
LOF 135						
LOF 136						
LOF 137						
LOF 138						
LOF 139						
LOF 140						
LOF 141						
LOF 142						
LOF 143						
LOF 144						
LOF 145						
LOF 146						
LOF 147						
LOF 148						

SEQUENCE OF CONSTRUCTION		
1. Pre-construction meeting		1 DAY
2. Obtain necessary permits		2 DAYS
3. Notify Miss Utility at 811 at least 48 hours prior to any excavation		1 DAY
4. Install stabilized construction entrance and perimeter sediment control		2 DAYS
5. Rough grade the lot		5 DAYS
6. Commence dwelling		6 MONTHS
7. Install sewer, water and storm services and the driveway		10 DAYS
8. Fine grade and stabilize all disturbed areas		5 DAYS
9. Remove sediment control once the inspector gives written permission		1 DAY
TOTAL ESTIMATED TIME OF CONSTRUCTION: 8 MONTHS		

PROFESSIONAL CERTIFICATION		
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.		
SIGNATURE _____	DATE _____	
LICENSE NO. _____	EXPIRATION DATE _____	



CONCRETE CURBS AND GUTTER — PGC DPWAT STD. 300.01

Notes:

1. All curb and gutter shall be constructed and installed in accordance with the PG&E Standard Specifications for Highway Construction, except as hereinafter provided.
2. All curbs shall be constructed of concrete and shall be finished with a smooth, troweled surface.
3. All gutters shall be constructed of concrete and shall be finished with a smooth, troweled surface.
4. All curbs and gutters shall be constructed to a minimum thickness of 12 inches.
5. All curbs and gutters shall be constructed to a minimum width of 12 inches.
6. All curbs and gutters shall be constructed to a minimum height of 12 inches.
7. All curbs and gutters shall be constructed to a minimum depth of 12 inches.
8. All curbs and gutters shall be constructed to a minimum length of 12 feet.
9. All curbs and gutters shall be constructed to a minimum width of 12 inches.
10. All curbs and gutters shall be constructed to a minimum height of 12 inches.
11. All curbs and gutters shall be constructed to a minimum depth of 12 inches.
12. All curbs and gutters shall be constructed to a minimum length of 12 feet.

PGC DPWAT STD. 300.01

Concrete Curb and Gutter

PGC DPWAT STD. 300.01

CONCRETE SIDEWALK RAMP TYPE A — PGC DPWAT STD. 300.07

Notes:

1. All concrete sidewalk ramps shall be constructed and installed in accordance with the PG&E Standard Specifications for Highway Construction, except as hereinafter provided.
2. All concrete sidewalk ramps shall be constructed of concrete and shall be finished with a smooth, troweled surface.
3. All concrete sidewalk ramps shall be constructed to a minimum thickness of 12 inches.
4. All concrete sidewalk ramps shall be constructed to a minimum width of 12 inches.
5. All concrete sidewalk ramps shall be constructed to a minimum height of 12 inches.
6. All concrete sidewalk ramps shall be constructed to a minimum depth of 12 inches.
7. All concrete sidewalk ramps shall be constructed to a minimum length of 12 feet.
8. All concrete sidewalk ramps shall be constructed to a minimum width of 12 inches.
9. All concrete sidewalk ramps shall be constructed to a minimum height of 12 inches.
10. All concrete sidewalk ramps shall be constructed to a minimum depth of 12 inches.
11. All concrete sidewalk ramps shall be constructed to a minimum length of 12 feet.
12. All concrete sidewalk ramps shall be constructed to a minimum width of 12 inches.

PGC DPWAT STD. 300.07

Concrete Sidewalk Ramp Type A

PGC DPWAT STD. 300.07

SEQUENCE OF CONSTRUCTION	
1. Pre-construction meeting	1 DAY
2. Obtain necessary permits	2 DAYS
3. Notify MSU Liability at \$11 at least 48 hours prior to any excavation	1 DAY
4. Install stabilized construction entrance and perimeter weathered control	2 DAYS
5. Muckup grade the lot	5 DAYS
6. Construct footing	6 MONTHS
7. Install walls, sewer and storm services and the driveway	10 DAYS
8. Final grade and install at disturbed areas	5 DAYS
9. Remove weathered control once the inspector gives written permission	1 DAY
TOTAL ESTIMATED TIME OF CONSTRUCTION: 8 MONTHS	

PROFESSIONAL CERTIFICATION	
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.	
 _____ SIGNATURE	 _____ DATE
 _____ LICENSE NO.	 _____ EXPIRATION DATE
SEAL REVISIONS — NONE —	