

Product labeling and associated claims may differ based on government requirements, and country or region-specific legislation. This information should also be considered when labeling or advertising to final consumers.



CLAIM LIST

Mechanism of Action [Multiple Mode of Action] Claims:

1. Increases Muscle Protein Synthesis
 - Significantly increases phosphorylation of S6[activation of mTOR and mTORC1]^{1,2}
 - Modulates muscle protein synthesis biomarkers [Produces 56% Myostatin inhibition]³
 - Increases protein synthesis [greater than whey]*
2. Reduces Muscle Protein Breakdown
 - Reduce muscle protein breakdown via Atrogen and MURF1¹
3. Reduces exercise induced inflammation
 - Significantly reduces a marker of exercise-induced inflammation [TNF- α]¹
 - Produced a 60% reduction in muscle atrophy-induced inflammation[†]
4. Support energy homeostasis
 - Affects a plasma marker that promotes glucose homeostasis (irisin)³
 - Regulates serum markers [FSTL-1, Fractalkine, Apelin, FABP3] related to glucose homeostasis/management⁴
 - Affect serum markers related to muscle glucose replenishment^{3,4}
 - In vitro shown to increase mitochondrial mass*
5. Supports bone formation
 - Regulate serum markers [Oncostatin, Osteocrin] related to bone and muscle maintenance/regeneration⁴
 - Increase in bone mineral content⁴

Efficacy Claims:

*In Vivo*¹

- Reduces lean muscle loss [by up to 54.3%] more effectively than milk protein
- Reduces muscle atrophy-induced inflammation [a 60% reduction][†]
- Produced a 60% reduction in IL-6 high hindlimb unloading[†]
- May support age-related muscle weakness

* In vitro: Unpublished results

† In vivo: Unpublished results

Randomized-controlled Trial: Strength Recovery (At a dose of 2.4g/day)³

- Increases muscle recovery rate by 144%
- Fuels Muscle strength recovery
- Promotes strength recovery
- Increases muscle strength recovery rate after exercise
- Supports the body's natural recovery ability
- Helps you recover better and faster helping you train better
- Affects factors that promote muscle repair after exercise [fractalkine]
- Help decrease loss of strength during recovery
- Relieves muscles after a workout/strenuous activity
- Clinically proven to combat muscular fatigue after exercise
- Reduces muscular fatigue[by 47%]-feel more energetic
- Supports muscular endurance
- Enhances the response to exercise [Several myokines significantly increased directly after exercise]
- Supports an improved muscle performance
- Your partner to maximize your performance or to restart the exercise
- Increases performance during recovery
- A 54% increase in performance [during recovery compared to placebo]
- Experience a 54% increase in recovery performance with PeptiStrong
- Helps increase performance during recovery
- Help decrease loss of strength during recovery
- Affects serum markers related to increased muscle synthesis
- Supports an anabolic response
- Effects serum markers related to muscle regeneration/synthesis
- Support muscle mass maintenance
- Promotes muscle protein synthesis
- Maintain your vitality to live the life you want, in motion
- The natural support for muscles
- Your plant-based strength builder

Randomized-controlled Trial: Strength and endurance (At a dose of 2.4g/day)⁴

- Achieves greater strength gains compared to resistance training alone
- Optimizes physical performance/Improves overall physical performance
- Supports physical strength and stamina
- Increases strength by up to 17%
- Enhances muscular endurance
- Improvement in muscle endurance up to 21.6%
- Increases muscle energy by up to 49%
- Increases bone mineral content by up to 0.7 %
- Supports bone health
- Improves quality of life [perceived change in health score]

Randomized-controlled Trial: Immobilization (At a dose of 20g/day)⁵

- Supports Muscle Strength Recovery
- Supports the improvement of mobility[after immobilization]
- Produces a 103% in leg strength recovery vs only 68% for milk protein
- Helps support reduced muscle weakness due to immobilization/inactivity
- Supports the recovery of strength that revitalize your muscles
- Helps in recovery of muscle mass after immobilization [at a same rate as milk protein]
- 4x more effective than milk protein in improving lean muscle protein synthesis
- 90% of PeptiStrong participants exhibited an anabolic response compared to 60% with milk protein
- Helps restore muscle mass
- The vegetarian-friendly alternative for your muscles
- Increases muscle mass similar to milk protein
- Produces a 23% reduction in circulating muscle damage markers
- Recovers muscle damage markers significantly better than milk protein
- May support building muscle mass
- A clinically proven plant-based alternative to milk protein to support muscle mass recovery
- Supports healthy muscle similar to milk protein

References:

1. Cal R, Davis H, Kerr A, Wall A, Molloy B, Chauhan S, Trajkovic S, Holyer I, Adelfio A, Khaldi N. Preclinical evaluation of a food-derived functional ingredient to address skeletal muscle atrophy. *Nutrients*. 2020; 12(8):2274.
2. Corrochano et al., Characterising the efficacy and bioavailability of bioactive peptides identified for attenuating muscle atrophy within a *Vicia faba*-derived functional ingredient. *Curr Res Food Sci*. 2021 Apr 3;4:224-232
3. Kerr et al., Improved strength recovery and reduced fatigue with suppressed plasma myostatin following supplementation of a *Vicia faba* Hydrolysate, in a healthy male population. *Nutrients*. 2023 Feb 16;15(4):986.
4. The effects on human strength and endurance after resistance training with supplementation of *Vicia faba* hydrolysate compared to placebo (manuscript submitted)
5. Weijzen et al., *Vicia faba* peptide network supplementation does not differ from milk protein in modulating changes in muscle size during short-term immobilization and subsequent remobilization, but increases muscle protein synthesis rates during remobilization in healthy young men, *The Journal of Nutrition*, 2023, ISSN 0022-3166.

These statements have not been evaluated by the US Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

Certain statements may not be applicable in all geographical regions. Product labeling and associated claims differs based upon government requirements and country or region-specific information should also be considered when labeling or advertising to final consumers.

The information is considered accurate and reliable and based on our current knowledge. Nuritas Ltd. has no control over the ultimate use of this information, and consequently, Nuritas assumes no obligation or liability arising from using this information. Nuritas Ltd. makes no representation or warranty, expressed or implied, including merchantability or fitness for a particular purpose. Under no circumstances shall Nuritas Ltd. be liable for incidental, consequential, or indirect damages.