= Menu

**Q** Search

🗀 Cart

Home > Encyclopedia of Database Systems > Reference work entry

# **Language Models**

Reference work entry

| pp 1591–1594 | Cite this reference work entry



### **Encyclopedia of Database Systems**

#### Djoerd Hiemstra

## **Synonyms**

Generative models

## **Definition**

A language model assigns a probability to a piece of unseen text, based on some training data. For example, a language model based on a big English newspaper archive is expected to assign a higher probability to "a bit of text" than to "aw pit tov tags," because the words in the former phrase (or word pairs or word triples if so-called *N-Gram Models* are used) occur more frequently in the data than the words in the latter phrase. For information retrieval, typical usage is to build a language model for each document. At

search time, the top ranked document is the one whose language model assigns the highest probability to the query.

## **Historical Background**

The term *language models* originates from probabilistic models of language generation developed for automatic speech recognition systems in the early 1980s [9]. Speech recognition systems use a language model to complement the results of the *acoustic model*which models the relation between words (or...

This is a preview of subscription content, <u>log in via an institution</u> ∠ to check access.

### Access this chapter

Log in via an institution

#### Subscribe and save

Springer+ Basic €32.70 /Month

Get 10 units per month

Download Article/Chapter or eBook

1 Unit = 1 Article or 1 Chapter

Cancel anytime

#### Subscribe now →

## **Buy Now**

Chapter EUR 29.95
Price includes VAT (France)

Available as PDF