

Two rewrites. One repository.

Main already centralized platform color, but still compiles interface utilities in the browser.

2

HTML pages still load the compiler

- Scattered palette
- Central palette**
- Generated tokens
- Governed components
- Rendered proof

R1

Pinned main centralizes its platform palette in one CSS file, while 2 HTML pages still load the browser compiler.

```
node frontend/scripts/pr-case-tools.mjs --probe R1 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

A token edit propagates. A broken ladder does not.

ACCEPTED EDIT

semantic.light.primary -> oklch(0.32 0.08 255)

```
--primary: oklch(0.32 0.08 255);
```



REFUSED EDIT

semantic.light.paper -> oklch(0.94 0 0)

```
Error: semantic.light Canvas to Paper lightness step  
-0.010 is below 0.020
```




The generator and guard run in a temporary working directory. Canonical files stay untouched. Token source SHA-256: 2b2c6f6fc2ccef64...

R2

A temporary-directory token generation propagates one valid edit and refuses an inverted Canvas-to-Paper ladder.

```
node frontend/scripts/pr-case-tools.mjs --probe R2 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

The root test inventory stayed intact.



All 399 pinned-main paths remain, zero were removed, and the integration receipt records 5492 passing root tests.

R3

The integrated branch retains all 399 pinned-main root Node test files, adds 3, and passes 5492 root tests.

```
node frontend/scripts/pr-case-tools.mjs --probe R3 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

Stories and gate stages are different units.

97

story files

isolated presentation states

28

gate stages

the complete integration contract


Not “28 rendered assertions.” The unit matters because the gate includes tests, builds, budgets, policy, and Storybook.

R4

The branch carries 97 Storybook story files and a 28-stage receipt-grade gate.

```
node frontend/scripts/pr-case-tools.mjs --probe R4 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

The interface has an inventory, not a mood board.




R5

77 catalog entries expose the component inventory across 3 explicit tiers.

```
node frontend/scripts/pr-case-tools.mjs --probe R5 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

Pinned main had no component-isolated story surface.



The root inventory proves behavior coverage. Zero story files means pinned main had no component-isolated Storybook presentation states; this claim does not infer that appearance was never asserted elsewhere.

R6

Pinned main has 399 root Node test files and zero component-isolated Storybook files.

node frontend/scripts/pr-case-tools.mjs --probe R6 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8

Teach just enough. Check everything mechanical.

BEFORE GENERATION

Progressively reveal the law

- Always loaded: 17378 / 17427 bytes
- Query the catalog instead of bulk-reading it
- Route task-specific guidance on demand

AFTER GENERATION

Block what machines can prove

- Component route: 21260 / 21268 bytes
- Owner ceiling: 100000 bytes
- Tests, lint, policy, builds, rendered evidence

Mechanical checks preserve attention for judgment. The harness is scaffolding, not the building.

R7

Component-review context is 21260 bytes under a 21268-byte ratchet and 100000-byte owner ceiling.

```
node frontend/scripts/pr-case-tools.mjs --probe R7 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

One immutable source. Every stage visible.

28/28

gate stages passed




zero skipped · zero omitted · clean at both boundaries

R8


28 of 28 gate stages passed at one clean immutable source revision.

```
node frontend/scripts/pr-case-tools.mjs --probe R8 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

The documentation loop caught itself getting fat.



Merged guidance broke the context budget. The fix routed 5,018 bytes on demand. The ratchet did not move.



R9

3 preserved exact-head failures caught integration defects before the clean 28-stage receipt.

```
node frontend/scripts/pr-case-tools.mjs --probe R9 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

The system has carrying cost. That is the point.

19

check-prefixed script names

28

continuous-integration-parity stages

1

canonical token source

More machinery is not free. It is justified only when it converts recurring review arguments into reproducible failures.

R10

19 check-prefixed package scripts and a 28-stage gate are maintained infrastructure.

```
node frontend/scripts/pr-case-tools.mjs --probe R10 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

Review the decisions, not just the diff.

29

commits with task + origin trailers

153

branch-only commits inspected

21

distinct origin events


Provenance grammar arrived mid-program. The Storybook ledger will combine valid trailers with owner-approved historical summaries instead of inventing missing history.

R11

29 of 153 branch commits carry both task and origin-event trailers, pointing to 21 distinct events.

```
node frontend/scripts/pr-case-tools.mjs --probe R11 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

Current main is the before. History stays history.



Same deterministic data fixture · 1280 × 720 · service workers blocked · frozen compiler 176e894661aa... Review the pinned revisions, exact probes, capture manifest, and failure receipts before approving.

R12

Four pinned Home captures compare current main and the integrated branch under one deterministic data fixture in light and dark themes.

```
node frontend/scripts/pr-case-tools.mjs --probe R12 --base 92b1fb50d5265af56db86c7ba74867629a45091f --branch 51c95ab2e45b99259b947205762a78e5dab7f6e8
```

R1

CSS files · HTML files

Pinned main centralizes its platform palette in one CSS file, while 2 HTML pages still load the browser compiler.

```
node frontend/scripts/pr-case-tools.mjs --probe R1 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

public/css/app.css · public/index.html · public/usernode-native/v1/demo.html

R2

guarded mutations · OKLCH lightness · OKLCH chroma · degrees · boolean · SHA-256 digest

A temporary-directory token generation propagates one valid edit and refuses an inverted Canvas-to-Paper ladder.

```
node frontend/scripts/pr-case-tools.mjs --probe R2 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

frontend/design-system/tokens.json · frontend/scripts/check-design-tokens.mjs · frontend/scripts/design-token-tools.mjs

R3

root Node test files · root tests

The integrated branch retains all 399 pinned-main root Node test files, adds 3, and passes 5492 root tests.

```
node frontend/scripts/pr-case-tools.mjs --probe R3 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

tests/ · docs/pr-case/receipts/integration.json

R4

Storybook story files · gate stages · boolean

The branch carries 97 Storybook story files and a 28-stage receipt-grade gate.

```
node frontend/scripts/pr-case-tools.mjs --probe R4 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

frontend/@/ · docs/pr-case/receipts/integration.json

R5

catalog entries · catalog tiers

77 catalog entries expose the component inventory across 3 explicit tiers.

```
node frontend/scripts/pr-case-tools.mjs --probe R5 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

frontend/design-system/catalog.json · frontend/design-system/interface-laws.md

R6

root Node test files · Storybook story files

Pinned main has 399 root Node test files and zero component-isolated Storybook files.

```
node frontend/scripts/pr-case-tools.mjs --probe R6 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

tests/ · frontend/design-system/

R7

bytes

Component-review context is 21260 bytes under a 21268-byte ratchet and 100000-byte owner ceiling.

```
node frontend/scripts/pr-case-tools.mjs --probe R7 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

frontend/design-system/context-budget.json · frontend/scripts/check-progressive-context.mjs · frontend/scripts/check-context-budget.mjs

R8

gate stages · boolean · SHA-256 digest

28 of 28 gate stages passed at one clean immutable source revision.

```
node frontend/scripts/pr-case-tools.mjs --probe R8 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

docs/pr-case/receipts/integration.json

R9

failed gate artifacts · bytes · gate stages

3 preserved exact-head failures caught integration defects before the clean 28-stage receipt.

```
node frontend/scripts/pr-case-tools.mjs --probe R9 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

docs/pr-case/receipts/integration.json

R10

package script names · gate stages · token source files

19 check-prefixed package scripts and a 28-stage gate are maintained infrastructure.

```
node frontend/scripts/pr-case-tools.mjs --probe R10 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

frontend/package.json · agent-skills/ui-development/workflows.json

R11

commits · event identifiers

29 of 153 branch commits carry both task and origin-event trailers, pointing to 21 distinct events.

```
node frontend/scripts/pr-case-tools.mjs --probe R11 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

docs/commit-grammar.md · .github/commit-msg

R12

capture images · pixels · themes · root Node test files

Four pinned Home captures compare current main and the integrated branch under one deterministic data fixture in light and dark themes.

```
node frontend/scripts/pr-case-tools.mjs --probe R12 --base
92b1fb50d5265af56db86c7ba74867629a45091f --branch
51c95ab2e45b99259b947205762a78e5dab7f6e8
```

docs/pr-case/capture-manifest.json · docs/pr-case/images/