

Emp Id: 1041427

Name: K. Usha sri

Question1:

The screenshot shows the Swagger UI interface for a 'WebAPI_Country' endpoint. At the top, there's a navigation bar with tabs for 'Country' (selected), 'Values' (disabled), and 'Responses' (disabled). Below the tabs, there are four operations listed: GET /api/Country (blue button), POST /api/Country (green button), DELETE /api/Country/{id} (red button), and PUT /api/Country/{id} (orange button). Each operation has a detailed description below it. The 'Values' section is collapsed. At the bottom left, there's a note: '[BASE URL: , API VERSION: V1]'. The address bar shows the URL: https://localhost:44386/swagger/ui/index#/Country.

The screenshot shows the Swagger UI interface for the 'Country_AddCountry' endpoint. The title bar says 'https://localhost:44386/swagger/ui/index#!/Country/Country_AddCountry'. The main area contains several sections: 'Response Content Type' set to 'application/json', a 'Try it out!' button, a 'Curl' section with a command 'curl -X GET --header 'Accept: application/json' 'https://localhost:44386/api/Country'', a 'Request URL' input field containing 'https://localhost:44386/api/Country', and a 'Response Body' section displaying a JSON array of two country objects. The first object has Id: 1, CountryName: "India", and Capital: "Delhi". The second object has Id: 2, CountryName: "USA", and Capital: "Washington". Below these sections is a 'Response Code' section showing '200'. The address bar shows the URL: https://localhost:44386/swagger/ui/index#/Country/Country_AddCountry.

Swagger UI

https://localhost:44386/swagger/ui/index#/Country/Country_AddCountry

Response Body

```
[  
  {  
    "Id": 1,  
    "CountryName": "India",  
    "Capital": "Delhi"  
  },  
  {  
    "Id": 2,  
    "CountryName": "USA",  
    "Capital": "Washington"  
  },  
  {  
    "Id": 3,  
    "CountryName": "UK",  
    "Capital": "London"  
  }]
```

Response Code

200

Response Headers

```
{  
  "cache-control": "no-cache",  
  "content-length": "149",  
  "content-type": "application/json; charset=utf-8",  
  "date": "Mon, 22 Apr 2019 10:25:21 GMT",  
  "pragma": "no-cache",  
  "server": "Kestrel",  
  "vary": "Accept"
```

Swagger UI

https://localhost:44386/swagger/ui/index#/Country/Country_DeleteCountry

Response Content Type application/json

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	2		path	integer

Try it out! Hide Response

Curl

```
curl -X DELETE --header 'Accept: application/json' 'https://localhost:44386/api/Country/2'
```

Request URL

https://localhost:44386/api/Country/2

Response Body

```
[  
  {  
    "Id": 1,  
    "CountryName": "India",  
    "Capital": "Delhi"  
  },  
  {  
    "Id": 3,  
    "CountryName": "UK",  
    "Capital": "London"  
  }]
```

Swagger UI

https://localhost:44386/swagger/ui/index#/Country/Country_UpdateCountry

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' -d '{ \n    "CountryName": "Australia", \n    "Capital": "Canberra" \n}' 'https://localhost:44386/UpdateCountry/2'
```

Request URL

https://localhost:44386/UpdateCountry/2

Response Body

```
[\n{\n    \"Id\": 1,\n    \"CountryName\": \"India\", \n    \"Capital\": \"Delhi\"\n},\n{\n    \"Id\": 2,\n    \"CountryName\": \"Australia\", \n    \"Capital\": \"Canberra\"\n}\n]
```

Response Code

200

Response Headers

```
{\n    \"cache-control\": \"no-cache\", \n    \"content-length\": \"166\" \n}
```

Question 2:

Swagger UI

https://localhost:44377/swagger/ui/index#/Orders/Orders_GetOrdersOfEmployeeFive

Curl

```
curl -X GET --header 'Accept: application/json' 'https://localhost:44377/api/orders/employee-five-orders'
```

Request URL

```
https://localhost:44377/api/orders/employee-five-orders
```

Response Body

```
[  
  {  
    "OrderID": 10248,  
    "OrderDate": "1996-07-04T00:00:00",  
    "ShipName": "Vins et alcools Chevalier",  
    "ShipCountry": "France"  
  },  
  {  
    "OrderID": 10254,  
    "OrderDate": "1996-07-11T00:00:00",  
    "ShipName": "Chop-suey Chinese",  
    "ShipCountry": "Switzerland"  
  },  
  {  
    "OrderID": 10269,  
    "OrderDate": "1996-07-31T00:00:00",  
    "ShipName": "White Clover Markets",  
    "ShipCountry": "USA"  
  },  
]
```

Response Code

200

