

## React.js Component Creation

**Name :** Masetty Ushaswini

**Email :** masettyushaswini@gmail.com

**Phone no :** 9391204364

**Roll no :** 20NN1A1297 (IT)

**College Name :** Vignan's Nirula Institute of Technology and Science for Women

### CARD COMPONENT:

```
.card{
  padding:10px;
  border:1px solid #000;
  border-radius: 10px;
  flex-shrink: 0;
  flex-grow: 0;
  background-color: #fff;
  width:300px;
  height:250px;
  display: flex;
  flex-direction: column;
  align-items: center;
}
.card.show{
  height:340px;
}
.card .image{
  border-radius: 6px;
  overflow:hidden;
  background:red;
}
.card .image img{
  width:100%;
  height:100%;
  object-fit: cover;
}
.card .image img:hover{
  transform: scale(1.2);
}
.card h3{
  text-align: center;
  margin:7px;
}
.card p{
  text-align: justify;
  width:230px;
  padding:10px 0px;
```

```
}
```

## **BUTTON COMPONENT:**

```
button{
  outline:none;
  border:none;
  width:90%;
  padding: 10px 5px;
  background:aqua;
  border-radius: 5px;
  font-weight: bold;
  margin-inline: auto;
}
button:hover{
  opacity:.6;
}
```

## **APP:**

```
import './App.css';
import { Card } from './components/card/Card';
import image1 from './images/image1.jpeg'
import image2 from './images/image2.jpeg'
import image3 from './images/image3.jpeg'
import image4 from './images/image4.jpeg'
import image5 from './images/image5.jpeg'
import image6 from './images/image6.jpeg'

function App() {
  const cards = [
    {
      url:image1,
      title:"Audi R8",
      description:"The definition of a supercar describes an expensive
car that's flashy,"
    },
    {
      url:image2,
      title:"Maserati MC20",
      description:"The definition of a supercar describes an expensive
car that's flashy"
    },
    {
      url:image3,
      title:"Porsche 911 GT3 RS",
```

```

        description:"The definition of a supercar describes an expensive
car that's flashy"
    },
    {
        url:image4,
        title:"Lamborghini Huracan Tecnica",
        description:"The definition of a supercar describes an expensive
car that's flashy"
    },
    {
        url:image5,
        title:"Rimac Nevera",
        description:"The definition of a supercar describes an expensive
car that's flashy"
    },
    {
        url:image6,
        title:"ferrari F9",
        description:"The definition of a supercar describes an expensive
car that's flashy"
    },
]
return (
    <div className="app">
        {
            cards.map((card,index)=><Card key={index} card={card}/>)
        }
    </div>
);
}
export default App;

```

## Approach :

- 1 . initially taking an array of objects like below.
- 2 . Passing this card array to child (card component) of App component by using props;
- 3 . getting data as argument like {card} in card component.
- 4 . in card component i use one state [show, setShow] to get extra info as description.
- 5 . When we click the button then show becomes true by assigning setShow (!show) .

OUTPUT:

