

Департамент образования и науки города Москвы
Государственное автономное образовательное учреждение
высшего образования города Москвы
«Московский городской педагогический университет»
Институт цифрового образования
Департамент информатики, управления и технологий

ДИСЦИПЛИНА:
«Распределенные системы»

Отчет по практической работе №4


Тема:
«Семинар 4. Failure detection»

Выполнил:
группа: Ускова А.А. ТП-191
Проверил: Босенко Т.М.

Москва

2022

The default values in the boxes are also the default values that Serf is configured with, where applicable.



Estimated max bandwidth: 1093.8 kbns/node

Estimated max bandwidth: 1093.8 kbps/node

GOSSIP INTERVAL

The gossip interval controls how often messages are gossiped to other nodes

0.2 seconds

GOSSIP FANOUT

The gossip fanout controls how many nodes we gossip with

10 nodes

NODES

This controls how many simulated nodes are in the cluster

147

PACKET LOSS

This controls the amount of simulated packet loss [0, 100)

0 % lost packets

NODE FAILURES


This controls what percent of simulated nodes are failed

0 % failed

Serf Convergence Simulator

The graph below shows the expected time to reach various states of convergence depending on the settings which are tunable below the graph. Below the graph, the estimated maximum bandwidth usage is shown per node in *kilobits* per second.

The default values in the boxes are also the default values that Serf is configured with, where applicable.



Estimated max bandwidth: 218.8 kbps/node

Estimated max bandwidth: 218.8 kbps/node

GOSSIP INTERVAL

The gossip interval controls how often messages are gossiped to other nodes

0.9 seconds

GOSSIP FANOUT

The gossip fanout controls how many nodes we gossip with

9 nodes

NODES

This controls how many simulated nodes are in the cluster

39

PACKET LOSS

This controls the amount of simulated packet loss [0, 100)

18 % lost packets

NODE FAILURES


This controls what percent of simulated nodes are failed

0 % failed

Serf Convergence Simulator

The graph below shows the expected time to reach various states of convergence depending on the settings which are tunable below the graph. Below the graph, the estimated maximum bandwidth usage is shown per node in *kilobits* per second.

The default values in the boxes are also the default values that Serf is configured with, where applicable.



Estimated max bandwidth: 170.1 kbps/node

GOSSIP INTERVAL

The gossip interval controls how often messages are gossiped to other nodes

0.9 seconds

GOSSIP FANOUT

The gossip fanout controls how many nodes we gossip with

7 nodes

NODES

This controls how many simulated nodes are in the cluster

13

PACKET LOSS

This controls the amount of simulated packet loss [0, 100

24.5 % lost packets

NODE FAILURES

This controls what percent of simulated nodes are failed

0 % failed

