
Sonata® Transcervical RFA for Fibroids

Website Toolkit



B-03477-001 Rev. 001

Table of Contents

Adding the Sonata procedure to your website..... 3

Why you should add the Sonata® procedure to your website..... 3

Where to highlight the Sonata procedure on your website..... 3

Sonata procedure plug-and-play website content..... 4

About the Sonata® procedure..... 4

Common fibroid symptoms..... 4

Treatable fibroids..... 4

What to expect..... 5

Procedure overview..... 5

Frequently asked questions about the Sonata procedure..... 6

What can I expect after the Sonata procedure?..... 6

How will I feel after the Sonata procedure?..... 6

How long does the Sonata procedure take?..... 6

What types of fibroids can the Sonata procedure treat?..... 6

Are patients satisfied with the Sonata procedure?..... 6

Is the Sonata procedure covered by insurance?..... 7

How does the Sonata procedure compare to other common fibroid treatment options?..... 7







Approved website content - review and adapt for your purposes. Content should not deviate from what is provided as it aligns to product labeling and supported evidence.

Adding the Sonata procedure to your website

Why you should add the Sonata® procedure to your website

Offering the Sonata® procedure allows your facility to provide women with an incisionless, uterine-sparing option for treating symptomatic uterine fibroids. By making this treatment available, you help patients find meaningful symptom relief while elevating the overall level of care your practice delivers.

Including Sonata on your website does more than educate patients – it helps connect the right patients to your practice. When patients research treatment options for fibroids, they often begin online.
Clear, accurate information about Sonata helps patients understand their options, even before seeing a provider, and encourages them to choose a facility that is committed to paving the way in modern gynecologic care.

In addition, website content about Sonata can improve how patients find you online. **The term "Sonata procedure" or a similar keyword is searched approximately 1,700 times per month.** When your website includes relevant, patient-focused information about Sonata, it is more likely to appear in search results when patients look for this treatment, increasing your visibility and driving active patients to your site. In other words, it can help patients find you. A win for patients and a win for your practice!

Read on for website content, ideas on where to highlight the Sonata procedure, and what information to include so that patients will find you!

Where to highlight the Sonata procedure on your website

Information about the Sonata procedure can be shared anywhere on the practice website. Here are a few ideas on where to incorporate it.

1. **Home page:**
   Incorporate "The Sonata Procedure for Fibroids" on the home page with a link to the services tab. We also recommend you link back to the Sonata procedure website.

2. **Services:**
   If your website lists the procedures you offer in a Services tab, "The Sonata Procedure" should be listed here.

3. **Services/conditions:**
   If "Fibroids", "Uterine Fibroid Treatment Options", "Gynecological Surgery" or something similar are listed as Services, the Sonata procedure should be a page within that

Sonata procedure plug-and-play website content

About the Sonata® procedure

The Sonata® procedure is an incisionless treatment option for women with symptomatic uterine fibroids. This less-invasive approach uses fibroid ablation to treat fibroids from inside the uterus, without abdominal cuts and without removing the uterus, so recovery time is typically minimal.

The Sonata procedure uses radiofrequency energy (heat) to ablate fibroids, causing proteins in the fibroids to break down. Treated fibroids will soften, changing in consistency from that of a baseball to a marshmallow and shrink in the following weeks and months, reducing fibroid symptoms.

Common fibroid symptoms




Heavy menstrual bleeding



Abdominal bloating and cramping



Pelvic, back, and leg pain



Pain during sex




Frequent urination



Fatigue

Treatable fibroids

Fibroids are noncancerous tumors that grow in or around the uterus and are classified by their location. The Sonata procedure treats fibroids from inside the uterus, including intramural, submucosal and some subserosal fibroids.



A. **Suberserosal fibroid:**
   Fibroids located on the outer uterus wall

B. **Submucosal fibroid:**
   Fibroids located inside the uterine cavity


C. **Intramural fibroid:**
   Fibroids located within the uterus walls

Your physician will help determine which treatment is best depending on the size, location and symptoms of the fibroid.


Ask your doctor if Sonata may be right for you. Side effects may include bleeding, spotting, cramping and/or discharge. For Safety Information or to learn more, visit https://gynsurgicalsolutions.com/important-safety-information/.

What to expect


Before starting the procedure, your doctor will issue a pregnancy test to ensure you're not pregnant. The procedure is performed under general anesthesia for patient comfort.




Insertion
The cervix is dilated and a slim ultrasound probe is gently inserted into the uterus to locate fibroids.



Placement
Once the fibroid is located, the tip of the device is inserted into the center of the fibroid.



Ablation
Targeted heat is then used to ablate and treat the fibroid. This process may be repeated until each intrauterine fibroid is treated.



End of Procedure
The device is removed from the uterus, and over time, the treated fibroid tissue shrinks, softens and is naturally absorbed by the body.*

**Most patients reported significant relief within three months during the 12-month Sonata Clinical Trial*

Procedure overview

Benefits: No incisions or stitches, non-hormonal, and uterus-sparing

Duration: The procedure typically takes less than an hour, depending on the number and size of fibroids[1]

Recovery: Most women return to normal activities within 1-2 days[2]

Results: 90% of patients reported a reduction in menstrual bleeding at 3 months[3] and 95% at 12 months[2]

Satisfaction rate: 97% of patients were satisfied with the Sonata procedure,[2] and 97% said they would recommend it to a friend[2]

Frequently asked questions about the Sonata procedure

What can I expect after the Sonata procedure?

In terms of when you will see symptom relief, it depends on how big the fibroid is and what symptoms you were experiencing. Each fibroid is different, and each symptom is different, so the timeline truly varies from woman to woman.

- In clinical studies, 50% of patients were able to return to normal activities the next day.[2]
- You may experience cramping and mild pain, bleeding, discharge or spotting and in some cases post-ablation inflammation.
- Most women see improvement in heavy menstrual bleeding within 3 months and continual improvement through 12 months.[2]
- Any discomfort is generally managed with over-the-counter medications.

How will I feel after the Sonata procedure?

Any discomfort is generally managed with over-the-counter medications.

How long does the Sonata procedure take?

The procedure typically takes less than an hour, depending on the size and number of fibroids.[4]

What types of fibroids can the Sonata procedure treat?

The Sonata procedure can be used to treat almost all symptomatic uterine fibroid types, including subserosal, intramural, transmural, and certain submucosal. Sonata can be used to treat multiple fibroids in one procedure.

Your doctor will consider your fibroid type(s), size(s), location(s), and number to determine whether you may be a good candidate.

Are patients satisfied with the Sonata procedure?

Yes, Sonata is clinically proven to shrink fibroids and reduce menstrual bleeding without hormones. Women surveyed 12 months after their Sonata treatment reported the following results:[2]

- 97% of patients were satisfied with the procedure
- 97% said they would recommend the procedure to a friend
- 95% of patients reported a reduction in menstrual bleeding

Is the Sonata procedure covered by insurance?

Many insurance companies and Medicaid carriers cover the procedure. We suggest scheduling an appointment with a Sonata-trained physician to discuss whether the procedure is appropriate for you. If the Sonata procedure is a match for your fibroids, then your physician's office will request insurance approval in advance by submitting a pre-authorization request.

How does the Sonata procedure compare to other common fibroid treatment options?

Common treatment options include hysterectomy, laparoscopic myomectomy, and uterine artery embolization (UAE). Of these options, transcervical radiofrequency ablation, Sonata, is the only one that allows the patient to go home the day of the procedure. See how the Sonata procedure compares to:

- Hysterectomy – The Sonata procedure allows you to keep your uterus and has a quicker recovery time than a hysterectomy. However, hysterectomy is a definitive treatment, so after recovery, there is no chance fibroid symptoms will return.
- Laparoscopic myomectomy – Both are laparoscopic surgeries. While laparoscopic myomectomy surgically removes fibroid tissues from the uterus, the Sonata procedure applies heat directly into the fibroid, causing it to shrink over time.
- UAE – UAE is an outpatient procedure that restricts blood flow to fibroids which causes the fibroids to shrink.

Sources

1. Bradley LD, Pasic RP, Miller LE. Clinical Performance of Radiofrequency Ablation for Treatment of Uterine Fibroids: Systematic Review and Meta-Analysis of Prospective Studies. J Laparoendosc Adv Surg Tech A. 2019;29:1507-1517.
2. Chudnoff S, Guido R, Roy K, Levine D, Mihalov L, Garza-Leal JG. Ultrasound- Guided Transcervical Ablation of Uterine Leiomyomas: The SONATA Trial. Obstet Gynecol. 2019 Jan; 133(1): 13-22.
3. Brölmann H, Bongers M, Garza-Leal JG, et al. The FAST-EU trial: 12-month clinical outcomes of women after intrauterine sonography-guided transcervical radiofrequency ablation of uterine fibroids. Gynecol Surg. 2016;13:27-35.
4. Bradley LD, Pasic RP, Miller LE. Clinical Performance of Radiofrequency Ablation for Treatment of Uterine Fibroids: Systematic Review and Meta-Analysis of Prospective Studies. J Laparoendosc Adv Surg Tech A. 2019;29:1507-1517.

Click to Access Visual Library

Fibroid Web Toolkit

AUB Web Toolkit