

Phase 7 Deployment Guide — Private Plugin Update Server

Version: 1.0.0

Date: August 17, 2026

Feature: Automatic WordPress plugin updates from private update server

Overview

Phase 7 implements a private plugin update server that enables WordPress sites with the MarQira Connector to automatically check for and install plugin updates, just like WordPress.org plugins — but from your own private server.

What's New

1. **Update Server API** (`api.marqira.com/api/v1/plugin/*`)
 - `/update-check` — WordPress sites query this to see if updates are available
 - `/info` — Plugin information for “View Details” link in WP admin
 - `/download` — Downloads the latest plugin .zip file
 2. **WordPress Plugin Updater** (new `class-marqira-updater.php`)
 - Hooks into WordPress update mechanism
 - Checks update server every 12 hours
 - Shows updates in WP admin like any other plugin
 3. **Release Management API** (Owner-only dashboard endpoints)
 - Create new plugin releases
 - Activate/deactivate versions
 - Delete old releases
 4. **Database Schema**
 - New `plugin_releases` table tracks all versions
-

Prerequisites

- Phase 6 already deployed and working
 - Access to Coolify dashboard
 - GitHub repository write access (for commits)
 - Access to store plugin .zip files (S3, Cloudflare R2, CDN, etc.)
-

Deployment Steps

Step 1: Deploy Updated API

1.1 Verify Git Commit

The Phase 7 code should already be committed and pushed. Verify on GitHub:

```
https://github.com/UsmanNaimed/MarQira-Pulse/commits/main
```

Look for commits containing:

- `plugin_releases` migration
- `PluginRelease` model
- `PluginUpdateController`
- `PluginReleaseController`

1.2 Deploy in Coolify

1. **Go to Coolify** → **marqira-api** project
2. Click **Deploy** button
3. Wait for build to complete (~2-3 minutes)
4. Check deployment logs for errors

1.3 Run Migration

Via Coolify Terminal:

1. Go to **marqira-api** → **Terminal** tab
2. Run:

```
bash
```

```
php artisan migrate
```

3. Verify output shows:

```
2024_01_01_000011_create_plugin_releases_table ..... DONE
```

Expected table structure:

- `id`, `version`, `changelog`, `download_url`
- `file_hash`, `file_size`, `requires_wp`, `requires_php`, `tested_up_to`
- `is_active`, `released_at`, `released_by`

Step 2: Deploy Updated WordPress Plugin

The connector now includes auto-update functionality. Deploy the new version:

2.1 Build New Plugin Package

On your local machine:

```
cd /path/to/MarQira-Pulse/wordpress/marqira-connector

# Create a clean zip (exclude dev files)
zip -r marqira-connector-1.2.0.zip . \
  -x "*.git*" "tests/*" "*.md" "*.txt" "composer.*"

# Verify zip contains the new updater class
unzip -l marqira-connector-1.2.0.zip | grep class-marqira-updater.php
```

Expected output:

```
includes/class-marqira-updater.php
```

2.2 Upload Plugin Zip to Storage

Upload `marqira-connector-1.2.0.zip` to your file storage:

Option A: Cloudflare R2 / S3

```
# Example using AWS CLI (adjust for your storage)
aws s3 cp marqira-connector-1.2.0.zip \
  s3://your-bucket/marqira-connector/releases/marqira-connector-1.2.0.zip \
  --acl public-read
```

Option B: CDN / Static Host

- Upload via your hosting provider's dashboard
- Make sure the URL is publicly accessible

Copy the final download URL, e.g.:

```
https://downloads.marqira.com/marqira-connector-1.2.0.zip
```

2.3 Calculate File Hash (Optional but Recommended)

```
sha256sum marqira-connector-1.2.0.zip
```

Copy the hash for the next step.

Step 3: Create First Plugin Release

3.1 Via Laravel Tinker (Recommended)

In **Coolify** → **marqira-api** → **Terminal**:

```
php artisan tinker
```

Then run:

```

use App\Models\PluginRelease;
use App\Models\User;

// Get the admin user (adjust email if needed)
$admin = User::where('email', 'your-admin@email.com')->first();

// Create the release
$release = PluginRelease::create([
    'version' => '1.2.0',
    'changelog' => "## Version 1.2.0\n\n- Added automatic plugin updates\n- Phase 6:
Origin IP detection\n- Bug fixes and improvements",
    'download_url' => 'https://downloads.marqira.com/marqira-connector-1.2.0.zip',
    'file_hash' => 'YOUR_SHA256_HASH_HERE', // from step 2.3
    'file_size' => 1234567, // file size in bytes
    'requires_wp' => '5.6',
    'requires_php' => '7.4',
    'tested_up_to' => '6.4',
    'is_active' => true,
    'released_at' => now(),
    'released_by' => $admin->id,
]);

echo "Release {$release->version} created successfully!\n";
exit;

```

3.2 Via API (Alternative)

Using curl or Postman:

```

curl -X POST https://api.marqira.com/api/dashboard/plugin-releases \
-H "Content-Type: application/json" \
-H "Cookie: YOUR_SESSION_COOKIE" \
-d '{
    "version": "1.2.0",
    "changelog": "## Version 1.2.0\n\n- Added automatic plugin updates",
    "download_url": "https://downloads.marqira.com/marqira-connector-1.2.0.zip",
    "file_hash": "YOUR_SHA256_HASH_HERE",
    "file_size": 1234567,
    "requires_wp": "5.6",
    "requires_php": "7.4",
    "tested_up_to": "6.4",
    "is_active": true
}'

```

Step 4: Verify Update Server

4.1 Test Update Check Endpoint

```
curl "https://api.marqira.com/api/v1/plugin/update-check?version=1.0.0"
```

Expected response:

```
{
  "update_available": true,
  "version": "1.2.0",
  "download_url": "https://downloads.marqira.com/marqira-connector-1.2.0.zip",
  "changelog": "## Version 1.2.0...",
  "requires_wp": "5.6",
  "requires_php": "7.4",
  "tested_up_to": "6.4",
  "file_size": 1234567,
  "file_hash": "...",
  "released_at": "2026-08-17T..."
}
```

4.2 Test Plugin Info Endpoint

```
curl "https://api.marqira.com/api/v1/plugin/info"
```

Expected response:

```
{
  "name": "MarQira Connector",
  "slug": "marqira-connector",
  "version": "1.2.0",
  "author": "MarQira",
  "homepage": "https://marqira.com",
  "download_link": "https://downloads.marqira.com/marqira-connector-1.2.0.zip",
  "...
}
```

4.3 Test Download Redirect

```
curl -I "https://api.marqira.com/api/v1/plugin/download"
```

Expected response:

```
HTTP/2 302
location: https://downloads.marqira.com/marqira-connector-1.2.0.zip
```

Step 5: Test on a WordPress Site

5.1 Install Current Plugin Version

On a test WordPress site with MarQira Connector **1.0.0** or **1.1.0** installed:

1. Go to **WP Admin → Plugins**
2. You should see an **Update Available** notice for MarQira Connector

5.2 Check Update Details

Click **“View version 1.2.0 details”** link.

Expected:

- Opens a modal with plugin information

- Shows changelog
- Shows compatibility (WP 5.6+, PHP 7.4+)

5.3 Perform the Update

1. Click **“Update Now”**
2. WordPress downloads from your update server
3. Installs the new version
4. Go to **MarQira → Settings**
5. Verify “Plugin Version” shows **1.2.0**
6. Check **Recent Activity** — heartbeats should still work

Managing Plugin Releases

Create a New Release

Via Tinker:

```
php artisan tinker

use App\Models\PluginRelease;
use App\Models\User;

$admin = User::first();

$release = PluginRelease::create([
    'version' => '1.3.0',
    'changelog' => "## Version 1.3.0\n\n- New features\n- Performance improvements",
    'download_url' => 'https://downloads.marqira.com/marqira-connector-1.3.0.zip',
    'file_hash' => hash_file('sha256', '/path/to/plugin.zip'),
    'file_size' => filesize('/path/to/plugin.zip'),
    'requires_wp' => '6.0',
    'requires_php' => '7.4',
    'tested_up_to' => '6.4',
    'is_active' => false, // Don't activate yet
    'released_at' => now(),
    'released_by' => $admin->id,
]);
```

Activate a Release

Make a version the “current” one:

```
php artisan tinker

use App\Models\PluginRelease;

$release = PluginRelease::where('version', '1.3.0')->first();
$release->activate(); // Deactivates all others automatically

echo "Version {$release->version} is now active!\n";
```

Or via API:

```
curl -X POST https://api.marqira.com/api/dashboard/plugin-releases/{id}/activate \
-H "Cookie: YOUR_SESSION_COOKIE"
```

List All Releases

```
php artisan tinker

use App\Models\PluginRelease;

PluginRelease::orderBy('released_at', 'desc')->get(['id', 'version', 'is_active', 'released_at']);
```

Or via API:

```
curl https://api.marqira.com/api/dashboard/plugin-releases \
-H "Cookie: YOUR_SESSION_COOKIE"
```

Delete an Old Release

Cannot delete the active release. Activate a different version first.

```
php artisan tinker

use App\Models\PluginRelease;

$old = PluginRelease::where('version', '1.0.0')->first();
if (!$old->is_active) {
    $old->delete();
    echo "Deleted version {$old->version}\n";
}
```

Troubleshooting

WordPress Not Seeing Updates

Check:

1. Update server reachable?

```
bash

# On the WordPress server
curl "https://api.marqira.com/api/v1/plugin/update-check?version=1.0.0"
```

2. Updater class loaded?

- Check MarQira Recent Activity for errors
- In WP, run: `wp eval "var_dump(class_exists('Marqira_Updater'));"`
- Should return `bool(true)`

3. Clear WordPress update cache:

```
bash

wp transient delete marqira_update_check
wp transient delete marqira_update_check_info
```

4. Force update check:

- WP Admin → Dashboard → Updates → Click “Check Again”

Download Fails

“Package could not be installed”

1. Verify download URL is public:

```
bash
curl -I https://downloads.marqira.com/marqira-connector-1.2.0.zip
```

Should return HTTP 200 , not 403 or 404 .

2. Check file integrity:

- Download the .zip manually
- Unzip and verify `marqira-connector.php` exists
- Check file size matches `file_size` in database

3. WordPress permissions:

- WP needs write access to `/wp-content/plugins/`
- Check server error logs: `tail -f /var/log/apache2/error.log`

No Active Release Error

“No active release available”

```
php artisan tinker

use App\Models\PluginRelease;

// Check if any release is active
PluginRelease::where('is_active', true)->count(); // Should be 1

// If 0, activate one:
$release = PluginRelease::first();
$release->activate();
```

Rollback Procedure

If an update causes issues:

1. Deactivate the Bad Release

```
php artisan tinker

use App\Models\PluginRelease;

$bad = PluginRelease::where('version', '1.3.0')->first();
$bad->update(['is_active' => false]);

$good = PluginRelease::where('version', '1.2.0')->first();
$good->activate();
```


2. Downgrade WordPress Sites

On each affected WordPress site:

1. Via WP-CLI (fastest):

```
bash
wp plugin install https://downloads.marqira.com/marqira-connector-1.2.0.zip \
--activate --force
```

2. Via WP Admin:

- Deactivate MarQira Connector
- Delete the plugin
- Re-upload the old .zip
- Activate

3. Verify:

- Check **MarQira** → **Settings** for correct version
- Check **Recent Activity** for successful heartbeats

Security Notes

1. **Plugin .zip files should be publicly downloadable** (WordPress needs to fetch them)
 2. **But keep the download URL unpredictable** (use long random paths or signed URLs)
 3. **File hash (`file_hash`) is optional** but recommended for integrity verification
 4. **Only platform Owners can manage releases** (enforced by `owner` middleware)
 5. **All release changes are logged** in the audit log
-

Next Steps

After Phase 7 is deployed:

1. **Build the dashboard UI** for managing releases (currently API/Tinker only)
 2. **Set up automated builds** (GitHub Actions to build .zip on every release tag)
 3. **Add update notifications** (email admins when new version is available)
 4. **Implement beta/staged rollouts** (release to 10% of sites first, then 100%)
-

Summary

- ✓ **API Update Server:** Public endpoints for WordPress to check/download updates
- ✓ **WordPress Updater:** Plugin now auto-checks for updates every 12 hours
- ✓ **Release Management:** Owner can create/activate/delete versions via API
- ✓ **Database Schema:** `plugin_releases` table tracks all versions
- ✓ **Tests:** 15 new tests (all passing)

Migration: `2024_01_01_000011_create_plugin_releases_table`

Endpoints:

- GET `/api/v1/plugin/update-check?version=X.Y.Z`

- GET /api/v1/plugin/info
 - GET /api/v1/plugin/download
 - GET /api/dashboard/plugin-releases (owner)
 - POST /api/dashboard/plugin-releases (owner)
 - POST /api/dashboard/plugin-releases/{id}/activate (owner)
 - DELETE /api/dashboard/plugin-releases/{id} (owner)
-

End of Phase 7 Deployment Guide