

Online Check PRO

Stay connected



API

© 2017-2019 **crosstales** LLC
<https://www.crosstales.com>

Date: 15.10.2019
Version: 2019.3.0

Contents

1	Namespace Index	1
1.1	Packages	1
2	Hierarchical Index	3
2.1	Class Hierarchy	3
3	Class Index	5
3.1	Class List	5
4	Namespace Documentation	9
4.1	Crosstales Namespace Reference	9
4.2	Crosstales.Common Namespace Reference	9
4.3	Crosstales.Common.EditorTask Namespace Reference	9
4.4	Crosstales.Common.EditorUtil Namespace Reference	10
4.5	Crosstales.Common.Model Namespace Reference	10
4.6	Crosstales.Common.Model.Enum Namespace Reference	10
4.6.1	Enumeration Type Documentation	10
4.6.1.1	Platform	10
4.7	Crosstales.Common.Util Namespace Reference	10
4.8	Crosstales.OnlineCheck Namespace Reference	11
4.9	Crosstales.OnlineCheck.Data Namespace Reference	11
4.10	Crosstales.OnlineCheck.Demo Namespace Reference	11
4.11	Crosstales.OnlineCheck.Demo.Util Namespace Reference	12
4.12	Crosstales.OnlineCheck.EditorExtension Namespace Reference	12
4.13	Crosstales.OnlineCheck.EditorIntegration Namespace Reference	12

4.14	Crosstales.OnlineCheck.EditorTask Namespace Reference	12
4.14.1	Enumeration Type Documentation	13
4.14.1.1	UpdateStatus	13
4.15	Crosstales.OnlineCheck.EditorUtil Namespace Reference	13
4.16	Crosstales.OnlineCheck.PlayMaker Namespace Reference	13
4.17	Crosstales.OnlineCheck.Tool Namespace Reference	13
4.18	Crosstales.OnlineCheck.Util Namespace Reference	14
4.19	Crosstales.UI Namespace Reference	14
4.20	Crosstales.UI.Util Namespace Reference	14
4.21	HutongGames Namespace Reference	15
4.22	HutongGames.PlayMaker Namespace Reference	15
4.23	HutongGames.PlayMaker.Actions Namespace Reference	15
5	Class Documentation	17
5.1	Crosstales.OnlineCheck.EditorTask.AAAConfigLoader Class Reference	17
5.1.1	Detailed Description	17
5.2	Crosstales.UI.Util.AudioFilterController Class Reference	17
5.2.1	Detailed Description	18
5.2.2	Member Function Documentation	18
5.2.2.1	FindAllAudioFilters()	18
5.2.2.2	ResetAudioFilters()	19
5.2.3	Member Data Documentation	19
5.2.3.1	FindAllAudioFiltersOnStart	19
5.3	Crosstales.UI.Util.AudioSourceController Class Reference	19
5.3.1	Detailed Description	20
5.3.2	Member Function Documentation	20
5.3.2.1	FindAllAudioSources()	20
5.3.2.2	ResetAllAudioSources()	20
5.3.3	Member Data Documentation	20
5.3.3.1	AudioSources	20
5.3.3.2	FindAllAudioSourcesOnStart	20

5.3.3.3	Loop	21
5.3.3.4	Mute	21
5.3.3.5	Pitch	21
5.3.3.6	ResetAudioSourcesOnStart	21
5.3.3.7	StereoPan	21
5.3.3.8	Volume	21
5.4	Crosstales.OnlineCheck.EditorTask.AutoInitialize Class Reference	21
5.4.1	Detailed Description	21
5.5	Crosstales.Common.Util.BackgroundController Class Reference	22
5.5.1	Detailed Description	22
5.5.2	Member Data Documentation	22
5.5.2.1	Objects	22
5.6	Crosstales.Common.EditorTask.BaseCompileDefines Class Reference	22
5.6.1	Detailed Description	23
5.7	Crosstales.Common.Util.BaseConstants Class Reference	23
5.7.1	Detailed Description	25
5.7.2	Member Data Documentation	25
5.7.2.1	ASSET_3P_PLAYMAKER	25
5.7.2.2	ASSET_AUTHOR	25
5.7.2.3	ASSET_AUTHOR_URL	26
5.7.2.4	ASSET_BWF	26
5.7.2.5	ASSET_CT_URL	26
5.7.2.6	ASSET_DJ	26
5.7.2.7	ASSET_FB	26
5.7.2.8	ASSET_OC	26
5.7.2.9	ASSET_RADIO	26
5.7.2.10	ASSET_RTV	26
5.7.2.11	ASSET_SOCIAL_DISCORD	26
5.7.2.12	ASSET_SOCIAL_FACEBOOK	27
5.7.2.13	ASSET_SOCIAL_LINKEDIN	27

5.7.2.14	ASSET_SOCIAL_TWITTER	27
5.7.2.15	ASSET_SOCIAL_YOUTUBE	27
5.7.2.16	ASSET_TB	27
5.7.2.17	ASSET_TPB	27
5.7.2.18	ASSET_TPS	27
5.7.2.19	ASSET_TR	27
5.7.2.20	CMD_WINDOWS_PATH	27
5.7.2.21	DEV_DEBUG	28
5.7.2.22	FACTOR_GB	28
5.7.2.23	FACTOR_KB	28
5.7.2.24	FACTOR_MB	28
5.7.2.25	FLOAT_32768	28
5.7.2.26	FLOAT_TOLERANCE	28
5.7.2.27	FORMAT_NO_DECIMAL_PLACES	28
5.7.2.28	FORMAT_PERCENT	28
5.7.2.29	FORMAT_TWO_DECIMAL_PLACES	28
5.7.2.30	PATH_DELIMITER_UNIX	28
5.7.2.31	PATH_DELIMITER_WINDOWS	29
5.7.2.32	PROCESS_KILL_TIME	29
5.7.2.33	SHOW_BWF_BANNER	29
5.7.2.34	SHOW_DJ_BANNER	29
5.7.2.35	SHOW_FB_BANNER	29
5.7.2.36	SHOW_OC_BANNER	29
5.7.2.37	SHOW_RADIO_BANNER	29
5.7.2.38	SHOW_RTV_BANNER	29
5.7.2.39	SHOW_TB_BANNER	29
5.7.2.40	SHOW_TPB_BANNER	29
5.7.2.41	SHOW_TPS_BANNER	30
5.7.2.42	SHOW_TR_BANNER	30
5.7.3	Property Documentation	30

5.7.3.1	APPLICATION_PATH	30
5.7.3.2	PREFIX_FILE	30
5.8	Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference	30
5.8.1	Detailed Description	32
5.8.2	Member Function Documentation	32
5.8.2.1	FindAssetsByType< T >()	32
5.8.2.2	getBuildNameFromBuildTarget(BuildTarget build)	32
5.8.2.3	getBuildTargetForBuildName(string build)	32
5.8.2.4	getCLIArgument(string name)	33
5.8.2.5	isValidBuildTarget(BuildTarget target)	33
5.8.2.6	ReadOnlyTextField(string label, string text)	33
5.8.2.7	RefreshAssetDatabase()	33
5.8.2.8	RestartUnity(string executeMethod="")	33
5.8.2.9	SeparatorUI(int space=12)	34
5.9	Crosstales.Common.EditorUtil.BaseGAApi Class Reference	34
5.9.1	Detailed Description	35
5.9.2	Member Function Documentation	35
5.9.2.1	Event(string name, string version, string category, string action, string label="", int value=0)	35
5.10	Crosstales.Common.Util.BaseHelper Class Reference	35
5.10.1	Detailed Description	38
5.10.2	Member Function Documentation	38
5.10.2.1	CleanUrl(string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)	38
5.10.2.2	ClearLineEndings(string text)	38
5.10.2.3	ClearSpaces(string text)	39
5.10.2.4	ClearTags(string text)	39
5.10.2.5	CreateString(string replaceChars, int stringLength)	39
5.10.2.6	FileCopy(string inputFile, string outputFile, bool move=false)	39
5.10.2.7	FormatBytesToHRF(long bytes)	40
5.10.2.8	FormatSecondsToHourMinSec(double seconds)	40

5.10.2.9	GetDirectories(string path, bool isRecursive=false)	40
5.10.2.10	GetFiles(string path, bool isRecursive=false, params string[] extensions)	40
5.10.2.11	hasActiveClip(AudioSource source)	41
5.10.2.12	HSVToRGB(float h, float s, float v, float a=1f)	41
5.10.2.13	IsValidURL(string url)	41
5.10.2.14	OpenFile(string file)	41
5.10.2.15	RemoteCertificateValidationCallback(System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)	42
5.10.2.16	ShowFileLocation(string file)	42
5.10.2.17	SplitStringToLines(string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)	42
5.10.2.18	ValidateFile(string path)	42
5.10.2.19	ValidatePath(string path, bool addEndDelimiter=true)	43
5.10.2.20	ValidURLFromFilePath(string path)	43
5.10.3	Property Documentation	43
5.10.3.1	CurrentPlatform	43
5.10.3.2	isAndroidPlatform	43
5.10.3.3	isAppleBasedPlatform	44
5.10.3.4	isEditor	44
5.10.3.5	isEditorMode	44
5.10.3.6	isIL2CPP	44
5.10.3.7	isInternetAvailable	44
5.10.3.8	isIOSBasedPlatform	44
5.10.3.9	isIOSPlatform	45
5.10.3.10	isLinuxEditor	45
5.10.3.11	isLinuxPlatform	45
5.10.3.12	isMacOSEditor	45
5.10.3.13	isMacOSPlatform	45
5.10.3.14	isPS4Platform	45
5.10.3.15	isStandalonePlatform	46

5.10.3.16 isTvOSPlatform	46
5.10.3.17 isWebGLPlatform	46
5.10.3.18 isWebPlatform	46
5.10.3.19 isWindowsBasedPlatform	46
5.10.3.20 isWindowsEditor	46
5.10.3.21 isWindowsPlatform	47
5.10.3.22 isWSABasedPlatform	47
5.10.3.23 isWSAPlatform	47
5.10.3.24 isXboxOnePlatform	47
5.10.3.25 StreamingAssetsPath	47
5.11 HutongGames.PlayMaker.Actions.BaseOCAction Class Reference	48
5.11.1 Detailed Description	48
5.12 Crosstales.Common.EditorTask.BaseSetupResources Class Reference	48
5.12.1 Detailed Description	49
5.13 HutongGames.PlayMaker.Actions.Check Class Reference	49
5.13.1 Detailed Description	49
5.13.2 Member Data Documentation	49
5.13.2.1 IntervalMax	49
5.13.2.2 IntervalMin	50
5.13.2.3 isInternetAvailable	50
5.13.2.4 Timeout	50
5.14 Crosstales.OnlineCheck.PlayMaker.CheckEditor Class Reference	50
5.14.1 Detailed Description	50
5.15 Crosstales.OnlineCheck.EditorTask.CompileDefines Class Reference	51
5.15.1 Detailed Description	51
5.16 Crosstales.OnlineCheck.Util.Config Class Reference	51
5.16.1 Detailed Description	52
5.16.2 Member Function Documentation	52
5.16.2.1 Load()	52
5.16.2.2 Reset()	52

5.16.2.3	Save()	52
5.16.3	Member Data Documentation	52
5.16.3.1	DEBUG	52
5.16.3.2	ENSURE_NAME	52
5.16.3.3	isLoading	52
5.17	Crosstales.OnlineCheck.EditorIntegration.ConfigBase Class Reference	53
5.17.1	Detailed Description	53
5.18	Crosstales.OnlineCheck.EditorIntegration.ConfigPreferences Class Reference	53
5.18.1	Detailed Description	54
5.19	Crosstales.OnlineCheck.EditorIntegration.ConfigWindow Class Reference	54
5.19.1	Detailed Description	54
5.20	Crosstales.OnlineCheck.Util.Constants Class Reference	55
5.20.1	Detailed Description	56
5.20.2	Member Data Documentation	56
5.20.2.1	ASSET_2019_URL	56
5.20.2.2	ASSET_API_URL	56
5.20.2.3	ASSET_BUILD	56
5.20.2.4	ASSET_CHANGED	56
5.20.2.5	ASSET_CONTACT	56
5.20.2.6	ASSET_CREATED	56
5.20.2.7	ASSET_FORUM_URL	57
5.20.2.8	ASSET_MANUAL_URL	57
5.20.2.9	ASSET_NAME	57
5.20.2.10	ASSET_NAME_SHORT	57
5.20.2.11	ASSET_PRO_URL	57
5.20.2.12	ASSET_UPDATE_CHECK_URL	57
5.20.2.13	ASSET_VERSION	57
5.20.2.14	ASSET_VIDEO_PROMO	57
5.20.2.15	ASSET_VIDEO_TUTORIAL	57
5.20.2.16	ASSET_WEB_URL	58

5.20.2.17 ONLINECHECK_SCENE_OBJECT_NAME	58
5.20.2.18 PROXY_SCENE_OBJECT_NAME	58
5.21 Crosstales.OnlineCheck.Util.Context Class Reference	58
5.21.1 Detailed Description	58
5.21.2 Member Data Documentation	59
5.21.2.1 NumberOfChecks	59
5.21.2.2 Runtime	59
5.21.2.3 Uptime	59
5.21.3 Property Documentation	59
5.21.3.1 ChecksPerMinute	59
5.21.3.2 Downtime	59
5.22 Crosstales.Common.Util.CTPlayerPrefs Class Reference	59
5.22.1 Detailed Description	60
5.22.2 Member Function Documentation	60
5.22.2.1 DeleteAll()	60
5.22.2.2 DeleteKey(string key)	60
5.22.2.3 GetBool(string key)	61
5.22.2.4 GetDate(string key)	61
5.22.2.5 GetFloat(string key)	61
5.22.2.6 GetInt(string key)	61
5.22.2.7 GetString(string key)	62
5.22.2.8 HasKey(string key)	62
5.22.2.9 Save()	62
5.22.2.10 SetBool(string key, bool value)	62
5.22.2.11 SetDate(string key, System.DateTime value)	62
5.22.2.12 SetFloat(string key, float value)	63
5.22.2.13 SetInt(string key, int value)	63
5.22.2.14 SetString(string key, string value)	63
5.23 Crosstales.Common.Util.CTWebClient Class Reference	63
5.23.1 Detailed Description	64

5.23.2	Property Documentation	64
5.23.2.1	ConnectionLimit	64
5.23.2.2	Timeout	64
5.24	Crosstales.OnlineCheck.Util.CTWebClientNotCached Class Reference	65
5.24.1	Detailed Description	65
5.25	Crosstales.OnlineCheck.Data.CustomCheck Class Reference	65
5.25.1	Detailed Description	66
5.25.2	Member Data Documentation	66
5.25.2.1	DataMustBeEquals	66
5.25.2.2	ExpectedData	66
5.25.2.3	ShowErrors	66
5.25.2.4	URL	66
5.25.2.5	UseOnlyCustom	67
5.26	Crosstales.OnlineCheck.EditorUtil.EditorConfig Class Reference	67
5.26.1	Detailed Description	67
5.26.2	Member Function Documentation	68
5.26.2.1	Load()	68
5.26.2.2	Reset()	68
5.26.2.3	Save()	68
5.26.3	Member Data Documentation	68
5.26.3.1	HIERARCHY_ICON	68
5.26.3.2	isLoading	68
5.26.3.3	PREFAB_AUTOLOAD	68
5.26.3.4	TRACER	68
5.26.3.5	UPDATE_CHECK	68
5.26.4	Property Documentation	69
5.26.4.1	ASSET_PATH	69
5.26.4.2	PREFAB_PATH	69
5.27	Crosstales.OnlineCheck.EditorUtil.EditorConstants Class Reference	69
5.27.1	Detailed Description	70

5.27.2	Member Data Documentation	70
5.27.2.1	PREFAB_SUBPATH	70
5.27.3	Property Documentation	70
5.27.3.1	ASSET_ID	70
5.27.3.2	ASSET_UID	70
5.27.3.3	ASSET_URL	70
5.28	Crosstales.OnlineCheck.EditorUtil.EditorHelper Class Reference	71
5.28.1	Detailed Description	71
5.28.2	Member Function Documentation	71
5.28.2.1	InstantiatePrefab(string prefabName)	71
5.28.2.2	OCUnavailable()	72
5.28.3	Member Data Documentation	72
5.28.3.1	GO_ID	72
5.28.3.2	MENU_ID	72
5.28.4	Property Documentation	72
5.28.4.1	isOnlineCheckInScene	72
5.28.4.2	isProxyInScene	72
5.29	Crosstales.ExtensionMethods Class Reference	73
5.29.1	Detailed Description	74
5.29.2	Member Function Documentation	74
5.29.2.1	CTAddRange< K, V >(this System.Collections.Generic.IDictionary< K, V > source, System.Collections.Generic.IDictionary< K, V > collection)	74
5.29.2.2	CTContains(this string str, string toCheck, System.StringComparison comp=↔ System.StringComparison.OrdinalIgnoreCase)	74
5.29.2.3	CTContainsAll(this string str, string searchTerms, char splitChar= ' ')	74
5.29.2.4	CTContainsAny(this string str, string searchTerms, char splitChar= ' ')	75
5.29.2.5	CTDump(this Quaternion[] array)	75
5.29.2.6	CTDump(this Vector2[] array)	75
5.29.2.7	CTDump(this Vector3[] array)	76
5.29.2.8	CTDump(this Vector4[] array)	76
5.29.2.9	CTDump(this System.Collections.Generic.IList< Quaternion > list)	76

5.29.2.10	CTDump(this System.Collections.Generic.IList< Vector2 > list)	76
5.29.2.11	CTDump(this System.Collections.Generic.IList< Vector3 > list)	77
5.29.2.12	CTDump(this System.Collections.Generic.IList< Vector4 > list)	77
5.29.2.13	CTDump< K, V >(this System.Collections.Generic.IDictionary< K, V > dict, string prefix="'", string postfix="'")	77
5.29.2.14	CTDump< T >(this T[] array, string prefix="'", string postfix="'")	78
5.29.2.15	CTDump< T >(this System.Collections.Generic.IList< T > list, string prefix="'", string postfix="'")	78
5.29.2.16	CTEquals(this string str, string toCheck, System.StringComparison comp=↵ System.StringComparison.OrdinalIgnoreCase)	78
5.29.2.17	CTIsVisibleFrom(this Renderer renderer, Camera camera)	79
5.29.2.18	CTReplace(this string str, string oldString, string newString, System.String↵ Comparison comp=System.StringComparison.OrdinalIgnoreCase)	79
5.29.2.19	CTReverse(this string str)	79
5.29.2.20	CTShuffle< T >(this T[] array, int seed=0)	80
5.29.2.21	CTShuffle< T >(this System.Collections.Generic.IList< T > list, int seed=0)	80
5.29.2.22	CTToString< T >(this T[] array)	80
5.29.2.23	CTToString< T >(this System.Collections.Generic.IList< T > list)	80
5.29.2.24	CTToTitleCase(this string str)	81
5.30	Crosstales.UI.Util.FPSDisplay Class Reference	81
5.30.1	Detailed Description	81
5.30.2	Member Data Documentation	82
5.30.2.1	FPS	82
5.31	Crosstales.Common.Util.FreeCam Class Reference	82
5.31.1	Detailed Description	83
5.31.2	Member Function Documentation	83
5.31.2.1	StartLooking()	83
5.31.2.2	StopLooking()	83
5.31.3	Member Data Documentation	83
5.31.3.1	FastMovementSpeed	83
5.31.3.2	FastZoomSensitivity	83
5.31.3.3	FreeLookSensitivity	83

5.31.3.4	MovementSpeed	83
5.31.3.5	ZoomSensitivity	83
5.32	Crosstales.OnlineCheck.EditorUtil.GAApi Class Reference	84
5.32.1	Detailed Description	84
5.32.2	Member Function Documentation	84
5.32.2.1	Event(string category, string action, string label="", int value=0)	84
5.33	Crosstales.OnlineCheck.Demo.GUIMain Class Reference	84
5.33.1	Detailed Description	85
5.34	Crosstales.OnlineCheck.Demo.GUIScenes Class Reference	86
5.34.1	Detailed Description	86
5.34.2	Member Function Documentation	86
5.34.2.1	LoadNextScene()	86
5.34.2.2	LoadPreviousScene()	86
5.34.2.3	Quit()	87
5.34.3	Member Data Documentation	87
5.34.3.1	NextScene	87
5.34.3.2	PreviousScene	87
5.35	Crosstales.OnlineCheck.Util.Helper Class Reference	87
5.35.1	Detailed Description	87
5.35.2	Member Function Documentation	88
5.35.2.1	CreateCustomCheck()	88
5.36	Crosstales.OnlineCheck.EditorTask.Launch Class Reference	88
5.36.1	Detailed Description	88
5.37	Crosstales.OnlineCheck.Demo.Util.ManageEndlessMode Class Reference	88
5.37.1	Detailed Description	89
5.38	Crosstales.Common.EditorTask.NYCheck Class Reference	89
5.38.1	Detailed Description	89
5.39	Crosstales.OnlineCheck.OnlineCheck Class Reference	89
5.39.1	Detailed Description	91
5.39.2	Member Function Documentation	91

5.39.2.1	NetworkReachabilityChange(NetworkReachability networkReachability)	91
5.39.2.2	OnlineCheckComplete(bool isConnected, NetworkReachability networkReachability)	91
5.39.2.3	OnlineStatusChange(bool isConnected)	91
5.39.2.4	Refresh()	91
5.39.2.5	RefreshYield()	91
5.39.3	Member Data Documentation	91
5.39.3.1	Delay	91
5.39.3.2	DontDestroy	91
5.39.3.3	EndlessMode	91
5.39.3.4	ForceWWW	92
5.39.3.5	IntervalMax	92
5.39.3.6	IntervalMin	92
5.39.3.7	RunOnStart	92
5.39.3.8	Timeout	92
5.39.4	Property Documentation	92
5.39.4.1	CheckIntervalMax	92
5.39.4.2	CheckIntervalMin	92
5.39.4.3	CheckTimeout	92
5.39.4.4	CurrentCustomCheck	92
5.39.4.5	DataDownloaded	93
5.39.4.6	isEndlessMode	93
5.39.4.7	isForceWWW	93
5.39.4.8	isInternetAvailable	93
5.39.4.9	LastCheck	93
5.39.4.10	NetworkReachability	93
5.39.4.11	OnNetworkReachabilityChange	93
5.39.4.12	OnOnlineCheckComplete	94
5.39.4.13	OnOnlineStatusChange	94
5.40	Crosstales.OnlineCheck.EditorExtension.OnlineCheckEditor Class Reference	94
5.40.1	Detailed Description	94

5.41	Crosstales.OnlineCheck.EditorIntegration.OnlineCheckGameObject Class Reference	94
5.41.1	Detailed Description	95
5.42	Crosstales.OnlineCheck.EditorIntegration.OnlineCheckMenu Class Reference	95
5.42.1	Detailed Description	95
5.43	Crosstales.Common.Util.PlatformController Class Reference	95
5.43.1	Detailed Description	96
5.43.2	Member Data Documentation	96
5.43.2.1	Active	96
5.43.2.2	Platforms	96
5.44	Crosstales.OnlineCheck.Tool.Proxy Class Reference	96
5.44.1	Detailed Description	98
5.44.2	Member Function Documentation	98
5.44.2.1	DisableHTTPProxy()	98
5.44.2.2	DisableHTTPSPProxy()	98
5.44.2.3	EnableHTTPProxy()	98
5.44.2.4	EnableHTTPProxy(string url, int port, string username="", string password="", string urlProtocol="")	98
5.44.2.5	EnableHTTPSPProxy()	98
5.44.2.6	EnableHTTPSPProxy(string url, int port, string username="", string password="", string urlProtocol="")	99
5.44.3	Member Data Documentation	99
5.44.3.1	EnableOnAwake	99
5.44.3.2	HTTPProxyPassword	99
5.44.3.3	HTTPProxyPort	99
5.44.3.4	HTTPProxyURL	99
5.44.3.5	HTTPProxyURLProtocol	99
5.44.3.6	HTTPProxyUsername	99
5.44.3.7	HTTPSPProxyPassword	99
5.44.3.8	HTTPSPProxyPort	100
5.44.3.9	HTTPSPProxyURL	100
5.44.3.10	HTTPSPProxyURLProtocol	100

5.44.3.11 HTTPSPProxyUsername	100
5.44.4 Property Documentation	100
5.44.4.1 hasHTTPProxy	100
5.44.4.2 hasHTTPSPProxy	100
5.45 Crosstales.OnlineCheck.EditorExtension.ProxyEditor Class Reference	101
5.45.1 Detailed Description	101
5.46 Crosstales.Common.Util.RandomColor Class Reference	101
5.46.1 Detailed Description	102
5.46.2 Member Data Documentation	102
5.46.2.1 AlphaRange	102
5.46.2.2 ChangeInterval	102
5.46.2.3 GrayScale	102
5.46.2.4 HueRange	102
5.46.2.5 Material	102
5.46.2.6 SaturationRange	103
5.46.2.7 UseInterval	103
5.46.2.8 ValueRange	103
5.47 Crosstales.Common.Util.RandomRotator Class Reference	103
5.47.1 Detailed Description	104
5.47.2 Member Data Documentation	104
5.47.2.1 ChangeInterval	104
5.47.2.2 SpeedMax	104
5.47.2.3 SpeedMin	104
5.47.2.4 UseInterval	104
5.48 Crosstales.Common.Util.RandomScaler Class Reference	104
5.48.1 Detailed Description	105
5.48.2 Member Data Documentation	105
5.48.2.1 ChangeInterval	105
5.48.2.2 ScaleMax	105
5.48.2.3 ScaleMin	105

5.48.2.4	Uniform	105
5.48.2.5	UseInterval	105
5.49	Crosstales.OnlineCheck.EditorTask.ReminderCheck Class Reference	106
5.49.1	Detailed Description	106
5.50	Crosstales.UI.Util.ScrollRectHandler Class Reference	106
5.50.1	Detailed Description	106
5.51	Crosstales.Common.Util.SerializableDictionary< TKey, TValue > Class Template Reference	107
5.51.1	Detailed Description	107
5.52	Crosstales.OnlineCheck.EditorTask.SetAndroid Class Reference	107
5.52.1	Detailed Description	108
5.53	Crosstales.Common.EditorTask.SetupResources Class Reference	108
5.53.1	Detailed Description	108
5.54	Crosstales.OnlineCheck.EditorTask.SetupResources Class Reference	108
5.54.1	Detailed Description	109
5.55	Crosstales.UI.Social Class Reference	109
5.55.1	Detailed Description	109
5.56	Crosstales.UI.StaticManager Class Reference	109
5.56.1	Detailed Description	110
5.56.2	Member Function Documentation	110
5.56.2.1	OpenCrosstales()	110
5.56.2.2	Quit()	110
5.57	Crosstales.Common.Util.SurviveSceneSwitch Class Reference	110
5.57.1	Detailed Description	111
5.57.2	Member Data Documentation	111
5.57.2.1	DontDestroy	111
5.57.2.2	Survivors	111
5.58	Crosstales.Common.Util.TakeScreenshot Class Reference	111
5.58.1	Detailed Description	112
5.58.2	Member Function Documentation	112
5.58.2.1	Capture()	112

5.58.3	Member Data Documentation	112
5.58.3.1	Prefix	112
5.58.3.2	Scale	112
5.59	Crosstales.OnlineCheck.EditorTask.Tracer Class Reference	112
5.59.1	Detailed Description	112
5.60	Crosstales.UI.UIDrag Class Reference	113
5.60.1	Detailed Description	113
5.60.2	Member Function Documentation	113
5.60.2.1	BeginDrag()	113
5.61	Crosstales.UI.UIFocus Class Reference	113
5.61.1	Detailed Description	114
5.61.2	Member Function Documentation	114
5.61.2.1	OnPanelEnter()	114
5.61.3	Member Data Documentation	114
5.61.3.1	ManagerName	114
5.62	Crosstales.UI.UIHint Class Reference	114
5.62.1	Detailed Description	115
5.62.2	Member Data Documentation	115
5.62.2.1	Delay	115
5.62.2.2	Disable	115
5.62.2.3	FadeAtStart	115
5.62.2.4	FadeTime	115
5.62.2.5	Group	116
5.63	Crosstales.UI.UIResize Class Reference	116
5.63.1	Detailed Description	116
5.63.2	Member Data Documentation	116
5.63.2.1	MaxSize	116
5.63.2.2	MinSize	117
5.64	Crosstales.UI.UIWindowManager Class Reference	117
5.64.1	Detailed Description	117

5.64.2	Member Function Documentation	117
5.64.2.1	ChangeState(GameObject active)	117
5.64.3	Member Data Documentation	118
5.64.3.1	Windows	118
5.65	Crosstales.OnlineCheck.EditorTask.UpdateCheck Class Reference	118
5.65.1	Detailed Description	118
5.66	Crosstales.UI.WindowManager Class Reference	118
5.66.1	Detailed Description	119
5.66.2	Member Function Documentation	119
5.66.2.1	OpenPanel()	119
5.66.2.2	SwitchPanel()	119
5.66.3	Member Data Documentation	119
5.66.3.1	Dependencies	119
5.66.3.2	Speed	119
5.67	Crosstales.Common.Util.XmlHelper Class Reference	120
5.67.1	Detailed Description	120
5.67.2	Member Function Documentation	120
5.67.2.1	DeserializeFromFile< T >(string filename, bool skipBOM=false)	120
5.67.2.2	DeserializeFromResource< T >(string resourceName, bool skipBOM=true)	120
5.67.2.3	DeserializeFromString< T >(string xmlAsString, bool skipBOM=true)	121
5.67.2.4	SerializeToFile< T >(T obj, string filename)	121
5.67.2.5	SerializeToString< T >(T obj)	121
6	More information	123
6.1	Homepage	123
6.2	AssetStore	123
6.3	Forum	123
6.4	Documentation	123
6.5	Discord	123
6.6	Demos	123
6.6.1	WebGL	123
6.6.2	Windows	124
6.6.3	macOS	124
6.6.4	Linux	124
6.6.5	Android	124
6.7	Videos	124
6.7.1	Promotion	124
6.7.2	Tutorial	124
	Index	125

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Crosstales	9
Crosstales.Common	9
Crosstales.Common.EditorTask	9
Crosstales.Common.EditorUtil	10
Crosstales.Common.Model	10
Crosstales.Common.Model.Enum	10
Crosstales.Common.Util	10
Crosstales.OnlineCheck	11
Crosstales.OnlineCheck.Data	11
Crosstales.OnlineCheck.Demo	11
Crosstales.OnlineCheck.Demo.Util	12
Crosstales.OnlineCheck.EditorExtension	12
Crosstales.OnlineCheck.EditorIntegration	12
Crosstales.OnlineCheck.EditorTask	12
Crosstales.OnlineCheck.EditorUtil	13
Crosstales.OnlineCheck.PlayMaker	13
Crosstales.OnlineCheck.Tool	13
Crosstales.OnlineCheck.Util	14
Crosstales.UI	14
Crosstales.UI.Util	14
HutongGames	15
HutongGames.PlayMaker	15
HutongGames.PlayMaker.Actions	15

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Crosstales.OnlineCheck.EditorTask.AAAConfigLoader	17
Crosstales.OnlineCheck.EditorTask.AutoInitialize	21
Crosstales.Common.EditorTask.BaseCompileDefines	22
Crosstales.OnlineCheck.EditorTask.CompileDefines	51
Crosstales.Common.Util.BaseConstants	23
Crosstales.OnlineCheck.Util.Constants	55
Crosstales.Common.EditorUtil.BaseGAApi	34
Crosstales.OnlineCheck.EditorUtil.GAApi	84
Crosstales.Common.Util.BaseHelper	35
Crosstales.Common.EditorUtil.BaseEditorHelper	30
Crosstales.OnlineCheck.EditorUtil.EditorHelper	71
Crosstales.OnlineCheck.Util.Helper	87
Crosstales.Common.EditorTask.BaseSetupResources	48
Crosstales.Common.EditorTask.SetupResources	108
Crosstales.OnlineCheck.EditorTask.SetupResources	108
Crosstales.OnlineCheck.Util.Config	51
Crosstales.OnlineCheck.Util.Context	58
Crosstales.Common.Util.CTPlayerPrefs	59
CustomActionEditor	
Crosstales.OnlineCheck.PlayMaker.CheckEditor	50
Dictionary	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	107
Editor	
Crosstales.OnlineCheck.EditorExtension.OnlineCheckEditor	94
Crosstales.OnlineCheck.EditorExtension.ProxyEditor	101
Crosstales.OnlineCheck.EditorUtil.EditorConfig	67
Crosstales.OnlineCheck.EditorUtil.EditorConstants	69
EditorWindow	
Crosstales.OnlineCheck.EditorIntegration.ConfigBase	53
Crosstales.OnlineCheck.EditorIntegration.ConfigPreferences	53
Crosstales.OnlineCheck.EditorIntegration.ConfigWindow	54
Crosstales.ExtensionMethods	73
FsmStateAction	
HutongGames.PlayMaker.Actions.BaseOCAction	48

HutongGames.PlayMaker.Actions.Check	49
IDragHandler	
Crosstales.UI.UIResize	116
IPointerDownHandler	
Crosstales.UI.UIResize	116
ISerializable	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	107
IXmlSerializable	
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	107
Crosstales.OnlineCheck.EditorTask.Launch	88
MonoBehaviour	
Crosstales.Common.Util.BackgroundController	22
Crosstales.Common.Util.FreeCam	82
Crosstales.Common.Util.PlatformController	95
Crosstales.Common.Util.RandomColor	101
Crosstales.Common.Util.RandomRotator	103
Crosstales.Common.Util.RandomScaler	104
Crosstales.Common.Util.SurviveSceneSwitch	110
Crosstales.Common.Util.TakeScreenshot	111
Crosstales.OnlineCheck.Demo.GUIMain	84
Crosstales.OnlineCheck.Demo.GUIScenes	86
Crosstales.OnlineCheck.Demo.Util.ManageEndlessMode	88
Crosstales.OnlineCheck.OnlineCheck	89
Crosstales.OnlineCheck.Tool.Proxy	96
Crosstales.UI.Social	109
Crosstales.UI.StaticManager	109
Crosstales.UI.UIDrag	113
Crosstales.UI.UIFocus	113
Crosstales.UI.UIHint	114
Crosstales.UI.UIResize	116
Crosstales.UI.UIWindowManager	117
Crosstales.UI.Util.AudioFilterController	17
Crosstales.UI.Util.AudioSourceController	19
Crosstales.UI.Util.FPSDisplay	81
Crosstales.UI.Util.ScrollRectHandler	106
Crosstales.UI.WindowManager	118
Crosstales.Common.EditorTask.NYCheck	89
Crosstales.OnlineCheck.EditorIntegration.OnlineCheckGameObject	94
Crosstales.OnlineCheck.EditorIntegration.OnlineCheckMenu	95
Crosstales.OnlineCheck.EditorTask.ReminderCheck	106
ScriptableObject	
Crosstales.OnlineCheck.Data.CustomCheck	65
Crosstales.Common.Util.SerializableDictionary< string, string >	107
Crosstales.OnlineCheck.EditorTask.SetAndroid	107
Crosstales.OnlineCheck.EditorTask.Tracer	112
Crosstales.OnlineCheck.EditorTask.UpdateCheck	118
WebClient	
Crosstales.Common.Util.CTWebClient	63
Crosstales.OnlineCheck.Util.CTWebClientNotCached	65
Crosstales.Common.Util.XmlHelper	120

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Crosstales.OnlineCheck.EditorTask.AAAConfigLoader	
Loads the configuration at startup.	17
Crosstales.UI.Util.AudioFilterController	
Controller for audio filters.	17
Crosstales.UI.Util.AudioSourceController	
Controller for AudioSources.	19
Crosstales.OnlineCheck.EditorTask.AutoInitialize	
Automatically adds the necessary TrueRandom-prefabs to the current scene.	21
Crosstales.Common.Util.BackgroundController	
Enables or disable game objects on Android or iOS in the background.	22
Crosstales.Common.EditorTask.BaseCompileDefines	
Base for adding and removing the given define symbols to PlayerSettings define symbols.	22
Crosstales.Common.Util.BaseConstants	
Base for collected constants of very general utility for the asset.	23
Crosstales.Common.EditorUtil.BaseEditorHelper	
Base for various Editor helper functions.	30
Crosstales.Common.EditorUtil.BaseGAApi	
Base GA-wrapper API.	34
Crosstales.Common.Util.BaseHelper	
Base for various helper functions.	35
HutongGames.PlayMaker.Actions.BaseOCAction	
Base class for OnlineCheck-actions in PlayMaker	48
Crosstales.Common.EditorTask.BaseSetupResources	
Base for copying all resources to 'Editor Default Resources'.	48
HutongGames.PlayMaker.Actions.Check	
Check-action for Internet availability in PlayMaker	49
Crosstales.OnlineCheck.PlayMaker.CheckEditor	
Custom editor for the Check-action.	50
Crosstales.OnlineCheck.EditorTask.CompileDefines	
Adds the given define symbols to PlayerSettings define symbols.	51
Crosstales.OnlineCheck.Util.Config	
Configuration for the asset.	51
Crosstales.OnlineCheck.EditorIntegration.ConfigBase	
Base class for editor windows.	53
Crosstales.OnlineCheck.EditorIntegration.ConfigPreferences	
Unity "Preferences" extension.	53

Crosstales.OnlineCheck.EditorIntegration.ConfigWindow	
Editor window extension.	54
Crosstales.OnlineCheck.Util.Constants	
Collected constants of very general utility for the asset.	55
Crosstales.OnlineCheck.Util.Context	
Context for the asset.	58
Crosstales.Common.Util.CTPlayerPrefs	
Wrapper for the PlayerPrefs.	59
Crosstales.Common.Util.CTWebClient	
Specialized WebClient.	63
Crosstales.OnlineCheck.Util.CTWebClientNotCached	
Specialized WebClient.	65
Crosstales.OnlineCheck.Data.CustomCheck	
Data definition of a custom check.	65
Crosstales.OnlineCheck.EditorUtil.EditorConfig	
Editor configuration for the asset.	67
Crosstales.OnlineCheck.EditorUtil.EditorConstants	
Collected editor constants of very general utility for the asset.	69
Crosstales.OnlineCheck.EditorUtil.EditorHelper	
Editor helper class.	71
Crosstales.ExtensionMethods	
Various extension methods.	73
Crosstales.UI.Util.FPSDisplay	
Simple FPS-Counter.	81
Crosstales.Common.Util.FreeCam	
A simple free camera to be added to a Unity game object	82
Crosstales.OnlineCheck.EditorUtil.GAApi	
GA-wrapper API.	84
Crosstales.OnlineCheck.Demo.GUIMain	
Main GUI component for all demo scenes.	84
Crosstales.OnlineCheck.Demo.GUIScenes	
Main GUI scene manager for all demo scenes.	86
Crosstales.OnlineCheck.Util.Helper	
Various helper functions.	87
Crosstales.OnlineCheck.EditorTask.Launch	
Show the configuration window on the first launch.	88
Crosstales.OnlineCheck.Demo.Util.ManageEndlessMode	
Enable or disable EndlessMode at startup.	88
Crosstales.Common.EditorTask.NYCheck	
Checks if a 'Happy new year'-message must be displayed.	89
Crosstales.OnlineCheck.OnlineCheck	
Checks the Internet availability.	89
Crosstales.OnlineCheck.EditorExtension.OnlineCheckEditor	
Custom editor for the 'OnlineCheck'-class.	94
Crosstales.OnlineCheck.EditorIntegration.OnlineCheckGameObject	
Editor component for the "Hierarchy"-menu.	94
Crosstales.OnlineCheck.EditorIntegration.OnlineCheckMenu	
Editor component for the "Tools"-menu.	95
Crosstales.Common.Util.PlatformController	
Enables or disable game objects for a given platform.	95
Crosstales.OnlineCheck.Tool.Proxy	
Handles HTTP/HTTPS Internet connections via proxy server.	96
Crosstales.OnlineCheck.EditorExtension.ProxyEditor	
Custom editor for the 'Proxy'-class.	101
Crosstales.Common.Util.RandomColor	
Random color changer.	101
Crosstales.Common.Util.RandomRotator	
Random rotation changer.	103

Crosstales.Common.Util.RandomScaler	
Random scale changer.	104
Crosstales.OnlineCheck.EditorTask.ReminderCheck	
Reminds the customer to create an UAS review.	106
Crosstales.UI.Util.ScrollRectHandler	
Changes the sensitivity of ScrollRects under various platforms.	106
Crosstales.Common.Util.SerializableDictionary< TKey, TVal >	
Serializable Dictionary-class for XML.	107
Crosstales.OnlineCheck.EditorTask.SetAndroid	
Sets the required build parameters for Android.	107
Crosstales.Common.EditorTask.SetupResources	
Copies all resources to 'Editor Default Resources'.	108
Crosstales.OnlineCheck.EditorTask.SetupResources	
Moves all needed resources to 'Editor Default Resources'.	108
Crosstales.UI.Social	
Crosstales social media links.	109
Crosstales.UI.StaticManager	
Static Button Manager.	109
Crosstales.Common.Util.SurviveSceneSwitch	
Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.	110
Crosstales.Common.Util.TakeScreenshot	
Take screen shots inside an application.	111
Crosstales.OnlineCheck.EditorTask.Tracer	
Gather some tracing data for the asset.	112
Crosstales.UI.UIDrag	
Allow to Drag the Windows around.	113
Crosstales.UI.UIFocus	
Change the Focus on from a Window.	113
Crosstales.UI.UIHint	
Controls a UI group (hint).	114
Crosstales.UI.UIResize	
Resize a UI element.	116
Crosstales.UI.UIWindowManager	
Change the state of all Window panels.	117
Crosstales.OnlineCheck.EditorTask.UpdateCheck	
Checks for updates of the asset.	118
Crosstales.UI.WindowManager	
Manager for a Window.	118
Crosstales.Common.Util.XmlHelper	
Helper-class for XML.	120

Chapter 4

Namespace Documentation

4.1 Crosstales Namespace Reference

Namespaces

Classes

- class [ExtensionMethods](#)
Various extension methods.

4.2 Crosstales.Common Namespace Reference

Namespaces

4.3 Crosstales.Common.EditorTask Namespace Reference

Classes

- class [BaseCompileDefines](#)
Base for adding and removing the given define symbols to PlayerSettings define symbols.
- class [BaseSetupResources](#)
Base for copying all resources to 'Editor Default Resources'.
- class [NYCheck](#)
Checks if a 'Happy new year'-message must be displayed.
- class [SetupResources](#)
Copies all resources to 'Editor Default Resources'.

4.4 Crosstales.Common.EditorUtil Namespace Reference

Classes

- class [BaseEditorHelper](#)
Base for various Editor helper functions.
- class [BaseGAApi](#)
Base GA-wrapper API.

4.5 Crosstales.Common.Model Namespace Reference

Namespaces

4.6 Crosstales.Common.Model.Enum Namespace Reference

Enumerations

- enum [Platform](#) {
Windows, OSX, Linux, IOS,
Android, WSA, Web, Unsupported,
MaryTTS }
All available platforms.

4.6.1 Enumeration Type Documentation

4.6.1.1 enum **Crosstales.Common.Model.Enum.Platform** [strong]

All available platforms.

4.7 Crosstales.Common.Util Namespace Reference

Classes

- class [BackgroundController](#)
Enables or disable game objects on Android or iOS in the background.
- class [BaseConstants](#)
Base for collected constants of very general utility for the asset.
- class [BaseHelper](#)
Base for various helper functions.
- class [CTPlayerPrefs](#)
Wrapper for the PlayerPrefs.
- class [CTWebClient](#)
Specialized WebClient.
- class [FreeCam](#)

- A simple free camera to be added to a Unity game object.*
- class [PlatformController](#)
Enables or disable game objects for a given platform.
- class [RandomColor](#)
Random color changer.
- class [RandomRotator](#)
Random rotation changer.
- class [RandomScaler](#)
Random scale changer.
- class [SerializableDictionary](#)
Serializable Dictionary-class for XML.
- class [SurviveSceneSwitch](#)
Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.
- class [TakeScreenshot](#)
Take screen shots inside an application.
- class [XmlHelper](#)
Helper-class for XML.

4.8 Crosstales.OnlineCheck Namespace Reference

Namespaces

Classes

- class [OnlineCheck](#)
Checks the Internet availabilty.

4.9 Crosstales.OnlineCheck.Data Namespace Reference

Classes

- class [CustomCheck](#)
[Data](#) definition of a custom check.

4.10 Crosstales.OnlineCheck.Demo Namespace Reference

Namespaces

Classes

- class [GUIMain](#)
Main GUI component for all demo scenes.
- class [GUIScenes](#)
Main GUI scene manager for all demo scenes.

4.11 Crosstales.OnlineCheck.Demo.Util Namespace Reference

Classes

- class [ManageEndlessMode](#)
Enable or disable EndlessMode at startup.

4.12 Crosstales.OnlineCheck.EditorExtension Namespace Reference

Classes

- class [OnlineCheckEditor](#)
Custom editor for the 'OnlineCheck'-class.
- class [ProxyEditor](#)
Custom editor for the 'Proxy'-class.

4.13 Crosstales.OnlineCheck.EditorIntegration Namespace Reference

Classes

- class [ConfigBase](#)
Base class for editor windows.
- class [ConfigPreferences](#)
Unity "Preferences" extension.
- class [ConfigWindow](#)
Editor window extension.
- class [OnlineCheckGameObject](#)
Editor component for the "Hierarchy"-menu.
- class [OnlineCheckMenu](#)
Editor component for the "Tools"-menu.

4.14 Crosstales.OnlineCheck.EditorTask Namespace Reference

Classes

- class [AAAConfigLoader](#)
Loads the configuration at startup.
- class [AutoInitialize](#)
Automatically adds the necessary TrueRandom-prefabs to the current scene.
- class [CompileDefines](#)
Adds the given define symbols to PlayerSettings define symbols.
- class [Launch](#)
Show the configuration window on the first launch.
- class [ReminderCheck](#)
Reminds the customer to create an UAS review.
- class [SetAndroid](#)
Sets the required build parameters for Android.
- class [SetupResources](#)
Moves all needed resources to 'Editor Default Resources'.
- class [Tracer](#)
Gather some tracing data for the asset.
- class [UpdateCheck](#)
Checks for updates of the asset.

Enumerations

- enum [UpdateStatus](#) {
NOT_CHECKED, NO_UPDATE, UPDATE, UPDATE_PRO,
UPDATE_VERSION, DEPRECATED, V2019 }

All possible update stati.

4.14.1 Enumeration Type Documentation

4.14.1.1 enum **Crosstales.OnlineCheck.EditorTask.UpdateStatus** [strong]

All possible update stati.

4.15 Crosstales.OnlineCheck.EditorUtil Namespace Reference

Classes

- class [EditorConfig](#)
Editor configuration for the asset.
- class [EditorConstants](#)
Collected editor constants of very general utility for the asset.
- class [EditorHelper](#)
Editor helper class.
- class [GAApi](#)
GA-wrapper API.

4.16 Crosstales.OnlineCheck.PlayMaker Namespace Reference

Classes

- class [CheckEditor](#)
Custom editor for the Check-action.

4.17 Crosstales.OnlineCheck.Tool Namespace Reference

Classes

- class [Proxy](#)
Handles HTTP/HTTPS Internet connections via proxy server.

4.18 Crosstales.OnlineCheck.Util Namespace Reference

Classes

- class [Config](#)
Configuration for the asset.
- class [Constants](#)
Collected constants of very general utility for the asset.
- class [Context](#)
Context for the asset.
- class [CTWebClientNotCached](#)
Specialized WebClient.
- class [Helper](#)
Various helper functions.

4.19 Crosstales.UI Namespace Reference

Namespaces

Classes

- class [Social](#)
Crosstales social media links.
- class [StaticManager](#)
Static Button Manager.
- class [UIDrag](#)
Allow to Drag the Windows around.
- class [UIFocus](#)
Change the Focus on from a Window.
- class [UIHint](#)
Controls a UI group (hint).
- class [UIResize](#)
Resize a UI element.
- class [UIWindowManager](#)
Change the state of all Window panels.
- class [WindowManager](#)
Manager for a Window.

4.20 Crosstales.UI.Util Namespace Reference

Classes

- class [AudioFilterController](#)
Controller for audio filters.
- class [AudioSourceController](#)
Controller for AudioSources.
- class [FPSDisplay](#)
Simple FPS-Counter.
- class [ScrollRectHandler](#)
Changes the sensitivity of ScrollRects under various platforms.

4.21 HutongGames Namespace Reference

Namespaces

4.22 HutongGames.PlayMaker Namespace Reference

Namespaces

4.23 HutongGames.PlayMaker.Actions Namespace Reference

Classes

- class [BaseOCAction](#)
Base class for OnlineCheck-actions in [PlayMaker](#).
- class [Check](#)
Check-action for Internet availability in [PlayMaker](#).

Chapter 5

Class Documentation

5.1 Crosstales.OnlineCheck.EditorTask.AAConfigLoader Class Reference

Loads the configuration at startup.

5.1.1 Detailed Description

Loads the configuration at startup.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/AAConfigLoader.cs`

5.2 Crosstales.UI.Util.AudioFilterController Class Reference

Controller for audio filters.

Inheritance diagram for Crosstales.UI.Util.AudioFilterController:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **FindAllAudioFilters** ()
Finds all audio filters in the scene.
- void **ResetAudioFilters** ()
Resets all audio filters.
- void **ReverbFilterDropdownChanged** (System.Int32 index)
- void **ChorusFilterEnabled** (bool isEnabled)
- void **EchoFilterEnabled** (bool isEnabled)
- void **DistortionFilterEnabled** (bool isEnabled)
- void **DistortionFilterChanged** (float value)
- void **LowPassFilterEnabled** (bool isEnabled)
- void **LowPassFilterChanged** (float value)
- void **HighPassFilterEnabled** (bool isEnabled)
- void **HighPassFilterChanged** (float value)

Public Attributes

- bool **FindAllAudioFiltersOnStart** = true
Searches for all audio filters in the whole scene (default: true).
- AudioReverbFilter[] **ReverbFilters**
- AudioChorusFilter[] **ChorusFilters**
- AudioEchoFilter[] **EchoFilters**
- AudioDistortionFilter[] **DistortionFilters**
- AudioLowPassFilter[] **LowPassFilters**
- AudioHighPassFilter[] **HighPassFilters**
- bool **ResetAudioFiltersOnStart** = true
- bool **ChorusFilter** = false
- bool **EchoFilter** = false
- bool **DistortionFilter** = false
- float **DistortionFilterValue** = 0.5f
- bool **LowpassFilter** = false
- float **LowpassFilterValue** = 5000f
- bool **HighpassFilter** = false
- float **HighpassFilterValue** = 5000f
- Dropdown **ReverbFilterDropdown**
- Text **DistortionText**
- Text **LowpassText**
- Text **HighpassText**

5.2.1 Detailed Description

Controller for audio filters.

5.2.2 Member Function Documentation

5.2.2.1 void Crosstales.UI.Util.AudioFilterController.FindAllAudioFilters ()

Finds all audio filters in the scene.

5.2.2.2 void Crosstales.UI.Util.AudioFilterController.ResetAudioFilters ()

Resets all audio filters.

5.2.3 Member Data Documentation

5.2.3.1 bool Crosstales.UI.Util.AudioFilterController.FindAllAudioFiltersOnStart = true

Searches for all audio filters in the whole scene (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/Util/AudioFilterController.cs

5.3 Crosstales.UI.Util.AudioSourceController Class Reference

Controller for AudioSources.

Inheritance diagram for Crosstales.UI.Util.AudioSourceController:



Public Member Functions

- void **Update** ()
- void **FindAllAudioSources** ()
Finds all audio sources in the scene.
- void **ResetAllAudioSources** ()
Resets all audio sources.
- void **MuteEnabled** (bool isEnabled)
- void **LoopEnabled** (bool isEnabled)
- void **VolumeChanged** (float value)
- void **PitchChanged** (float value)
- void **StereoPanChanged** (float value)

Public Attributes

- bool [FindAllAudioSourcesOnStart](#) = true
Searches for all AudioSource in the whole scene (default: true).
- AudioSource[] [AudioSources](#)
Active controlled AudioSources.
- bool [ResetAudioSourcesOnStart](#) = true
Resets all active AudioSources (default: true).
- bool [Mute](#) = false
Mute on/off (default: false).
- bool [Loop](#) = false
Loop on/off (default: false).
- float [Volume](#) = 1f
Volume of the audio (default: 1)
- float [Pitch](#) = 1f
Pitch of the audio (default: 1).
- float [StereoPan](#) = 0f
Stereo pan of the audio (default: 0).
- Text **VolumeText**
- Text **PitchText**
- Text **StereoPanText**

5.3.1 Detailed Description

Controller for AudioSources.

5.3.2 Member Function Documentation

5.3.2.1 void Crosstales.UI.Util.AudioSourceController.FindAllAudioSources ()

Finds all audio sources in the scene.

5.3.2.2 void Crosstales.UI.Util.AudioSourceController.ResetAllAudioSources ()

Resets all audio sources.

5.3.3 Member Data Documentation

5.3.3.1 AudioSource [] Crosstales.UI.Util.AudioSourceController.AudioSources

Active controlled AudioSources.

5.3.3.2 bool Crosstales.UI.Util.AudioSourceController.FindAllAudioSourcesOnStart = true

Searches for all AudioSource in the whole scene (default: true).

5.3.3.3 `bool Crosstales.UI.Util.AudioSourceController.Loop = false`

Loop on/off (default: false).

5.3.3.4 `bool Crosstales.UI.Util.AudioSourceController.Mute = false`

Mute on/off (default: false).

5.3.3.5 `float Crosstales.UI.Util.AudioSourceController.Pitch = 1f`

Pitch of the audio (default: 1).

5.3.3.6 `bool Crosstales.UI.Util.AudioSourceController.ResetAudioSourcesOnStart = true`

Resets all active AudioSources (default: true).

5.3.3.7 `float Crosstales.UI.Util.AudioSourceController.StereoPan = 0f`

Stereo pan of the audio (default: 0).

5.3.3.8 `float Crosstales.UI.Util.AudioSourceController.Volume = 1f`

Volume of the audio (default: 1)

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/Util/AudioSourceController.cs`

5.4 Crosstales.OnlineCheck.EditorTask.AutoInitialize Class Reference

Automatically adds the necessary TrueRandom-prefabs to the current scene.

5.4.1 Detailed Description

Automatically adds the necessary TrueRandom-prefabs to the current scene.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/AutoInitialize.cs`

5.5 Crosstales.Common.Util.BackgroundController Class Reference

Enables or disable game objects on Android or iOS in the background.

Inheritance diagram for Crosstales.Common.Util.BackgroundController:



Public Member Functions

- void **Start** ()
- void **FixedUpdate** ()

Public Attributes

- `GameObject[]` [Objects](#)
Selected objects to disable in the background for the controller.

5.5.1 Detailed Description

Enables or disable game objects on Android or iOS in the background.

5.5.2 Member Data Documentation

5.5.2.1 `GameObject []` `Crosstales.Common.Util.BackgroundController.Objects`

Selected objects to disable in the background for the controller.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/BackgroundController.cs`

5.6 Crosstales.Common.EditorTask.BaseCompileDefines Class Reference

Base for adding and removing the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.Common.EditorTask.BaseCompileDefines:



Static Protected Member Functions

- static void **addSymbolsToAllTargets** (params string[] symbols)
- static void **removeSymbolsFromAllTargets** (params string[] symbols)
- static void **setCompileDefines** (string[] symbols)

5.6.1 Detailed Description

Base for adding and removing the given define symbols to PlayerSettings define symbols.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↔ Editor/Task/BaseCompileDefines.cs

5.7 Crosstales.Common.Util.BaseConstants Class Reference

Base for collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.Common.Util.BaseConstants:



Public Attributes

- const string **ASSET_AUTHOR** = "crosstales LLC"
Author of the asset.
- const string **ASSET_AUTHOR_URL** = "https://www.crosstales.com"
URL of the asset author.
- const string **ASSET_CT_URL** = "https://assetstore.unity.com/lists/crosstales-42213?aid=1011INGT"
URL of the crosstales assets in UAS.
- const string **ASSET_SOCIAL_DISCORD** = "https://discord.gg/ZbZ2sh4"
URL of the crosstales Discord-channel.
- const string **ASSET_SOCIAL_FACEBOOK** = "https://www.facebook.com/crosstales/"
URL of the crosstales Facebook-profile.
- const string **ASSET_SOCIAL_TWITTER** = "https://twitter.com/crosstales"
URL of the crosstales Twitter-profile.
- const string **ASSET_SOCIAL_YOUTUBE** = "https://www.youtube.com/c/Crosstales"
URL of the crosstales Youtube-profile.
- const string **ASSET_SOCIAL_LINKEDIN** = "https://www.linkedin.com/company/crosstales"
URL of the crosstales LinkedIn-profile.
- const string **ASSET_3P_PLAYMAKER** = "https://assetstore.unity.com/packages/slug/368?aid=1011INGT"
URL of the 3rd party asset "PlayMaker".
- const string **ASSET_BWF** = "https://assetstore.unity.com/packages/slug/26255?aid=1011INGT"

- URL of the "Badword Filter" asset.*
- const string **ASSET_DJ** = "https://assetstore.unity.com/packages/slug/41993?aid=1011INGT"
- URL of the "DJ" asset.*
- const string **ASSET_FB** = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"
- URL of the "File Browser" asset.*
- const string **ASSET_OC** = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"
- URL of the "Online Check" asset.*
- const string **ASSET_RADIO** = "https://assetstore.unity.com/packages/slug/32034?aid=1011INGT"
- URL of the "Radio" asset.*
- const string **ASSET_RTV** = "https://assetstore.unity.com/packages/slug/41068?aid=1011INGT"
- URL of the "RT-Voice" asset.*
- const string **ASSET_TB** = "https://assetstore.unity.com/packages/slug/98711?aid=1011INGT"
- URL of the "Turbo Backup" asset.*
- const string **ASSET_TPB** = "https://assetstore.unity.com/packages/slug/98714?aid=1011INGT"
- URL of the "Turbo Builder" asset.*
- const string **ASSET_TPS** = "https://assetstore.unity.com/packages/slug/60040?aid=1011INGT"
- URL of the "Turbo Switch" asset.*
- const string **ASSET_TR** = "https://assetstore.unity.com/packages/slug/61617?aid=1011INGT"
- URL of the "True Random" asset.*
- const int **FACTOR_KB** = 1024
- Factor for kilo bytes.*
- const int **FACTOR_MB** = **FACTOR_KB** * 1024
- Factor for mega bytes.*
- const int **FACTOR_GB** = **FACTOR_MB** * 1024
- Factor for giga bytes.*
- const float **FLOAT_32768** = 32768f
- Float value of 32768.*
- const float **FLOAT_TOLERANCE** = 0.0001f
- Float tolerance.*
- const string **FORMAT_TWO_DECIMAL_PLACES** = "0.00"
- ToString for two decimal places.*
- const string **FORMAT_NO_DECIMAL_PLACES** = "0"
- ToString for no decimal places.*
- const string **FORMAT_PERCENT** = "0%"
- ToString for percent.*
- const bool **DEFAULT_DEBUG** = false
- const string **PATH_DELIMITER_WINDOWS** = @"\"
- Path delimiter for Windows.*
- const string **PATH_DELIMITER_UNIX** = "/"
- Path delimiter for Unix.*

Static Public Attributes

- static bool **DEV_DEBUG** = false
- Development debug logging for the asset.*
- static string **TEXT_TOSTRING_START** = "{"
- static string **TEXT_TOSTRING_END** = "}"
- static string **TEXT_TOSTRING_DELIMITER** = ", "
- static string **TEXT_TOSTRING_DELIMITER_END** = ""
- static string **PREFIX_HTTP** = "http://"

- static string **PREFIX_HTTPS** = "https://"
- static int **PROCESS_KILL_TIME** = 5000
Kill processes after 5000 milliseconds.
- static string **CMD_WINDOWS_PATH** = @"C:\Windows\system32\cmd.exe"
Path to the cmd under Windows.
- static bool **SHOW_BWF_BANNER** = true
Show the BWF banner.
- static bool **SHOW_DJ_BANNER** = true
Show the DJ banner.
- static bool **SHOW_FB_BANNER** = true
Show the FB banner.
- static bool **SHOW_OC_BANNER** = true
Show the OC banner.
- static bool **SHOW_RADIO_BANNER** = true
Show the Radio banner.
- static bool **SHOW_RTV_BANNER** = true
Show the RTV banner.
- static bool **SHOW_TB_BANNER** = true
Show the TB banner.
- static bool **SHOW_TPB_BANNER** = false
Show the TPB banner.
- static bool **SHOW_TPS_BANNER** = true
Show the TPS banner.
- static bool **SHOW_TR_BANNER** = true
Show the TR banner.

Properties

- static string **PREFIX_FILE** [get]
URL prefix for files.
- static string **APPLICATION_PATH** [get]
Application path.

5.7.1 Detailed Description

Base for collected constants of very general utility for the asset.

5.7.2 Member Data Documentation

5.7.2.1 `const string Crosstales.Common.Util.BaseConstants.ASSET_3P_PLAYMAKER = "https://assetstore.unity.com/packages/slug/368?aid=1011INGT"`

URL of the 3rd party asset "PlayMaker".

5.7.2.2 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR = "crosstales LLC"`

Author of the asset.

5.7.2.3 `const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR_URL = "https://www.crosstales.com"`

URL of the asset author.

5.7.2.4 `const string Crosstales.Common.Util.BaseConstants.ASSET_BWF = "https://assetstore.unity.com/packages/slug/26255?aid=1011INGT"`

URL of the "Badword Filter" asset.

5.7.2.5 `const string Crosstales.Common.Util.BaseConstants.ASSET_CT_URL = "https://assetstore.unity.com/lists/crosstales-42213?aid=1011INGT"`

URL of the crosstales assets in UAS.

5.7.2.6 `const string Crosstales.Common.Util.BaseConstants.ASSET_DJ = "https://assetstore.unity.com/packages/slug/41993?aid=1011INGT"`

URL of the "DJ" asset.

5.7.2.7 `const string Crosstales.Common.Util.BaseConstants.ASSET_FB = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"`

URL of the "File Browser" asset.

5.7.2.8 `const string Crosstales.Common.Util.BaseConstants.ASSET_OC = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"`

URL of the "Online Check" asset.

5.7.2.9 `const string Crosstales.Common.Util.BaseConstants.ASSET_RADIO = "https://assetstore.unity.com/packages/slug/32034?aid=1011INGT"`

URL of the "Radio" asset.

5.7.2.10 `const string Crosstales.Common.Util.BaseConstants.ASSET_RTV = "https://assetstore.unity.com/packages/slug/41068?aid=1011INGT"`

URL of the "RT-Voice" asset.

5.7.2.11 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_DISCORD = "https://discord.gg/ZbZ2sh4"`

URL of the crosstales Discord-channel.

5.7.2.12 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_FACEBOOK = "https://www.facebook.com/crosstales/"`

URL of the crosstales Facebook-profile.

5.7.2.13 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_LINKEDIN = "https://www.linkedin.com/company/crosstales"`

URL of the crosstales LinkedIn-profile.

5.7.2.14 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_TWITTER = "https://twitter.com/crosstales"`

URL of the crosstales Twitter-profile.

5.7.2.15 `const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_YOUTUBE = "https://www.youtube.com/c/Crosstales"`

URL of the crosstales Youtube-profile.

5.7.2.16 `const string Crosstales.Common.Util.BaseConstants.ASSET_TB = "https://assetstore.unity.com/packages/slug/98711?aid=1011INGT"`

URL of the "Turbo Backup" asset.

5.7.2.17 `const string Crosstales.Common.Util.BaseConstants.ASSET_TPB = "https://assetstore.unity.com/packages/slug/98714?aid=1011INGT"`

URL of the "Turbo Builder" asset.

5.7.2.18 `const string Crosstales.Common.Util.BaseConstants.ASSET_TPS = "https://assetstore.unity.com/packages/slug/60040?aid=1011INGT"`

URL of the "Turbo Switch" asset.

5.7.2.19 `const string Crosstales.Common.Util.BaseConstants.ASSET_TR = "https://assetstore.unity.com/packages/slug/61617?aid=1011INGT"`

URL of the "True Random" asset.

5.7.2.20 `string Crosstales.Common.Util.BaseConstants.CMD_WINDOWS_PATH = @"C:\Windows\system32\cmd.exe"`
`[static]`

Path to the cmd under Windows.

5.7.2.21 `bool Crosstales.Common.Util.BaseConstants.DEV_DEBUG = false` `[static]`

Development debug logging for the asset.

5.7.2.22 `const int Crosstales.Common.Util.BaseConstants.FACTOR_GB = FACTOR_MB * 1024`

Factor for giga bytes.

5.7.2.23 `const int Crosstales.Common.Util.BaseConstants.FACTOR_KB = 1024`

Factor for kilo bytes.

5.7.2.24 `const int Crosstales.Common.Util.BaseConstants.FACTOR_MB = FACTOR_KB * 1024`

Factor for mega bytes.

5.7.2.25 `const float Crosstales.Common.Util.BaseConstants.FLOAT_32768 = 32768f`

Float value of 32768.

5.7.2.26 `const float Crosstales.Common.Util.BaseConstants.FLOAT_TOLERANCE = 0.0001f`

Float tolerance.

5.7.2.27 `const string Crosstales.Common.Util.BaseConstants.FORMAT_NO_DECIMAL_PLACES = "0"`

ToString for no decimal places.

5.7.2.28 `const string Crosstales.Common.Util.BaseConstants.FORMAT_PERCENT = "0%"`

ToString for percent.

5.7.2.29 `const string Crosstales.Common.Util.BaseConstants.FORMAT_TWO_DECIMAL_PLACES = "0.00"`

ToString for two decimal places.

5.7.2.30 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_UNIX = "/"`

Path delimiter for Unix.

5.7.2.31 `const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_WINDOWS = @"\"`

Path delimiter for Windows.

5.7.2.32 `int Crosstales.Common.Util.BaseConstants.PROCESS_KILL_TIME = 5000` `[static]`

Kill processes after 5000 milliseconds.

5.7.2.33 `bool Crosstales.Common.Util.BaseConstants.SHOW_BWF_BANNER = true` `[static]`

Show the BWF banner.

5.7.2.34 `bool Crosstales.Common.Util.BaseConstants.SHOW_DJ_BANNER = true` `[static]`

Show the DJ banner.

5.7.2.35 `bool Crosstales.Common.Util.BaseConstants.SHOW_FB_BANNER = true` `[static]`

Show the FB banner.

5.7.2.36 `bool Crosstales.Common.Util.BaseConstants.SHOW_OC_BANNER = true` `[static]`

Show the OC banner.

5.7.2.37 `bool Crosstales.Common.Util.BaseConstants.SHOW_RADIO_BANNER = true` `[static]`

Show the Radio banner.

5.7.2.38 `bool Crosstales.Common.Util.BaseConstants.SHOW_RTV_BANNER = true` `[static]`

Show the RTV banner.

5.7.2.39 `bool Crosstales.Common.Util.BaseConstants.SHOW_TB_BANNER = true` `[static]`

Show the TB banner.

5.7.2.40 `bool Crosstales.Common.Util.BaseConstants.SHOW_TPB_BANNER = false` `[static]`

Show the TPB banner.

5.7.2.41 `bool Crosstales.Common.Util.BaseConstants.SHOW_TPS_BANNER = true` `[static]`

Show the TPS banner.

5.7.2.42 `bool Crosstales.Common.Util.BaseConstants.SHOW_TR_BANNER = true` `[static]`

Show the TR banner.

5.7.3 Property Documentation

5.7.3.1 `string Crosstales.Common.Util.BaseConstants.APPLICATION_PATH` `[static]`, `[get]`

Application path.

5.7.3.2 `string Crosstales.Common.Util.BaseConstants.PREFIX_FILE` `[static]`, `[get]`

URL prefix for files.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/BaseConstants.cs`

5.8 Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference

Base for various Editor helper functions.

Inheritance diagram for `Crosstales.Common.EditorUtil.BaseEditorHelper`:



Static Public Member Functions

- static void [RestartUnity](#) (string executeMethod="")
Restart Unity.
- static void [SeparatorUI](#) (int space=12)
Shows a separator-UI.
- static void [ReadOnlyTextField](#) (string label, string text)
Generates a read-only text field with a label.
- static void [RefreshAssetDatabase](#) ()
Refreshes the asset database.
- static void [InvokeMethod](#) (string className, string methodName, params object[] parameters)
- static bool [IsValidBuildTarget](#) (BuildTarget target)
Returns the true if the BuildTarget is installed in Unity.
- static string [getCLIArgument](#) (string name)
Returns an argument for a name from the command line.
- static BuildTarget [getBuildTargetForBuildName](#) (string build)
Returns the BuildTarget for a build name, like 'win64'.
- static string [getBuildNameFromBuildTarget](#) (BuildTarget build)
Returns the build name for a BuildTarget.
- static System.Collections.Generic.List< T > [FindAssetsByType< T >](#) ()
Returns assets for a certain type.

Properties

- static Texture2D **Logo_Asset_BWF** [get]
- static Texture2D **Logo_Asset_DJ** [get]
- static Texture2D **Logo_Asset_FB** [get]
- static Texture2D **Logo_Asset_OC** [get]
- static Texture2D **Logo_Asset_Radio** [get]
- static Texture2D **Logo_Asset_RTV** [get]
- static Texture2D **Logo_Asset_TB** [get]
- static Texture2D **Logo_Asset_TPB** [get]
- static Texture2D **Logo_Asset_TPS** [get]
- static Texture2D **Logo_Asset_TR** [get]
- static Texture2D **Logo_CT** [get]
- static Texture2D **Logo_Unity** [get]
- static Texture2D **Icon_Save** [get]
- static Texture2D **Icon_Reset** [get]
- static Texture2D **Icon_Refresh** [get]
- static Texture2D **Icon_Delete** [get]
- static Texture2D **Icon_Folder** [get]
- static Texture2D **Icon_Plus** [get]
- static Texture2D **Icon_Minus** [get]
- static Texture2D **Icon_Manual** [get]
- static Texture2D **Icon_API** [get]
- static Texture2D **Icon_Forum** [get]
- static Texture2D **Icon_Product** [get]
- static Texture2D **Icon_Check** [get]
- static Texture2D **Social_Discord** [get]
- static Texture2D **Social_Facebook** [get]
- static Texture2D **Social_Twitter** [get]
- static Texture2D **Social_Youtube** [get]

- static Texture2D **Social_Linkedin** [get]
- static Texture2D **Video_Promo** [get]
- static Texture2D **Video_Tutorial** [get]
- static Texture2D **Icon_Videos** [get]
- static Texture2D **Icon_3p_Assets** [get]
- static Texture2D **Asset_PlayMaker** [get]

Additional Inherited Members

5.8.1 Detailed Description

Base for various Editor helper functions.

5.8.2 Member Function Documentation

5.8.2.1 static System.Collections.Generic.List<T> Crosstales.Common.EditorUtil.BaseEditorHelper.FindAssetsByType< T > () [static]

Returns assets for a certain type.

Returns

List of assets for a certain type.

Type Constraints

T: *Object*

5.8.2.2 static string Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildNameFromBuildTarget (BuildTarget *build*) [static]

Returns the build name for a BuildTarget.

Parameters

<i>build</i>	BuildTarget for a build name
--------------	------------------------------

Returns

The build name for a BuildTarget.

5.8.2.3 static BuildTarget Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildTargetForBuildName (string *build*) [static]

Returns the BuildTarget for a build name, like 'win64'.

Parameters

<i>build</i>	Build name, like 'win64'
--------------	--------------------------

Returns

The BuildTarget for a build name.

5.8.2.4 static string Crosstales.Common.EditorUtil.BaseEditorHelper.getCLIArgument (string *name*) [static]

Returns an argument for a name from the command line.

Parameters

<i>name</i>	Name for the argument
-------------	-----------------------

Returns

True if the BuildTarget is installed in Unity.

5.8.2.5 static bool Crosstales.Common.EditorUtil.BaseEditorHelper.isValidBuildTarget (BuildTarget *target*) [static]

Returns the true if the BuildTarget is installed in Unity.

Parameters

<i>target</i>	BuildTarget to test
---------------	---------------------

Returns

True if the BuildTarget is installed in Unity.

5.8.2.6 static void Crosstales.Common.EditorUtil.BaseEditorHelper.ReadOnlyTextField (string *label*, string *text*) [static]

Generates a read-only text field with a label.

5.8.2.7 static void Crosstales.Common.EditorUtil.BaseEditorHelper.RefreshAssetDatabase () [static]

Refreshes the asset database.

5.8.2.8 static void Crosstales.Common.EditorUtil.BaseEditorHelper.RestartUnity (string *executeMethod* = " ") [static]

Restart Unity.

Parameters

<code>executeMethod</code>	Executed method after the restart (optional)
----------------------------	--

5.8.2.9 static void Crosstales.Common.EditorUtil.BaseEditorHelper.SeparatorUI (int *space* = 12) [static]

Shows a separator-UI.

Parameters

<code>space</code>	Space in pixels between the component and the separator line (default: 12, optional).
--------------------	---


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↔ Editor/Util/BaseEditorHelper.cs

5.9 Crosstales.Common.EditorUtil.BaseGAApi Class Reference

Base GA-wrapper API.

Inheritance diagram for Crosstales.Common.EditorUtil.BaseGAApi:



Static Public Member Functions

- static void [Event](#) (string name, string version, string category, string action, string label="", int value=0)
Tracks an event from the asset.

Static Protected Attributes

- static readonly string **clientId** = SystemInfo.deviceUniqueIdentifier
- static readonly string **screenResolution** = Screen.currentResolution.ToString()
- static readonly string **userLanguage** = System.Threading.Thread.CurrentThread.CurrentCulture.Name
- static readonly string **unityVersion** = Application.unityVersion
- static readonly string **os** = SystemInfo.operatingSystem
- static readonly string **cpu** = SystemInfo.processorType
- static readonly int **cpuCores** = SystemInfo.processorCount
- static readonly int **cpuFrequency** = SystemInfo.processorFrequency
- static readonly string **productName** = Application.productName
- static readonly string **companyName** = Application.companyName
- static readonly int **memory** = SystemInfo.systemMemorySize
- static readonly string **gpu** = SystemInfo.graphicsDeviceName
- static readonly int **gpuMemory** = SystemInfo.graphicsMemorySize
- static readonly int **gpuShaderLevel** = SystemInfo.graphicsShaderLevel

5.9.1 Detailed Description

Base GA-wrapper API.

5.9.2 Member Function Documentation

5.9.2.1 `static void Crosstales.Common.EditorUtil.BaseGAApi.Event (string name, string version, string category, string action, string label = " ", int value = 0) [static]`

Tracks an event from the asset.

Parameters

<i>name</i>	Name of the asset.
<i>version</i>	Version of the asset.
<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Editor/Util/BaseGAApi.cs

5.10 Crosstales.Common.Util.BaseHelper Class Reference

Base for various helper functions.

Inheritance diagram for Crosstales.Common.Util.BaseHelper:



Static Public Member Functions

- static string [CreateString](#) (string replaceChars, int stringLength)
Creates a string of characters with a given length.
- static bool [hasActiveClip](#) (AudioSource source)
Determines if an AudioSource has an active clip.

- static bool [RemoteCertificateValidationCallback](#) (System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)
HTTPS-certification callback.
- static string [ValidatePath](#) (string path, bool addEndDelimiter=true)
Validates a given path and add missing slash.
- static string [ValidateFile](#) (string path)
Validates a given file.
- static string[] [GetFiles](#) (string path, bool isRecursive=false, params string[] extensions)
Find files inside a path.
- static string[] [GetDirectories](#) (string path, bool isRecursive=false)
Find directories inside.
- static string [ValidURLFromFilePath](#) (string path)
Validates a given file.
- static string [CleanUrl](#) (string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)
Cleans a given URL.
- static string [ClearTags](#) (string text)
Cleans a given text from tags.
- static string [ClearSpaces](#) (string text)
Cleans a given text from multiple spaces.
- static string [ClearLineEndings](#) (string text)
Cleans a given text from line endings.
- static System.Collections.Generic.List< string > [SplitStringToLines](#) (string text, bool ignoreCommentedLines=true, int skipHeaderLines=0, int skipFooterLines=0)
Split the given text to lines and return it as list.
- static string [FormatBytesToHRF](#) (long bytes)
Format byte-value to Human-Readable-Form.
- static string [FormatSecondsToHourMinSec](#) (double seconds)
Format seconds to Human-Readable-Form.
- static Color [HSVToRGB](#) (float h, float s, float v, float a=1f)
Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>
- static bool [IsValidURL](#) (string url)
Checks if the URL is valid.
- static void [FileCopy](#) (string inputFile, string outputFile, bool move=false)
Copy or move a file.
- static void [ShowFileLocation](#) (string file)
Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms
- static void [OpenFile](#) (string file)
Opens a file with the OS default application. NOTE: only works for standalone platforms

Static Public Attributes

- static readonly System.Globalization.CultureInfo **BaseCulture** = new System.Globalization.CultureInfo("en-US")

Protected Attributes

- const string **file_prefix** = "file://"

Static Protected Attributes

- static readonly System.Text.RegularExpressions.Regex **lineEndingsRegex** = new System.Text.RegularExpressions.Regex(@"\r\n|\r|\n")
- static readonly System.Text.RegularExpressions.Regex **cleanSpacesRegex** = new System.Text.RegularExpressions.Regex(@"\s+")
- static readonly System.Text.RegularExpressions.Regex **cleanTagsRegex** = new System.Text.RegularExpressions.Regex(@"<.*?>")
- static readonly System.Random **rnd** = new System.Random()

Properties

- static bool **isInternetAvailable** [get]
Checks if an Internet connection is available.
- static bool **isWindowsPlatform** [get]
Checks if the current platform is Windows.
- static bool **isMacOSPlatform** [get]
Checks if the current platform is OSX.
- static bool **isLinuxPlatform** [get]
Checks if the current platform is Linux.
- static bool **isStandalonePlatform** [get]
Checks if the current platform is standalone (Windows, macOS or Linux).
- static bool **isAndroidPlatform** [get]
Checks if the current platform is Android.
- static bool **isIOSPlatform** [get]
Checks if the current platform is iOS.
- static bool **isTvOSPlatform** [get]
Checks if the current platform is tvOS.
- static bool **isWSAPlatform** [get]
Checks if the current platform is WSA.
- static bool **isXboxOnePlatform** [get]
Checks if the current platform is XboxOne.
- static bool **isPS4Platform** [get]
Checks if the current platform is PS4.
- static bool **isWebGLPlatform** [get]
Checks if the current platform is WebGL.
- static bool **isWebPlatform** [get]
Checks if the current platform is Web (WebPlayer or WebGL).
- static bool **isWindowsBasedPlatform** [get]
Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).
- static bool **isWSABasedPlatform** [get]
Checks if the current platform is WSA-based (WSA or XboxOne).
- static bool **isAppleBasedPlatform** [get]
Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).
- static bool **isIOSBasedPlatform** [get]
Checks if the current platform is iOS-based (iOS or tvOS).
- static bool **isEditor** [get]
Checks if we are inside the Editor.
- static bool **isWindowsEditor** [get]
Checks if we are inside the Windows Editor.
- static bool **isMacOSEditor** [get]

- Checks if we are inside the macOS Editor.*
 - static bool `isLinuxEditor` [get]
- Checks if we are inside the Linux Editor.*
 - static bool `isEditorMode` [get]
- Checks if we are in Editor mode.*
 - static bool `isIL2CPP` [get]
- Checks if the current build target uses IL2CPP.*
 - static `Model.Enum.Platform CurrentPlatform` [get]
- Returns the current platform.*
 - static string `StreamingAssetsPath` [get]
- Returns the path to the the "Streaming Assets".*

5.10.1 Detailed Description

Base for various helper functions.

5.10.2 Member Function Documentation

5.10.2.1 static string `Crosstales.Common.Util.BaseHelper.CleanUrl (string url, bool removeProtocol = true, bool removeWWW = true, bool removeSlash = true)` [static]

Cleans a given URL.

Parameters

<i>url</i>	URL to clean
<i>removeProtocol</i>	Remove the protocol, e.g. <code>http://</code> (default: true, optional).
<i>removeWWW</i>	Remove www (default: true, optional).
<i>removeSlash</i>	Remove slash at the end (default: true, optional)

Returns

Clean URL

5.10.2.2 static string `Crosstales.Common.Util.BaseHelper.ClearLineEndings (string text)` [static]

Cleans a given text from line endings.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without line endings.

5.10.2.3 static string Crosstales.Common.Util.BaseHelper.ClearSpaces (string *text*) [static]

Cleans a given text from multiple spaces.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without multiple spaces.

5.10.2.4 static string Crosstales.Common.Util.BaseHelper.ClearTags (string *text*) [static]

Cleans a given text from tags.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without tags.

5.10.2.5 static string Crosstales.Common.Util.BaseHelper.CreateString (string *replaceChars*, int *stringLength*) [static]

Creates a string of characters with a given length.

Parameters

<i>replaceChars</i>	Characters to generate the string (if more than one character is used, the generated string will be a randomized result of all characters)
<i>stringLength</i>	Length of the generated string

Returns

Generated string

5.10.2.6 static void Crosstales.Common.Util.BaseHelper.FileCopy (string *inputFile*, string *outputFile*, bool *move* = false) [static]

Copy or move a file.

Parameters

<i>inputFile</i>	Input file path
<i>outputFile</i>	Output file path
<i>move</i>	Move file instead of copy (default: false, optional)

5.10.2.7 static string Crosstales.Common.Util.BaseHelper.FormatBytesToHRF (long *bytes*) [static]

Format byte-value to Human-Readable-Form.

Returns

Formatted byte-value in Human-Readable-Form.

5.10.2.8 static string Crosstales.Common.Util.BaseHelper.FormatSecondsToHourMinSec (double *seconds*) [static]

Format seconds to Human-Readable-Form.

Returns

Formatted seconds in Human-Readable-Form.

5.10.2.9 static string [] Crosstales.Common.Util.BaseHelper.GetDirectories (string *path*, bool *isRecursive* = false) [static]

Find directories inside.

Parameters

<i>path</i>	Path to find the directories
<i>isRecursive</i>	Recursive search (default: false, optional)

Returns

Returns array of the found directories inside the path. Zero length array when an error occurred.

5.10.2.10 static string [] Crosstales.Common.Util.BaseHelper.GetFiles (string *path*, bool *isRecursive* = false, params string[] *extensions*) [static]

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search (default: false, optional)
<i>extensions</i>	Extensions for the file search, e.g. "png" (optional)

Returns

Returns array of the found files inside the path (alphabetically ordered). Zero length array when an error occurred.

5.10.2.11 static bool Crosstales.Common.Util.BaseHelper.hasActiveClip (AudioSource *source*) [static]

Determines if an AudioSource has an active clip.

Parameters

<i>source</i>	AudioSource to check.
---------------	-----------------------

Returns

True if the AudioSource has an active clip.

5.10.2.12 static Color Crosstales.Common.Util.BaseHelper.HSVToRGB (float *h*, float *s*, float *v*, float *a* = 1f) [static]

Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>

Parameters

<i>h</i>	Hue
<i>s</i>	Saturation
<i>v</i>	Value
<i>a</i>	Alpha (optional)

Returns

True if the current platform is supported.

5.10.2.13 static bool Crosstales.Common.Util.BaseHelper.isValidURL (string *url*) [static]

Checks if the URL is valid.

Parameters

<i>url</i>	URL to check
------------	--------------

Returns

True if the URL is valid.

5.10.2.14 static void Crosstales.Common.Util.BaseHelper.OpenFile (string *file*) [static]

Opens a file with the OS default application. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.10.2.15 `static bool Crosstales.Common.Util.BaseHelper.RemoteCertificateValidationCallback (System.Object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors) [static]`

HTTPS-certification callback.

5.10.2.16 `static void Crosstales.Common.Util.BaseHelper.ShowFileLocation (string file) [static]`

Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.10.2.17 `static System.Collections.Generic.List<string> Crosstales.Common.Util.BaseHelper.SplitStringToLines (string text, bool ignoreCommentedLines = true, int skipHeaderLines = 0, int skipFooterLines = 0) [static]`

Split the given text to lines and return it as list.

Parameters

<i>text</i>	Complete text fragment
<i>ignoreCommentedLines</i>	Ignore commente lines (default: true, optional)
<i>skipHeaderLines</i>	Number of skipped header lines (default: 0, optional)
<i>skipFooterLines</i>	Number of skipped footer lines (default: 0, optional)

Returns

Splitted lines as array

5.10.2.18 `static string Crosstales.Common.Util.BaseHelper.ValidateFile (string path) [static]`

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.10.2.19 `static string Crosstales.Common.Util.BaseHelper.ValidatePath (string path, bool addEndDelimiter = true)`
[static]

Validates a given path and add missing slash.

Parameters

<i>path</i>	Path to validate
<i>addEndDelimiter</i>	Add delimiter at the end of the path (optional, default: true)

Returns

Valid path

5.10.2.20 `static string Crosstales.Common.Util.BaseHelper.ValidURLFromFilePath (string path)` [static]

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.10.3 Property Documentation

5.10.3.1 `Model.Enum.Platform Crosstales.Common.Util.BaseHelper.CurrentPlatform` [static],[get]

Returns the current platform.

Returns

The current platform.

5.10.3.2 `bool Crosstales.Common.Util.BaseHelper.isAndroidPlatform` [static],[get]

Checks if the current platform is Android.

Returns

True if the current platform is Android.

5.10.3.3 bool Crosstales.Common.Util.BaseHelper.isAppleBasedPlatform [static], [get]

Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).

Returns

True if the current platform is Apple-based (macOS standalone, iOS or tvOS).

5.10.3.4 bool Crosstales.Common.Util.BaseHelper.isEditor [static], [get]

Checks if we are inside the Editor.

Returns

True if we are inside the Editor.

5.10.3.5 bool Crosstales.Common.Util.BaseHelper.isEditorMode [static], [get]

Checks if we are in Editor mode.

Returns

True if in Editor mode.

5.10.3.6 bool Crosstales.Common.Util.BaseHelper.isIL2CPP [static], [get]

Checks if the current build target uses IL2CPP.

Returns

True if the current build target uses IL2CPP.

5.10.3.7 bool Crosstales.Common.Util.BaseHelper.isInternetAvailable [static], [get]

Checks if an Internet connection is available.

Returns

True if an Internet connection is available.

5.10.3.8 bool Crosstales.Common.Util.BaseHelper.isIOSBasedPlatform [static], [get]

Checks if the current platform is iOS-based (iOS or tvOS).

Returns

True if the current platform is iOS-based (iOS or tvOS).

5.10.3.9 bool Crosstales.Common.Util.BaseHelper.isIOSPlatform [static], [get]

Checks if the current platform is iOS.

Returns

True if the current platform is iOS.

5.10.3.10 bool Crosstales.Common.Util.BaseHelper.isLinuxEditor [static], [get]

Checks if we are inside the Linux Editor.

Returns

True if we are inside the Linux Editor.

5.10.3.11 bool Crosstales.Common.Util.BaseHelper.isLinuxPlatform [static], [get]

Checks if the current platform is Linux.

Returns

True if the current platform is Linux.

5.10.3.12 bool Crosstales.Common.Util.BaseHelper.isMacOSEditor [static], [get]

Checks if we are inside the macOS Editor.

Returns

True if we are inside the macOS Editor.

5.10.3.13 bool Crosstales.Common.Util.BaseHelper.isMacOSPlatform [static], [get]

Checks if the current platform is OSX.

Returns

True if the current platform is OSX.

5.10.3.14 bool Crosstales.Common.Util.BaseHelper.isPS4Platform [static], [get]

Checks if the current platform is PS4.

Returns

True if the current platform is PS4.

5.10.3.15 `bool Crosstales.Common.Util.BaseHelper.isStandalonePlatform` `[static], [get]`

Checks if the current platform is standalone (Windows, macOS or Linux).

Returns

True if the current platform is standalone (Windows, macOS or Linux).

5.10.3.16 `bool Crosstales.Common.Util.BaseHelper.isTvOSPlatform` `[static], [get]`

Checks if the current platform is tvOS.

Returns

True if the current platform is tvOS.

5.10.3.17 `bool Crosstales.Common.Util.BaseHelper.isWebGLPlatform` `[static], [get]`

Checks if the current platform is WebGL.

Returns

True if the current platform is WebGL.

5.10.3.18 `bool Crosstales.Common.Util.BaseHelper.isWebPlatform` `[static], [get]`

Checks if the current platform is Web (WebPlayer or WebGL).

Returns

True if the current platform is Web (WebPlayer or WebGL).

5.10.3.19 `bool Crosstales.Common.Util.BaseHelper.isWindowsBasedPlatform` `[static], [get]`

Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

Returns

True if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

5.10.3.20 `bool Crosstales.Common.Util.BaseHelper.isWindowsEditor` `[static], [get]`

Checks if we are inside the Windows Editor.

Returns

True if we are inside the Windows Editor.

5.10.3.21 bool Crosstales.Common.Util.BaseHelper.isWindowsPlatform [static], [get]

Checks if the current platform is Windows.

Returns

True if the current platform is Windows.

5.10.3.22 bool Crosstales.Common.Util.BaseHelper.isWSABasedPlatform [static], [get]

Checks if the current platform is WSA-based (WSA or XboxOne).

Returns

True if the current platform is WSA-based (WSA or XboxOne).

5.10.3.23 bool Crosstales.Common.Util.BaseHelper.isWSAPlatform [static], [get]

Checks if the current platform is WSA.

Returns

True if the current platform is WSA.

5.10.3.24 bool Crosstales.Common.Util.BaseHelper.isXboxOnePlatform [static], [get]

Checks if the current platform is XboxOne.

Returns

True if the current platform is XboxOne.

5.10.3.25 string Crosstales.Common.Util.BaseHelper.StreamingAssetsPath [static], [get]

Returns the path to the the "Streaming Assets".

Returns

The path to the the "Streaming Assets".


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/BaseHelper.cs

5.11 HutongGames.PlayMaker.Actions.BaseOCAction Class Reference

Base class for OnlineCheck-actions in [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.BaseOCAction:



Public Attributes

- FsmEvent **sendEvent**

5.11.1 Detailed Description

Base class for OnlineCheck-actions in [PlayMaker](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/3rd party/PlayMaker/Scripts/BaseOCAction.cs

5.12 Crosstales.Common.EditorTask.BaseSetupResources Class Reference

Base for copying all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.BaseSetupResources:



Static Protected Member Functions

- static void **setupResources** (string source, string sourceFolder, string target, string targetFolder, string metafile)

5.12.1 Detailed Description

Base for copying all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstailes/Common/Editor/Task/BaseSetupResources.cs

5.13 HutongGames.PlayMaker.Actions.Check Class Reference

Check-action for Internet availability in [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.Check:



Public Member Functions

- override void **Awake** ()
- override void **OnEnter** ()

Public Attributes

- FsmInt [IntervalMin](#) = 4
Minimum delay between checks in seconds (default: 4, range: 3 - 120).
- FsmInt [IntervalMax](#) = 10
Maximum delay between checks in seconds (default: 10, range: 4 - 120).
- FsmInt [Timeout](#) = 2
Timeout for every check in seconds (default: 2, range: 1 - 20).
- FsmBool [isInternetAvailable](#)
Checks if an Internet connection is available (output variable).

5.13.1 Detailed Description

Check-action for Internet availability in [PlayMaker](#).

5.13.2 Member Data Documentation

5.13.2.1 FsmInt HutongGames.PlayMaker.Actions.Check.IntervalMax = 10

Maximum delay between checks in seconds (default: 10, range: 4 - 120).

5.13.2.2 FsmInt HutongGames.PlayMaker.Actions.Check.IntervalMin = 4

Minimum delay between checks in seconds (default: 4, range: 3 - 120).

5.13.2.3 FsmBool HutongGames.PlayMaker.Actions.Check.isInternetAvailable

Checks if an Internet connection is available (output variable).

5.13.2.4 FsmInt HutongGames.PlayMaker.Actions.Check.Timeout = 2

Timeout for every check in seconds (default: 2, range: 1 - 20).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Online↔
Check/3rd party/PlayMaker/Scripts/Check.cs

5.14 Crosstales.OnlineCheck.PlayMaker.CheckEditor Class Reference

Custom editor for the Check-action.

Inheritance diagram for Crosstales.OnlineCheck.PlayMaker.CheckEditor:



Public Member Functions

- override bool **OnGUI** ()

5.14.1 Detailed Description

Custom editor for the Check-action.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Online↔
Check/3rd party/PlayMaker/Editor/CheckEditor.cs

5.15 Crosstales.OnlineCheck.EditorTask.CompileDefines Class Reference

Adds the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.OnlineCheck.EditorTask.CompileDefines:



Additional Inherited Members

5.15.1 Detailed Description

Adds the given define symbols to PlayerSettings define symbols.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/CompileDefines.cs

5.16 Crosstales.OnlineCheck.Util.Config Class Reference

Configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changeable variables to their default value.
- static void [Load](#) ()
Loads the all changeable variables.
- static void [Save](#) ()
Saves the all changeable variables.

Static Public Attributes

- static bool [DEBUG](#) = Constants.DEFAULT_DEBUG
Enable or disable debug logging for the asset.
- static bool [ENSURE_NAME](#) = Constants.DEFAULT_ENSURE_NAME
Enable or disable the ensuring the name of the [OnlineCheck](#) gameobject.
- static bool [isLoading](#) = false
Is the configuration loaded?

5.16.1 Detailed Description

Configuration for the asset.

5.16.2 Member Function Documentation

5.16.2.1 `static void Crosstales.OnlineCheck.Util.Config.Load () [static]`

Loads the all changeable variables.

5.16.2.2 `static void Crosstales.OnlineCheck.Util.Config.Reset () [static]`

Resets all changeable variables to their default value.

5.16.2.3 `static void Crosstales.OnlineCheck.Util.Config.Save () [static]`

Saves the all changeable variables.

5.16.3 Member Data Documentation

5.16.3.1 `bool Crosstales.OnlineCheck.Util.Config.DEBUG = Constants.DEFAULT_DEBUG [static]`

Enable or disable debug logging for the asset.

5.16.3.2 `bool Crosstales.OnlineCheck.Util.Config.ENSURE_NAME = Constants.DEFAULT_ENSURE_NAME [static]`

Enable or disable the ensuring the name of the [OnlineCheck](#) gameobject.

5.16.3.3 `bool Crosstales.OnlineCheck.Util.Config.isLoaded = false [static]`

Is the configuration loaded?


The documentation for this class was generated from the following file:

- `D:/slauberberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Util/Config.cs`

5.17 Crosstales.OnlineCheck.EditorIntegration.ConfigBase Class Reference

Base class for editor windows.

Inheritance diagram for Crosstales.OnlineCheck.EditorIntegration.ConfigBase:



Protected Member Functions

- void **showConfiguration** ()
- void **showHelp** ()
- void **showAbout** ()

Static Protected Member Functions

- static void **save** ()

5.17.1 Detailed Description

Base class for editor windows.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Integration/ConfigBase.cs

5.18 Crosstales.OnlineCheck.EditorIntegration.ConfigPreferences Class Reference

Unity "Preferences" extension.

Inheritance diagram for Crosstales.OnlineCheck.EditorIntegration.ConfigPreferences:



Additional Inherited Members

5.18.1 Detailed Description

Unity "Preferences" extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Integration/ConfigPreferences.cs

5.19 Crosstales.OnlineCheck.EditorIntegration.ConfigWindow Class Reference

Editor window extension.

Inheritance diagram for Crosstales.OnlineCheck.EditorIntegration.ConfigWindow:



Public Member Functions

- void **OnEnable** ()
- void **OnGUI** ()
- void **OnInspectorUpdate** ()

Static Public Member Functions

- static void **ShowWindow** ()
- static void **ShowWindow** (int tab)

Additional Inherited Members

5.19.1 Detailed Description

Editor window extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Integration/ConfigWindow.cs

5.20 Crosstales.OnlineCheck.Util.Constants Class Reference

Collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.OnlineCheck.Util.Constants:



Public Attributes

- const string **ASSET_NAME** = "Online Check PRO"
Name of the asset.
- const string **ASSET_NAME_SHORT** = "OC PRO"
Short name of the asset.
- const string **ASSET_VERSION** = "2019.3.0"
Version of the asset.
- const int **ASSET_BUILD** = 20191015
Build number of the asset.
- const string **ASSET_PRO_URL** = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"
URL of the PRO asset in UAS.
- const string **ASSET_2019_URL** = "https://www.assetstore.unity3d.com/#!/content/74688?aid=1011INGT"
URL of the 2019 asset in UAS.
- const string **ASSET_UPDATE_CHECK_URL** = "https://www.crosstales.com/media/assets/onlinecheck_versions.txt"
URL for update-checks of the asset
- const string **ASSET_CONTACT** = "onlinecheck@crosstales.com"
Contact to the owner of the asset.
- const string **ASSET_MANUAL_URL** = "https://www.crosstales.com/media/data/assets/OnlineCheck/OnlineCheck-doc.pdf"
URL of the asset manual.
- const string **ASSET_API_URL** = "https://crosstales.com/media/data/assets/OnlineCheck/api"
URL of the asset API.
- const string **ASSET_FORUM_URL** = "https://forum.unity.com/threads/online-check-pro-verify-internet-reachability.472558/"
URL of the asset forum.
- const string **ASSET_WEB_URL** = "https://www.crosstales.com/en/portfolio/OnlineCheck/"
URL of the asset in crosstales.
- const string **ASSET_VIDEO_PROMO** = "https://youtu.be/pPvKE-eyxV4?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"
URL of the promotion video of the asset (Youtube).
- const string **ASSET_VIDEO_TUTORIAL** = "https://youtu.be/bNdafUNcs68?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"
URL of the tutorial video of the asset (Youtube).
- const string **KEY_PREFIX** = "ONLINECHECK_CFG_"
- const string **KEY_DEBUG** = KEY_PREFIX + "DEBUG"
- const string **KEY_ENSURE_NAME** = KEY_PREFIX + "ENSURE_NAME"
- const bool **DEFAULT_ENSURE_NAME** = true
- const string **ONLINECHECK_SCENE_OBJECT_NAME** = "OnlineCheck"
OnlineCheck prefab scene name.
- const string **PROXY_SCENE_OBJECT_NAME** = "Proxy"
Proxy prefab scene name.

Static Public Attributes

- static readonly System.DateTime [ASSET_CREATED](#) = new System.DateTime(2017, 5, 4)
Create date of the asset (YYYY, MM, DD).
- static readonly System.DateTime [ASSET_CHANGED](#) = new System.DateTime(2019, 10, 15)
Change date of the asset (YYYY, MM, DD).

Additional Inherited Members

5.20.1 Detailed Description

Collected constants of very general utility for the asset.

5.20.2 Member Data Documentation

5.20.2.1 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_2019_URL = "https://www.assetstore.unity3d.com/#!/content/74688?aid=1011INGT"`

URL of the 2019 asset in UAS.

5.20.2.2 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_API_URL = "https://crosstales.com/media/data/assets/OnlineCheck/api"`

URL of the asset API.

5.20.2.3 `const int Crosstales.OnlineCheck.Util.Constants.ASSET_BUILD = 20191015`

Build number of the asset.

5.20.2.4 `readonly System.DateTime Crosstales.OnlineCheck.Util.Constants.ASSET_CHANGED = new System.DateTime(2019, 10, 15) [static]`

Change date of the asset (YYYY, MM, DD).

5.20.2.5 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_CONTACT = "onlinecheck@crosstales.com"`

Contact to the owner of the asset.

5.20.2.6 `readonly System.DateTime Crosstales.OnlineCheck.Util.Constants.ASSET_CREATED = new System.DateTime(2017, 5, 4) [static]`

Create date of the asset (YYYY, MM, DD).

5.20.2.7 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_FORUM_URL = "https://forum.unity.com/threads/online-check-pro-verify-internet-reachability.472558/"`

URL of the asset forum.

5.20.2.8 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_MANUAL_URL = "https://www.crosstales.com/media/data/assets/OnlineCheck/OnlineCheck-doc.pdf"`

URL of the asset manual.

5.20.2.9 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_NAME = "Online Check PRO"`

Name of the asset.

5.20.2.10 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_NAME_SHORT = "OC PRO"`

Short name of the asset.

5.20.2.11 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_PRO_URL = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"`

URL of the PRO asset in UAS.

5.20.2.12 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_UPDATE_CHECK_URL = "https://www.crosstales.com/media/assets/onlinecheck_versions.txt"`

URL for update-checks of the asset

5.20.2.13 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_VERSION = "2019.3.0"`

Version of the asset.

5.20.2.14 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_VIDEO_PROMO = "https://youtu.be/pPvKE-eyxV4?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"`

URL of the promotion video of the asset (Youtube).

5.20.2.15 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_VIDEO_TUTORIAL = "https://youtu.be/bNdafUNcs68?list=PLgtonlOr6Tb41XTMeeZ836tjHIKgOO84S"`

URL of the tutorial video of the asset (Youtube).

5.20.2.16 `const string Crosstales.OnlineCheck.Util.Constants.ASSET_WEB_URL = "https://www.crosstales.com/en/portfolio/OnlineCheck/"`

URL of the asset in crosstales.

5.20.2.17 `const string Crosstales.OnlineCheck.Util.Constants.ONLINECHECK_SCENE_OBJECT_NAME = "OnlineCheck"`

[OnlineCheck](#) prefab scene name.

5.20.2.18 `const string Crosstales.OnlineCheck.Util.Constants.PROXY_SCENE_OBJECT_NAME = "Proxy"`

Proxy prefab scene name.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Util/Constants.cs`

5.21 Crosstales.OnlineCheck.Util.Context Class Reference

[Context](#) for the asset.

Static Public Attributes

- static int [NumberOfChecks](#) = 0
The current total number of checks.
- static float [Runtime](#) = 0f
Time since start of the scene.
- static float [Uptime](#) = 0f
The current total of Internet availability uptime.

Properties

- static float [ChecksPerMinute](#) [get]
Calculates checks per minute.
- static float [Downtime](#) [get]
Calculates Internet unavailability.

5.21.1 Detailed Description

[Context](#) for the asset.

5.21.2 Member Data Documentation

5.21.2.1 `int Crosstales.OnlineCheck.Util.Context.NumberOfChecks = 0` `[static]`

The current total number of checks.

5.21.2.2 `float Crosstales.OnlineCheck.Util.Context.Runtime = 0f` `[static]`

Time since start of the scene.

5.21.2.3 `float Crosstales.OnlineCheck.Util.Context.Uptime = 0f` `[static]`

The current total of Internet availability uptime.

5.21.3 Property Documentation

5.21.3.1 `float Crosstales.OnlineCheck.Util.Context.ChecksPerMinute` `[static], [get]`

Calculates checks per minute.

Returns

Returns checks done within 60 seconds

5.21.3.2 `float Crosstales.OnlineCheck.Util.Context.Downtime` `[static], [get]`

Calculates Internet unavailability.

Returns

Returns downtime in seconds.

The documentation for this class was generated from the following file:

- `D:/slauberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Util/Context.cs`

5.22 Crosstales.Common.Util.CTPlayerPrefs Class Reference

Wrapper for the PlayerPrefs.

Static Public Member Functions

- static bool [HasKey](#) (string key)
Exists the key?
- static void [DeleteAll](#) ()
Deletes all keys.
- static void [DeleteKey](#) (string key)
Delete the key.
- static void [Save](#) ()
Saves all modifications.
- static string [GetString](#) (string key)
Allows to get a string from a key.
- static float [GetFloat](#) (string key)
Allows to get a float from a key.
- static int [GetInt](#) (string key)
Allows to get an int from a key.
- static bool [GetBool](#) (string key)
Allows to get a bool from a key.
- static System.DateTime [GetDate](#) (string key)
Allows to get a DateTime from a key.
- static void [SetString](#) (string key, string value)
Allows to set a string for a key.
- static void [SetFloat](#) (string key, float value)
Allows to set a float for a key.
- static void [SetInt](#) (string key, int value)
Allows to set an int for a key.
- static void [SetBool](#) (string key, bool value)
Allows to set a bool for a key.
- static void [SetDate](#) (string key, System.DateTime value)
Allows to set a DateTime for a key.

5.22.1 Detailed Description

Wrapper for the PlayerPrefs.

5.22.2 Member Function Documentation

5.22.2.1 static void `Crosstales.Common.Util.CTPlayerPrefs.DeleteAll ()` `[static]`

Deletes all keys.

5.22.2.2 static void `Crosstales.Common.Util.CTPlayerPrefs.DeleteKey (string key)` `[static]`

Delete the key.

Parameters

<code>key</code>	Key to delete in the PlayerPrefs.
------------------	-----------------------------------

5.22.2.3 static bool Crosstales.Common.Util.CTPlayerPrefs.GetBool (string *key*) [static]

Allows to get a bool from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.4 static System.DateTime Crosstales.Common.Util.CTPlayerPrefs.GetDate (string *key*) [static]

Allows to get a DateTime from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.5 static float Crosstales.Common.Util.CTPlayerPrefs.GetFloat (string *key*) [static]

Allows to get a float from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.6 static int Crosstales.Common.Util.CTPlayerPrefs.GetInt (string *key*) [static]

Allows to get an int from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.7 `static string Crosstales.Common.Util.CTPlayerPrefs.GetString (string key) [static]`

Allows to get a string from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.8 `static bool Crosstales.Common.Util.CTPlayerPrefs.HasKey (string key) [static]`

Exists the key?

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.9 `static void Crosstales.Common.Util.CTPlayerPrefs.Save () [static]`

Saves all modifications.

5.22.2.10 `static void Crosstales.Common.Util.CTPlayerPrefs.SetBool (string key, bool value) [static]`

Allows to set a bool for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.11 `static void Crosstales.Common.Util.CTPlayerPrefs.SetDate (string key, System.DateTime value) [static]`

Allows to set a DateTime for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.12 `static void Crosstales.Common.Util.CTPlayerPrefs.SetFloat (string key, float value) [static]`

Allows to set a float for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.13 `static void Crosstales.Common.Util.CTPlayerPrefs.SetInt (string key, int value) [static]`

Allows to set an int for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.14 `static void Crosstales.Common.Util.CTPlayerPrefs.SetString (string key, string value) [static]`

Allows to set a string for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↵ Scripts/Util/CTPlayerPrefs.cs

5.23 Crosstales.Common.Util.CTWebClient Class Reference

Specialized WebClient.

Inheritance diagram for Crosstales.Common.Util.CTWebClient:



Public Member Functions

- **CTWebClient** (int timeout, int connectionLimit=20)
- System.Net.WebRequest **CTGetWebRequest** (string uri)

Protected Member Functions

- override System.Net.WebRequest **GetWebRequest** (System.Uri uri)

Properties

- int **Timeout** [get, set]
Timeout in milliseconds
- int **ConnectionLimit** [get, set]
Connection limit for all WebClients

5.23.1 Detailed Description

Specialized WebClient.

5.23.2 Property Documentation

5.23.2.1 int Crosstales.Common.Util.CTWebClient.ConnectionLimit [get], [set]

Connection limit for all WebClients

5.23.2.2 int Crosstales.Common.Util.CTWebClient.Timeout [get], [set]

Timeout in milliseconds


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/CTWebClient.cs

5.24 Crosstales.OnlineCheck.Util.CTWebClientNotCached Class Reference

Specialized WebClient.

Inheritance diagram for Crosstales.OnlineCheck.Util.CTWebClientNotCached:



Public Member Functions

- **CTWebClientNotCached** (int timeout, int connectionLimit=20)

Protected Member Functions

- override System.Net.WebRequest **GetWebRequest** (System.Uri uri)

Additional Inherited Members

5.24.1 Detailed Description

Specialized WebClient.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Util/CTWebClientNotCached.cs

5.25 Crosstales.OnlineCheck.Data.CustomCheck Class Reference

[Data](#) definition of a custom check.

Inheritance diagram for Crosstales.OnlineCheck.Data.CustomCheck:



Public Member Functions

- override string **ToString** ()

Public Attributes

- string **URL** = string.Empty
Custom URL to perform the Internet availability tests e.g. <https://mydomain.com/connect.txt>. The host should be https-based and provide an 'Access-Control-Allow-Origin' header.
- string **ExpectedData** = "success"
Expected data from the custom URL (as string).
- bool **DataMustBeEquals** = false
Compares the custom data with 'equals' to the expected data (default: false, false uses 'contains' as match).
- bool **UseOnlyCustom** = false
Use only the custom url for Internet availability tests and ignores all built-in checks (default: false).
- bool **ShowErrors** = false
Displays all connection errors (default: false).

5.25.1 Detailed Description

[Data](#) definition of a custom check.

5.25.2 Member Data Documentation

5.25.2.1 bool Crosstales.OnlineCheck.Data.CustomCheck.DataMustBeEquals = false

Compares the custom data with 'equals' to the expected data (default: false, false uses 'contains' as match).

5.25.2.2 string Crosstales.OnlineCheck.Data.CustomCheck.ExpectedData = "success"

Expected data from the custom URL (as string).

5.25.2.3 bool Crosstales.OnlineCheck.Data.CustomCheck.ShowErrors = false

Displays all connection errors (default: false).

5.25.2.4 string Crosstales.OnlineCheck.Data.CustomCheck.URL = string.Empty

Custom URL to perform the Internet availability tests e.g. <https://mydomain.com/connect.txt>. The host should be https-based and provide an 'Access-Control-Allow-Origin' header.

5.25.2.5 bool Crosstales.OnlineCheck.Data.CustomCheck.UseOnlyCustom = false

Use only the custom url for Internet availability tests and ignores all built-in checks (default: false).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Data/CustomCheck.cs

5.26 Crosstales.OnlineCheck.EditorUtil.EditorConfig Class Reference

Editor configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changeable variables to their default value.
- static void [Load](#) ()
Loads the all changeable variables.
- static void [Save](#) ()
Saves the all changeable variables.

Static Public Attributes

- static bool [UPDATE_CHECK](#) = EditorConstants.DEFAULT_UPDATE_CHECK
Enable or disable update-checks for the asset.
- static bool [TRACER](#) = EditorConstants.DEFAULT_TRACER
Enable or disable anonymous tracer data.
- static bool [PREFAB_AUTOLOAD](#) = EditorConstants.DEFAULT_PREFAB_AUTOLOAD
Automatically load and add the prefabs to the scene.
- static bool [HIERARCHY_ICON](#) = EditorConstants.DEFAULT_HIERARCHY_ICON
Enable or disable the icon in the hierarchy.
- static bool [isLoading](#) = false
Is the configuration loaded?

Properties

- static string [ASSET_PATH](#) [get]
Returns the path to the asset inside the Unity project.
- static string [PREFAB_PATH](#) [get]
Returns the path of the prefabs.

5.26.1 Detailed Description

Editor configuration for the asset.

5.26.2 Member Function Documentation

5.26.2.1 static void Crosstales.OnlineCheck.EditorUtil.EditorConfig.Load () [static]

Loads the all changeable variables.

5.26.2.2 static void Crosstales.OnlineCheck.EditorUtil.EditorConfig.Reset () [static]

Resets all changeable variables to their default value.

5.26.2.3 static void Crosstales.OnlineCheck.EditorUtil.EditorConfig.Save () [static]

Saves the all changeable variables.

5.26.3 Member Data Documentation

5.26.3.1 bool Crosstales.OnlineCheck.EditorUtil.EditorConfig.HIERARCHY_ICON = EditorConstants.DEFAULT_HIERARCHY_ICON [static]

Enable or disable the icon in the hierarchy.

5.26.3.2 bool Crosstales.OnlineCheck.EditorUtil.EditorConfig.isLoaded = false [static]

Is the configuration loaded?

5.26.3.3 bool Crosstales.OnlineCheck.EditorUtil.EditorConfig.PREFAB_AUTOLOAD = EditorConstants.DEFAULT_PREFAB_AUTOLOAD [static]

Automatically load and add the prefabs to the scene.

5.26.3.4 bool Crosstales.OnlineCheck.EditorUtil.EditorConfig.TRACER = EditorConstants.DEFAULT_TRACER [static]

Enable or disable anonymous tracer data.

5.26.3.5 bool Crosstales.OnlineCheck.EditorUtil.EditorConfig.UPDATE_CHECK = EditorConstants.DEFAULT_UPDATE_CHECK [static]

Enable or disable update-checks for the asset.

5.26.4 Property Documentation

5.26.4.1 `string Crosstales.OnlineCheck.EditorUtil.EditorConfig.ASSET_PATH` `[static], [get]`

Returns the path to the asset inside the Unity project.

Returns

The path to the asset inside the Unity project.

5.26.4.2 `string Crosstales.OnlineCheck.EditorUtil.EditorConfig.PREFAB_PATH` `[static], [get]`

Returns the path of the prefabs.

Returns

The path of the prefabs.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Util/EditorConfig.cs`

5.27 Crosstales.OnlineCheck.EditorUtil.EditorConstants Class Reference

Collected editor constants of very general utility for the asset.

Public Attributes

- `const string KEY_UPDATE_CHECK = Util.Constants.KEY_PREFIX + "UPDATE_CHECK"`
- `const string KEY_TRACER = Util.Constants.KEY_PREFIX + "TRACER"`
- `const string KEY_PREFAB_AUTOLOAD = Util.Constants.KEY_PREFIX + "PREFAB_AUTOLOAD"`
- `const string KEY_HIERARCHY_ICON = Util.Constants.KEY_PREFIX + "HIERARCHY_ICON"`
- `const string KEY_UPDATE_DATE = Util.Constants.KEY_PREFIX + "UPDATE_DATE"`
- `const string KEY_REMINDER_DATE = Util.Constants.KEY_PREFIX + "REMINDER_DATE"`
- `const string KEY_REMINDER_COUNT = Util.Constants.KEY_PREFIX + "REMINDER_COUNT"`
- `const string KEY_LAUNCH = Util.Constants.KEY_PREFIX + "LAUNCH"`
- `const string KEY_TRACER_DATE = Util.Constants.KEY_PREFIX + "TRACER_DATE"`
- `const string DEFAULT_ASSET_PATH = "/Plugins/crosstales/OnlineCheck/"`
- `const bool DEFAULT_UPDATE_CHECK = false`
- `const bool DEFAULT_TRACER = true`
- `const bool DEFAULT_PREFAB_AUTOLOAD = false`
- `const bool DEFAULT_HIERARCHY_ICON = true`

Static Public Attributes

- `static string PREFAB_SUBPATH = "Prefabs/"`
Sub-path to the prefabs.

Properties

- static string [ASSET_URL](#) [get]
Returns the URL of the asset in UAS.
- static string [ASSET_ID](#) [get]
Returns the ID of the asset in UAS.
- static System.Guid [ASSET_UID](#) [get]
Returns the UID of the asset.

5.27.1 Detailed Description

Collected editor constants of very general utility for the asset.

5.27.2 Member Data Documentation

5.27.2.1 `string Crosstales.OnlineCheck.EditorUtil.EditorConstants.PREFAB_SUBPATH = "Prefabs/"` [static]

Sub-path to the prefabs.

5.27.3 Property Documentation

5.27.3.1 `string Crosstales.OnlineCheck.EditorUtil.EditorConstants.ASSET_ID` [static], [get]

Returns the ID of the asset in UAS.

Returns

The ID of the asset in UAS.

5.27.3.2 `System.Guid Crosstales.OnlineCheck.EditorUtil.EditorConstants.ASSET_UID` [static], [get]

Returns the UID of the asset.

Returns

The UID of the asset.

5.27.3.3 `string Crosstales.OnlineCheck.EditorUtil.EditorConstants.ASSET_URL` [static], [get]

Returns the URL of the asset in UAS.

Returns

The URL of the asset in UAS.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Util/EditorConstants.cs

5.28 Crosstales.OnlineCheck.EditorUtil.EditorHelper Class Reference

Editor helper class.

Inheritance diagram for Crosstales.OnlineCheck.EditorUtil.EditorHelper:



Static Public Member Functions

- static void [OCUnavailable](#) ()
Shows an "Online Check unavailable"-UI.
- static void [InstantiatePrefab](#) (string prefabName)
Instantiates a prefab.

Public Attributes

- const int [GO_ID](#) = 20
Start index inside the "GameObject"-menu.
- const int [MENU_ID](#) = 11415
Start index inside the "Tools"-menu.

Properties

- static Texture2D **Logo_Asset** [get]
- static Texture2D **Logo_Asset_Small** [get]
- static bool [isOnlineCheckInScene](#) [get]
Checks if the 'OnlineCheck'-prefab is in the scene.
- static bool [isProxyInScene](#) [get]
Checks if the 'Proxy'-prefab is in the scene.

Additional Inherited Members

5.28.1 Detailed Description

Editor helper class.

5.28.2 Member Function Documentation

5.28.2.1 static void Crosstales.OnlineCheck.EditorUtil.EditorHelper.InstantiatePrefab (string *prefabName*) [static]

Instantiates a prefab.

Parameters

<i>prefabName</i>	Name of the prefab.
-------------------	---------------------

5.28.2.2 `static void Crosstales.OnlineCheck.EditorUtil.EditorHelper.OCUnavailable () [static]`

Shows an "Online Check unavailable"-UI.

5.28.3 Member Data Documentation

5.28.3.1 `const int Crosstales.OnlineCheck.EditorUtil.EditorHelper.GO_ID = 20`

Start index inside the "GameObject"-menu.

5.28.3.2 `const int Crosstales.OnlineCheck.EditorUtil.EditorHelper.MENU_ID = 11415`

Start index inside the "Tools"-menu.

5.28.4 Property Documentation

5.28.4.1 `bool Crosstales.OnlineCheck.EditorUtil.EditorHelper.isOnlineCheckInScene [static], [get]`

Checks if the 'OnlineCheck'-prefab is in the scene.

Returns

True if the 'OnlineCheck'-prefab is in the scene.

5.28.4.2 `bool Crosstales.OnlineCheck.EditorUtil.EditorHelper.isProxyInScene [static], [get]`

Checks if the 'Proxy'-prefab is in the scene.

Returns

True if the 'Proxy'-prefab is in the scene.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Util/EditorHelper.cs

5.29 Crosstales.ExtensionMethods Class Reference

Various extension methods.

Static Public Member Functions

- static string [CTToTitleCase](#) (this string str)
Extension method for strings. Converts a string to title case (first letter uppercase).
- static string [CTReverse](#) (this string str)
Extension method for strings. Reverses a string.
- static string [CTReplace](#) (this string str, string oldString, string newString, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Replace'.
- static bool [CTEquals](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Equals'.
- static bool [CTContains](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Contains'.
- static bool [CTContainsAny](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains any given string.
- static bool [CTContainsAll](#) (this string str, string searchTerms, char splitChar= ' ')
Extension method for strings. Contains all given strings.
- static void [CTShuffle< T >](#) (this T[] array, int seed=0)
Extension method for Arrays. Shuffles an Array.
- static string [CTDump< T >](#) (this T[] array, string prefix="", string postfix="")
Extension method for Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Quaternion[] array)
Extension method for Quaternion-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector2[] array)
Extension method for Vector2-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector3[] array)
Extension method for Vector3-Arrays. Dumps an array to a string.
- static string [CTDump](#) (this Vector4[] array)
Extension method for Vector4-Arrays. Dumps an array to a string.
- static string[] [CTToString< T >](#) (this T[] array)
Extension method for Arrays. Generates a string array with all entries (via ToString).
- static void [CTShuffle< T >](#) (this System.Collections.Generic.IList< T > list, int seed=0)
Extension method for IList. Shuffles a List.
- static string [CTDump< T >](#) (this System.Collections.Generic.IList< T > list, string prefix="", string postfix="")
Extension method for IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Quaternion > list)
Extension method for Quaternion-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector2 > list)
Extension method for Vector2-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector3 > list)
Extension method for Vector3-IList. Dumps a list to a string.
- static string [CTDump](#) (this System.Collections.Generic.IList< Vector4 > list)
Extension method for Vector4-IList. Dumps a list to a string.

- static System.Collections.Generic.List< string > [CTToString< T >](#) (this System.Collections.Generic.IList< T > list)
Extension method for IList. Generates a string list with all entries (via ToString).
- static string [CTDump< K, V >](#) (this System.Collections.Generic.IDictionary< K, V > dict, string prefix="", string postfix="")
Extension method for IDictionary. Dumps a dictionary to a string.
- static void [CTAddRange< K, V >](#) (this System.Collections.Generic.IDictionary< K, V > source, System.Collections.Generic.IDictionary< K, V > collection)
Extension method for IDictionary. Adds a dictionary to an existing one.
- static bool [CTIsVisibleFrom](#) (this Renderer renderer, Camera camera)
Extension method for Renderer. Determines if the renderer is visible from a certain camera.

5.29.1 Detailed Description

Various extension methods.

5.29.2 Member Function Documentation

5.29.2.1 static void Crosstales.ExtensionMethods.CTAddRange< K, V > (this System.Collections.Generic.IDictionary< K, V > *source*, System.Collections.Generic.IDictionary< K, V > *collection*) [static]

Extension method for IDictionary. Adds a dictionary to an existing one.

Parameters

<i>source</i>	IDictionary-instance.
<i>collection</i>	Dictionary to add.

5.29.2.2 static bool Crosstales.ExtensionMethods.CTContains (this string *str*, string *toCheck*, System.StringComparison *comp* = System.StringComparison.OrdinalIgnoreCase) [static]

Extension method for strings. Case insensitive 'Contains'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.29.2.3 static bool Crosstales.ExtensionMethods.CTContainsAll (this string *str*, string *searchTerms*, char *splitChar* = ' ') [static]

Extension method for strings. Contains all given strings.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains all parts of the given string.

5.29.2.4 `static bool Crosstales.ExtensionMethods.CTContainsAny (this string str, string searchTerms, char splitChar = ' ')`
[static]

Extension method for strings. Contains any given string.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains any parts of the given string.

5.29.2.5 `static string Crosstales.ExtensionMethods.CTDump (this Quaternion[] array)` [static]

Extension method for Quaternion-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Quaternion-Array-instance to dump.
--------------	------------------------------------

Returns

String with lines for all array entries.

5.29.2.6 `static string Crosstales.ExtensionMethods.CTDump (this Vector2[] array)` [static]

Extension method for Vector2-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector2-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.29.2.7 `static string Crosstales.ExtensionMethods.CTDump (this Vector3[] array) [static]`

Extension method for Vector3-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector3-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.29.2.8 `static string Crosstales.ExtensionMethods.CTDump (this Vector4[] array) [static]`

Extension method for Vector4-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector4-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.29.2.9 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Quaternion > list) [static]`

Extension method for Quaternion-IList. Dumps a list to a string.

Parameters

<i>list</i>	Quaternion-IList-instance to dump.
-------------	------------------------------------

Returns

String with lines for all list entries.

5.29.2.10 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector2 > list) [static]`

Extension method for Vector2-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector2-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.29.2.11 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector3 > list)`
[static]

Extension method for Vector3-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector3-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.29.2.12 `static string Crosstales.ExtensionMethods.CTDump (this System.Collections.Generic.IList< Vector4 > list)`
[static]

Extension method for Vector4-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector4-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.29.2.13 `static string Crosstales.ExtensionMethods.CTDump< K, V > (this System.Collections.Generic.IDictionary< K, V > dict, string prefix = " ", string postfix = " ")` [static]

Extension method for IDictionary. Dumps a dictionary to a string.

Parameters

<i>dict</i>	IDictionary-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all dictionary entries.

5.29.2.14 `static string Crosstales.ExtensionMethods.CTDump< T > (this T[] array, string prefix = " ", string postfix = " ") [static]`

Extension method for Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Array-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all array entries.

5.29.2.15 `static string Crosstales.ExtensionMethods.CTDump< T > (this System.Collections.Generic.ICollection< T > list, string prefix = " ", string postfix = " ") [static]`

Extension method for IList. Dumps a list to a string.

Parameters

<i>list</i>	IList-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all list entries.

5.29.2.16 `static bool Crosstales.ExtensionMethods.CTEquals (this string str, string toCheck, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase) [static]`

Extension method for strings. Case insensitive 'Equals'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.29.2.17 `static bool Crosstales.ExtensionMethods.CTIsVisibleFrom (this Renderer renderer, Camera camera)` `[static]`

Extension method for *Renderer*. Determines if the renderer is visible from a certain camera.

Parameters

<i>renderer</i>	Renderer to test the visibility.
<i>camera</i>	Camera for the test.

Returns

True if the renderer is visible by the given camera.

5.29.2.18 `static string Crosstales.ExtensionMethods.CTReplace (this string str, string oldString, string newString, System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase)` `[static]`

Extension method for strings. Case insensitive 'Replace'.

Parameters

<i>str</i>	String-instance.
<i>oldString</i>	String to replace.
<i>newString</i>	New replacement string.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

Replaced string.

5.29.2.19 `static string Crosstales.ExtensionMethods.CTReverse (this string str)` `[static]`

Extension method for strings. Reverses a string.

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Reversed string.

5.29.2.20 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this T[] array, int seed = 0) [static]`

Extension method for Arrays. Shuffles an Array.

Parameters

<i>array</i>	Array-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.29.2.21 `static void Crosstales.ExtensionMethods.CTShuffle< T > (this System.Collections.Generic.IList< T > list, int seed = 0) [static]`

Extension method for IList. Shuffles a List.

Parameters

<i>list</i>	IList-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.29.2.22 `static string [] Crosstales.ExtensionMethods.CTToString< T > (this T[] array) [static]`

Extension method for Arrays. Generates a string array with all entries (via ToString).

Parameters

<i>array</i>	Array-instance to ToString.
--------------	-----------------------------

Returns

String array with all entries (via ToString).

5.29.2.23 `static System.Collections.Generic.List<string> Crosstales.ExtensionMethods.CTToString< T > (this System.Collections.Generic.IList< T > list) [static]`

Extension method for IList. Generates a string list with all entries (via ToString).

Parameters

<i>list</i>	IList-instance to ToString.
-------------	-----------------------------

Returns

String list with all entries (via ToString).

5.29.2.24 `static string Crosstales.ExtensionMethods.CTToTitleCase (this string str) [static]`

Extension method for strings. Converts a string to title case (first letter uppercase).

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Converted string in title case.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/ExtensionMethods.cs`

5.30 Crosstales.UI.Util.FPSDisplay Class Reference

Simple FPS-Counter.

Inheritance diagram for Crosstales.UI.Util.FPSDisplay:



Public Member Functions

- void **Update** ()

Public Attributes

- Text **FPS**
Text component to display the FPS.

5.30.1 Detailed Description

Simple FPS-Counter.

5.30.2 Member Data Documentation

5.30.2.1 Text Crosstales.UI.Util.FPSDisplay.FPS

Text component to display the FPS.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/Util/FPSDisplay.cs

5.31 Crosstales.Common.Util.FreeCam Class Reference

A simple free camera to be added to a Unity game object.

Inheritance diagram for Crosstales.Common.Util.FreeCam:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **OnDisable** ()
- void **StartLooking** ()
Enable free looking.
- void **StopLooking** ()
Disable free looking.

Public Attributes

- float **MovementSpeed** = 10f
Normal speed of camera movement.
- float **FastMovementSpeed** = 100f
Speed of camera movement when shift is held down.
- float **FreeLookSensitivity** = 3f
Sensitivity for free look.
- float **ZoomSensitivity** = 10f
Amount to zoom the camera when using the mouse wheel.
- float **FastZoomSensitivity** = 50f
Amount to zoom the camera when using the mouse wheel (fast mode).

5.31.1 Detailed Description

A simple free camera to be added to a Unity game object.

Keys: wasd / arrows - movement q/e - up/down (local space) r/f - up/down (world space) pageup/pagedown - up/down (world space) hold shift - enable fast movement mode right mouse - enable free look mouse - free look / rotation

5.31.2 Member Function Documentation

5.31.2.1 void Crosstales.Common.Util.FreeCam.StartLooking ()

Enable free looking.

5.31.2.2 void Crosstales.Common.Util.FreeCam.StopLooking ()

Disable free looking.

5.31.3 Member Data Documentation

5.31.3.1 float Crosstales.Common.Util.FreeCam.FastMovementSpeed = 100f

Speed of camera movement when shift is held down.

5.31.3.2 float Crosstales.Common.Util.FreeCam.FastZoomSensitivity = 50f

Amount to zoom the camera when using the mouse wheel (fast mode).

5.31.3.3 float Crosstales.Common.Util.FreeCam.FreeLookSensitivity = 3f

Sensitivity for free look.

5.31.3.4 float Crosstales.Common.Util.FreeCam.MovementSpeed = 10f

Normal speed of camera movement.

5.31.3.5 float Crosstales.Common.Util.FreeCam.ZoomSensitivity = 10f

Amount to zoom the camera when using the mouse wheel.


The documentation for this class was generated from the following file:

- D:/slauberberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/FreeCam.cs

5.32 Crosstales.OnlineCheck.EditorUtil.GAApi Class Reference

GA-wrapper API.

Inheritance diagram for Crosstales.OnlineCheck.EditorUtil.GAApi:



Static Public Member Functions

- static void [Event](#) (string category, string action, string label="", int value=0)
Tracks an event from the asset.

Additional Inherited Members

5.32.1 Detailed Description

GA-wrapper API.

5.32.2 Member Function Documentation

5.32.2.1 static void Crosstales.OnlineCheck.EditorUtil.GAApi.Event (string category, string action, string label = " ", int value = 0) [static]

Tracks an event from the asset.

Parameters

<i>category</i>	Specifies the event category.
<i>action</i>	Specifies the event action.
<i>label</i>	Specifies the event label.
<i>value</i>	Specifies the event value.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Util/GAApi.cs

5.33 Crosstales.OnlineCheck.Demo.GUIMain Class Reference

Main GUI component for all demo scenes.

Inheritance diagram for Crosstales.OnlineCheck.Demo.GUIMain:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void **OnEnable** ()
- void **OnDisable** ()
- void **Check** ()
- void **ChangeIntervalMin** ()
- void **ChangeIntervalMax** ()

Public Attributes

- Text **Name**
- Text **Version**
- Text **Scene**
- Image **Status**
- Slider **MinimumSlider**
- Slider **MaximumSlider**
- Text **MinValue**
- Text **MaxValue**
- Text **Available**
- Text **Reachability**
- Text **LastCheck**
- Text **Total**
- Text **PerMinute**
- Text **Data**
- Text **Runtime**
- Text **Uptime**
- Text **Downtime**

5.33.1 Detailed Description

Main GUI component for all demo scenes.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Demo/Scripts/GUIMain.cs

5.34 Crosstales.OnlineCheck.Demo.GUIScenes Class Reference

Main GUI scene manager for all demo scenes.

Inheritance diagram for Crosstales.OnlineCheck.Demo.GUIScenes:



Public Member Functions

- void [LoadPreviousScene](#) ()
Load previous scene.
- void [LoadNextScene](#) ()
Load next scene.
- void **OpenAssetURL** ()
- void **OpenCTURL** ()
- void [Quit](#) ()
Quit the application.

Public Attributes

- string [PreviousScene](#)
Name of the previous scene.
- string [NextScene](#)
Name of the next scene.

5.34.1 Detailed Description

Main GUI scene manager for all demo scenes.

5.34.2 Member Function Documentation

5.34.2.1 void Crosstales.OnlineCheck.Demo.GUIScenes.LoadNextScene ()

Load next scene.

5.34.2.2 void Crosstales.OnlineCheck.Demo.GUIScenes.LoadPreviousScene ()

Load previous scene.

5.34.2.3 void Crosstales.OnlineCheck.Demo.GUIScenes.Quit ()

Quit the application.

5.34.3 Member Data Documentation

5.34.3.1 string Crosstales.OnlineCheck.Demo.GUIScenes.NextScene

Name of the next scene.

5.34.3.2 string Crosstales.OnlineCheck.Demo.GUIScenes.PreviousScene

Name of the previous scene.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Demo/Scripts/GUIScenes.cs

5.35 Crosstales.OnlineCheck.Util.Helper Class Reference

Various helper functions.

Inheritance diagram for Crosstales.OnlineCheck.Util.Helper:



Static Public Member Functions

- static void [CreateCustomCheck](#) ()
Creates a custom check asset.

Additional Inherited Members

5.35.1 Detailed Description

Various helper functions.

5.35.2 Member Function Documentation

5.35.2.1 static void Crosstailes.OnlineCheck.Util.Helper.CreateCustomCheck () [static]

Creates a custom check asset.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstailes/OnlineCheck/Scripts/Util/Helper.cs

5.36 Crosstailes.OnlineCheck.EditorTask.Launch Class Reference

Show the configuration window on the first launch.

5.36.1 Detailed Description

Show the configuration window on the first launch.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstailes/OnlineCheck/Editor/Task/Launch.cs

5.37 Crosstailes.OnlineCheck.Demo.Util.ManageEndlessMode Class Reference

Enable or disable EndlessMode at startup.

Inheritance diagram for Crosstailes.OnlineCheck.Demo.Util.ManageEndlessMode:



Public Member Functions

- void **Awake** ()

Public Attributes

- bool **EndlessMode** = false

5.37.1 Detailed Description

Enable or disable EndlessMode at startup.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Demo/Scripts/Util/ManageEndlessMode.cs

5.38 Crosstales.Common.EditorTask.NYCheck Class Reference

Checks if a 'Happy new year'-message must be displayed.

5.38.1 Detailed Description

Checks if a 'Happy new year'-message must be displayed.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Editor/Task/NYCheck.cs

5.39 Crosstales.OnlineCheck.OnlineCheck Class Reference

Checks the Internet availability.

Inheritance diagram for Crosstales.OnlineCheck.OnlineCheck:



Public Member Functions

- delegate void [OnlineStatusChange](#) (bool isConnected)
Callback to determine whether the online status has changed or not.
- delegate void [NetworkReachabilityChange](#) ([NetworkReachability](#) networkReachability)
Callback to determine whether the network reachability has changed or not.
- delegate void [OnlineCheckComplete](#) (bool isConnected, [NetworkReachability](#) networkReachability)
Callback to determine whether the checks have completed or not.
- void **OnEnable** ()
- void **Awake** ()
- void **Start** ()
- void **Update** ()
- void **OnApplicationQuit** ()
- void **OnValidate** ()

Static Public Member Functions

- static void [Refresh](#) ()
Checks for Internet availability.
- static IEnumerator [RefreshYield](#) ()
Checks for Internet availability as an IEnumerator.

Public Attributes

- bool [EndlessMode](#) = true
Continuously check for Internet availability within given intervals (default: true).
- int [IntervalMin](#) = 4
Minimum delay between checks in seconds (default: 3, range: 3 - 120).
- int [IntervalMax](#) = 10
Maximum delay between checks in seconds (default: 10, range: 4 - 120).
- int [Timeout](#) = 2
Timeout for every check in seconds (default: 2, range: 1 - 20).
- bool [ForceWWW](#) = false
Force UnityWebRequest instead of WebClient (default: false).
- [Data.CustomCheck](#) **CustomCheck**
- bool [RunOnStart](#) = true
Start at runtime (default: true).
- float [Delay](#) = 0f
Delay in seconds until the [OnlineCheck](#) starts checking (default: 0).
- bool [DontDestroy](#) = true
Don't destroy gameobject during scene switches (default: true).

Properties

- static [OnlineStatusChange](#) [OnOnlineStatusChange](#)
An event triggered whenever the Internet connection status changes.
- static [NetworkReachabilityChange](#) [OnNetworkReachabilityChange](#)
An event triggered whenever the network reachability changes.
- static [OnlineCheckComplete](#) [OnOnlineCheckComplete](#)
An event triggered whenever the Internet connection check is completed.
- static bool [isEndlessMode](#) [get, set]
Continuously check for Internet availability within given intervals.
- static int [CheckIntervalMin](#) [get, set]
Minimum delay between checks in seconds (default: 3, range: 3 - 120).
- static int [CheckIntervalMax](#) [get, set]
Maximum delay between checks in seconds (default: 10, range: 4 - 120).
- static int [CheckTimeout](#) [get, set]
Timeout for every check in seconds (default: 2, range: 1 - 20).
- static bool [isForceWWW](#) [get, set]
Force UnityWebRequest instead of WebClient.
- static [Data.CustomCheck](#) [CurrentCustomCheck](#) [get, set]
Use a custom configuration for the checks.
- static bool [isInternetAvailable](#) [get]
Returns true if an Internet connection is available.
- static NetworkReachability [NetworkReachability](#) [get]
Returns the network reachability.
- static System.DateTime [LastCheck](#) [get]
Returns the time of the last availability check.
- static long [DataDownloaded](#) [get]
Returns the total download size in bytes for the current session.

5.39.1 Detailed Description

Checks the Internet availability.

5.39.2 Member Function Documentation

5.39.2.1 `delegate void Crosstales.OnlineCheck.OnlineCheck.NetworkReachabilityChange (NetworkReachability networkReachability)`

Callback to determine whether the network reachability has changed or not.

5.39.2.2 `delegate void Crosstales.OnlineCheck.OnlineCheck.OnlineCheckComplete (bool isConnected, NetworkReachability networkReachability)`

Callback to determine whether the checks have completed or not.

5.39.2.3 `delegate void Crosstales.OnlineCheck.OnlineCheck.OnlineStatusChange (bool isConnected)`

Callback to determine whether the online status has changed or not.

5.39.2.4 `static void Crosstales.OnlineCheck.OnlineCheck.Refresh () [static]`

Checks for Internet availability.

5.39.2.5 `static IEnumerator Crosstales.OnlineCheck.OnlineCheck.RefreshYield () [static]`

Checks for Internet availability as an IEnumerator.

5.39.3 Member Data Documentation

5.39.3.1 `float Crosstales.OnlineCheck.OnlineCheck.Delay = 0f`

Delay in seconds until the [OnlineCheck](#) starts checking (default: 0).

5.39.3.2 `bool Crosstales.OnlineCheck.OnlineCheck.DontDestroy = true`

Don't destroy gameobject during scene switches (default: true).

5.39.3.3 `bool Crosstales.OnlineCheck.OnlineCheck.EndlessMode = true`

Continuously check for Internet availability within given intervals (default: true).

5.39.3.4 `bool Crosstales.OnlineCheck.OnlineCheck.ForceWWW = false`

Force UnityWebRequest instead of WebClient (default: false).

5.39.3.5 `int Crosstales.OnlineCheck.OnlineCheck.IntervalMax = 10`

Maximum delay between checks in seconds (default: 10, range: 4 - 120).

5.39.3.6 `int Crosstales.OnlineCheck.OnlineCheck.IntervalMin = 4`

Minimum delay between checks in seconds (default: 3, range: 3 - 120).

5.39.3.7 `bool Crosstales.OnlineCheck.OnlineCheck.RunOnStart = true`

Start at runtime (default: true).

5.39.3.8 `int Crosstales.OnlineCheck.OnlineCheck.Timeout = 2`

Timeout for every check in seconds (default: 2, range: 1 - 20).

5.39.4 Property Documentation

5.39.4.1 `int Crosstales.OnlineCheck.OnlineCheck.CheckIntervalMax` `[static], [get], [set]`

Maximum delay between checks in seconds (default: 10, range: 4 - 120).

5.39.4.2 `int Crosstales.OnlineCheck.OnlineCheck.CheckIntervalMin` `[static], [get], [set]`

Minimum delay between checks in seconds (default: 3, range: 3 - 120).

5.39.4.3 `int Crosstales.OnlineCheck.OnlineCheck.CheckTimeout` `[static], [get], [set]`

Timeout for every check in seconds (default: 2, range: 1 - 20).

5.39.4.4 `Data.CustomCheck Crosstales.OnlineCheck.OnlineCheck.CurrentCustomCheck` `[static], [get], [set]`

Use a custom configuration for the checks.

5.39.4.5 long Crosstales.OnlineCheck.OnlineCheck.DataDownloaded [static], [get]

Returns the total download size in bytes for the current session.

Returns

Download size in bytes.

5.39.4.6 bool Crosstales.OnlineCheck.OnlineCheck.isEndlessMode [static], [get], [set]

Continuously check for Internet availability within given intervals.

5.39.4.7 bool Crosstales.OnlineCheck.OnlineCheck.isForceWWW [static], [get], [set]

Force UnityWebRequest instead of WebClient.

5.39.4.8 bool Crosstales.OnlineCheck.OnlineCheck.isInternetAvailable [static], [get]

Returns true if an Internet connection is available.

Returns

True if an Internet connection is available.

5.39.4.9 System.DateTime Crosstales.OnlineCheck.OnlineCheck.LastCheck [static], [get]

Returns the time of the last availability check.

Returns

Time of the last availability check.

5.39.4.10 NetworkReachability Crosstales.OnlineCheck.OnlineCheck.NetworkReachability [static], [get]

Returns the network reachability.

Returns

The Internet reachability.

5.39.4.11 NetworkReachabilityChange Crosstales.OnlineCheck.OnlineCheck.OnNetworkReachabilityChange
[static], [add], [remove]

An event triggered whenever the network reachability changes.

5.39.4.12 OnlineCheckComplete `Crosstales.OnlineCheck.OnlineCheck.OnOnlineCheckComplete` `[static], [add], [remove]`

An event triggered whenever the Internet connection check is completed.

5.39.4.13 OnlineStatusChange `Crosstales.OnlineCheck.OnlineCheck.OnOnlineStatusChange` `[static], [add], [remove]`

An event triggered whenever the Internet connection status changes.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/OnlineCheck.cs`

5.40 Crosstales.OnlineCheck.EditorExtension.OnlineCheckEditor Class Reference

Custom editor for the '[OnlineCheck](#)'-class.

Inheritance diagram for `Crosstales.OnlineCheck.EditorExtension.OnlineCheckEditor`:



Public Member Functions

- void **OnEnable** ()
- void **OnDisable** ()
- override void **OnInspectorGUI** ()

5.40.1 Detailed Description

Custom editor for the '[OnlineCheck](#)'-class.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Extension/OnlineCheckEditor.cs`

5.41 Crosstales.OnlineCheck.EditorIntegration.OnlineCheckGameObject Class Reference

Editor component for the "Hierarchy"-menu.

5.41.1 Detailed Description

Editor component for the "Hierarchy"-menu.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Integration/OnlineCheckGameObject.cs

5.42 Crosstales.OnlineCheck.EditorIntegration.OnlineCheckMenu Class Reference

Editor component for the "Tools"-menu.

Static Public Member Functions

- static void **CreateCustomCheck** ()

5.42.1 Detailed Description

Editor component for the "Tools"-menu.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Integration/OnlineCheckMenu.cs

5.43 Crosstales.Common.Util.PlatformController Class Reference

Enables or disable game objects for a given platform.

Inheritance diagram for Crosstales.Common.Util.PlatformController:



Public Member Functions

- virtual void **Start** ()

Public Attributes

- System.Collections.Generic.List< [Model.Enum.Platform](#) > **Platforms**
Selected platforms for the controller.
- bool **Active** = true
summary> Selected objects for the controller.
- GameObject[] **Objects**

Protected Member Functions

- void **selectPlatform** ()
- void **activateGO** ()

Protected Attributes

- [Model.Enum.Platform](#) **currentPlatform**

5.43.1 Detailed Description

Enables or disable game objects for a given platform.

5.43.2 Member Data Documentation

5.43.2.1 bool Crosstales.Common.Util.PlatformController.Active = true

summary> Selected objects for the controller.

5.43.2.2 System.Collections.Generic.List<[Model.Enum.Platform](#)> Crosstales.Common.Util.PlatformController.Platforms

Selected platforms for the controller.

summary> Enable or disable the 'Objects' for the selected 'Platforms' (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↔ Scripts/Util/PlatformController.cs

5.44 Crosstales.OnlineCheck.Tool.Proxy Class Reference

Handles HTTP/HTTPS Internet connections via proxy server.

Inheritance diagram for Crosstales.OnlineCheck.Tool.Proxy:



Public Member Functions

- void **Awake** ()
- void **Update** ()
- void **EnableHTTPProxy** ()
Enables or disables a proxy server for HTTPS connections with the current instance variables as parameters.
- void **EnableHTTPSProxy** ()
Enables or disables a proxy server for HTTPS connections with the current instance variables as parameters.

Static Public Member Functions

- static void **EnableHTTPProxy** (string url, int port, string username="", string password="", string url↵ Protocol="")
Enables or disables a proxy server for HTTP connections.
- static void **EnableHTTPSProxy** (string url, int port, string username="", string password="", string url↵ Protocol="")
Enables or disables a proxy server for HTTPS connections.
- static void **DisableHTTPProxy** ()
Disables the proxy server for HTTP connections.
- static void **DisableHTTPSProxy** ()
Disables the proxy server for HTTPS connections.

Public Attributes

- string **HTTPProxyURL**
URL (without protocol) or IP of the proxy server.
- int **HTTPProxyPort** = 8080
Port of the proxy server.
- string **HTTPProxyUsername** = string.Empty
Username for the proxy server (optional).
- string **HTTPProxyPassword** = string.Empty
Password for the proxy server (optional).
- string **HTTPProxyURLProtocol** = string.Empty
Protocol (e.g. 'http://') for the proxy server (optional).
- string **HTTPSProxyURL**
URL (without protocol) or IP of the proxy server.
- int **HTTPSProxyPort** = 8443
Port of the proxy server.
- string **HTTPSProxyUsername** = string.Empty
Username for the proxy server (optional).
- string **HTTPSProxyPassword** = string.Empty
Password for the proxy server (optional).
- string **HTTPSProxyURLProtocol** = string.Empty
Protocol (e.g. 'http://') for the proxy server (optional).
- bool **EnableOnAwake** = false
Enable the proxy on awake (default: false).

Properties

- static bool [hasHTTPProxy](#) [get]
Is HTTP-proxy enabled?
- static bool [hasHTTPSProxy](#) [get]
Is HTTPS-proxy enabled?

5.44.1 Detailed Description

Handles HTTP/HTTPS Internet connections via proxy server.

5.44.2 Member Function Documentation

5.44.2.1 static void [Crosstales.OnlineCheck.Tool.Proxy.DisableHTTPProxy](#) () [static]

Disables the proxy server for HTTP connections.

5.44.2.2 static void [Crosstales.OnlineCheck.Tool.Proxy.DisableHTTPSProxy](#) () [static]

Disables the proxy server for HTTPS connections.

5.44.2.3 void [Crosstales.OnlineCheck.Tool.Proxy.EnableHTTPProxy](#) ()

Enables or disables a proxy server for HTTPS connections with the current instance variables as parameters.

5.44.2.4 static void [Crosstales.OnlineCheck.Tool.Proxy.EnableHTTPProxy](#) (string *url*, int *port*, string *username* = "", string *password* = "", string *urlProtocol* = "") [static]

Enables or disables a proxy server for HTTP connections.

Parameters

<i>url</i>	URL (without protocol) or IP of the proxy server
<i>port</i>	Port of the proxy server
<i>username</i>	"Username for the proxy server (optional)</param> <param name="password">Password for the proxy server (optional)</param> <param name="urlProtocol">Protocol (e.g. 'http://') for the proxy server (optional)

5.44.2.5 void [Crosstales.OnlineCheck.Tool.Proxy.EnableHTTPSProxy](#) ()

Enables or disables a proxy server for HTTPS connections with the current instance variables as parameters.

5.44.2.6 `static void Crosstales.OnlineCheck.Tool.Proxy.EnableHTTPSProxy (string url, int port, string username = " ", string password = " ", string urlProtocol = " ") [static]`

Enables or disables a proxy server for HTTPS connections.

Parameters

<i>url</i>	URL (without protocol) or IP of the proxy server
<i>port</i>	Port of the proxy server
<i>username</i>	"Username for the proxy server (optional)</param> <param name="password">Password for the proxy server (optional)</param> <param name="urlProtocol">Protocol (e.g. 'http://') for the proxy server (optional)

5.44.3 Member Data Documentation

5.44.3.1 `bool Crosstales.OnlineCheck.Tool.Proxy.EnableOnAwake = false`

Enable the proxy on awake (default: false).

5.44.3.2 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPProxyPassword = string.Empty`

Password for the proxy server (optional).

5.44.3.3 `int Crosstales.OnlineCheck.Tool.Proxy.HTTPProxyPort = 8080`

Port of the proxy server.

5.44.3.4 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPProxyURL`

URL (without protocol) or IP of the proxy server.

5.44.3.5 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPProxyURLProtocol = string.Empty`

Protocol (e.g. 'http://') for the proxy server (optional).

5.44.3.6 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPProxyUsername = string.Empty`

Username for the proxy server (optional).

5.44.3.7 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPSProxyPassword = string.Empty`

Password for the proxy server (optional).

5.44.3.8 `int Crosstales.OnlineCheck.Tool.Proxy.HTTPSProxyPort = 8443`

Port of the proxy server.

5.44.3.9 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPSProxyURL`

URL (without protocol) or IP of the proxy server.

5.44.3.10 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPSProxyURLProtocol = string.Empty`

Protocol (e.g. `'http://'`) for the proxy server (optional).

5.44.3.11 `string Crosstales.OnlineCheck.Tool.Proxy.HTTPSProxyUsername = string.Empty`

Username for the proxy server (optional).

5.44.4 Property Documentation

5.44.4.1 `bool Crosstales.OnlineCheck.Tool.Proxy.hasHTTPProxy` `[static], [get]`

Is HTTP-proxy enabled?

Returns

True if the HTTP-proxy is enabled.

5.44.4.2 `bool Crosstales.OnlineCheck.Tool.Proxy.hasHTTPSProxy` `[static], [get]`

Is HTTPS-proxy enabled?

Returns

True if the HTTPS-proxy is enabled.


The documentation for this class was generated from the following file:

- `D:/slauberberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Scripts/Tool/Proxy.cs`

5.45 Crosstales.OnlineCheck.EditorExtension.ProxyEditor Class Reference

Custom editor for the 'Proxy'-class.

Inheritance diagram for Crosstales.OnlineCheck.EditorExtension.ProxyEditor:



Public Member Functions

- void **OnEnable** ()
- override void **OnInspectorGUI** ()

5.45.1 Detailed Description

Custom editor for the 'Proxy'-class.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Extension/ProxyEditor.cs

5.46 Crosstales.Common.Util.RandomColor Class Reference

Random color changer.

Inheritance diagram for Crosstales.Common.Util.RandomColor:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the color (default: true).
- Vector2 **ChangeInterval** = new Vector2(5, 10)
summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).
- Vector2 **HueRange** = new Vector2(0f, 1f)
summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **SaturationRange** = new Vector2(1f, 1f)
summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **ValueRange** = new Vector2(1f, 1f)
summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 **AlphaRange** = new Vector2(1f, 1f)
summary>Use gray scale colors (default: false).
- bool **GrayScale** = false
summary>Modify the color of a material instead of the Renderer (default: not set, optional).
- Material **Material**
summary>Set the object to a random color at Start (default: false).
- bool **RandomColorAtStart** = false

5.46.1 Detailed Description

Random color changer.

5.46.2 Member Data Documentation

5.46.2.1 Vector2 Crosstales.Common.Util.RandomColor.AlphaRange = new Vector2(1f, 1f)

summary>Use gray scale colors (default: false).

5.46.2.2 Vector2 Crosstales.Common.Util.RandomColor.ChangeInterval = new Vector2(5, 10)

summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).

5.46.2.3 bool Crosstales.Common.Util.RandomColor.GrayScale = false

summary>Modify the color of a material instead of the Renderer (default: not set, optional).

5.46.2.4 Vector2 Crosstales.Common.Util.RandomColor.HueRange = new Vector2(0f, 1f)

summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).

5.46.2.5 Material Crosstales.Common.Util.RandomColor.Material

summary>Set the object to a random color at Start (default: false).

5.46.2.6 Vector2 Crosstales.Common.Util.RandomColor.SaturationRange = new Vector2(1f, 1f)

summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).

5.46.2.7 bool Crosstales.Common.Util.RandomColor.UseInterval = true

Use intervals to change the color (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 5, y = 10).

5.46.2.8 Vector2 Crosstales.Common.Util.RandomColor.ValueRange = new Vector2(1f, 1f)

summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/RandomColor.cs

5.47 Crosstales.Common.Util.RandomRotator Class Reference

Random rotation changer.

Inheritance diagram for Crosstales.Common.Util.RandomRotator:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the rotation (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum rotation speed per axis (default: 5 for all axis).
- Vector3 **SpeedMin** = new Vector3(5, 5, 5)
summary>Maximum rotation speed per axis (default: 15 for all axis).
- Vector3 **SpeedMax** = new Vector3(15, 15, 15)
summary>Set the object to a random rotation at Start (default: false).
- bool **RandomRotationAtStart** = false

5.47.1 Detailed Description

Random rotation changer.

5.47.2 Member Data Documentation

5.47.2.1 Vector2 Crosstales.Common.Util.RandomRotator.ChangeInterval = new Vector2(10, 20)

summary>Minimum rotation speed per axis (default: 5 for all axis).

5.47.2.2 Vector3 Crosstales.Common.Util.RandomRotator.SpeedMax = new Vector3(15, 15, 15)

summary>Set the object to a random rotation at Start (default: false).

5.47.2.3 Vector3 Crosstales.Common.Util.RandomRotator.SpeedMin = new Vector3(5, 5, 5)

summary>Maximum rotation speed per axis (default: 15 for all axis).

5.47.2.4 bool Crosstales.Common.Util.RandomRotator.UseInterval = true

Use intervals to change the rotation (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/RandomRotator.cs

5.48 Crosstales.Common.Util.RandomScaler Class Reference

Random scale changer.

Inheritance diagram for Crosstales.Common.Util.RandomScaler:



Public Member Functions

- void **Start** ()
- void **Update** ()

Public Attributes

- bool **UseInterval** = true
Use intervals to change the scale (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMin** = new Vector3(0.1f, 0.1f, 0.1f)
summary>Maximum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMax** = new Vector3(3, 3, 3)
summary>Uniform scaling for all axis (x-axis values will be used, default: true).
- bool **Uniform** = true
summary>Set the object to a random scale at Start (default: false).
- bool **RandomScaleAtStart** = false

5.48.1 Detailed Description

Random scale changer.

5.48.2 Member Data Documentation

5.48.2.1 Vector2 Crosstales.Common.Util.RandomScaler.ChangeInterval = new Vector2(10, 20)

summary>Minimum scale per axis (default: 0.1 for all axis).

5.48.2.2 Vector3 Crosstales.Common.Util.RandomScaler.ScaleMax = new Vector3(3, 3, 3)

summary>Uniform scaling for all axis (x-axis values will be used, default: true).

5.48.2.3 Vector3 Crosstales.Common.Util.RandomScaler.ScaleMin = new Vector3(0.1f, 0.1f, 0.1f)

summary>Maximum scale per axis (default: 0.1 for all axis).

5.48.2.4 bool Crosstales.Common.Util.RandomScaler.Uniform = true

summary>Set the object to a random scale at Start (default: false).

5.48.2.5 bool Crosstales.Common.Util.RandomScaler.UseInterval = true

Use intervals to change the scale (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/RandomScaler.cs

5.49 Crosstales.OnlineCheck.EditorTask.ReminderCheck Class Reference

Reminds the customer to create an UAS review.

5.49.1 Detailed Description

Reminds the customer to create an UAS review.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/ReminderCheck.cs

5.50 Crosstales.UI.Util.ScrollRectHandler Class Reference

Changes the sensitivity of ScrollRects under various platforms.

Inheritance diagram for Crosstales.UI.Util.ScrollRectHandler:



Public Member Functions

- void **Start** ()

Public Attributes

- ScrollRect **Scroll**
- float **WindowsSensitivity** = 35f
- float **MacSensitivity** = 25f

5.50.1 Detailed Description

Changes the sensitivity of ScrollRects under various platforms.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/Util/ScrollRectHandler.cs

5.51 Crosstales.Common.Util.SerializableDictionary< TKey, TVal > Class Template Reference

Serializable Dictionary-class for XML.

Inheritance diagram for Crosstales.Common.Util.SerializableDictionary< TKey, TVal >:



Public Member Functions

- **SerializableDictionary** (System.Collections.Generic.IDictionary< TKey, TVal > dictionary)
- **SerializableDictionary** (System.Collections.Generic.IEqualityComparer< TKey > comparer)
- **SerializableDictionary** (int capacity)
- **SerializableDictionary** (System.Collections.Generic.IDictionary< TKey, TVal > dictionary, System.Collections.Generic.IEqualityComparer< TKey > comparer)
- **SerializableDictionary** (int capacity, System.Collections.Generic.IEqualityComparer< TKey > comparer)

Protected Member Functions

- **SerializableDictionary** (System.Runtime.Serialization.SerializationInfo info, System.Runtime.Serialization.StreamingContext context)

Properties

- System.Xml.Serialization.XmlSerializer **ValueSerializer** [get]

5.51.1 Detailed Description

Serializable Dictionary-class for XML.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Util/SerializableDictionary.cs

5.52 Crosstales.OnlineCheck.EditorTask.SetAndroid Class Reference

Sets the required build parameters for Android.

5.52.1 Detailed Description

Sets the required build parameters for Android.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/SetAndroid.cs

5.53 Crosstales.Common.EditorTask.SetupResources Class Reference

Copies all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.SetupResources:



Additional Inherited Members

5.53.1 Detailed Description

Copies all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Editor/Task/SetupResources.cs

5.54 Crosstales.OnlineCheck.EditorTask.SetupResources Class Reference

Moves all needed resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.OnlineCheck.EditorTask.SetupResources:



Additional Inherited Members

5.54.1 Detailed Description

Moves all needed resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/SetupResources.cs

5.55 Crosstales.UI.Social Class Reference

[Crosstales](#) social media links.

Inheritance diagram for Crosstales.UI.Social:



Public Member Functions

- void **Facebook** ()
- void **Twitter** ()
- void **LinkedIn** ()
- void **Youtube** ()
- void **Discord** ()

5.55.1 Detailed Description

[Crosstales](#) social media links.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/Social.cs

5.56 Crosstales.UI.StaticManager Class Reference

Static Button Manager.

Inheritance diagram for Crosstales.UI.StaticManager:



Public Member Functions

- void [Quit](#) ()
Quit the application (stop playing inside the Editor).
- void [OpenCrosstales](#) ()
summary> Open the Unity AssetStore homepage.
- void **OpenAssetstore** ()

5.56.1 Detailed Description

Static Button Manager.

5.56.2 Member Function Documentation

5.56.2.1 void Crosstales.UI.StaticManager.OpenCrosstales ()

summary>Open the Unity AssetStore homepage.

5.56.2.2 void Crosstales.UI.StaticManager.Quit ()

Quit the application (stop playing inside the Editor).

summary>Open the crosstales homepage.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/StaticManager.cs

5.57 Crosstales.Common.Util.SurviveSceneSwitch Class Reference

Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.

Inheritance diagram for Crosstales.Common.Util.SurviveSceneSwitch:



Public Member Functions

- void **OnEnable** ()
- void **Start** ()
- void **Update** ()

Public Attributes

- `GameObject[] Survivors`
Objects which have to survive a scene switch.
- `bool DontDestroy = true`
Don't destroy gameobject during scene switches (default: true).

5.57.1 Detailed Description

Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.

5.57.2 Member Data Documentation

5.57.2.1 `bool Crosstales.Common.Util.SurviveSceneSwitch.DontDestroy = true`

Don't destroy gameobject during scene switches (default: true).

5.57.2.2 `GameObject[] Crosstales.Common.Util.SurviveSceneSwitch.Survivors`

Objects which have to survive a scene switch.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/Scripts/Tool/SurviveSceneSwitch.cs`

5.58 Crosstales.Common.Util.TakeScreenshot Class Reference

Take screen shots inside an application.

Inheritance diagram for `Crosstales.Common.Util.TakeScreenshot`:



Public Member Functions

- `void Start ()`
- `void Update ()`
- `void Capture ()`
Capture the screen.
- `void Start ()`

Public Attributes

- string **Prefix** = "CT_Screenshot"
Prefix for the generate file names.
- int **Scale** = 1
summary>Key-press to capture the screen (default: F8).
- KeyCode **KeyCode** = KeyCode.F8

5.58.1 Detailed Description

Take screen shots inside an application.

5.58.2 Member Function Documentation

5.58.2.1 void Crosstales.Common.Util.TakeScreenshot.Capture ()

Capture the screen.

5.58.3 Member Data Documentation

5.58.3.1 string Crosstales.Common.Util.TakeScreenshot.Prefix = "CT_Screenshot"

Prefix for the generate file names.

summary>Factor by which to increase resolution (default: 1).

5.58.3.2 int Crosstales.Common.Util.TakeScreenshot.Scale = 1

summary>Key-press to capture the screen (default: F8).

The documentation for this class was generated from the following file:

- D:/slauberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↔ Scripts/Tool/TakeScreenshot.cs

5.59 Crosstales.OnlineCheck.EditorTask.Tracer Class Reference

Gather some tracing data for the asset.

5.59.1 Detailed Description

Gather some tracing data for the asset.


The documentation for this class was generated from the following file:

- D:/slauberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Online↔ Check/Editor/Task/Tracer.cs

5.60 Crosstales.UI.UIDrag Class Reference

Allow to Drag the Windows around.

Inheritance diagram for Crosstales.UI.UIDrag:



Public Member Functions

- void **Start** ()
- void **BeginDrag** ()
Drag started.
- void **OnDrag** ()

5.60.1 Detailed Description

Allow to Drag the Windows around.

5.60.2 Member Function Documentation

5.60.2.1 void Crosstales.UI.UIDrag.BeginDrag ()

Drag started.

summary>While dragging.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/UIDrag.cs

5.61 Crosstales.UI.UIFocus Class Reference

Change the Focus on from a Window.

Inheritance diagram for Crosstales.UI.UIFocus:



Public Member Functions

- void **Start** ()
- void **OnPanelEnter** ()

Panel entered.

Public Attributes

- string **ManagerName** = "Canvas"
Name of the gameobject containing the [UIWindowManager](#).

5.61.1 Detailed Description

Change the Focus on from a Window.

5.61.2 Member Function Documentation

5.61.2.1 void Crosstales.UI.UIFocus.OnPanelEnter ()

Panel entered.

5.61.3 Member Data Documentation

5.61.3.1 string Crosstales.UI.UIFocus.ManagerName = "Canvas"

Name of the gameobject containing the [UIWindowManager](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/↵
Scripts/UIFocus.cs

5.62 Crosstales.UI.UIHint Class Reference

Controls a [UI](#) group (hint).

Inheritance diagram for Crosstales.UI.UIHint:



Public Member Functions

- void **Start** ()
- void **FadeUp** ()
- void **FadeDown** ()

Public Attributes

- CanvasGroup **Group**
Group to fade.
- float **Delay** = 2f
Delay in seconds before fading (default: 2).
- float **FadeTime** = 2f
Fade time in seconds (default: 2).
- bool **Disable** = true
*Disable **UI** element after the fade (default: true).*
- bool **FadeAtStart** = true
Fade at Start (default: true).

5.62.1 Detailed Description

Controls a **UI** group (hint).

5.62.2 Member Data Documentation

5.62.2.1 float Crosstales.UI.UIHint.Delay = 2f

Delay in seconds before fading (default: 2).

5.62.2.2 bool Crosstales.UI.UIHint.Disable = true

Disable **UI** element after the fade (default: true).

5.62.2.3 bool Crosstales.UI.UIHint.FadeAtStart = true

Fade at Start (default: true).

5.62.2.4 float Crosstales.UI.UIHint.FadeTime = 2f

Fade time in seconds (default: 2).

5.62.2.5 CanvasGroup Crosstales.UI.UIHint.Group

Group to fade.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/UIHint.cs

5.63 Crosstales.UI.UIResize Class Reference

Resize a [UI](#) element.

Inheritance diagram for Crosstales.UI.UIResize:



Public Member Functions

- void **Awake** ()
- void **OnPointerDown** (PointerEventData data)
- void **OnDrag** (PointerEventData data)

Public Attributes

- Vector2 **MinSize** = new Vector2(300, 160)
Minimum size of the [UI](#) element.
- Vector2 **MaxSize** = new Vector2(800, 600)
Maximum size of the [UI](#) element.

5.63.1 Detailed Description

Resize a [UI](#) element.

5.63.2 Member Data Documentation

5.63.2.1 Vector2 Crosstales.UI.UIResize.MaxSize = new Vector2(800, 600)

Maximum size of the [UI](#) element.

5.63.2.2 Vector2 Crosstales.UI.UIResize.MinSize = new Vector2(300, 160)

Minimum size of the [UI](#) element.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/UIResize.cs

5.64 Crosstales.UI.UIWindowManager Class Reference

Change the state of all Window panels.

Inheritance diagram for Crosstales.UI.UIWindowManager:



Public Member Functions

- void **Start** ()
- void [ChangeState](#) (GameObject active)
Change the state of all windows.

Public Attributes

- GameObject[] [Windows](#)
All Windows of the scene.

5.64.1 Detailed Description

Change the state of all Window panels.

5.64.2 Member Function Documentation

5.64.2.1 void Crosstales.UI.UIWindowManager.ChangeState (GameObject active)

Change the state of all windows.

Parameters

<i>active</i>	Active window.
---------------	----------------

5.64.3 Member Data Documentation

5.64.3.1 GameObject [] Crosstales.UI.UIWindowManager.Windows

All Windows of the scene.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/Scripts/UIWindowManager.cs

5.65 Crosstales.OnlineCheck.EditorTask.UpdateCheck Class Reference

Checks for updates of the asset.

Static Public Member Functions

- static void **UpdateCheckForEditor** (out string result, out [UpdateStatus](#) st)

Public Attributes

- const string **TEXT_NOT_CHECKED** = "Not checked."
- const string **TEXT_NO_UPDATE** = "No update available - you are using the latest version."

5.65.1 Detailed Description

Checks for updates of the asset.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/OnlineCheck/Editor/Task/UpdateCheck.cs

5.66 Crosstales.UI.WindowManager Class Reference

Manager for a Window.

Inheritance diagram for Crosstales.UI.WindowManager:



Public Member Functions

- void **Start** ()
- void **Update** ()
- void [SwitchPanel](#) ()
Switch between open and close.
- void [OpenPanel](#) ()
summary>Close the panel.
- void **ClosePanel** ()

Public Attributes

- float [Speed](#) = 3f
Window movement speed (default: 3).
- GameObject[] [Dependencies](#)
Dependent GameObjects (active == open).

5.66.1 Detailed Description

Manager for a Window.

5.66.2 Member Function Documentation

5.66.2.1 void Crosstales.UI.WindowManager.OpenPanel ()

summary>Close the panel.

5.66.2.2 void Crosstales.UI.WindowManager.SwitchPanel ()

Switch between open and close.

summary>Open the panel.

5.66.3 Member Data Documentation

5.66.3.1 GameObject [] Crosstales.UI.WindowManager.Dependencies

Dependent GameObjects (active == open).

5.66.3.2 float Crosstales.UI.WindowManager.Speed = 3f

Window movement speed (default: 3).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/UI/↵ Scripts/WindowManager.cs

5.67 Crosstales.Common.Util.XmlHelper Class Reference

Helper-class for XML.

Static Public Member Functions

- static void [SerializeToFile< T >](#) (T obj, string filename)
Serialize an object to an XML-file.
- static T [DeserializeFromFile< T >](#) (string filename, bool skipBOM=false)
Deserialize a XML-file to an object.
- static string [SerializeToString< T >](#) (T obj)
Serialize an object to an XML-string.
- static T [DeserializeFromString< T >](#) (string xmlAsString, bool skipBOM=true)
Deserialize a XML-string to an object.
- static T [DeserializeFromResource< T >](#) (string resourceName, bool skipBOM=true)
Deserialize a Unity XML resource (TextAsset) to an object.

5.67.1 Detailed Description

Helper-class for XML.

5.67.2 Member Function Documentation

5.67.2.1 static T Crosstales.Common.Util.XmlHelper.DeserializeFromFile< T > (string *filename*, bool *skipBOM* = false)
[static]

Deserialize a XML-file to an object.

Parameters

<i>filename</i>	XML-file of the object
<i>skipBOM</i>	Skip BOM (optional, default: false)

Returns

Object

5.67.2.2 static T Crosstales.Common.Util.XmlHelper.DeserializeFromResource< T > (string *resourceName*, bool *skipBOM* = true) [static]

Deserialize a Unity XML resource (TextAsset) to an object.

Parameters

<i>resourceName</i>	Name of the resource
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.67.2.3 `static T Crosstales.Common.Util.XmlHelper.DeserializeFromString< T > (string xmlAsString, bool skipBOM = true) [static]`

Deserialize a XML-string to an object.

Parameters

<i>xmlAsString</i>	XML of the object
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.67.2.4 `static void Crosstales.Common.Util.XmlHelper.SerializeToFile< T > (T obj, string filename) [static]`

Serialize an object to an XML-file.

Parameters

<i>obj</i>	Object to serialize.
<i>filename</i>	File name of the XML.

5.67.2.5 `static string Crosstales.Common.Util.XmlHelper.SerializeToString< T > (T obj) [static]`

Serialize an object to an XML-string.

Parameters

<i>obj</i>	Object to serialize.
------------	----------------------

Returns

Object as XML-stringValid path

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/OnlineCheck/OnlineCheck_3rd_party/Assets/Plugins/crosstales/Common/↵ Scripts/Util/XmlHelper.cs

Chapter 6

More information

6.1 Homepage

<https://www.crosstales.com/en/portfolio/OnlineCheck/>

6.2 AssetStore

<https://assetstore.unity.com/lists/crosstales-42213?aid=10111NGT>

6.3 Forum

<https://goo.gl/9XH5Ke>

6.4 Documentation

<https://www.crosstales.com/media/data/assets/OnlineCheck/OnlineCheck-doc.pdf>

6.5 Discord

<https://discord.gg/ZbZ2sh4>

6.6 Demos

6.6.1 WebGL

<https://www.crosstales.com/media/data/assets/OnlineCheck/webgl/>

6.6.2 Windows

https://www.crosstales.com/media/data/assets/OnlineCheck/downloads/OnlineCheck_demo.zip

6.6.3 macOS

https://www.crosstales.com/media/data/assets/OnlineCheck/downloads/OnlineCheck_demo_mac.zip

6.6.4 Linux

https://www.crosstales.com/media/data/assets/OnlineCheck/downloads/OnlineCheck_demo_linux.zip

6.6.5 Android

<https://www.crosstales.com/media/OnlineCheck/OnlineCheck.apk>

6.7 Videos

<https://www.youtube.com/c/Crosstales>

6.7.1 Promotion

<https://youtu.be/pPvKE-eyxV4?list=PLgtonIO6Tb41XTMeeZ836tjHlKg0084S>

6.7.2 Tutorial

<https://youtu.be/bNdafUNcs68?list=PLgtonIO6Tb41XTMeeZ836tjHlKg0084S>

Index

- APPLICATION_PATH
 - Crosstales::Common::Util::BaseConstants, 30
- ASSET_2019_URL
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_3P_PLAYMAKER
 - Crosstales::Common::Util::BaseConstants, 25
- ASSET_API_URL
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_AUTHOR_URL
 - Crosstales::Common::Util::BaseConstants, 25
- ASSET_AUTHOR
 - Crosstales::Common::Util::BaseConstants, 25
- ASSET_BUILD
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_BWF
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_CHANGED
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_CONTACT
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_CREATED
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_CT_URL
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_DJ
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_FORUM_URL
 - Crosstales::OnlineCheck::Util::Constants, 56
- ASSET_FB
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_ID
 - Crosstales::OnlineCheck::EditorUtil::Editor↔
Constants, 70
- ASSET_MANUAL_URL
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_NAME_SHORT
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_NAME
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_OC
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_PATH
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig,
69
- ASSET_PRO_URL
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_RADIO
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_RTV
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_SOCIAL_DISCORD
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_SOCIAL_FACEBOOK
 - Crosstales::Common::Util::BaseConstants, 26
- ASSET_SOCIAL_LINKEDIN
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_SOCIAL_TWITTER
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_SOCIAL_YOUTUBE
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_TPB
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_TPS
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_TB
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_TR
 - Crosstales::Common::Util::BaseConstants, 27
- ASSET_UID
 - Crosstales::OnlineCheck::EditorUtil::Editor↔
Constants, 70
- ASSET_UPDATE_CHECK_URL
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_URL
 - Crosstales::OnlineCheck::EditorUtil::Editor↔
Constants, 70
- ASSET_VERSION
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_VIDEO_PROMO
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_VIDEO_TUTORIAL
 - Crosstales::OnlineCheck::Util::Constants, 57
- ASSET_WEB_URL
 - Crosstales::OnlineCheck::Util::Constants, 57
- Active
 - Crosstales::Common::Util::PlatformController, 96
- AlphaRange
 - Crosstales::Common::Util::RandomColor, 102
- AudioSources
 - Crosstales::UI::Util::AudioSourceController, 20
- BeginDrag
 - Crosstales::UI::UIDrag, 113
- CMD_WINDOWS_PATH
 - Crosstales::Common::Util::BaseConstants, 27
- CTAddRange< K, V >
 - Crosstales::ExtensionMethods, 74
- CTContains

- Crosstales::ExtensionMethods, [74](#)
- CTContainsAll
 - Crosstales::ExtensionMethods, [74](#)
- CTContainsAny
 - Crosstales::ExtensionMethods, [75](#)
- CTDump
 - Crosstales::ExtensionMethods, [75–77](#)
- CTDump< K, V >
 - Crosstales::ExtensionMethods, [77](#)
- CTDump< T >
 - Crosstales::ExtensionMethods, [78](#)
- CTEquals
 - Crosstales::ExtensionMethods, [78](#)
- CTIsVisibleFrom
 - Crosstales::ExtensionMethods, [79](#)
- CTReplace
 - Crosstales::ExtensionMethods, [79](#)
- CTReverse
 - Crosstales::ExtensionMethods, [79](#)
- CTShuffle< T >
 - Crosstales::ExtensionMethods, [79, 80](#)
- CTToString< T >
 - Crosstales::ExtensionMethods, [80](#)
- CTToTitleCase
 - Crosstales::ExtensionMethods, [80](#)
- Capture
 - Crosstales::Common::Util::TakeScreenshot, [112](#)
- ChangeInterval
 - Crosstales::Common::Util::RandomColor, [102](#)
 - Crosstales::Common::Util::RandomRotator, [104](#)
 - Crosstales::Common::Util::RandomScaler, [105](#)
- ChangeState
 - Crosstales::UI::UIWindowManager, [117](#)
- CheckIntervalMax
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- CheckIntervalMin
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- CheckTimeout
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- ChecksPerMinute
 - Crosstales::OnlineCheck::Util::Context, [59](#)
- CleanUrl
 - Crosstales::Common::Util::BaseHelper, [38](#)
- ClearLineEndings
 - Crosstales::Common::Util::BaseHelper, [38](#)
- ClearSpaces
 - Crosstales::Common::Util::BaseHelper, [38](#)
- ClearTags
 - Crosstales::Common::Util::BaseHelper, [39](#)
- ConnectionLimit
 - Crosstales::Common::Util::CTWebClient, [64](#)
- CreateCustomCheck
 - Crosstales::OnlineCheck::Util::Helper, [88](#)
- CreateString
 - Crosstales::Common::Util::BaseHelper, [39](#)
- Crosstales, [9](#)
- Crosstales.Common, [9](#)
- Crosstales.Common.EditorTask, [9](#)
- Crosstales.Common.EditorTask.BaseCompileDefines, [22](#)
- Crosstales.Common.EditorTask.BaseSetupResources, [48](#)
- Crosstales.Common.EditorTask.NYCheck, [89](#)
- Crosstales.Common.EditorTask.SetupResources, [108](#)
- Crosstales.Common.EditorUtil, [10](#)
- Crosstales.Common.EditorUtil.BaseEditorHelper, [30](#)
- Crosstales.Common.EditorUtil.BaseGAApi, [34](#)
- Crosstales.Common.Model, [10](#)
- Crosstales.Common.Model.Enum, [10](#)
- Crosstales.Common.Util, [10](#)
- Crosstales.Common.Util.BackgroundController, [22](#)
- Crosstales.Common.Util.BaseConstants, [23](#)
- Crosstales.Common.Util.BaseHelper, [35](#)
- Crosstales.Common.Util.CTPlayerPrefs, [59](#)
- Crosstales.Common.Util.CTWebClient, [63](#)
- Crosstales.Common.Util.FreeCam, [82](#)
- Crosstales.Common.Util.PlatformController, [95](#)
- Crosstales.Common.Util.RandomColor, [101](#)
- Crosstales.Common.Util.RandomRotator, [103](#)
- Crosstales.Common.Util.RandomScaler, [104](#)
- Crosstales.Common.Util.SerializableDictionary< TKey, TVal >, [107](#)
- Crosstales.Common.Util.SurviveSceneSwitch, [110](#)
- Crosstales.Common.Util.TakeScreenshot, [111](#)
- Crosstales.Common.Util.XmlHelper, [120](#)
- Crosstales.ExtensionMethods, [73](#)
- Crosstales.OnlineCheck, [11](#)
- Crosstales.OnlineCheck.Data, [11](#)
- Crosstales.OnlineCheck.Data.CustomCheck, [65](#)
- Crosstales.OnlineCheck.Demo, [11](#)
- Crosstales.OnlineCheck.Demo.GUIMain, [84](#)
- Crosstales.OnlineCheck.Demo.GUIScenes, [86](#)
- Crosstales.OnlineCheck.Demo.Util, [12](#)
- Crosstales.OnlineCheck.Demo.Util.ManageEndless↔ Mode, [88](#)
- Crosstales.OnlineCheck.EditorExtension, [12](#)
- Crosstales.OnlineCheck.EditorExtension.Online↔ CheckEditor, [94](#)
- Crosstales.OnlineCheck.EditorExtension.ProxyEditor, [101](#)
- Crosstales.OnlineCheck.EditorIntegration, [12](#)
- Crosstales.OnlineCheck.EditorIntegration.ConfigBase, [53](#)
- Crosstales.OnlineCheck.EditorIntegration.Config↔ Preferences, [53](#)
- Crosstales.OnlineCheck.EditorIntegration.Config↔ Window, [54](#)
- Crosstales.OnlineCheck.EditorIntegration.Online↔ CheckGameObject, [94](#)
- Crosstales.OnlineCheck.EditorIntegration.Online↔ CheckMenu, [95](#)
- Crosstales.OnlineCheck.EditorTask, [12](#)
- Crosstales.OnlineCheck.EditorTask.AAConfigLoader, [17](#)
- Crosstales.OnlineCheck.EditorTask.AutoInitialize, [21](#)
- Crosstales.OnlineCheck.EditorTask.CompileDefines, [51](#)

- Crosstales.OnlineCheck.EditorTask.Launch, [88](#)
- Crosstales.OnlineCheck.EditorTask.ReminderCheck, [106](#)
- Crosstales.OnlineCheck.EditorTask.SetAndroid, [107](#)
- Crosstales.OnlineCheck.EditorTask.SetupResources, [108](#)
- Crosstales.OnlineCheck.EditorTask.Tracer, [112](#)
- Crosstales.OnlineCheck.EditorTask.UpdateCheck, [118](#)
- Crosstales.OnlineCheck.EditorUtil, [13](#)
- Crosstales.OnlineCheck.EditorUtil.EditorConfig, [67](#)
- Crosstales.OnlineCheck.EditorUtil.EditorConstants, [69](#)
- Crosstales.OnlineCheck.EditorUtil.EditorHelper, [71](#)
- Crosstales.OnlineCheck.EditorUtil.GAApi, [84](#)
- Crosstales.OnlineCheck.OnlineCheck, [89](#)
- Crosstales.OnlineCheck.PlayMaker, [13](#)
- Crosstales.OnlineCheck.PlayMaker.CheckEditor, [50](#)
- Crosstales.OnlineCheck.Tool, [13](#)
- Crosstales.OnlineCheck.Tool.Proxy, [96](#)
- Crosstales.OnlineCheck.Util, [14](#)
- Crosstales.OnlineCheck.Util.CTWebClientNotCached, [65](#)
- Crosstales.OnlineCheck.Util.Config, [51](#)
- Crosstales.OnlineCheck.Util.Constants, [55](#)
- Crosstales.OnlineCheck.Util.Context, [58](#)
- Crosstales.OnlineCheck.Util.Helper, [87](#)
- Crosstales.UI.Social, [109](#)
- Crosstales.UI.StaticManager, [109](#)
- Crosstales.UI.UIDrag, [113](#)
- Crosstales.UI.UIFocus, [113](#)
- Crosstales.UI.UIHint, [114](#)
- Crosstales.UI.UIResize, [116](#)
- Crosstales.UI.UIWindowManager, [117](#)
- Crosstales.UI.Util, [14](#)
- Crosstales.UI.Util.AudioFilterController, [17](#)
- Crosstales.UI.Util.AudioSourceController, [19](#)
- Crosstales.UI.Util.FPSDisplay, [81](#)
- Crosstales.UI.Util.ScrollRectHandler, [106](#)
- Crosstales.UI.WindowManager, [118](#)
- Crosstales.UI, [14](#)
- Crosstales::Common::EditorUtil::BaseEditorHelper
 - FindAssetsByType< T >, [32](#)
 - getBuildNameFromBuildTarget, [32](#)
 - getBuildTargetForBuildName, [32](#)
 - getCLIArgument, [33](#)
 - isValidBuildTarget, [33](#)
 - ReadOnlyTextField, [33](#)
 - RefreshAssetDatabase, [33](#)
 - RestartUnity, [33](#)
 - SeparatorUI, [34](#)
- Crosstales::Common::EditorUtil::BaseGAApi
 - Event, [35](#)
- Crosstales::Common::Model::Enum
 - Platform, [10](#)
- Crosstales::Common::Util::BackgroundController
 - Objects, [22](#)
- Crosstales::Common::Util::BaseConstants
 - APPLICATION_PATH, [30](#)
 - ASSET_3P_PLAYMAKER, [25](#)
 - ASSET_AUTHOR_URL, [25](#)
 - ASSET_AUTHOR, [25](#)
 - ASSET_BWF, [26](#)
 - ASSET_CT_URL, [26](#)
 - ASSET_DJ, [26](#)
 - ASSET_FB, [26](#)
 - ASSET_OC, [26](#)
 - ASSET_RADIO, [26](#)
 - ASSET_RTV, [26](#)
 - ASSET_SOCIAL_DISCORD, [26](#)
 - ASSET_SOCIAL_FACEBOOK, [26](#)
 - ASSET_SOCIAL_LINKEDIN, [27](#)
 - ASSET_SOCIAL_TWITTER, [27](#)
 - ASSET_SOCIAL_YOUTUBE, [27](#)
 - ASSET_TPB, [27](#)
 - ASSET_TPS, [27](#)
 - ASSET_TB, [27](#)
 - ASSET_TR, [27](#)
 - CMD_WINDOWS_PATH, [27](#)
 - DEV_DEBUG, [27](#)
 - FACTOR_GB, [28](#)
 - FACTOR_KB, [28](#)
 - FACTOR_MB, [28](#)
 - FLOAT_32768, [28](#)
 - FLOAT_TOLERANCE, [28](#)
 - FORMAT_NO_DECIMAL_PLACES, [28](#)
 - FORMAT_PERCENT, [28](#)
 - FORMAT_TWO_DECIMAL_PLACES, [28](#)
 - PATH_DELIMITER_UNIX, [28](#)
 - PATH_DELIMITER_WINDOWS, [28](#)
 - PREFIX_FILE, [30](#)
 - PROCESS_KILL_TIME, [29](#)
 - SHOW_BWF_BANNER, [29](#)
 - SHOW_DJ_BANNER, [29](#)
 - SHOW_FB_BANNER, [29](#)
 - SHOW_OC_BANNER, [29](#)
 - SHOW_RADIO_BANNER, [29](#)
 - SHOW_RTV_BANNER, [29](#)
 - SHOW_TB_BANNER, [29](#)
 - SHOW_TPB_BANNER, [29](#)
 - SHOW_TPS_BANNER, [29](#)
 - SHOW_TR_BANNER, [30](#)
- Crosstales::Common::Util::BaseHelper
 - CleanUrl, [38](#)
 - ClearLineEndings, [38](#)
 - ClearSpaces, [38](#)
 - ClearTags, [39](#)
 - CreateString, [39](#)
 - CurrentPlatform, [43](#)
 - FileCopy, [39](#)
 - FormatBytesToHRF, [40](#)
 - FormatSecondsToHourMinSec, [40](#)
 - GetDirectories, [40](#)
 - GetFiles, [40](#)
 - HSVToRGB, [41](#)
 - hasActiveClip, [40](#)
 - isAndroidPlatform, [43](#)
 - isAppleBasedPlatform, [43](#)

- isEditor, [44](#)
- isEditorMode, [44](#)
- isIL2CPP, [44](#)
- isIOSBasedPlatform, [44](#)
- isIOSPlatform, [44](#)
- isInternetAvailable, [44](#)
- isLinuxEditor, [45](#)
- isLinuxPlatform, [45](#)
- isMacOSEditor, [45](#)
- isMacOSPlatform, [45](#)
- isPS4Platform, [45](#)
- isStandalonePlatform, [45](#)
- isTvOSPlatform, [46](#)
- isValidURL, [41](#)
- isWSABasedPlatform, [47](#)
- isWSAPlatform, [47](#)
- isWebGLPlatform, [46](#)
- isWebPlatform, [46](#)
- isWindowsBasedPlatform, [46](#)
- isWindowsEditor, [46](#)
- isWindowsPlatform, [46](#)
- isXboxOnePlatform, [47](#)
- OpenFile, [41](#)
- RemoteCertificateValidationCallback, [42](#)
- ShowFileLocation, [42](#)
- SplitStringToLines, [42](#)
- StreamingAssetsPath, [47](#)
- ValidURLFromFilePath, [43](#)
- ValidateFile, [42](#)
- ValidatePath, [42](#)
- Crosstales::Common::Util::CTPlayerPrefs
 - DeleteAll, [60](#)
 - DeleteKey, [60](#)
 - GetBool, [61](#)
 - GetDate, [61](#)
 - GetFloat, [61](#)
 - GetInt, [61](#)
 - GetString, [62](#)
 - HasKey, [62](#)
 - Save, [62](#)
 - SetBool, [62](#)
 - SetDate, [62](#)
 - SetFloat, [63](#)
 - SetInt, [63](#)
 - SetString, [63](#)
- Crosstales::Common::Util::CTWebClient
 - ConnectionLimit, [64](#)
 - Timeout, [64](#)
- Crosstales::Common::Util::FreeCam
 - FastMovementSpeed, [83](#)
 - FastZoomSensitivity, [83](#)
 - FreeLookSensitivity, [83](#)
 - MovementSpeed, [83](#)
 - StartLooking, [83](#)
 - StopLooking, [83](#)
 - ZoomSensitivity, [83](#)
- Crosstales::Common::Util::PlatformController
 - Active, [96](#)
 - Platforms, [96](#)
- Crosstales::Common::Util::RandomColor
 - AlphaRange, [102](#)
 - ChangeInterval, [102](#)
 - GrayScale, [102](#)
 - HueRange, [102](#)
 - Material, [102](#)
 - SaturationRange, [102](#)
 - UseInterval, [103](#)
 - ValueRange, [103](#)
- Crosstales::Common::Util::RandomRotator
 - ChangeInterval, [104](#)
 - SpeedMax, [104](#)
 - SpeedMin, [104](#)
 - UseInterval, [104](#)
- Crosstales::Common::Util::RandomScaler
 - ChangeInterval, [105](#)
 - ScaleMax, [105](#)
 - ScaleMin, [105](#)
 - Uniform, [105](#)
 - UseInterval, [105](#)
- Crosstales::Common::Util::SurviveSceneSwitch
 - DontDestroy, [111](#)
 - Survivors, [111](#)
- Crosstales::Common::Util::TakeScreenshot
 - Capture, [112](#)
 - Prefix, [112](#)
 - Scale, [112](#)
- Crosstales::Common::Util::XmlHelper
 - DeserializeFromFile< T >, [120](#)
 - DeserializeFromResource< T >, [120](#)
 - DeserializeFromString< T >, [121](#)
 - SerializeToFile< T >, [121](#)
 - SerializeToString< T >, [121](#)
- Crosstales::ExtensionMethods
 - CTAddRange< K, V >, [74](#)
 - CTContains, [74](#)
 - CTContainsAll, [74](#)
 - CTContainsAny, [75](#)
 - CTDump, [75–77](#)
 - CTDump< K, V >, [77](#)
 - CTDump< T >, [78](#)
 - CTEquals, [78](#)
 - CTIsVisibleFrom, [79](#)
 - CTReplace, [79](#)
 - CTReverse, [79](#)
 - CTShuffle< T >, [79, 80](#)
 - CTToString< T >, [80](#)
 - CTToTitleCase, [80](#)
- Crosstales::OnlineCheck::Data::CustomCheck
 - DataMustBeEquals, [66](#)
 - ExpectedData, [66](#)
 - ShowErrors, [66](#)
 - URL, [66](#)
 - UseOnlyCustom, [66](#)
- Crosstales::OnlineCheck::Demo::GUIScenes
 - LoadNextScene, [86](#)
 - LoadPreviousScene, [86](#)

- NextScene, [87](#)
- PreviousScene, [87](#)
- Quit, [86](#)
- Crosstales::OnlineCheck::EditorTask
 - UpdateStatus, [13](#)
- Crosstales::OnlineCheck::EditorUtil::EditorConfig
 - ASSET_PATH, [69](#)
 - HIERARCHY_ICON, [68](#)
 - isLoading, [68](#)
 - Load, [68](#)
 - PREFAB_AUTOLOAD, [68](#)
 - PREFAB_PATH, [69](#)
 - Reset, [68](#)
 - Save, [68](#)
 - TRACER, [68](#)
 - UPDATE_CHECK, [68](#)
- Crosstales::OnlineCheck::EditorUtil::EditorConstants
 - ASSET_ID, [70](#)
 - ASSET_UID, [70](#)
 - ASSET_URL, [70](#)
 - PREFAB_SUBPATH, [70](#)
- Crosstales::OnlineCheck::EditorUtil::EditorHelper
 - GO_ID, [72](#)
 - InstantiatePrefab, [71](#)
 - isOnlineCheckInScene, [72](#)
 - isProxyInScene, [72](#)
 - MENU_ID, [72](#)
 - OCUnavailable, [72](#)
- Crosstales::OnlineCheck::EditorUtil::GAApi
 - Event, [84](#)
- Crosstales::OnlineCheck::OnlineCheck
 - CheckIntervalMax, [92](#)
 - CheckIntervalMin, [92](#)
 - CheckTimeout, [92](#)
 - CurrentCustomCheck, [92](#)
 - DataDownloaded, [92](#)
 - Delay, [91](#)
 - DontDestroy, [91](#)
 - EndlessMode, [91](#)
 - ForceWWW, [91](#)
 - IntervalMax, [92](#)
 - IntervalMin, [92](#)
 - isEndlessMode, [93](#)
 - isForceWWW, [93](#)
 - isInternetAvailable, [93](#)
 - LastCheck, [93](#)
 - NetworkReachability, [93](#)
 - NetworkReachabilityChange, [91](#)
 - OnNetworkReachabilityChange, [93](#)
 - OnOnlineCheckComplete, [93](#)
 - OnlineStatusChange, [94](#)
 - OnlineCheckComplete, [91](#)
 - OnlineStatusChange, [91](#)
 - Refresh, [91](#)
 - RefreshYield, [91](#)
 - RunOnStart, [92](#)
 - Timeout, [92](#)
- Crosstales::OnlineCheck::Tool::Proxy
 - DisableHTTPProxy, [98](#)
 - DisableHTTPSProxy, [98](#)
 - EnableHTTPProxy, [98](#)
 - EnableHTTPSProxy, [98](#)
 - EnableOnAwake, [99](#)
 - HTTPProxyPassword, [99](#)
 - HTTPProxyPort, [99](#)
 - HTTPProxyURLProtocol, [99](#)
 - HTTPProxyURL, [99](#)
 - HTTPProxyUsername, [99](#)
 - HTTPSProxyPassword, [99](#)
 - HTTPSProxyPort, [99](#)
 - HTTPSProxyURLProtocol, [100](#)
 - HTTPSProxyURL, [100](#)
 - HTTPSProxyUsername, [100](#)
 - hasHTTPProxy, [100](#)
 - hasHTTPSProxy, [100](#)
- Crosstales::OnlineCheck::Util::Config
 - DEBUG, [52](#)
 - ENSURE_NAME, [52](#)
 - isLoading, [52](#)
 - Load, [52](#)
 - Reset, [52](#)
 - Save, [52](#)
- Crosstales::OnlineCheck::Util::Constants
 - ASSET_2019_URL, [56](#)
 - ASSET_API_URL, [56](#)
 - ASSET_BUILD, [56](#)
 - ASSET_CHANGED, [56](#)
 - ASSET_CONTACT, [56](#)
 - ASSET_CREATED, [56](#)
 - ASSET_FORUM_URL, [56](#)
 - ASSET_MANUAL_URL, [57](#)
 - ASSET_NAME_SHORT, [57](#)
 - ASSET_NAME, [57](#)
 - ASSET_PRO_URL, [57](#)
 - ASSET_UPDATE_CHECK_URL, [57](#)
 - ASSET_VERSION, [57](#)
 - ASSET_VIDEO_PROMO, [57](#)
 - ASSET_VIDEO_TUTORIAL, [57](#)
 - ASSET_WEB_URL, [57](#)
 - ONLINECHECK_SCENE_OBJECT_NAME, [58](#)
 - PROXY_SCENE_OBJECT_NAME, [58](#)
- Crosstales::OnlineCheck::Util::Context
 - ChecksPerMinute, [59](#)
 - Downtime, [59](#)
 - NumberOfChecks, [59](#)
 - Runtime, [59](#)
 - Uptime, [59](#)
- Crosstales::OnlineCheck::Util::Helper
 - CreateCustomCheck, [88](#)
- Crosstales::UI::StaticManager
 - OpenCrosstales, [110](#)
 - Quit, [110](#)
- Crosstales::UI::UIDrag
 - BeginDrag, [113](#)
- Crosstales::UI::UIFocus
 - ManagerName, [114](#)

- OnPanelEnter, [114](#)
- Crosstales::UI::UIHint
 - Delay, [115](#)
 - Disable, [115](#)
 - FadeAtStart, [115](#)
 - FadeTime, [115](#)
 - Group, [115](#)
- Crosstales::UI::UIResize
 - MaxSize, [116](#)
 - MinSize, [116](#)
- Crosstales::UI::UIWindowManager
 - ChangeState, [117](#)
 - Windows, [118](#)
- Crosstales::UI::Util::AudioFilterController
 - FindAllAudioFilters, [18](#)
 - FindAllAudioFiltersOnStart, [19](#)
 - ResetAudioFilters, [18](#)
- Crosstales::UI::Util::AudioSourceController
 - AudioSources, [20](#)
 - FindAllAudioSources, [20](#)
 - FindAllAudioSourcesOnStart, [20](#)
 - Loop, [20](#)
 - Mute, [21](#)
 - Pitch, [21](#)
 - ResetAllAudioSources, [20](#)
 - ResetAudioSourcesOnStart, [21](#)
 - StereoPan, [21](#)
 - Volume, [21](#)
- Crosstales::UI::Util::FPSDisplay
 - FPS, [82](#)
- Crosstales::UI::WindowManager
 - Dependencies, [119](#)
 - OpenPanel, [119](#)
 - Speed, [119](#)
 - SwitchPanel, [119](#)
- CurrentCustomCheck
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- CurrentPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- DEBUG
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- DEV_DEBUG
 - Crosstales::Common::Util::BaseConstants, [27](#)
- DataDownloaded
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- DataMustBeEquals
 - Crosstales::OnlineCheck::Data::CustomCheck, [66](#)
- Delay
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
 - Crosstales::UI::UIHint, [115](#)
- DeleteAll
 - Crosstales::Common::Util::CTPlayerPrefs, [60](#)
- DeleteKey
 - Crosstales::Common::Util::CTPlayerPrefs, [60](#)
- Dependencies
 - Crosstales::UI::WindowManager, [119](#)
- DeserializeFromFile< T >
 - Crosstales::Common::Util::XmlHelper, [120](#)
- DeserializeFromResource< T >
 - Crosstales::Common::Util::XmlHelper, [120](#)
- DeserializeFromString< T >
 - Crosstales::Common::Util::XmlHelper, [121](#)
- Disable
 - Crosstales::UI::UIHint, [115](#)
- DisableHTTPProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [98](#)
- DisableHTTPSPProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [98](#)
- DontDestroy
 - Crosstales::Common::Util::SurviveSceneSwitch, [111](#)
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- Downtime
 - Crosstales::OnlineCheck::Util::Context, [59](#)
- ENSURE_NAME
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- EnableHTTPProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [98](#)
- EnableHTTPSPProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [98](#)
- EnableOnAwake
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- EndlessMode
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- Event
 - Crosstales::Common::EditorUtil::BaseGAApi, [35](#)
 - Crosstales::OnlineCheck::EditorUtil::GAApi, [84](#)
- ExpectedData
 - Crosstales::OnlineCheck::Data::CustomCheck, [66](#)
- FACTOR_GB
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FACTOR_KB
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FACTOR_MB
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FLOAT_32768
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FLOAT_TOLERANCE
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FORMAT_NO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FORMAT_PERCENT
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FORMAT_TWO_DECIMAL_PLACES
 - Crosstales::Common::Util::BaseConstants, [28](#)
- FPS
 - Crosstales::UI::Util::FPSDisplay, [82](#)
- FadeAtStart
 - Crosstales::UI::UIHint, [115](#)
- FadeTime
 - Crosstales::UI::UIHint, [115](#)
- FastMovementSpeed
 - Crosstales::Common::Util::FreeCam, [83](#)
- FastZoomSensitivity
 - Crosstales::Common::Util::FreeCam, [83](#)

- FileCopy
 - Crosstales::Common::Util::BaseHelper, [39](#)
- FindAllAudioFilters
 - Crosstales::UI::Util::AudioFilterController, [18](#)
- FindAllAudioFiltersOnStart
 - Crosstales::UI::Util::AudioFilterController, [19](#)
- FindAllAudioSources
 - Crosstales::UI::Util::AudioSourceController, [20](#)
- FindAllAudioSourcesOnStart
 - Crosstales::UI::Util::AudioSourceController, [20](#)
- FindAssetsByType< T >
 - Crosstales::Common::EditorUtil::BaseEditor↔Helper, [32](#)
- ForceWWW
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- FormatBytesToHRF
 - Crosstales::Common::Util::BaseHelper, [40](#)
- FormatSecondsToHourMinSec
 - Crosstales::Common::Util::BaseHelper, [40](#)
- FreeLookSensitivity
 - Crosstales::Common::Util::FreeCam, [83](#)
- GO_ID
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [72](#)
- GetBool
 - Crosstales::Common::Util::CTPlayerPrefs, [61](#)
- getBuildNameFromBuildTarget
 - Crosstales::Common::EditorUtil::BaseEditor↔Helper, [32](#)
- getBuildTargetForBuildName
 - Crosstales::Common::EditorUtil::BaseEditor↔Helper, [32](#)
- getCLIArgument
 - Crosstales::Common::EditorUtil::BaseEditor↔Helper, [33](#)
- GetDate
 - Crosstales::Common::Util::CTPlayerPrefs, [61](#)
- GetDirectories
 - Crosstales::Common::Util::BaseHelper, [40](#)
- GetFiles
 - Crosstales::Common::Util::BaseHelper, [40](#)
- GetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, [61](#)
- GetInt
 - Crosstales::Common::Util::CTPlayerPrefs, [61](#)
- GetString
 - Crosstales::Common::Util::CTPlayerPrefs, [62](#)
- GrayScale
 - Crosstales::Common::Util::RandomColor, [102](#)
- Group
 - Crosstales::UI::UIHint, [115](#)
- HIERARCHY_ICON
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
- HSVToRGB
 - Crosstales::Common::Util::BaseHelper, [41](#)
- HTTPProxyPassword
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPProxyPort
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPProxyURLProtocol
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPProxyURL
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPProxyUsername
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPSProxyPassword
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPSProxyPort
 - Crosstales::OnlineCheck::Tool::Proxy, [99](#)
- HTTPSProxyURLProtocol
 - Crosstales::OnlineCheck::Tool::Proxy, [100](#)
- HTTPSProxyURL
 - Crosstales::OnlineCheck::Tool::Proxy, [100](#)
- HTTPSProxyUsername
 - Crosstales::OnlineCheck::Tool::Proxy, [100](#)
- hasActiveClip
 - Crosstales::Common::Util::BaseHelper, [40](#)
- hasHTTPProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [100](#)
- hasHTTPSProxy
 - Crosstales::OnlineCheck::Tool::Proxy, [100](#)
- HasKey
 - Crosstales::Common::Util::CTPlayerPrefs, [62](#)
- HueRange
 - Crosstales::Common::Util::RandomColor, [102](#)
- HutongGames, [15](#)
- HutongGames.PlayMaker, [15](#)
- HutongGames.PlayMaker.Actions, [15](#)
- HutongGames.PlayMaker.Actions.BaseOAction, [48](#)
- HutongGames.PlayMaker.Actions.Check, [49](#)
- HutongGames::PlayMaker::Actions::Check
 - IntervalMax, [49](#)
 - IntervalMin, [49](#)
 - isInternetAvailable, [50](#)
 - Timeout, [50](#)
- InstantiatePrefab
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [71](#)
- IntervalMax
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
 - HutongGames::PlayMaker::Actions::Check, [49](#)
- IntervalMin
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
 - HutongGames::PlayMaker::Actions::Check, [49](#)
- isAndroidPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isAppleBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [43](#)
- isEditor
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isEditorMode
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isEndlessMode
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)

- isForceWWW
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
- isIL2CPP
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isIOSBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isIOSPlatform
 - Crosstales::Common::Util::BaseHelper, [44](#)
- isInternetAvailable
 - Crosstales::Common::Util::BaseHelper, [44](#)
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
 - HutongGames::PlayMaker::Actions::Check, [50](#)
- isLinuxEditor
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isLinuxPlatform
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isLoaded
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- isMacOSEditor
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isMacOSPlatform
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isOnlineCheckInScene
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [72](#)
- isPS4Platform
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isProxyInScene
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [72](#)
- isStandalonePlatform
 - Crosstales::Common::Util::BaseHelper, [45](#)
- isTVOSPlatform
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isValidBuildTarget
 - Crosstales::Common::EditorUtil::BaseEditorHelper, [33](#)
- isValidURL
 - Crosstales::Common::Util::BaseHelper, [41](#)
- isWSABasedPlatform
 - Crosstales::Common::Util::BaseHelper, [47](#)
- isWSAPlatform
 - Crosstales::Common::Util::BaseHelper, [47](#)
- isWebGLPlatform
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isWebPlatform
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isWindowsBasedPlatform
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isWindowsEditor
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isWindowsPlatform
 - Crosstales::Common::Util::BaseHelper, [46](#)
- isXboxOnePlatform
 - Crosstales::Common::Util::BaseHelper, [47](#)
- LastCheck
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
- Load
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- LoadNextScene
 - Crosstales::OnlineCheck::Demo::GUIScenes, [86](#)
- LoadPreviousScene
 - Crosstales::OnlineCheck::Demo::GUIScenes, [86](#)
- Loop
 - Crosstales::UI::Util::AudioSourceController, [20](#)
- MENU_ID
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [72](#)
- ManagerName
 - Crosstales::UI::UIFocus, [114](#)
- Material
 - Crosstales::Common::Util::RandomColor, [102](#)
- MaxSize
 - Crosstales::UI::UIResize, [116](#)
- MinSize
 - Crosstales::UI::UIResize, [116](#)
- MovementSpeed
 - Crosstales::Common::Util::FreeCam, [83](#)
- Mute
 - Crosstales::UI::Util::AudioSourceController, [21](#)
- NetworkReachability
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
- NetworkReachabilityChange
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- NextScene
 - Crosstales::OnlineCheck::Demo::GUIScenes, [87](#)
- NumberOfChecks
 - Crosstales::OnlineCheck::Util::Context, [59](#)
- OCUnavailable
 - Crosstales::OnlineCheck::EditorUtil::EditorHelper, [72](#)
- ONLINECHECK_SCENE_OBJECT_NAME
 - Crosstales::OnlineCheck::Util::Constants, [58](#)
- Objects
 - Crosstales::Common::Util::BackgroundController, [22](#)
- OnNetworkReachabilityChange
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
- OnOnlineCheckComplete
 - Crosstales::OnlineCheck::OnlineCheck, [93](#)
- OnOnlineStatusChange
 - Crosstales::OnlineCheck::OnlineCheck, [94](#)
- OnPanelEnter
 - Crosstales::UI::UIFocus, [114](#)
- OnlineCheckComplete
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- OnlineStatusChange
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- OpenCrosstales
 - Crosstales::UI::StaticManager, [110](#)

- OpenFile
 - Crosstales::Common::Util::BaseHelper, [41](#)
- OpenPanel
 - Crosstales::UI::WindowManager, [119](#)
- PATH_DELIMITER_UNIX
 - Crosstales::Common::Util::BaseConstants, [28](#)
- PATH_DELIMITER_WINDOWS
 - Crosstales::Common::Util::BaseConstants, [28](#)
- PREFAB_AUTOLOAD
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
- PREFAB_PATH
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [69](#)
- PREFAB_SUBPATH
 - Crosstales::OnlineCheck::EditorUtil::Editor↵ Constants, [70](#)
- PREFIX_FILE
 - Crosstales::Common::Util::BaseConstants, [30](#)
- PROCESS_KILL_TIME
 - Crosstales::Common::Util::BaseConstants, [29](#)
- PROXY_SCENE_OBJECT_NAME
 - Crosstales::OnlineCheck::Util::Constants, [58](#)
- Pitch
 - Crosstales::UI::Util::AudioSourceController, [21](#)
- Platform
 - Crosstales::Common::Model::Enum, [10](#)
- Platforms
 - Crosstales::Common::Util::PlatformController, [96](#)
- Prefix
 - Crosstales::Common::Util::TakeScreenshot, [112](#)
- PreviousScene
 - Crosstales::OnlineCheck::Demo::GUIScenes, [87](#)
- Quit
 - Crosstales::OnlineCheck::Demo::GUIScenes, [86](#)
 - Crosstales::UI::StaticManager, [110](#)
- ReadOnlyTextField
 - Crosstales::Common::EditorUtil::BaseEditor↵ Helper, [33](#)
- Refresh
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- RefreshAssetDatabase
 - Crosstales::Common::EditorUtil::BaseEditor↵ Helper, [33](#)
- RefreshYield
 - Crosstales::OnlineCheck::OnlineCheck, [91](#)
- RemoteCertificateValidationCallback
 - Crosstales::Common::Util::BaseHelper, [42](#)
- Reset
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- ResetAllAudioSources
 - Crosstales::UI::Util::AudioSourceController, [20](#)
- ResetAudioFilters
 - Crosstales::UI::Util::AudioFilterController, [18](#)
- ResetAudioSourcesOnStart
 - Crosstales::UI::Util::AudioSourceController, [21](#)
- RestartUnity
 - Crosstales::Common::EditorUtil::BaseEditor↵ Helper, [33](#)
- RunOnStart
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
- Runtime
 - Crosstales::OnlineCheck::Util::Context, [59](#)
- SHOW_BWF_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_DJ_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_FB_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_OC_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_RADIO_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_RTV_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_TB_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_TPB_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_TPS_BANNER
 - Crosstales::Common::Util::BaseConstants, [29](#)
- SHOW_TR_BANNER
 - Crosstales::Common::Util::BaseConstants, [30](#)
- SaturationRange
 - Crosstales::Common::Util::RandomColor, [102](#)
- Save
 - Crosstales::Common::Util::CTPlayerPrefs, [62](#)
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
 - Crosstales::OnlineCheck::Util::Config, [52](#)
- Scale
 - Crosstales::Common::Util::TakeScreenshot, [112](#)
- ScaleMax
 - Crosstales::Common::Util::RandomScaler, [105](#)
- ScaleMin
 - Crosstales::Common::Util::RandomScaler, [105](#)
- SeparatorUI
 - Crosstales::Common::EditorUtil::BaseEditor↵ Helper, [34](#)
- SerializeToFile< T >
 - Crosstales::Common::Util::XmlHelper, [121](#)
- SerializeToString< T >
 - Crosstales::Common::Util::XmlHelper, [121](#)
- SetBool
 - Crosstales::Common::Util::CTPlayerPrefs, [62](#)
- SetDate
 - Crosstales::Common::Util::CTPlayerPrefs, [62](#)
- SetFloat
 - Crosstales::Common::Util::CTPlayerPrefs, [63](#)
- SetInt
 - Crosstales::Common::Util::CTPlayerPrefs, [63](#)
- SetString

- Crosstales::Common::Util::CTPlayerPrefs, [63](#)
- ShowErrors
 - Crosstales::OnlineCheck::Data::CustomCheck, [66](#)
- ShowFileLocation
 - Crosstales::Common::Util::BaseHelper, [42](#)
- Speed
 - Crosstales::UI::WindowManager, [119](#)
- SpeedMax
 - Crosstales::Common::Util::RandomRotator, [104](#)
- SpeedMin
 - Crosstales::Common::Util::RandomRotator, [104](#)
- SplitStringToLines
 - Crosstales::Common::Util::BaseHelper, [42](#)
- StartLooking
 - Crosstales::Common::Util::FreeCam, [83](#)
- StereoPan
 - Crosstales::UI::Util::AudioSourceController, [21](#)
- StopLooking
 - Crosstales::Common::Util::FreeCam, [83](#)
- StreamingAssetsPath
 - Crosstales::Common::Util::BaseHelper, [47](#)
- Survivors
 - Crosstales::Common::Util::SurviveSceneSwitch, [111](#)
- SwitchPanel
 - Crosstales::UI::WindowManager, [119](#)
- TRACER
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
- Timeout
 - Crosstales::Common::Util::CTWebClient, [64](#)
 - Crosstales::OnlineCheck::OnlineCheck, [92](#)
 - HutongGames::PlayMaker::Actions::Check, [50](#)
- UPDATE_CHECK
 - Crosstales::OnlineCheck::EditorUtil::EditorConfig, [68](#)
- URL
 - Crosstales::OnlineCheck::Data::CustomCheck, [66](#)
- Uniform
 - Crosstales::Common::Util::RandomScaler, [105](#)
- UpdateStatus
 - Crosstales::OnlineCheck::EditorTask, [13](#)
- Uptime
 - Crosstales::OnlineCheck::Util::Context, [59](#)
- UseInterval
 - Crosstales::Common::Util::RandomColor, [103](#)
 - Crosstales::Common::Util::RandomRotator, [104](#)
 - Crosstales::Common::Util::RandomScaler, [105](#)
- UseOnlyCustom
 - Crosstales::OnlineCheck::Data::CustomCheck, [66](#)
- ValidURLFromFilePath
 - Crosstales::Common::Util::BaseHelper, [43](#)
- ValidateFile
 - Crosstales::Common::Util::BaseHelper, [42](#)
- ValidatePath
 - Crosstales::Common::Util::BaseHelper, [42](#)
- ValueRange
 - Crosstales::Common::Util::RandomColor, [103](#)
- Volume
 - Crosstales::UI::Util::AudioSourceController, [21](#)
- Windows
 - Crosstales::UI::UIWindowManager, [118](#)
- ZoomSensitivity
 - Crosstales::Common::Util::FreeCam, [83](#)