

# Chest Pain

- Site
  - Onset
  - Severity
  - Nature
  - Radiation
  - Shifting
  - Relieving/aggravating factors
  - Duration
- 
- Left sided chest pain, sudden in onset, compressing in nature, severe in intensity, radiating to left arm, shoulder or jaw, aggravated by exertion and relieved or not by rest or sublingual nitrates and lasting more or less 30 minutes. (IHD)
  - Severe chest pain short duration, radiating to left jaw, aggravated by lying and relieved by sitting. (Pericardial effusion)
  - Chest pain radiating to interscapular region. (Dissection of aorta)
  - Longitudinal central chest pain, burning in nature, aggravated by taking food and relieved by milk and antacids, associated with water brashes. (GERD)
  - Chest pain associated with cough and sputum, pricking in nature, aggravated by deep breathing, along with history of trauma to chest. (pleuritic)
  - Chest pain burning in nature, associated with vesicular rash on skin. (Herpes Zoster)
  - Chest pain radiating from back to forward, relieved by massage along with tenderness on the back. (neuralgia)

## Shortness of Breath (Dyspnea)

- Duration
- Onset
- Grade
- Relieving/aggravating factors
  - Chest pain, tightness, heaviness, palpitations, orthopnea, PND, congested neck veins, dragging sensation in the RHC and swelling of feet. (CCF)
  - Periorbital puffiness, frothy urine, oliguria, dysuria, hematuria and loin to groin pain. (CRF)
  - Repeated attacks of breathlessness with seasonal variations along with cough and wheeze associated with family history of asthma. (asthma)
  - Cough with large amount of sputum occurring for 3 consecutive months for 2 consecutive years. (COPD)
  - Sudden breathlessness along with tightening of affected side of chest. (pneumothorax)
  - Sudden breathlessness, severe substernal chest pain along with calf tenderness, prolonged bed rest, air travel and abdominopelvic surgery. (PE)
  - Chest pain, orthopnea, PND, along with profuse sweating. (pulmonary oedema)
  - Breathlessness with fever, cough, sputum and pleuritic chest pain. (pleural effusion)
  - Foreign body inhalation
  - Breathlessness with palpitations and cyanosis. (ARDS)

## Altered State of Consciousness

- Duration
- Onset
- Level of consciousness
  - Sudden in onset alongwith deviation of angle of mouth and weakness of any part of the body i.e., focal neurological deficit. (CVA)
  - Gradual deterioration of conscious level over weeks or months associated with headache and early morning vomiting without nausea. (SOL)
  - Trauma to head or history of fall. (Epidural/subdural hematoma)
  - Headache, photophobia, diplopia, neck stiffness, fever along with fits. (Meningitis)
  - ASOC, acute onset of fever with myoclonic jerks. (Encephalitis)
  - Intermittent high grade fever along with chills and rigors associated with h/o mosquito bite. (cerebral malaria)
  - Fits along with frothing from mouth, up rolling of eye balls, tongue bite and fecal or urinary incontinence. (Epilepsy)
  - H/o polydipsia, polyuria and polyphagia associated with profuse sweating, tremors, palpitations, abdominal cramps, vomiting and dehydration. (DKA)
  - Jaundice, hematemesis, melena, abdominal distension, dragging sensation in LHC, easy bruisability along with h/o blood transfusions, surgery, needle pricks, addiction. (CLD)
  - Periorbital puffiness, oliguria, frothy urine, loin to groin pain along with vomiting, bone pains and generalized body weakness. (CRF)
  - Cough with sputum, dyspnea, hemoptysis along with bluish discoloration of peripheries and flapping tremors. (Respiratory Failure)
  - Severe diarrhea, vomiting, dehydration, myoclonic jerks and muscle twitching. (Electrolyte imbalance)

- Exposure to high temperature, decreased fluid intake along with loss from sweating, cold peripheries. (Heat stroke)
- Drug intake e.g., barbiturates, anti psychotics, opiates, tranquilizers, organophosphorus, aluminium phosphate(gandum & chawal wali goli), arsenic etc.,
- Psychiatric illness

# Generalised Body Swelling

- Duration
- Onset
- Pattern of swelling i.e., starting from
  - Ischemic chest pain, palpitations, orthopnea, PND, engorged neck veins and dragging sensation in RHC. (CCF)
  - Jaundice, abdominal distension, hematemesis, melena, easy bruisability, dragging sensation in RHC and LHC. (CLD)
  - Periorbital puffiness, dysuria, oliguria, frothy urine, loin to groin pain and hematuria. (CRF)
  - Foul smelling bulky stools which are difficult to flush, weight loss. (Mal absorption)
  - Intake of poor quality of food (starvation), cracks of angle of mouth.
  - Hoarseness of voice, cold intolerance, dryness of skin and constipation. (Hypothyroid)
  - Intake of fluid retaining drugs like NSAIDs, steroids, nifedipine.
  - Sting, bite, drug reaction

# Jaundice

- Onset
- Duration
  - Since birth (congenital)
  - Anorexia, nausea, vomiting, malaise, distaste, low grade fever along with pain in RHC. (acute hepatitis)
  - Associated with increase intake of vitamin A, headache, hair loss and double vision. (Hyper vitaminosis A)
  - Hoarseness of voice, rough skin, constipation and weight gain. (Hypothyroidism)
  - Pallor along with dragging sensation in LHC. (Pre hepatic/ hemolytic)
  - Anorexia, nausea, vomiting, pain RHC, swinging pattern of fever along with chills and rigors but not associated with any other source of infection like URTI, UTI etc (liver abscess)
  - Previous h/o jaundice, hematemesis, melena, easy bruisability along with dragging sensation in LHC. (CLD)
  - Skin rash, photosensitivity, joint pains and bluish discoloration of extremities on exposure to cold and gangrene of toes. (lupoid hepatitis)
  - Anorexia, weight loss, pain or dragging sensation in RHC and lumps and bumps in the body. (Hepatoma)
  - Fever associated with chills and rigors along with clay color stools, itching and fatty meal intolerance. (Obstructive jaundice)
  - Hemochromatosis
  - Alpha- 1 anti trypsin deficiency.

## Cerebro Vascular Accident

- Duration
  - Time of onset i.e., during activity or rest
  - Involvement of limbs
  - Progression or improvement
- 
- Headache, vomiting, deviation of angle of mouth, focal deficit, nasal regurgitation, difficulty swallowing and drinking and loss of consciousness. (cerebral ischemia/bleed)
  - Ischemic chest pain, palpitations, orthopnea, PND. (embolism)
  - Fever along with migratory joint pains, palpitations, breathlessness and syncope. (rheumatic fever) → mitral stenosis → Atrial fibrillation → embolism.
  - Diarrhea, vomiting, dehydration, use of OCPs or pregnancy.
  - Epistaxis, hematemesis, melena, hematuria and easy bruisability. (bleeding disorder/ tendency)
  - Known HTN with poor compliance to drugs along with occipital headache, neck stiffness and ASOC. (Sub arachnoid hemorrhage)
  - Skin rash, hair loss, joint pains, and red eyes. (vasculitis)
  - Anti coagulant therapy and other drugs
  - History of trauma
  - Gradual deterioration of consciousness over weeks or months associated with headache and early morning vomiting without nausea. (SOL)

# Hematemesis and Melena

Hematemesis:

- Duration
- Number of episodes
- Color of blood
- Quantity of blood vomited

Melena:

- Duration
  - Number of episodes
- 
- Epistaxis, bleeding from gums, hemoptysis, hematuria and easy bruisability. (Bleeding tendency)
  - Burning pain epigastrium aggravated by food intake and relieved by milk and antacids. (Peptic ulcer)
  - Intake of NSAIDs, steroids, stress, burns and shock. (gastric erosions)
  - Jaundice, abdominal distension, swelling of feet, dragging sensation in RHC and LHC and easy bruisability. (CLD)
  - Repeated retching and vomiting before hematemesis. (Mallory weiss tears)
  - Pain and mass epigastrium associated with anorexia, weight loss and lumps and bumps in body. (CA stomach)



# Vomiting

- Onset
  - Duration
  - Episodes
  - Volume
  - Contents
- 
- Vomiting associated with retrosternal burning pain which increases on bending forward and lying flat. (GERD)
  - Vomiting associated with prolonged dysphagia to both liquids and solids and vomitus foul smells containing food taken several days ago. (Achlorasia)
  - Burning pain epigastrium aggravated with meals and relieved by taking milk and antacids. Site of pain is not well localized. (Gastritis)
  - Persistent vomiting with large amount of vomitus containing eaten food of more than 24 hours duration. Vomitus is foul smelling associated with weight loss. (pyloric stenosis)
  - Nausea, vomiting, anorexia, pain epigastrium, weight loss along with lumps and bumps in the body. (CA stomach)
  - Mild to moderate vomiting along with jaundice and pain RHC associated with anorexia and distaste for smoking. (Hepatitis)
  - Vomiting associated with severe pain RHC and epigastrium, sometimes colicky but usually steady and becomes progressively worse and radiates to right shoulder with fever, restlessness, sweating. Increases with fatty meals. (Cholecystitis)
  - Nausea, vomiting with severe pain epigastric pain radiating to back and may become diffuse and spread to whole abdomen. (Acute pancreatitis)
  - Drug intake like quinine, aspirin, streptomycin etc.,
  - Vomiting associated with particular food intake. (Food allergy)
  - Vomiting associated with upper abdominal pain and loose stools along with repeated pulmonary infections (basal pleurisy)
  - Vomiting associated with vertigo, tinnitus, deafness along with ear discharge. (Labyrinthine disorder)

- Vomiting after abdominal surgery.
- Early morning vomiting along with h/o amenorrhea. (pregnancy)
- Prolonged vomiting with weight loss associated with emotional disturbances. (Psychiatric illness)
- Vomiting associated with polyuria, polydipsia, burning micturition, hematuria, breathlessness along with puffy face without any h/o jaundice and easy bruisability. (CRF)
- Vomiting without nausea associated with diplopia, fits, gradual loss of consciousness along with neurological deficit. (SOL)

## Fever (Pyrexia of Unknown Origin)

- Duration
  - Onset
  - Type:
    - Continuous (fever fluctuates  $< 1.5$  F and does not touch baseline)
    - Remittant (fever fluctuates  $> 1.5$  F)
    - Intermittent (fever touches baseline, present only few hours a day)
    - Quotidian (daily fever)
    - Tertian (on alternate days)
    - Quartan (two days interval)
- 
- Headache, photophobia, neck stiffness, fits and ASOC.
  - Rhinorrhea, post nasal drip, sore throat, cough and sputum.
  - Earache, ear discharge, tingling sensation in ear.
  - Orbital pain/itching, discharge from eye, red conjunctivae.
  - Loose motions, vomiting, colicky abdominal pain, jaundice, pain RHC and dragging sensation in LHC.
  - Dysuria, burning micturition, loin to groin pain and coke color urine/ hematuria.
  - Red eyes, butterfly rash, hair loss, joint pain and skin rash.
  - Anorexia, weight loss and lumps and bumps in the body.
  - Intermittent fever with rigors and chills, profuse sweating and h/o mosquito bite.
  - Continuous high grade fever, abdominal pain, constipation/loose stools and rash on abdomen.
  - Low grade fever with evening rise, anorexia, weight loss, night sweats, cough, sputum and alternating diarrhea and constipation.
  - Ingestion of raw milk with myalgias ( ask h/o animal contact).

## Joint Pain

- Duration
  - Onset
  - Severity
  - No of joints
  - Sequence
- 
- Morning stiffness, any visible deformity of joints, flexion contracture of hands or feet, weakness of muscle or any s/c nodule formation. (RA)
  - Malar rash, mouth ulcers, erythematous skin rash involving face and upper trunk or redness of eyes. (SLE)
  - Migratory joint pains, sore throat 6 months preceding illness, painless firm nodules felt over bones/tendons, red blotches with pale center or h/o involuntary limb movement. (RF)
  - Significant symmetrical joint pains with bloody diarrhea. (IBD)
  - H/o sexual contact, urethral discharge, burning micturition, bloody diarrhea, painful eye with joint pains. (Reiters/gonorrhea)
  - Severe excruciating pain in affected joint along with exclusive involvement of big toe. (Gout)
  - Scaly skin lesions, pitting nails, backache. (Psoriatic nails)
  - Dryness of eyes, dryness of mouth, with joint pains. (Sjogren's)
  - Backache, stiffening of spine, pain radiating down both legs along with heel pain. (Ankylosing Spondylitis)

## Complications Of Diabetes Mellitus

- Vomiting, abdominal pain, constipation (DKA)
- Glove and stocking type numbness of hands and feet along with tingling and burning sensation of feet. (Neuropathy)
- Dimness of vision. (Retinopathy)
- Cataract
- Periorbital puffiness, frothy urine, oliguria, hematuria and burning micturition. (Nephropathy)
- Dizziness, vertigo or syncope at standing from lying position, sweating on face during eating, diarrhea alternating with constipation, urinary retention or overflow. (Autonomic neuropathy)
- Sudden weakness of any part of the body along with deviation of the angle of mouth. (CVA)
- Chest pain radiating to left arm or neck along with SOB and cold sweating. (IHD)
- Callus formation on feet or foot ulcers.
- Pain in lower legs during walking and relieved by rest. (Intermittent Claudication)
- Boils on the body. (Cellulitis)
- Delayed wound healing
- Repeated infections like UTI, RTI etc.,