Test Run Report




Test Run Overview

Started 07 Mar 2022, 11:23:36 Ended 07 Mar 2022, 11:24:33

Duration (mm:ss) 00:57.408

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary





CreateAccount.testcase

Summary

Started 07 Mar 2022, 11:23:36 Ended 07 Mar 2022, 11:24:29

Duration (mm:ss) 00:52.934
Outcome successful

Output

Salesforce Connect: Admin (Test)

0 11:23:36(00:00.059)

- (i) Connecting to Salesforce as Admin
- (i) Successfully connected to Salesforce as Admin
- On SF Account Home screen

0 11:23:38(00:02.318)

- Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&action=ObjectHome
- (i) Opening Chrome webdriver instance to https://test.salesforce.com/
- ① Successfully opened Chrome webdriver to https://test.salesforce.com/
- (1) Opening Page context. Name: screen, data: null, frame: null
- ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/
- (i) Opening Salesforce user home page
- Successfully opened user home page
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the New button

0 11:24:01(00:25.344)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3DNew, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- (i) Interaction: ui:interaction?name=action
- ⑤ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | // div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '599:0')]
- (1) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (b11d4aa7e13693aed6cc9d70f4b8ed3b)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '599:0')]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null

- i Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664864424684442&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Going to update browser window handles.
- Successfully updated browser window handles.

On SF Account New screen

0 11:24:07(00:31.285)

- 1 Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&noOverride=true&action=New
- (i) Opening Page context. Name: screen, data: null, frame: null
- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Set the Account Name field to AccentureTraining

0 11:24:13(00:37.174)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DName, before wait: default, after wait: default, auto retry: default
- 1 Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664864424684442&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]
- 1 Find field using relative xpath: .//input
- ① Waiting for element to be present. Timeout(seconds): 10
- i) Doing before wait. waitUrl: default
- 1 End of <default> wait.
- 1 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1653e846 -> unknown locator]] -> xpath: .//input
- 1 Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: AccentureTraining, blur: false
- Doing after wait, waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- i Successfully updated browser window handles.

Set the Type picklist to Analyst

0 11:24:17(00:40.683)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DType, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664864424684442&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'gorceTeysEnamand (contains(@class, 'inget'))] or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div

and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Type'] or .//text() = 'Type')]/
ancestor::div[1]


- ⑤ Find field using relative xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1653e84a -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-171, type: button, class: slds-combobox_input slds-input_faux slds-combobox_input-value
- (1) Typing value. tagName: BUTTON, type: button, value: Analyst, blur: false
- (i) Clicking WebElement. WebElement [tag: button, text: --None--]
- ① Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Analyst Competitor Customer Integrator Investor Partner Press Prospect Reseller Other]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- ① Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.
- i Successfully updated browser window handles.

Set the Phone field to 1234567899


0 11:24:20(00:43.845)

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DPhone, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664864424684442&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][[ast()]//*[contains(@class, 'forcePageBerror')])][[ast()]//*[contains(@class, 'forcePageBlockSection')]/*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ ancestor::div[1]
- i) Find field using relative xpath: .//input
- (1) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1653e84e -> unknown locator]] -> xpath: .//input]
- ① Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: 1234567899, blur: false
- i Doing after wait. waitUrl: default
- 1 End of <default> wait.
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.

Click the Save button
© 11:24:23(00:46.567)



Before Screenshot: 2022/03/07 11:24:23



After Screenshot : 2022/03/07 11:24:26

- ① Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26action%3Dsave, before wait: default, after wait: default, auto retry: default
- ① Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664864424684442&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- ① Interaction: ui:interaction?name=action
- ① Sending screenshot. Data length: 137910
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]
- (1) Waiting for element to be present. Timeout(seconds): 10

- 1 Doing before wait. waitUrl: default
- 1 End of <default> wait.
- ① Found element: [[ChromeDriver: chrome on XP (b11d4aa7e13693aed6cc9d70f4b8ed3b)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[ast()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- 1 End of <default> wait.
- (i) Sending screenshot. Data length: 89723
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- i All Sub-Test Steps were successful.
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpsEQAQ/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountld, created ID: 0011X00000xjpsEQAQ, location: https://provar-trial-org-training.lightning.force.com/lightning/r/Account/0011X00000xjpsEQAQ/view
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0011X00000xjpsEQAQ
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpsEQAQ/view
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) Handling managed resource. Name: Admin
- (i) Salesforce Connection handled successfully. Name: Admin