Test Run Report

Test Run Overview

Started	07 Mar 2022, 11:15:10
Ended	07 Mar 2022, 11:16:09
Duration (mm:ss)	00:58.513

Test Results Summary

Passed	1
Failed	0
Skipped	0

1 Passed (100%)
0 Failed (0%)
0 Skipped (0%)

● Passed ● Failed ○ Skipped

Test Case Summary

📁 tests	● successful
📁 Day1	● successful
📄 CreateAccount.testcase	● successful

🖥 CreateAccount.testcase

Summary

Started	07 Mar 2022, 11:15:10
Ended	07 Mar 2022, 11:16:04
Duration (mm:ss)	00:54.046
Outcome	🟢 successful

Output

● **Salesforce Connect: Admin (Test)**   ⓘ 11:15:10(00:00.029)

  ⓘ Connecting to Salesforce as Admin

  ⓘ Successfully connected to Salesforce as Admin

● **On SF Account Home screen**   ⓘ 11:15:12(00:01.964)

  ⓘ Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&action=ObjectHome

  ⓘ Opening Chrome webdriver instance to https://test.salesforce.com/

  ⓘ Successfully opened Chrome webdriver to https://test.salesforce.com/

  ⓘ Opening Page context. Name: screen, data: null, frame: null

  ⓘ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: chrome://new-tab-page/

  ⓘ Opening Salesforce user home page

  ⓘ Successfully opened user home page

  ⓘ Going to update browser window handles.

  ⓘ Successfully updated browser window handles.

  ● **Click the New button**   ⓘ 11:15:36(00:25.665)

    ⓘ Start of Interact. Connection: Admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

    ⓘ Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew

    ⓘ Interaction: ui:interaction?name=action

    ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent

    ⓘ Interaction: ui:interaction?name=action

    ⓘ Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '602:0')]

    ⓘ Waiting for element to be present. Timeout(seconds): 10

    ⓘ Doing before wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Found element: [[ChromeDriver: chrome on XP (27ad98f497d0f7069411390f81f63f94)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop')or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, ' visible')])//a[contains(@data-aura-rendered-by, '602:0')]]

    ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

    ⓘ Doing after wait. waitUrl: default

    ⓘ End of <default> wait.

    ⓘ Going to update browser window handles.

    ⓘ Successfully updated browser window handles.

  ⓘ All Sub-Test Steps were successful.

  ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664813844183850&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● On SF Account New screen   ⓘ 11:15:41(00:31.053)

ⓘ Start of With Screen. Connection Name: Admin, target: sf:ui:target?object=Account&noOverride=true&action=New

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Account Name field to AccentureTraining   ⓘ 11:15:47(00:36.925)

ⓘ Start of Interact. Connection: Admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664813844183850&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@de655d15 -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: AccentureTraining, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Type picklist to Analyst   ⓘ 11:15:52(00:41.252)

ⓘ Start of Interact. Connection: Admin, Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Type&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DType

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664813844183850&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div

and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Type'] or .//text() = 'Type')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@de655d19 -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]]

ⓘ Got webElement. tagName: BUTTON, id: combobox-button-171, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value

ⓘ Typing value. tagName: BUTTON, type: button, value: Analyst, blur: false

ⓘ Clicking WebElement. WebElement [tag: button, text: --None--]

ⓘ Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Analyst Competitor Customer Integrator Investor Partner Press Prospect Reseller Other]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Set the Phone field to 1234567899   ⏱ 11:15:55(00:44.908)

ⓘ Start of Interact. Connection: Admin, Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=Phone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DPhone

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664813844183850&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=set

ⓘ Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class,'forcePageBlockSection '))][1]//*[((self::label and (contains(@class,'uiLabel') or contains(@class,'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class,'inputLabel') or contains(@class,'slds-form-element__label'))) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Phone'] or .//text() = 'Phone')]/ancestor::div[1]

ⓘ Find field using relative xpath: .//input

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@de655d1d -> unknown locator]] -> xpath: .//input]

ⓘ Got webElement. tagName: INPUT, id: input-147, type: text, class: slds-input

ⓘ Typing value. tagName: INPUT, type: text, value: 1234567899, blur: false

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

● Click the Save button   ⏱ 11:15:58(00:47.894)

ⓘ Start of Interact. Connection: Admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?
count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=164664813844183850&backgroundContext=
%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

ⓘ Interaction: ui:interaction?name=action

ⓘ Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal'))
and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and
contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-
lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]

ⓘ Waiting for element to be present. Timeout(seconds): 10

ⓘ Doing before wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Found element: [[ChromeDriver: chrome on XP (27ad98f497d0f7069411390f81f63f94)] -> xpath: //div[contains(@class, 'open') and
(contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class,
'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/
ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]//runtime_platform_actions-action-
renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

ⓘ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

ⓘ Doing after wait. waitUrl: default

ⓘ End of <default> wait.

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ All Sub-Test Steps were successful.

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpkAQAQ/view

ⓘ Injecting script to get created object ID from aura component

🗒 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0011X00000xjpkAQAQ, location: https://provar-trial-org--
training.lightning.force.com/lightning/r/Account/0011X00000xjpkAQAQ/view

ⓘ Logging Salesforce Object Id for clean up. Object Name: Account, id: 0011X00000xjpkAQAQ

ⓘ Closing Page context. Name: screen, data: null, frame: null

ⓘ Main window reselected. Window: main

ⓘ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X00000xjpkAQAQ/view

ⓘ Going to update browser window handles.

ⓘ Successfully updated browser window handles.

ⓘ Handling managed resource. Name: Admin

ⓘ Salesforce Connection handled successfully. Name: Admin