

Technical drawing of a mechanical part, showing a cross-section and a side view. The cross-section is a circular part with a central hole. The side view shows a cylindrical part with a central hole and a flange. Dimensions are given in millimeters. The cross-section shows an outer diameter of 17.0 mm and an inner diameter of 8.94 mm. The side view shows a total length of 35.0 mm, with various segments and radii specified. A note indicates "ADHESIVE PER PF-6616 THIS DISTANCE" for a 10.0 mm segment. A "MATpoint" is marked on the side view. The central hole has a diameter of 6.8 mm maximum. The part is threaded M10 x 1.5-6g.

ESTIMATED WEIGHT: 0.028 kg

SHEET 1 OF 1

AUTHORITY 00715X02	ENGINEERING A. ARCHIVE PART15B20XX1	RELEASE DATE 20-AUG-2020
FOI		
SEE THE PIP FOR: ENGINEERING STANDARDS REVISION HISTORY COMPLETE MODEL HISTORY THIS IS 100% NX GENERATED PART. THE NON-01 NEWS (OLD) FEATURES.	FOR GENERAL REQUIREMENTS RELATED TO THIS DRAWING, SEE ENGINEERING STANDARD	FOR PIP MODEL REVISION POL XXX 002 B DIM SCALE REFFER JOHN 118941.jp 5:1
 THIRD ANGLE PROJECTION	THIRD ANGLE PROJECTION UNLESS OTHERWISE SPECIFIED IN DIRECTION ARROW	ALN NUMBER XXX ZOOM PART NUMBER 00513130AA
TITLE SC TRUSS HD LOCK PATCH MAT PT SPECIAL 6 LOBE REC		

Fri, 21 Aug 2020

PART INFORMATION PAGE FOR ITEM NUMBER : FC00ABI57627

TITLE BLOCK INFORMATION

Item Number :FC00ABI57627
 Item Revision :002
 PCL :B
 CN :00715X02
 Item Name :SC TRUSS HD LOCK PATCH MAT PT SPECIAL 6 LOBE REC
 Item Description :M10X1.50X35.00
 Chrysler Part Number :06513130AA
 Fiat Codep Number :
 Shown-on Part :06513130AA
 Status :FA STEP5,CAD Released
 Owner :SMITH LOUISE (t47271s)
 Engineer :A,ARCHIVE PART(T5820XX)
 Designer :
 Checker :

ASF
 CONTROLLED
 WHEN RED
 9/18/2020
 203 #

ENGINEERING STANDARDS APPLIED

Item	Standard No.	Designation	Standard Title
1	PS-4480	(1)	IDENTIFICATION & BAR CODING OF PARTS
1	PS-4480	(1)	IDENTIFICATION & BAR CODING OF PARTS
2	CS-9800		GENERAL REQUIREMENTS OF MATERIAL STANDARDS AND FCA S PECIFICATION SUBSCRIPTION SERVICES
2	CS-9800		GENERAL REQUIREMENTS OF MATERIAL STANDARDS AND FCA S PECIFICATION SUBSCRIPTION SERVICES
3	PF-8500		REQUIREMENTS FOR VERIFICATION, VALIDATION AND CONTIN UING CONFORMANCE TESTING
3	PF-8500		REQUIREMENTS FOR VERIFICATION, VALIDATION AND CONTIN UING CONFORMANCE TESTING
4	PS-9227		CAD/CAM DATA EXCHANGE POLICY
4	PS-9227		CAD/CAM DATA EXCHANGE POLICY
5	CS.00080		FCA CAD STANDARD - GLOBAL REQUIREMENTS
5	CS.00080		FCA CAD STANDARD - GLOBAL REQUIREMENTS
6	CEP-045		MANDATORY AND DISCRETIONARY ENGINEERING STANDARDS
6	CEP-045		MANDATORY AND DISCRETIONARY ENGINEERING STANDARDS
7	CS.00022		GENERAL REQUIREMENTS FOR RELEASED DRAWINGS
7	CS.00022		GENERAL REQUIREMENTS FOR RELEASED DRAWINGS
8	CS-11000	(1)	TRADEMARK IDENTIFICATION ON PARTS
8	CS-11000	(1)	TRADEMARK IDENTIFICATION ON PARTS
9	CS-9003		SUPPLIER REQUIREMENTS FOR VEHICLE AND SERVICE PARTS: RESTRICTED AND PROHIBITED SUBSTANCES
9	CS-9003		SUPPLIER REQUIREMENTS FOR VEHICLE AND SERVICE PARTS: RESTRICTED AND PROHIBITED SUBSTANCES
10	PS-10052		INFORMATION SECURITY
10	PS-10052		INFORMATION SECURITY
11	PS-7099		GENERAL SPECIFICATIONS - FASTENERS AND FITTINGS
11	PS-7099		GENERAL SPECIFICATIONS - FASTENERS AND FITTINGS
12	MS.50077<S>	9.8	EXTERNALLY THREADED FASTENERS FOR NORMAL USE (HARMON IZED 2 IN 1)
12	MS.50077<S>	9.8	EXTERNALLY THREADED FASTENERS FOR NORMAL USE (HARMON IZED 2 IN 1)
13	PS-12182	1000B	COATING SYSTEM - BLACK, GALVANIC PROTECTION BASED
13	PS-12182	1000B	COATING SYSTEM - BLACK, GALVANIC PROTECTION BASED
14	PS.20001		"TORX" - 6-LOBE INTERNAL RECESS - INSPECTION PRACTIC E
14	PS.20001		"TORX" - 6-LOBE INTERNAL RECESS - INSPECTION PRACTIC E
15	PF-6616		ADHESIVE COATED EXTERNALLY THREADED FASTENERS
15	PF-6616		ADHESIVE COATED EXTERNALLY THREADED FASTENERS
16	PF.90348<S>		INSPECTION OF THREADED FASTENERS FOR NORMAL USE AND SPECIAL USE AND SURFACE DISCONTINUITIES ON THREADED FASTENERS
16	PF.90348<S>		INSPECTION OF THREADED FASTENERS FOR NORMAL USE AND SPECIAL USE AND SURFACE DISCONTINUITIES ON THREADED FASTENERS
17	01307		STEEL BOLTS AND NUTS - Representation, designation a nd marking for threads, screws and nuts.
17	01307		STEEL BOLTS AND NUTS - Representation, designation a nd marking for threads, screws and nuts.

SPECIAL CHARACTERISTICS BLOCK

APPEARANCE	:N	DIAMONDS	:N
EMISSIONS	:N	HOMOLOGATION	:N
SAFETY	:N	TRACEABILITY	:N
OTUP	:N		

GENERAL ENGINEERING NOTES (optional)

PART CHANGE BLOCK

CN	PCL	Origin- ator	CN Decision Date	TC Rev	TC Official Release Date	CN Description	Comments
00715X02	B	T1889ID	2020-08-20	002		CORRECT INCORRECT DIMENSION. R EFERENCE DIMENSION 7.10 MM SHO ULD BE 8.9	
00715X02	B	T1889ID	2020-08-20	002		CORRECT INCORRECT DIMENSION. R EFERENCE DIMENSION 7.10 MM SHO ULD BE 8.9	

ASF
CONTROLLED
WHEN RED
9/18/2020
303