


Technical drawing of a bolt and nut assembly. The bolt is shown in a side view with a hexagonal head and a threaded shank. The nut is shown in a side view with a hexagonal shape and a threaded hole. The drawing includes the following dimensions and labels:

- Dimensions:**
 - 2.4 (Total length of the bolt)
 - 2.2 (Length of the bolt head)
 - 1.14 (Distance from the bottom of the bolt head to the start of the threaded shank)
 - 0.88 (Distance from the bottom of the bolt head to the start of the threaded shank)
 - 7.5 (Total length of the nut)
 - 7.0 (Length of the nut body)
 - 0.75 MAX (Maximum thickness of the nut flange)
 - 3.0 MIN (Minimum thickness of the nut flange)
 - 45° (Angle of the bolt head chamfer)
 - 40° (Angle of the nut flange chamfer)
 - 2.12 (Outer diameter of the bolt head)
 - 1.93 (Outer diameter of the nut flange)
- Labels:**
 - ADHESIVE PER PF-6616 (Applied to the bolt head)
 - 1-2 THREADS FREE OF ADHESIVE (Applied to the bolt shank)
 - ON BLANK (Applied to the nut flange)
 - M3 X 0.5-6g THREAD (Applied to the nut body)
 - R 5.0 REF (Applied to the nut body)



AUTHORITY 90517L00	ENGINEERING ALL FASTENERS	RELEASE DATE 07-AUG-2019
FCA FAT CHAIRER AUTOMATICS		
SEE THE PIP FOR: ENGINEERING STANDARDS REVISION HISTORY COMPLETE MODEL HISTORY	FOR GENERAL REQUIREMENTS RELATED TO THIS DRAWING. SEE ENGINEERING STANDARD	FOR PART NUMBER DESIGN POL A SCALE 10:1
THIS IS 100% NX GENERATED PART. THE MASTER FOR NON-BIASED PARTS.	XXX DIM 001 1699610	001 CONCOR TOM 1699610 10:1
FOR DIMENSIONAL INFORMATION NOT SHOWN IN THIS DRAWING ANALYZE THE NX MODEL.	 THIRD ANGLE PROJECTION OTHER USE SPECIFIED IN DIRECTION ARROW	PART NUMBER XXX PART NUMBER 06513378AA
SC PAN HD LK HEADER PT LOCK PATCH 6 LOBE REC	TITLE	

ESTIMATED WEIGHT: 0.001 kg

PART INFORMATION PAGE FOR ITEM NUMBER : FC00ABN64288

TITLE BLOCK INFORMATION

Item Number	FC00ABN64288
Item Revision	001
PCL	A
CN	
Item Name	SC PAN HD LK HEADER PT LOCK PATCH 6 LOBE REC
Item Description	M3X0.5X7.5
Chrysler Part Number	06513378AA
Fiat Codep Number	
Shown-on Part	06513378AA
Status	FA_STEP5,CAD_Released
Owner	o
Engineer	ALL,FASTENERS(T5850XX)
Designer	
Checker	R. RAMESH

**ASF
CONTROLLED
WHEN RED**

ENGINEERING STANDARDS APPLIED

Item	Standard No.	Designation	Standard Title
1	PS-4480	(1)	IDENTIFICATION & BAR CODING OF PARTS
2	PS-10052		INFORMATION SECURITY
3	CS-9800		GENERAL REQUIREMENTS OF MATERIAL STANDARDS AND FCA
4	PF-8500		REQUIREMENTS FOR VERIFICATION, VALIDATION AND CONT
5	PS-9227		CAD/CAM DATA EXCHANGE POLICY
6	CS.00080		FCA CAD STANDARD - GLOBAL REQUIREMENTS
7	CEP-045		MANDATORY AND DISCRETIONARY ENGINEERING STANDARDS
8	CS.00022		GENERAL REQUIREMENTS FOR RELEASED DRAWINGS

9	CS-11000	(1)	FCA US LLC TRADEMARK IDENTIFICATION ON PARTS
10	CS-9003		SUPPLIER REQUIREMENTS FOR VEHIC AND SERVICE PART
15	PF-6616		ADHESIVE COATED EXTERNALLY THREADED FASTENERS
16	PS-7099		GENERAL SPECIFICATIONS - FASTENE AND FITTINGS
17	01307		STEEL BOLTS AND NUTS - Representatio designation
18	MS.50077<S>	MS-6149 8.8	EXTERNALLY THREADED FASTENERS FOR NORMAL USE (HARM
19	PS.50031	8 CLEAR ST	ZINC NICKEL ALLOY ELECTRODEPOSITED COATINGS

SPECIAL CHARACTERISTICS BLOCK

APPEARANCE	N	DIAMONDS	N
EMISSIONS	N	HOMOLOGATION	N
SAFETY	N	TRACEABILITY	N
OTUP	N		

GENERAL ENGINEERING NOTES (OPTIONAL)

INITIAL RELEASE



ASF
CONTROLLED
WHEN RED

PART CHANGE BLOCK

CN PCL Originator	CN Decision Date	TC Rev	TC Official Release Date	CN Description	Comments
A		001	2019-08-08		