



EAU: 1,000,000

ASF
CONTROLLED
WHEN RED

11/3/22
172



AUTHORITY		ENGINEERING		RELEASE DATE	
				15-JUN-2022	
FCA FIM CHRYSLER AUTOMOBILES					
SEE THE PIP FOR:					
ENGINEERING STANDARDS REVISION HISTORY COMPLETE MODEL HISTORY THIS IS 100% NX GENERATED PART. THE NX MATHEMATICAL DATA IS THE MASTER FOR NON-DIMENSIONED FEATURES. FOR DIMENSIONAL INFORMATION NOT SHOWN ON THIS DRAWING ANALYZE THE NX MODEL.					
FOR GENERAL REQUIREMENTS RELATED TO THIS DRAWING, SEE ENGINEERING STANDARD					
THIRD ANGLE PROJECTION UNLESS OTHERWISE SPECIFIED BY VIEW IN DIRECTION ARROW		REL FOR PROD MODELS		REVISION	PCL
THIRD ANGLE PROJECTION		XXX		001	A
		DRN		JP	SCALE
					8:1
TITLE				ALN NUMBER	
SC PAN HD HEADER PT 6 LOBE REC				XXX	
				EBOM PART NUMBER	
				06513859AA	

ESTIMATED WEIGHT: 0.004 kg SHEET 1 OF 1

mm 0 10 20 30 40 50 60 70 80 90 100

PART INFORMATION PAGE FOR ITEM NUMBER : FC00ACD79989

TITLE BLOCK INFORMATION

Item Number	FC00ACD79989
Item Revision	001
PCL	A
CN	
Item Name	SC PAN HD HEADER PT 6 LOBE REC
Item Description	M5X0.8X16.0
Chrysler Part Number	06513859AA
Fiat Codep Number	06513859AA
Shown-on Part	
Status	
Owner	PFEEFER JOHNNY (t6941jp)
Engineer	ALL.FASTENERS(T5850XX)
Designer	
Checker	

ASF
CONTROLLED
WHEN RED
11/3/22
292

ENGINEERING STANDARDS APPLIED

Item	Standard No.	Designation	Standard Title
1	PS-4480	(1)	IDENTIFICATION & BAR CODING OF PARTS
2	CS-9800		GENERAL REQUIREMENTS OF MATERIAL STANDARDS AND FCA REQUIREMENTS FOR VERIFICATION, VALIDATION AND CONT
3	PF-8500		CAD/CAM DATA EXCHANGE POLICY
4	PS-9227		FCA CAD STANDARD - GLOBAL REQUIREMENTS
5	CS-00080		MANDATORY AND DISCRETIONARY ENGINEERING STANDARDS
6	CEP-045		GENERAL REQUIREMENTS FOR RELEASED DRAWINGS
7	CS-00022		TRADEMARK IDENTIFICATION ON PARTS (STELLANTIS HARM
8	CS-11000	(1)	SUPPLIER REQUIREMENTS FOR VEHICLE AND SERVICE PART
9	CS-9003		INFORMATION SECURITY
10	PS-10052		EXTERNALLY THREADED FASTENERS FOR NORMAL USE (HARM
11	MS-50077<S>	8.8	ZINC PHOSPHATING FOR FERROUS MATERIAL PARTS AND FA
12	PS-50034	TYPE 2	"TORX" - 6-LOBE INTERNAL RECESS - INSPECTION PRACT
13	PS-20001		GENERAL SPECIFICATIONS - FASTENERS AND FITTINGS
14	PS-7099		STEEL BOLTS AND NUTS - Representation, designation
15	01307		ADHESIVE COATED EXTERNALLY THREADED FASTENERS
16	PF-6616	TYPE A ONLY	

SPECIAL CHARACTERISTICS BLOCK

APPEARANCE	N	DIAMONDS	N
EMISSIONS	N	HOMOLOGATION	N
SAFETY	N	TRACEABILITY	N
OTUP	N		

GENERAL ENGINEERING NOTES (OPTIONAL)

INITIAL RELEASE

PART CHANGE BLOCK

CN PCL	Originator	Date	CN Decision	TC	TC Official	Rev	Release Date	CN Description	Comments
A				001					

Close

Mersija Mehmedovic

From: Jon Myatt
Sent: Tuesday, November 01, 2022 5:18 PM
To: Ryan Stacho; Mersija Mehmedovic; Chetan Patel
Cc: Phyllis Lane; Joyce Conklin
Subject: RE: Stellantis Open Items***URGENT****

Refused

All,

The Type A originated back in original Chrysler / Daimler days per spec below, so it's the standard high strength adhesive per PF 6616.

DAIMLERCHRYSLER CORPORATION MATERIAL STANDARD
Vehicle Engineering
Approved Source List Required: Yes
Volume: 1 Section: 1 Page: CC76 Change: K
NO: MS-CC76

ADHESIVE - THREAD LOCKING - PRE-APPLIED - MICROENCAPSULATED	
MATERIAL TYPE	DESCRIPTION OF MATERIAL
Type A	Standard - High Strength
Type B	High Lubricity - High Strength
Type C	High Strength - Elevated Temperature Applications
Type D	Low Strength Thread Locker & Thread Sealer***

	Type C	1140 Microspheres (Epoxy Series)
Material manufacturer:	Type A	Precote 80
OmnITECHNIK Mikrotechnikungs GmbH Triebsstraße 9 D-80393 München, Germany a/c: 35440		
Distributor for North America: PRECOTE USA, INC. 15280 Highway Drive Macomb, MI 48042-4007 a/c: 35440	Type C	Precote 80

Thank you,
Jon Myatt
Engineering
Office: 586.360.2099
Mobile: 248.824.3551



AllState Fastener

From: Ryan Stacho <rstacho@allstatefastener.com>
Sent: Tuesday, November 1, 2022 5:09 PM
To: Mersija Mehmedovic <mmehmedovic@allstatefastener.com>; Chetan Patel <cpatel@allstatefastener.com>
Cc: Phyllis Lane <plane@allstatefastener.com>; Joyce Conklin <jconklin@allstatefastener.com>; Jon Myatt