

LIDCO[®]


BUILDING TECHNOLOGIES



WELCOME TO LIDCO
Drainage Technology

**PRODUCT
CATALOGUE**

www.lidco.in



ABOUT US

LIDCO - INNOVATION AND TECHNOLOGY COMBINED

At **LIDCO** Building Technologies, we conceptualize and create Drainage Solutions, which emanate quality Craftsmanship, design excellence, high utility and affordable luxury.

We are revolutionizing and making the selection and installation of Drainage Systems for Infrastructure to be more Robust, Sustainable, Efficient and Ethereal.

We introduce ourselves as leading Manufacturers, Exporters and Developers of Building and Infrastructure Plumbing Products in Metal and Plastics. Our Product Portfolio includes the following products:

- External Drain Channels
- Slot Drains
- Car Parking Drains
- Roof and Balcony Drains
- Shower Channels
- Tile Insert Floor Drains
- ABS Floor Drains
- Cockroach Traps and
- S.S. Gratings.
- Recessed Manhole Covers
- Heavy Duty Grating Covers
- Commercial Kitchen Drains
- Kitchen Grease Trap Collectors
- Commercial Hotel & Kitchen Equipment
- Customized Sheet Metal Fabrications and CNC based jobs

At **LIDCO** Building Technologies, we have over two decades experience in developing products suited to the dynamic water management needs of the Infrastructure and Building Industry.

Our operations are centered on providing you quality products with technically robust components, cost-efficiency and elegance that fits right in with your lifestyle.



With a dynamic and passionately driven group of young engineers and designers, We are working towards improving your experience of seamless and high utility water flow. A team dedicated to expansive research and development has innovated designs which aren't only sleek and inconspicuous but also functionally adept and affordable.

We are revolutionizing and making the selection and installation of Drainage Systems for infrastructure to be more robust, sustainable, cost effective and long lasting. We have been successful in developing and exporting products in the National as well as International Markets namely European, Middle Eastern, Australian and Central Asian markets.

We aim to push the boundaries of satisfaction to build products that think for you.

LIDCO EXTERNAL DRAIN CHANNEL

LIDCO Drains Channels are a state of the art system, designed to be installed in wide outdoor open areas as well as indoor areas. This facilitates easy drainage of water and sludge without additional architectural modifications.

Unlike the point drainage system, that requires the floor of the roof, balcony or space to be inclined towards the drain to allow gravitational drainage, the linear drain fit snugly into peripheries without sloping the floors.

Apart from being functional, these are extremely aesthetic too and will be a big value addition on the looks of your space.

We offer premium quality and cost effective solutions for productive drainage of surface water.

Best performance is guaranteed with:

- Corrosion resistant material
- Customized sizing and dimensions
- Optimum flow rates
- Detachable grating for easy cleaning of drains
- Wear Resistance
- Safety considerations like folded edges
- Varied options of color for aesthetics
- Modular and speed installation
- Made as per International standard for Drainage Channels BS EN1433

We Offer the following two broad categories of products in External Drains:

A: Modular Prefabricated HDPE Trench Drain Channel + Different Grating Options as below:

1. Slot Grating in SS316 / SS304 / GI - Single / Double / Triple - (A15 to D400)
2. Duoline (Twin Slot) Tile insert Grating in SS316 / SS304 / GI - (A15 to D400)
3. Flat Grating in Design Options in SS316 / SS304 / GI - (A15 to D400)
4. HDPE Grating - (A15 to C250)
5. Ductile Cast Iron (DI) Grating - (B125 to D400)

Below are the sizes of the HDPE channel available (applicable for option A)



- #C70 - 70mm Width x 30mm Depth
- #C100 - 100mm Width x 55mm Depth
- #C140 - S - 140mm Width x 55mm Depth
- #C140 - M - 140mm Width x 100mm Depth
- #C140 - L - 140mm Width x 150mm Depth
- #C160 - 160mm Width x 200mm Depth
- #C200 - M - 200mm Width x 150mm Depth
- #C210 - L - 210mm Width x 200mm Depth
- #C300 - 300mm Width x 300mm Depth
- #C450 - 450mm Width x 450mm Depth

B: Different Grating Options for Trench already constructed on Site:

1. Slot Grating in SS316/SS304/GI - Single / Double – (A15 to D400)
2. Hex Slot Channels in SS316/SS304/GI (A15 to D400)
3. Flat Grating in Design Options in SS316/SS304/GI – (A15 to D400)
4. Box Mesh Grating in SS316/SS304/GI / FRP – (A15 to D400)
5. Ductile Cast Iron Gratings with Optional Frame – (B125 to D400)

SLOT DRAIN CHANNEL

- Slot Drain Channels are a Revolutionary Product in Surface Drainage
- They are high utility, multi use, easy to install, load class rated, easy to clean and highly aesthetically appealing.
- Application areas include Landscaping Architecture, Driveways, Podiums, Balconies, Terraces, Roofs, Car Parks, Pool and Patio, Recreational and Entertainment Setups, Agricultural & Animal, Factories and Industrial Workshops.
- Product consists of Top Slot Grating in SS316 / SS304 / GI with Modular HDPE Drain Channels.
- Slot Gratings can be supplied independently as well for customized Cast in Situ Trench Sizes.
- Single Slot / Double Slot & Side Eccentric and Centre Slot Variants Available.



Slot Options :
Single Slot / Double Slot / Triple Slot
Side Eccentric Slot / Centre Slot

Slot Height (mm)	10 15 20 25 35 45 70 100									
Channel Width (mm)	70	100	140	140	140	160	200	210	300	450
Channel Height (mm)	30	55	55	100	150	200	150	200	300	450
Outlet (mm)	50 75 100 150									

Load Class: Class A15(1.5T) to Class D400 (48T) available


#1102- Stainless Steel 304 & 316 Slot Grating

#3102 - Galvanized Steel (GI) Slot Grating

Customized Sizes Available

DUOLINE (FLOOR INSERT) GRATING

- An Easier Installation and Economical Alternative to Floor Insert Shower Drain for requirements of longer Channel Drains with Floor Insert Finish.
- Top Floor Insert Grating comes in SS316 / SS304 Options with Bottom Channel in Modular HDPE Sections.
- Height of the Floor Insert Grating can be customized for Tile / Marble / Stone / Granite / Paver Block and other types of Flooring.
- Duoline Gratings can be supplied independently as well for customized Cast in Situ Trench Sizes.
- Grating along with Tile/Flooring can be easily lifted for each module for Cleaning and Maintenance




Duoline Height (mm)	10 15 20 35 70 100									
Channel Width (mm)	70	100	140	140	140	160	200	210	300	450
Channel Height (mm)	30	55	55	100	150	200	150	200	300	450
Outlet (mm)	50 75 100 150									

Load Class: Class A15(1.5T) to Class D400 (48T) available

#1103- Stainless Steel 304 & 316 Duoline Grating
#3103 - Galvanized Steel (GI) Duoline Grating

Customized Sizes Available

- 



www.lidco.in

EXTERNAL DRAIN CHANNEL - HDPE GRATING

- Ideal for usage in Drainage Systems for Roads, Car Parks, Podiums, Garages, Landscaping, Factories, Restaurant Kitchens, Patios, Cycle Lanes, Play Areas, Petrol Stations, Pedestrian precincts, Highways and also for more specific installations like Chemical Plants or Waste Dumps.
- **LIDCO** Drain Channels are made of High Density Polypropylene (HDPE) which has a very high mechanical or heat resistance. It is highly resistive to chemical and atmospheric agents, acids, salts and alkali, oils and petrol.
- Made as per International standard for Drainage Channels BSEN1433.



#2101

Width (mm)	70	100	140	140	140	160	200	210	300	450
Depth (mm)	30	55	55	100	150	200	150	200	300	450
Outlet (mm)	50 75 100 150									

Load Class: Class A15(1.5T) to Class D400 (48T) available

#2101070 - 70mm WIDTH x 30mm DEPTH (Bottom Outlet only)

#2101100 - 100mm WIDTH x 55mm DEPTH (Side + End Outlet only)

#2101140 - S - 140mm WIDTH x 55mm DEPTH (Bottom + Side + End Outlet)

#2101140 - M - 140mm WIDTH x 100mm DEPTH (Bottom + Side + End Outlet)

#2101140 - L - 140mm WIDTH x 150mm DEPTH (Bottom + Side + End Outlet)

#2101160 - 160mm WIDTH x 200mm DEPTH (Bottom + Side + End Outlet)

#2101200 - M - 200mm WIDTH x 150mm DEPTH (Bottom + Side + End Outlet)

#2101210 - L - 210mm WIDTH x 200mm DEPTH (Bottom + Side + End Outlet)

#2101300 - 300mm WIDTH x 300mm DEPTH (Bottom + Side + End Outlet)

#2101450 - 450mm WIDTH x 450mm DEPTH (Bottom + Side + End Outlet)

EXTERNAL DRAIN CHANNEL - METAL GRATINGS**STAINLESS STEEL 304 & 316 / GALVANIZED STEEL**

- Designed for Application Areas which Include Linear Balconies, Terraces, Commercial Kitchens, Food Processing Units and Workshops, Amusement and Theme Parks, Entertainment Centers, Building Corridors, Landscapes and Pedestrian Walks.
- Can be Designed for Light to Heavy Load Classes.
- Optional: SS Filter Basket for Removing Solid Waste for Kitchen Areas



#1101- Stainless Steel 304 & 316 Grating

#3101- Galvanized Steel (GI) Grating

Optional: SS Filter Basket for Solid Waste Removal

Width (mm)	70	100	140	140	140	160	200	210	300	450
Depth (mm)	30	55	55	100	150	200	150	200	300	450
Outlet (mm)	50 75 100 150									

Load Class: Class A15(1.5T) to Class D400 (48T) available

Customized Grating Design Available on Request

EXTERNAL DRAIN CHANNEL - DUCTILE IRON GRATING

- For Heavy Load Application areas , we provide Ductile Cast Iron Gratings with the HDPE Channel.



#4101- Ductile Cast Iron Grating

Width (mm)	70	100	140	140	140	160	200	210	300	450
Depth (mm)	30	55	55	100	150	200	150	200	300	450
Outlet (mm)	50 75 100 150									

Load Class: Class C250 (25T) to Class D400 (48T) available

DUCTILE CAST IRON TRENCH GRATING



Width (mm)	125 / 150 / 200 / 225 / 300 / 350 / 375 / 450 / 500 / 600 / 750 / 900
Length (mm)	600 / 750 / 900 / 1000
Height (mm)	10 / 20 / 25 / 35 / 40 / 50 / 75

Load Class: Class A15(1.5T) to Class D400 (48T) available

#4108D - DUCTILE IRON (CI) TRENCH GRATING




#4108C - CAST IRON (CI) TRENCH GRATING

OPTIONAL: L ANGLE PROFILE FOR GRATING (CHANNEL WITH GRATE)

Customized Sizes Available

TRENCH GRATING / COMMERCIAL KITCHEN GRATING

- Trench Gratings are supplied independently for customized Cast in Situ Trench Drains as per the Width and Height of the Trench.
- Material Options in SS316 / SS304 / GI / FRP
- Design Options can be : Flat Grated Designs OR Box Mesh Gratings



Width (mm)	150 / 200 / 250 / 300 / 350 / 375 / 450 / 500 / 600 / 750 / 900
Length (mm)	500 / 600 / 750 / 900 / 1000
Height (mm)	10 / 20 / 25 / 35 / 50 / 75 / 90 / 100 / 150 / 200
Thickness (mm)	2 / 2.5 / 3 / 4 / 5 / 8 / 10 / 20

Load Class: Class A15(1.5T) to Class D400 (48T) available

Optional : Channel Body + Sediment Basket

Bottom Outlet / Horizontal Outlet

Normal Grating / Anti Slip Serrated Grating



#1108 - Stainless Steel 304 & 316 Trench Grating

#3108 - Galvanized Steel (GI) Trench Grating

Customized Sizes Available

EXTERNAL CONCRETE POLYMER U DRAIN CHANNEL WITH GRATING

- Application: Outdoor / Indoor - Floor- Horizontal
- Material- Grate: Stainless Steel 304 / 316 or Galvanized Steel or Ductile Iron
- Grate Type: Standard / Heel Guard / Slip Resistant Material
- Channel Base: Concrete Polymer Channel
- Optional: Constant Depth / Self Sloping Channels
- Outlet: Cut From Bottom Locations
- Accessories: Endcaps / Inspection Unit / Bolt Locking System



➤ OPTIONAL: CONSTANT DEPTH/SELF SLOPING CHANNELS

Width (mm)	100mm / 150mm / 200mm / 250mm / 300mm / 400mm
Depth (mm)	80 mm to 425 mm
Outlet / Endcap (mm)	50 / 75 / 100 / 150 / 200mm

Load Class: Class A15(1.5T) to Class D400 (48T) available

#51101 - SS316/SS304 GRATING + CONCRETE POLYMER DRAIN CHANNEL

#53101 - GI GRATING + CONCRETE POLYMER DRAIN CHANNEL


#54101 - DUCTILE IRON GRATING + CONCRETE POLYMER DRAIN CHANNEL

#51021 - SLOT GRATING + CONCRETE POLYMER DRAIN CHANNEL

Customized Channel Sizing Available on Request

CONCRETE POLYMER LINE CHANNELS

- Introducing Special Channels for car parking garages, podiums, basement garages and shopfloors.
- Available for varying load capacity from Class A15 (1.5 ton) to Class D400 (48 ton) with minimum depth of 50mm.
- It is a Constant depth channel with Integrated Right angle connector and Endcaps.



Length	Modules of 1 mtr
Width (mm)	150mm 300mm
Height (mm)	50 mm
Outlet / Endcap (mm)	50 / 75/ 100/ 150mm Bottom Outlet

Load Class: Class A15(1.5T) to Class D400 (48T) available

Customized Outlet Size and Locations Available
#5502150 - Polymer Concrete Channel

RECESSED MANHOLE COVERS

- A Breakthrough Innovation in Landscape Architecture - High on aesthetics and utility both.
- Shortest Time to Open any Chamber Cover for Cleaning and Maintenance.
- Can be Customized and Built as per Client Size requirements.
- Product comes with Single and Double Seal options for Air and Water tight use cases.
- Product Comes with 2 Screwed Lifting Keys for Operation and Maintenance.



Sizes: 300x300 mm, 450x450 mm, 600x450 mm, 600x600 mm, 600x900mm, 750x750 mm, 900 x 900 mm, 1200 x 600 mm, 1200 x 1200 mm and others.

**Covers for Plumbing / Sewage / Mechanical /
Electrical Chambers- Single Seal (Air Tight - Rubber Seal)
Water Tank Covers - Double Seal (Air + Water Tight - Rubber + Gravity Seal)**

Load Class: Class A15(1.5T) to Class D400 (48T) available

#1104 - Stainless Steel 304 & 316 Recessed Manhole Covers


#3104 - Galvanized Steel (GI) Recessed Manhole Covers

#4104 - Ductile Iron (DI) Recessed Manhole Covers

#Customized Design & Size Options Available on Request.

SPECIALTY ACCESS RECESSED COVERS / JUNCTION BOXES

- Can be customized for Varied Applications on Floor Mount / Wall Mount / Ceiling Mount or as Junction Box Access Chambers for Electrical Wiring / Piping.
- For Lawn Grass / Gravel - includes Water Draining Mechanism
- Aesthetically Appealing by maintaining the same Floor / Wall Material Finish.
- Can be Built as per Client Size requirements.
- Lifting / Opening Mechanism: 2 Screwed Lifting Keys / Hinge / Hydraulic / Vacuum Pressure



Load Class: Class A15(1.5T) to Class D400 (48T) available



#1105 - Stainless Steel 304 & 316 Access Covers

#3105 - Galvanized Steel (GI) Access Covers

#Customized Design & Size Options Available on Request.

PERFORATED STORMWATER RECESSED COVER

- A Breakthrough Innovation in Landscape Architecture
- Makes the catchment of Stormwater or any runaway water easy and extremely aesthetic.
- Can be Built as per Client Size requirements with Shortest Opening time for Operation and maintenance of Grating.
- Slot Openings are as per Flow requirements.
- Lifting / Opening Mechanism: 2 Screwed Lifting Keys / Vacuum Pressure



- **OPTIONS - CENTER SLOTTED / EDGE GROOVE GAP TYPE / IN-SLIT**



Load Class: Class A15(1.5T) to Class D400 (48T) available

#1106 - Stainless Steel 304 & 316 Stormwater Covers

#3106 - Galvanized Steel (GI) Stormwater Covers

SOLID TOP METAL COVER

- For Low Height Manhole Applications.
- Comes with a Chequered Sheet Option for Frictional Surface and Smooth Finish Options as well.



Sizes: 300x300 mm, 450x450 mm, 600x450 mm, 600x600 mm, 600x900mm, 750x750 mm, 900 x 900 mm, 1200 x 600 mm, 1200 x 1200 mm and others.
Optional : Single Seal / Double Seal

Load Class: Class A15(1.5T) to Class D400 (48T) available

#1107 - Stainless Steel 304 & 316 Solid Top Covers

#3107 - Galvanized Steel Solid Top Covers

#4107 - Ductile Iron DI / CI Solid Top Covers

DUCTILE IRON GULLY GRATINGS WITH FRAME

- Application : Gully Gratings / Stormwater Gratings



Sizes: 300x300 mm, 450x450 mm, 300x600 mm, 600x600 mm, 600x900mm, 750x750 mm, 900 x 750 mm.

Load Class: Class A15(1.5T) to Class D400 (48T) available



#1108 - Stainless Steel 304 & 316 Gully Grating with Frame

#3108 - Galvanized Steel Gully Grating with Frame

#4108 - Ductile Iron DI / CI Gully Grating with Frame

POLYMER HDPE BOX GRATING FOR TRENCH DRAINS

- Highly Versatile and Modular Grating applicable in all types of Trenches or Modular Channel drains.
- Made in High Strength grade HDPE and PP material - can be suitable for A15 (Human Load Capacity) and B125 – (Car Load Capacity)
- Can be cut as per customized size requirement on site or at Factory
- High Compressive strength, Lightweight and UV Stabilized for longer Durability
- In built Individual modular tight interlocking push fit connection
- Available in Standard Black Colour + other Colour Options
- Can be used in both Straight as well as Circular Profile Applications
- For Larger Widths, can use this interlocking grating with centre support.
- Optional PVC/MS/SS – L Angle Sectional Profile for Installing over Existing Channel Trenches/Drains
- Easy to access for Cleaning and Maintenance



#BG-HDPE

HDPE BOX GRATING : HEIGHT 20MM / 30MM


Load Class: Class A15(1.5T) to Class B125 (12.5T) available

AVAILABLE IN PER MTR LENGTH FOR ALL OF THE BELOW WIDTH SIZES:

WIDTH IN INCHES: 3" / 4" / 5" / 6" / 7" / 8" / 9" / 10"

11" / 12" / 13" / 14" / 15" / 16" / 17" / 18" / 19" / 20" AND HIGHER



CUSTOMIZED SIZES AVAILABLE



**PVC/MS/SS L ANGLE SECTIONAL SUPPORT PROFILE:
SUITABLE FOR GRATING HEIGHT
COMES IN LENGTHS OF 1MTR / 2MTR**

SCUPPER DRAINS

- Application areas include Low Slab Height Area Drains, Roofs, Balconies, Terraces, Landscape Areas, Commercial Kitchen and Food Processing Areas and Retrofit Drain applications.
- Can be Installed in 2 ways:
- Horizontally with Outlet going parallel with the Floor or Pipe Downtake for Roofs
- Vertically with Low Slab Height Areas



OUTLET TYPE: PUSH FIT / GASKET TYPE / THREADED

Material Options come in 4 broad categories :

1. Plastic Body + Plastic Grating

50MM (2") / 75MM (3") / 100MM (4") / 150MM (6")

2. Plastic Body + SS304 Grating

50MM (2") / 75MM (3") / 100MM (4") / 150MM (6")

3. SS304 Body + SS304 Grating

50MM (2") / 75MM (3") / 100MM (4")

4. Cast Iron (CI) Body + Aluminium Grating

75MM (3") / 100MM (4") / 150MM (6") / 200MM (8") / 250MM (10")

5. Cast Iron (CI) Body + Cast Iron (CI) Grating

75MM (3") / 100MM (4") / 150MM (6") / 200MM (8") / 250MM (10")

#2601 - PLASTIC FRAME + ABS PLASTIC GRATING

#2601 - C - PLASTIC FRAME + SS GRATING


#1601 - SS FRAME + SS GRATING

#5601 - CAST IRON FRAME + ALUMINIUM GRATING

#3601 - CAST IRON FRAME + CAST IRON GRATING

DOME ROOF DRAINS

- Application Area: Indoor / Outdoor – Floor / Roof / Terrace / Parking / Rain Water Harvesting
- Installation: Floor – Horizontal
- Fixtures Include: Gasket Ring & Interlocking Grating / Ss Screw Fitting



OUTLET TYPE: PUSH FIT / GASKET TYPE / THREADED

50MM (2") / 75MM (3") / 100MM (4") / 150MM (6") / 200MM (8") / 250MM (10")

#5602 – CAST IRON FRAME + ALUMINIUM GRATING


#1602 – SS FRAME + SS GRATING

#3602 – CAST IRON FRAME + CAST IRON GRATING

#2602 – PLASTIC FRAME + PLASTIC GRATING

PLANTER DOME ROOF DRAINS

- It Includes Addition Of Sediment Filter On The Dome Roof Drain
- Application: Indoor / Outdoor - Planter Areas And Rain Water Harvesting Areas
- Comes With Ss Filter Basket For Sediment Trap , Hence Prevents Clogging The Waste Water Pipe




#5604 – CAST IRON FRAME + ALUMINIUM GRATING + SS FILTER

#1604 – CAST IRON FRAME + SS GRATING + SS FILTER

#3604 – CAST IRON FRAME + CAST IRON GRATING + SS FILTER

NICKEL BRONZE FLOOR DRAIN

- Application: Outdoor / Indoor - Floor - Vertical
- Material-Grate + Frame: Nickel Bronze
- Material- Base: Cast Iron (CI) Body With Bottom Outlet / Multi Inlet Floor Trap
- Fixing: Screw / Bolt Locking System



OUTLET TYPE: THREADED / PUSH FIT

OPTIONAL: FLANGE WITH CI BODY WITH BOTTOM OUTLET OR CI BODY WITH MULTI INLET / OUTLET TRAP WITH WATER SEAL

#6501150-R: 150MM ROUND DRAIN X 100MM OUTLET


#6501150-S: 150MM SQUARE DRAIN X 100MM OUTLET

#6501200-R: 200MM ROUND DRAIN X 150MM OUTLET

#6501200-S: 200MM SQUARE DRAIN X 150MM OUTLET

NICKEL BRONZE CLEANOUT

- Decorative Application : FOR ACCESSING AS A CLEANOUT
- STRAINER GETS REPLACED WITH A CLEANOUT PLUG WITH SCREWS
- Application: Indoor / Outdoor - Floor / Wall Area
- Screwed Fixing Mechanism at 4 Corners



OUTLET TYPE: THREADED / PUSH FIT

OPTIONAL: FLANGE WITH CI BODY WITH BOTTOM OUTLET OR CI BODY WITH MULTI INLET / OUTLET TRAP WITH WATER SEAL

#6505150-R: 150MM ROUND DRAIN X 100MM OUTLET

#6505150-S: 150MM SQUARE DRAIN X 100MM OUTLET

#6505200-R: 200MM ROUND DRAIN X 150MM OUTLET

#6505200-S: 200MM SQUARE DRAIN X 150MM OUTLET

Comes in Nickel Bronze Finish / SS Chrome Finish / Other PVD Finishes.

AREA DRAIN

- Application Area: Indoor / Outdoor – Floor / Parking / Podiums / Gardens / Landscape / Roof / Terrace
- Installation: Floor – Horizontal
- Fixtures Include: Sediment Basket + Gasket Ring & Interlocking Grating / Ss Screw Fitting



OUTLET TYPE: PUSH FIT / GASKET TYPE / THREADED

100MM (4") / 150MM (6") / 200MM (8") / 250MM (10")

SIZE: 200MM X 200MM - SQUARE / ROUND

300MM X 300MM - SQUARE / ROUND

LOAD CAPACITY : CLASS A15 (1.5T) TO CLASS D400 (48T) AVAILABLE

#5603 – CAST IRON FRAME + ALUMINIUM GRATING

#3603 – CAST IRON FRAME + CAST IRON GRATING

DOWNPOUT NOZZLE DRAIN

- Decorative Drain Application for Water Bodies / Pool Areas / Balconies
- Application: Indoor / Outdoor - Wall Area
- Used as a Parapet Overflow or at the Base of the Wall where a concealed Pipe discharges rainwater to ground.
- Nozzle design diverts water away from building, eliminating wall stains. Wall flange covers rough opening and serves as anchor.



OUTLET TYPE: PUSH FIT / THREADED



50MM (2") / 75MM (3") / 100MM (4")

#6601 – NICKEL BRONZE DOWNPOUT NOZZLE

Comes in Nickel Bronze Finish / SS Chrome Finish / Other PVD Finishes.

SWIMMINGPOOL OVERFLOW GRATING

- Made in Virgin Grade Polypropylene (PP) Polymer Material, these are versatile Gratings which can be used in both Straight as well as Circular / Curved Applications
- They have Individual modular tight interlocking push fit sections.
- Non Slip Top Surface + UV Stabilized for longer Durability.
- Available in Standard White Colour + Customizable in other colours.
- Optional PVC / MS / SS - L Angle Sectional Profile for Installing over Existing Channel Drains.
- Easy to access for Cleaning and Maintenance.



OVERFLOW GRATING : HEIGHT 25MM

#OG150: 6 INCH WIDTH

#OG200: 8 INCH WIDTH

#OG250: 10 INCH WIDTH

#OG300: 12 INCH WIDTH

#OG350: 14 INCH WIDTH




#OG400: 16 INCH WIDTH



**PVC/MS/SS L ANGLE SECTIONAL SUPPORT PROFILE:
SUITABLE FOR APPROPRIATE GRATING HEIGHT.
COMES IN LENGTHS OF 1MTR /2MTR**

DRAIN CELL FOR SUB SURFACE

- Made in High Strength Grade Polypropylene (PP) Polymer Material, these are most effective and efficient Sub Surface Drainage & Waterproofing Membrane Protection solutions for Planter Boxes, Roof gardens, Podium Landscaped Areas, most Horizontal Drainage Applications.
- High Compressive Strength and Lightweight - it reduces weight on underlying structure by 98% compared to Gravel.
- Application Area: Sub Surface Floor below Real Grass / Artificial Grass Installation.
- They have Individual modular tight interlocking push fit sections.
- Available in Standard Black Colour.





SIZE: 500MM x 250MM x 20MM HEIGHT
500MM x 500MM x 20MM HEIGHT

AVAILABLE IN PER SQFT QTY REQUIRED.

WALL DRAINS

- The LIDCO Wall Drain series offers you complete freedom in designing your Bathroom Floor without a Floor Grating.
- The low overall depth in Floor (85mm) and adjustable drainage outlet with Double Water Seal in built into the Base eliminates the need of a NahaniTrap / MultiTrap.
- Consists of 2 parts:
 1. Prime Grade ABS Plastic Bottom Channel with Double Seal Cockroach and Foul Trap
 2. Wall Insert Grating in SS316 / SS304 with Drain Opening
- The Wall Insert Grating has a Seamless Notch opening for removal and access for Cleaning and Maintenance.



Technical Dimensions:

Product exposure in Wall (After Installation): 300mm Length x 60mm Height
 Installation Height : 85mm under floor + 60mm Above floor in Wall
 Product Thickness in Wall : 75mm
 Removable Plate for Cleaning : 300mm Width x 60mm Height
 Base Product Size: 450mm Length x 90mm Width x 85mm Height
 Flow rate: 48 lit/min

#WD450

450mm Length x 90mm Width x 85mm Height

Available in all PVD Colour Finishes:

GOLD / BRONZE / ANTIQUE / BLACK / CHROME / ROSE GOLD



LINEAR SHOWER DRAIN CHANNELS

Made from the Prime Grade quality AISI SS316 / SS304 Stainless Steel, **LIDCO** linear drains are highly Corrosion Resistant, Sleek, with High Water Flow and Easy to Install and Maintain, thus preserving functionality and providing high value on aesthetics of your shower space.

Shower Drain Channel




“Your One Stop Drainage Solution”

Three circular inset images showing different types of floor drains. The top image shows a metal grate with a rectangular opening. The bottom-left image shows a square metal grate. The bottom-right image shows a rectangular metal grate. All three images are set against a dark background.

Width (mm)	75	85	115
Outlet (mm)	50	65	95

Customized sizes and color variants also available.



CHECK PATTERN SHOWER CHANNEL**Stainless Steel 304 / 316****#12021**


Width (mm)	75	85	115
Outlet (mm)	50	65	95

The product comes in different lengths of
**300 mm , 450 mm , 600 mm , 750 mm ,
 900 mm , 1000 mm & 1200 mm each.**
Customized sizes and color variants also available.

Inclusive of NRV Anti Cockroach and Foul Trap



**Optional: Horizontal Side Outlet Trap with
 Water Seal**

**SMOOTH SHOWER CHANNEL****#12031**

Width (mm)	75	85	115
Outlet (mm)	50	65	95

The product comes in different lengths of
**300 mm , 450 mm , 600 mm , 750 mm ,
 900 mm , 1000 mm & 1200 mm each.**
Customized sizes and color variants also available.

Inclusive of NRV Anti Cockroach and Foul Trap



**Optional: Horizontal Side Outlet Trap with
 Water Seal**



WAVE PATTERN SHOWER CHANNEL**Stainless Steel 304 / 316****#12041**


Width (mm)	75	85	115
Outlet (mm)	50	65	95

The product comes in different lengths of **300 mm, 450 mm, 600 mm, 750 mm, 900 mm, 1000 mm & 1200 mm** each. **Customized sizes and color variants also available.**

Inclusive of NRV Anti Cockroach and Foul Trap



Optional: Horizontal Side Outlet Trap with Water Seal

**All Drains Available In Following Finishes :****Gold****Bronze****Antique****Black****SS Finish****Rose Gold**

POINT DRAINAGE SYSTEM

- Point Drains optimally combine the design functionality and utility of drainage systems.
- LIDCO Point Drains are equipped with robust drainage technology and designs that are suitable for varied applications in indoor as well as outdoor areas. Locations include:
 - Shower Area / Dry Bathroom Area
 - Balcony / Patio / Terraces
 - Kitchen / Laundry Area
 - Hotels, Spa, Health and Recreational Clubs
 - Swimming Pool Utility areas / Outdoor Shower
 - Restaurant and Lounge Washrooms
 - Office Washrooms, Public Utility Areas, Shop Drains
 - Atriums and Corridors , Sports Ground, Podiums, Parking Areas



REVERSIBLE TILE INSERT FLOOR DRAIN

Stainless Steel 304 / 316



1301125-R

5 x 5 Inch

125 X 125 mm

Outlet : 95 mm

Depth : Tile Depth



1301150-R

6 X 6 Inch

150 X 150 mm

Outlet : 95 mm

Depth : Tile Depth

TILE / MARBLE / STONE INSERT FLOOR DRAIN

Stainless Steel 304 / 316



1301100

4 X 4 Inch
100 X 100 mm
Outlet : 50 mm
Depth : Tile / Marble Or
Stone Depth



1301125

5 x 5 Inch
125 X 125 mm
Outlet : 95 mm
Depth : Tile / Marble Or
Stone Depth



1301150

6 X 6 Inch
150 X 150 mm
Outlet : 95 mm
Depth : Tile / Marble Or
Stone Depth


1301200

8 X 8 Inch
200 X 200 mm
Outlet : 95 mm
Depth : Tile / Marble Or
Stone Depth



CFT - NRV

Anti-Cockroach &
Anti-Foul Trap
Outlet : 95 mm
Outlet : 65mm
Outlet : 50mm



CFT - WS

Horizontal Side Outlet
Trap with Water Seal
Outlet: 40mm




#1506 - FLOOR INSERT CLEANOUT

Size: 125mm Square / 150mm Square / 200mm Square and Others
Comes in Screwed / Non Screwed Model


#Customized Outlet, Design & Size Options Available on Request.

#Reversible SS Finish Drain Available on Request.

ALL DRAINS AVAILABLE IN FOLLOWING FINISHES :




Gold



Bronze



Antique



Black



SS Finish



Rose Gold



ARTISANAL SERIES FLOOR DRAINS

Stainless Steel 304



EARTH- ROUND TILE INSERT DRAIN

120 mm Diameter x 50mm / 75 mm Outlet
With NRV Anti Cockroach and Foul Trap

1302120 - 2C/3C



PRISM FLOOR INSERT

150 X 150 mm x 50mm Outlet
With NRV Anti Cockroach and Foul Trap

1303150



GRASIM FLOOR DRAIN

100 X 100 mm

Outlet : 50mm

With Anti Cockroach and Foul Trap

1304100



BALKAN FLOOR DRAIN

100 X 100 mm

Outlet : 50mm

With NRV Anti Cockroach and Foul Trap

1305100



FIONA FLOOR DRAIN

100 X 100 mm

Outlet : 50mm

With NRV Anti Cockroach and Foul Trap

1306100



BAR FLOOR DRAIN

100 X 100 mm X 50mm Outlet

150 X 150 mm X 100mm Outlet

With NRV Anti Cockroach and Foul Trap

1307100 / # 1307150

PLASTIC FLOOR DRAINS



ABS TILE INSERT

125 X 125 mm

Outlet : 100 mm

2301125

Optional: Plastic Cockroach Trap



ABS TILE INSERT

150 X 150 mm

Outlet : 100 mm

2301150

Optional: Plastic Cockroach Trap



AXIS CORNER

BALCONY DRAIN

2401100 - 100 mm Outlet

2401075 - 75 mm Outlet



RONIS

125 X 125 mm

Outlet : 100 mm

2303125



CROSS

125 X 125 mm

Outlet : 100 mm

2304125



TERC

125 X 125 mm

Outlet : 100 mm

2305125



REX PLASTIC FLOOR DRAIN

150 X 150 mm

Outlet : 100 mm

2306150

Available in Ivory, Grey and Caramel Colours

FLOOR DRAINS - QUAD SERIES

➤ All Designs Available in 2 Options :

1. Grating Only (2PC)

2. Grating with Cockroach Trap (4PC)

➤ Comes with NRV Anti Cockroach and Anti Foul Trap (CFT)



125 X 125 mm (5")

150 X 150 mm (6")

#SWAN S – GRATING ONLY

#SWAN CFT S - GRATING +
COCKROACH TRAP



125 X 125 mm (5")

150 X 150 mm (6")

#NEON S – GRATING ONLY

#NEON CFT S - GRATING +
COCKROACH TRAP



125 X 125 mm (5")

150 X 150 mm (6")

#ULTRA S – GRATING ONLY

#ULTRA CFT S - GRATING +
COCKROACH TRAP



125 X 125 mm (5")

150 X 150 mm (6")

#CHECK S – GRATING ONLY

#CHECK CFT S - GRATING +
COCKROACH TRAP



125 X 125 mm (5")

150 X 150 mm (6")

#NEON HOLE S – GRATING ONLY

#NEON HOLE CFT S - GRATING +
COCKROACH TRAP

FLOOR DRAINS - GLOBE SERIES

➤ All Designs Available in 2 Options :

1. Grating Only (2PC)

2. Grating with Cockroach Trap (4PC)

➤ Comes with Bowl type Cockroach Trap



NOVA S

127 X 127MM (5") - 2PC / 4PC
153 X 153MM (6") - 2PC / 4PC



NOVA R

127MM (5") - 2PC / 4PC



JADE S

127 X 127MM (5") - 2PC / 4PC
153 X 153MM (6") - 2PC / 4PC



JADE R

127MM (5") - 2PC / 4PC



RADON S

127 X 127MM (5") - 2PC / 4PC
153 X 153MM (6") - 2PC / 4PC



RADON R

127MM (5") - 2PC / 4PC



NOVA WITH HOLE S

127 X 127MM (5") - 2PC / 4PC
153 X 153MM (6") - 2PC / 4PC



NOVA WITH HOLE R

127MM (5") - 2PC / 4PC

SS GRATINGS



SUPREME - SCREW

150 x 150 mm

100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1502 - Screw



POP-UP GRATING

150 x 150 mm

125 x 125 mm

#POP



SUPREME

150 x 150 mm


100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1502



SS GRATING WITH LID COVER

150 x 150 mm

100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1502 - Lid



ZENAR

150 x 150 mm

100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1501



SS CLEAN-OUT

150 x 150 mm

100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1505 - Cleanout



LIDCO HINGED COVER

200 x 200 mm

150 x 150 mm

Thickness : 1 mm / 2 mm

Outlet : 100 mm / 70 mm / 50 mm

#1507



SIDE SLOT

150 x 150 mm

#ADS



LIDCO SMART

150 x 150 mm

100 x 100 mm

80 x 80 mm

Thickness : 1 mm / 2 mm / 3 mm

Outlet : 100 mm / 70 mm / 50 mm

#1503



SLOTTED VERTICAL (KHURRA)

150 x 150 mm

125 x 125 mm

#SLOTTED



“LIDCO- Innovation and Technology combined”

Notes

[illegible]

CLIENTS & PROJECTS



AN INITIATIVE BY ALUMNI OF

Carnegie Mellon University



VJTI, Mumbai

AFFILIATED WITH



Confederation of Indian Industry

#startupindia





LIDCO BUILDING TECHNOLOGIES LLP

Gala No 1, Opp Devang Building, Next
To Gaurav Motors, 90 Feet Road, Garodia
Nagar, Ghatkopar (E), Mumbai - 400077.

☎️ +91 99672 03377 | +91 79985 77777

www.lidco.in | hello@lidco.in



Water Drainage Solutions at its best

An

AMEET

Group Venture

