

TECE
close to you

Bathroom & Sanitary Catalogue

ROOM FOR
IDEAS



Contents

There’s a system behind it - flushing technology from TECE	Page 3
TECE cistern - with a sustainability guarantee	Page 4-5
TECE Compact	Page 6-9
TECE cistern	Page 10-12
TECE Octa II	Page 13-14
TECE flush plates	Page 15-45
TECElux Toilet Terminal	Page 46-48
TECEdrainline	Page 49-59
TECEshowerline	Page 60-61
TECEdrainprofile	Page 62-64
TECEdrainline EVO	Page 65-68
TECEdrainpoint S	Page 69-75
TECEprofil	Page 76-78
TECElogo	Page 79

As a system provider, TECE takes a holistic approach!

Integration of the universal cistern in brick-wall and dry-wall construction modules is just as important as the flush actuation function in front of the wall. Every TECE flush plate therefore fits every TECE cistern. The urinal flush valve completes TECE’s flushing technology system. Our customers value and trust our know-how. The TECE cistern has proved its worth a million times over in long-term use.



Save 25 percent water!

Thanks to the combination of dual-flush technology and a genuine 4.5 litre flush, the TECE cistern is the only cistern that saves around 25 % water as compared to the 4.5 litres single-flush technology.

Each drop counts!



Saving water when possible, flushing well when necessary!

For many years, leading ceramics manufacturers have been offering a special toilet bowl that can manage with a water-saving 4.5 litres for a full flush. However, because the dual-volume flushing technology was not available, a single flush was used. As a result, flushing always required 4.5 litres of water and the water saved through the full flush was wasted again.

The TECE cistern with the award-winning value now makes a real economy flush possible with dual-flush technology: 4.5 litres for the full flush, and 3 litres for the reduced flush. Users can thus save around 25 percent of water, as compared to the single-flush technology.



DESIGN PLUS

The TECE valve received the Design Plus Award 2009 for its water saving technology and the broad universality. With a simple slider, the fitter can choose between 4.5, 6, 7.5 and 9 litres for the full flush, while the reduced flush remains a constant 3 litres. This flexibility, in particular, means sustainability for TECE: The cistern's flush volume and flush flow rate can be adapted to any requirement.

Use in dry-wall and brick-wall construction

The TECE cistern can be used universally: For dry-wall construction, it is delivered as a TECEprofil module, for brick-wall construction as TECEbox.



COMPACT AND WATER-SAVING

The Compact cistern from TECE –
Ideal dimensions for wall-mounting

Installation and Assembly

The Compact cistern is available separately, as a brick-wall box or as a dry-wall module. Depending on your requirements or the structural conditions, it can be installed in or in front of a solid wall, in a metal post-and-beam wall or in the corner of a room to save space. All toilet modules from TECE are durable up to 400 kg.

TECEbox Compact
cistern for standing
toilet, installation height
1061 mm

Brick-wall cistern for
mounting in or in front
of a solid wall.

Order No. 9570001
₹5900.00



1



2



1 Compact cistern installation in a solid wall
2 Compact cistern installation in front of a solid wall



TECEbox toilet module with Compact cistern for wall toilet, installation height 1061 mm
for installation in a brick pre-wall or in front of a solid wall.

Order No. 9570000
₹9900.00



Up to 400 kg



- 1 Installation in a solid wall
- 2 Installation in front of a solid wall

TECEconstruct toilet module with Compact cistern, dry-wall module, installation height 1061 mm Toilet module for installation in metal or wooden post-and-beam walls and as a pre-wall or corner module; also suitable for single-block assembly.




Order No. 9500100
₹13900.00



Up to 400 kg



- 1 Installation in front of a solid wall
- 2 Installation in a corner
- 3 Installation in a metal post-and beam partition wall




The 8 cm concealed cistern – 9.5 litre reliability


The 8 cm concealed cistern is extremely flat and thus ideal for installation in thin masonry. The design is based on German know-how and is the product of many years of TECE experience in the field of flushing technology. For installation, the cistern is delivered as a TECEprofil module for dry-wall construction or TECEbox for brick-wall construction.



TECE cistern
(8 cm) 9370038
₹7700.00



TECEbox
(8 cm) 9370042
₹12500.00




The 13 cm concealed cistern – 10 litre reliability


Cistern made of impact resistant plastic with fully pre-assembled and sealed with 10 - litre tank volume; preset 6 - litre standard flush volume; 4.5/7.5/9 - litre flush volume can be set as an option at any time; 3- litre part flush with dual flush technology.



TECE cistern
with front/top actuation
(13 cm) 9041035
₹13900.00




TECE cistern
(13 cm) 9041036
₹12100.00




Full profile cistern





(8 cm) 9300040
₹17600.00



(13 cm) 9300000
₹21900.00



(13 cm) 9300001
(Top mounting)
₹23900.00



TECE
close to you

**MORE
COMPACT.
MORE
UNIVERSAL.
EASIER.**

The TECE Octa II cistern
for TECEprofil and TECEbox.

NEW

Our new item numbers (valid from 09/2021):

TECEprofil	Description	Old item no.	New item no.
	TECEprofil toilet module with Octa II cistern, 8 cm, installation height 1120 mm	9300040 →	9300500 ₹15900.00
	TECEprofil toilet module with Octa II cistern, 8 cm, with connection for odour extraction, installation height 1120 mm	Variant was not previously available	9300501 ₹11900.00
	TECEprofil toilet module with Octa II cistern, 8 cm, installation height 1120 mm, includes sound insulation set	9300065 →	9300502 ₹30400.00

TECEbox	Description	Old item no.	New item no.
	TECEbox Octa II cistern, 8 cm, for standing toilet, with reinforcement fabric, installation height 1075 mm	9370007 →	9370500 ₹24500.00
	TECEbox toilet module with Octa II cistern, 8 cm, for wall-hanging toilet, installation height 1075 mm	9370008 →	9370501 ₹11900.00
	TECEbox toilet module with Octa II cistern, 8 cm, for wall-hanging toilet with connection for odour extraction, installation height 1075 mm	9370041 →	9370502 ₹29800.00
	TECEbox Octa II cistern, 8 cm, for floor-standing toilet, installation height 1075 mm	9370038 →	9370504 ₹7900.00

TECE
close to you

TECE flush plates



FLUSHING TECHNOLOGY MADE TO MEASURE

With a depth of just 8 cm and a width of 50 cm, TECE Octa II sets new standards. In terms of systematics – as an element in the TECEprofil system. In terms of efficiency – thanks to new components that make installation even quicker and easier. And in terms of design – with the full variety of the TECE flush plate range.

TECEbase



TECEbase toilet flush plates for dual flush system
Toilet flush plate made of glass for front or top actuation.
Dimensions 214 x 145 x 18 mm

CODE	PLATE / BUTTON
9240700	White
9240701	Bright chrome
9240702	Matte chrome

₹1900.00

Ask for mix-match possibilities

The standard toilet flush plate in square design.

Use of this new plastic flush plate is sure to be of particular interest in standard areas and facilities. TECEbase has a dual flush function.


The narrow button actuates a reduced flush, the wide button a full flush. Like all toilet flush plates from TECE, its dimensions are relatively small and it fits the TECE actuation concept for all TECE cistern models.



Good design – also in the standard bathroom.



The classic from TECE.



9240200 / 9240240



9240201



9240225



9240226




9240253



9240254



Also available with antibacterial action



Toilet flush plates for dual flush system

CODE	PLATE / BUTTON
9240200	White
9240240	White antibac
9240201	Pergamon grey
9240225	Matte chrome

₹3900.00


CODE	PLATE / BUTTON
9240226	Bright chrome
9240253	Matte chrome / Bright chrome
9240254	Bright chrome / Matte chrome

₹3900.00

Ask for mix-match possibilities

TECEambia flush plates, with their single or dual flush system, are the universal plastic standard. Available in numerous variations, their compact dimensions fit harmoniously in every bathroom environment. Double-sided rubber buffers reliably prevent rattling noises.

In the antibacterial version of TECEambia, the growth of germs on the surface is inhibited by silver ions – ideal for public sanitary areas.



* Not compatible with 8 cm cistern

Toilet flush plates for dual flush system

CODE	PLATE / BUTTON	
9240322	White, silk-mat	₹6900.00
9240324	White shiny	
9240320	Brushed stainless steel	
9240321	Bright chrome	

Toilet electronics with IR sensor, 6 V battery

CODE	PLATE / BUTTON	
9240361	White shiny	₹58200.00
9240350	Brushed stainless steel	
9240351	Bright chrome	


Toilet electronics with IR sensor, 230 / 12 V mains

CODE	PLATE / BUTTON	
9240362	White shiny	₹58200.00
9240352	Brushed stainless steel	
9240353	Bright chrome	



The TECEplanus flush plate made of stainless steel is robust and especially vandalproof. A concealed screw further protects it against theft.

So they are particularly suitable for public sanitary areas, restaurants or hotels. Their especially compact dimensions and elegant design harmonise with any mood.

For people who sometimes like to hit the buttons.




TECEnow – Good Design
Doesn't have to be expensive



TECEnow matte chrome

With a flat structure and minimalist design, the new flush plate proves that good design doesn't have to be expensive. Flush-mounting is possible, thanks to the TECE installation frame and the special spacing frame.


TECEnow offers the tried-and-trusted dual-flush technology with small and large volume flushing.



9240400



9240401




9240402



9240403

Toilet flush plates for dual flush system


CODE	PLATE / BUTTON	
9240400	White	₹4900.00
9240401	Chrome	
9240402	Matte Chrome	
9240403	Black	



TECEnow spacing frame

For combination with TECEnow flushplate Usable as intermediate spacing frame or flush mount installation of TECEnow flushplate
Dimensions (W X H X D): 220 X 150 X 5 mm

CODE	PLATE / BUTTON	
9240410	White spacing frame	₹2200.00
9240411	Bright Chrome spacing frame	
9240412	Matte Chrome spacing frame	
9240415	Black spacing frame	



Flush installed – as though it were part of the wall.



9240650 / 659 / 660



9240651 / 652 / 653



9240654 / 655 / 656



9240657





9240658

CODE	PLATE	BUTTON
9240650	White	White
9240659	White	Matte chrome
9240660	White	Bright chrome
9240651	Green	White
9240652	Green	Matte chrome
9240653	Green	Bright chrome

₹14900.00

CODE	PLATE	BUTTON
9240654	Black	White
9240655	Black	Matte chrome
9240656	Black	Bright chrome
9240657	Black	Black
9240658	Black	Gold

₹14900.00




TECEloop flush plates for dual flush system made of glass are reduced to a minimum in their formal appearance.

The optional flush-mounted installation of the glass flush panels is an outstanding feature of TECEloop. Using the installation set, mounting is as easy as it is precise.



One design –
for toilet and urinal.



TECEloop toilet flush plates plastic
Toilet flush plate made of plastic.
Dimensions 216 x 145 x 6 mm



9240600/9240640




9240627



9240601



9240625/9240626



Ask for mix-match possibilities

CODE	PLATE / BUTTON
9240600	White
9240627	White / Bright chrome
9240640	White antibac

₹6000.00

CODE	PLATE / BUTTON
9240601	Pergamon grey
9240625	Matte chrome
9240626	Bright chrome

₹6000.00

The option of flush-mounted installation is an outstanding feature of all the TECE glass flush plates for toilets and urinals



TECEloop glass


Installation frame



The toilet installation frame is required for **flush-mounted** installation of TECEloop **glass**.



The toilet installation frame is not required for mounting the TECEloop **glass in front of a wall**.






One hundred and four possible combinations.

The TECEloop modular system consists of a standard range of 8 buttons and 13 covers. This produces a total of 104 different possible combinations.

Sophisticated technology opens up the option of flush-mounted installation of all the TECEloop glass flush plates – easily and precisely with the appropriate installation frame. This is depth-adjustable for wall coverings from 5 to 18 mm, up to 36 mm even with an upgrade set.



TECEloop buttons
The combination of buttons and flush plates from the TECEloop modular system has to be ordered separately.

CODE	BUTTON
9240663	White
9240664	White antibac
9240665	Matte chrome
9240666	Bright chrome
9240667	Black
9240668	Gold
9240669	Brushed stainless steel
9240684	Pergamon gray

₹4900.00



CODE	COVERS
9240670	Glass cover mint green
9240671	Glass cover white, Emco
9240672	Glass cover asis green, Emco
9240673	Glass cover orange
9240674	Glass cover black, Alape and Emco
9240675	Cover slate slab
9240676	Glass cover silvery-grey, Alape

₹11900.00


CODE	COVERS
9240677	Glass cover blue-grey
9240678	Glass cover coffee brown
9240679	Glass cover ruby red, Alape
9240680	Glass cover ivory, Alape
9240685	Glass cover grass green, Burgbad
9240683	Mirror cover

₹11900.00


Internet configurator for TECE flush plate

Visit us on our website at www.tece.in. Here you can use our configurator to easily and conveniently look for the right flush plate for your personal bathroom.

Glass in the bathroom:
timeless and precious.



With a minimalist form, the TECEsquare glass flush plate focuses on the aesthetic impact of the material. The function is self-explanatory – one large button for full flush and a smaller one for reduced flush. The plates are fixed to the wall in the conventional way or flush-mounted with a special installation frame.



CODE	PLATE	BUTTON
9240800	White	White
9240801	White	Brushed stainless steel
9240802	White	Bright chrome
9240803	Green	White
9240804	Green	Brushed stainless steel

₹22900.00

CODE	PLATE	BUTTON
9240805	Green	Bright chrome
9240806	Black	Brushed stainless steel
9240807	Black	Bright chrome
9240808	Black	Gold
9240809	Black	Black

₹22900.00

Flush mounted
installation frames
(optional) for all
flush plates made
of glass.




CODE	FRAME
9240646	White
9240647	Black



₹6700.00

CODE	FRAME
9240648	Gold-plated
9240649	Bright chrome

₹6700.00




Elegance from pure stainless steel.



9240830
*With anti-fingerprint





9240831



9240832



9240833



CODE	PLATE / BUTTON	
9240830	Brushed stainless steel	
9240831	Bright chrome	₹29900.00
9240832	White	
9240833	Matte Black	

* Including flush mounted installation frame.

With its extremely flat cover, the flush plate can be fully integrated in the bathroom architecture. The function is self-explanatory – one large button for full flush and a smaller one for reduced flush.

Installation in the wall is achieved with a special installation frame. Only the 2 mm thick, extremely flat stainless steel plate remains visible.

ADD REFINED TOUCHES

New PVD surface finishes for toilet flush plate and shower profile


NEW

“ Truly good design is more than just pure optics – it shows in the details. The consistent coordination of all elements ensures quality that lasts.”



1

- 1 TECEsquare metal toilet flush plate in Brushed Black Chrome
- 2 TECEdrainprofile shower profile in Brushed Black Chrome



2

It's about the details.

The new PVD surface finishes for toilet flush plates of the TECEsquare metal series and the TECEdrainprofile recessed shower profile now allow for harmonious bathroom design right down to the details. They are colour matched to the latest offers from leading manufacturers including those from the hansgrohe/AXOR collections.



Highly refined.

The visible stainless steel parts of TECEsquare metal and TECEdrainprofile are finished with PVD technology . With a result that is clear to see: The coated surfaces are of excellent colour quality and shine and are highly resistant to abrasion and scratches.

PVD stands for "Physical Vapour Deposition" (coating with a metal vapour)

TECEsquare metal toilet flush plates

Dimensions (W x H x D): 220 x 150 x 3 mm



Brushed Black Chrome
Order no. 9240836



Brushed Gold Optic
Order no. 9240838



Brushed Red Gold
Order no. 9240840

₹44900.00



Polished Black Chrome
Order no. 9240837




Polished Gold Optic
Order no. 9240839




Polished Red Gold
Order no. 9240841

Flush plate with electronic,
touch-free actuation



TECElux Mini is an electronic, real glass flush plate for the TECE cistern. Flush actuation is touch-free or by means of a light tap on the button area. The approach sensor recognises when a person approaches the toilet, and activates the illumination of the button area, additionally serving as an orientation help in the dark.

Using a programmable remote control it is possible to individually set the recognition range, actuation time and the illumination level of the display. It is also possible to set additional functions such as a hygiene flush or automatic flush with the remote control.



CODE	PLATE / BUTTON	
9240960	Glass White	₹64900.00
9240961	Glass Black	
9240970	Transformer incl. connection cable	
9240971	Programming Remote control	
9820354	Anti-Theft Device	

*Should be ordered with 9240960 & 9240961




- Electronic actuation, touch-free or by touching the button area
- High-quality, minimalist design: seamless, flat glass surface featuring a flat design
- Particularly hygienic due to touch-free flush actuation
- Easy to clean thanks to seamless, scratch-resistant glass surface
- Individually programmable with (optional) remote control
- Approach sensor with “night light function”
- Flush-mounted installation (optional)

*Compatible with any 13 cm cistern

Decorative toilet frame for
toilet installation frame

Metal decorative frame for combination with toilet installation frame.
To cover uneven tile edges. Depth-adjustable decorative frame for wall coverings from 5-18 mm (from 18-33 mm with adjustment bolt 9820181).



CODE	PLATE / BUTTON	
9240643*	Matte	₹20800.00
9240645*	Bright chrome	

TECE 
close to you

Robust, hygienic and easy to care
for – with an incomparably soft feel.
The secret is in the material.

TECEvelvet flush plates


**TOUCH
OF
MAGIC**




COLLECTION OVERVIEW

TECEvelvet toilet flush plates are available in six internationally inspired shades.


Bianco Kos / White
Matte off-white from the rocks of the Aegean island.
Order no. 9240735




Beige Arizona / Greige
Sandy, soft. Like the vastness of the American desert state.
Order no. 9240733




Castoro Ottawa / Beige-brown
Light, muted brown.
Not just for latte macchiato lovers.
Order no. 9240730



Grigio Londra / Anthracite
Grey and trendy. Like the streets of the English capital.
Order no. 9240731



Grigio Efeso / Stone grey
The dust of history.
Inspired by the temples of the ancient city on the Ionian coast.
Order no. 9240734





Nero Ingo / Black
Deep, reflection-free black.
For ultimate opaque room visions.
Order no. 9240732



TECEvelvet toilet flush plates
₹29900.00

Special installation frames for TECEvelvet toilet flush plates and TECEfilo-Velvet urinal flush plates are available for flush mounting.




TECEvelvet

HIGH-TECH –
SOFT FEELING



TECE 
close to you



**ROBUST, LOW-
MAINTENANCE,
ELEGANT.**

TECEsolid and TECEfilo-Solid:
Toilet and urinal flush plates for
public and semi-public areas



SYSTEM ADVANTAGE

TECE flushing technology makes it easy to keep up with the times when choosing the flush plate.

System	Version	Order no.	₹
	TECEsolid toilet flushplate	Bright white	9240432
		Matte white	9240433
		Brushed stainless steel	9240430 ₹13900.00
		Brushed, anti-fingerprint stainless steel	
		Bright chrome	9240431
	TECEfilo-Solid urinal electronics 230 V mains electricity for TECE urinal flush valve housing U 2	Bright white	9242032
		Matte white	9242036
		Brushed stainless steel	9242030 ₹43900.00
		Brushed, anti-fingerprint stainless steel	
		Bright chrome	9242031
	TECEfilo-Solid urinal electronics 7.2 V battery for TECE urinal flush valve housing U 2	Bright white	9242035
		Matte white	9242038
		Brushed stainless steel	9242033 ₹49400.00
		Brushed, anti-fingerprint stainless steel	
		Bright chrome	9242039 9242034
	TECEbox urinal flush valve housing U 2	For brick wall	9370040 ₹17600.00
	TECEprofil urinal module U 2	For dry-wall construction with TECE urinal flush valve housing U 2	9320013 ₹44000.00
	TECEsolid urinal flush plate including cartridge for TECE urinal flush valve housing U 1	Bright white	9242432
		Matte white	9242433
		Brushed stainless steel	9242430 ₹14200.00
		Brushed, anti-fingerprint stainless steel	
		Bright chrome	9242431
	TECEbox urinal flush valve housing U 1	For brick wall	9370021 ₹9400.00
	TECEprofil urinal module U 1	For dry-wall construction with urinal flush valve housing U 1	9320008 ₹26400.00
	TECEsolid spacing frame	Spacing frame	
		White	9240440 ₹2200.00
		Grey	9240441
	TECEsolid concealed screw	As anti-theft device, includes assembly tool	9240442 ₹2200.00

SOLID AND CHIC


TECEsolid and TECEfilo-Solid are new flush plates for toilet and urinal with extremely robust design. Their flat construction is characterised by the harmoniously rounded edges and high-quality stainless steel finish. The attractive price makes these plates especially interesting for use in project business. But thanks to their optical qualities they also work wonderfully in private high-quality bathrooms.




TECEloop




TECESquare



TECEvelvet



TECEsolid



TECEnow



Change without limits

All TECE flush plates are compatible with the universal cistern from TECE. For renovation and modernisation work, they can be interchanged regardless of series and year. Even after decades. Planning and design in a modular system –made by TECE.

Selection from the TECE flush plates range

A completely new bathroom feeling

and a small revolution in terms of design, functionality and comfort.
TECElux is the integration of functions – and because no name previously existed for so many solutions, we have called it the "toilet terminal". The term guarantees that all options are open to you with TECElux.

THE CONFIGURATOR
FOR TECElux
www.tece.in

TECE
close to you

PLEASE CHOOSE:

Gloss

Push

Functions

Ceramic

Bathroom design

PRINT SELECTION

Product brochure

TECElux – THE TOILET TERMINAL



YOUR SELECTION:

Gloss facing:
Glass: white
Buttons: sen-Touch
(electronics)*

Funktionen:
Insert chute for
cleansing tablets:

Possible modules:
TECElux 100
TECElux 200
TECElux 400

*Power connection required

White ceramics are example models only and are not available to purchase

TECElux IMPRESSIONS



DESIGN PLUS

Get to know other TECE configurators

TECEurulation shower channels

TECE flush plates

TECElux Toilet Terminal



TECE 
close to you

TECEdrainline

Shower channels



Glass in the
bathroom -
timeless and high-class...

TECEdrainline glass

- Straight lengths 700, 800, 900, 1000, 1200, 1500 mm (nominal lengths)
- Visible width of 52 mm
- Withstands a 300 kg (load class K3)

The article numbers for your order and the required accessories can be found on pages 46 to 47 of this brochure.



Glass white



Glass green



Glass black


Like the "plate" tileable channel, the glass cover forms an enclosed surface that integrates seamlessly into the bathroom floor. The shower water flows off easily through a narrow drainage opening around the channel.

TECE provides the glass cover in standard colours green, black and white. The round-edged safety glass is permanently fixed to the underlying robust stainless steel support by means of a special adhesive.

TECEdrainline "plate" –
tileable, elegant, unobtrusive ...




Thanks to the "plate" and "plate II" tileable channel, the TECEdrainline shower channel can be perfectly fitted into the flooring.
The tileable channel can also be provided for the angled channel in various dimensions (see page 46-47).



Stainless steel angled channels

Unique – the TECEdrainline angled channel range: Choose between two different design variants with polished stainless steel. The angled channel can also be obtained as a "plate" tileable channel. The grates can be provided up to a 1200 mm side length and can be loaded at up to 300 kg (load class K3).



The grates of the angled channels are made of bright polished stainless steel.

TECEdrainline stainless steel grates

- Straight lengths 700, 800, 900, 1000, 1200 and 1500 mm (system length)
- Visible width of 66 mm
- Custom lengths from 400 mm up to a maximum of 1500 mm are also available at short notice
- For straight grates, all designs can be supplied with a bright polished or brushed stainless steel surface
- For angled channels, the designs “steel II” and “basic” can be supplied with a polished stainless steel finish

The article numbers for your order and the required accessories can be found on pages 46 to 47 of this brochure.



Natural stone floors have their own unmistakeable charm. However, it is often somewhat unpractical to install a shower channel in this type of floor. TECE has therefore developed a special channel for natural stones floors that makes installation and sealing far easier. A change has been made to the appearance too: While before, narrow stainless steel edges bordered the drain opening, only a slit is now visible in the natural stone.

"Invisible" shower channel

Natural Stone	Visible dimension following assembly	Code	₹
700 mm	735 mm	650700	₹41900.00
800 mm	835 mm	650800	₹43900.00
900 mm	935 mm	650900	₹45900.00
1000 mm	1035 mm	651000	₹48900.00
1200 mm	1235 mm	651200	₹53900.00
1500 mm	1535 mm	651500	₹60900.00




Edge turned up by the factory saves time.

A special channel for installation at the wall immediately enhances the TECEdrainline range: The new stainless steel channel is equipped with a wall flange which has already been turned up at the factory and is available in all the standard lengths from 700 to 1500 mm.

All patterned covers, mounting feet and outlets can be used without limitation.

The result: particularly when there is a large number of channels to be installed at the wall, time is saved and the work on-site is minimised. The tile finishing edge of 20 mm also offers more flexibility for easier installation at the wall. Incidentally: Nothing has changed with the standard channel. It can still be turned up on-site when needed, just as before



- | | | |
|-----------------------------|-----------------------------|------------------------------------|
| 1. "plate" tileable channel | 5. Tile adhesive | 9. Removable protective film |
| 2. Channel body | 6. Composite seal | 10. Screed |
| 3. Tile cover | 7. Seal System sealing tape | 11. PE foil |
| 4. Elastic grouting | 8. Channel flange | 12. Drainbase sound insulation mat |



Setting the height of the horizontal channel using the assembly feet, connection of the rotatable outlet to a DN 40, DN 50 or DN 70 drain pipe.







Completely underfilling with screed produces stable anchoring of the channel body and outlet with the unfinished floor.




Seal System adhesive tape: the butyl adhesive tape is a self-adhesive sealant and ensures a water-tight bond between the flange and the screed.



The final step before tiling is the application of the composite seal.

	Channel length		700 mm	₹	800 mm	₹	900 mm	₹	1000 mm	₹	1200 mm	₹	1500 mm	₹
			Code		Code		Code		Code		Code		Code	
“basic”			600710	₹7900.00	600810	₹8900.00	600910	₹9900.00	601010	₹11900.00	601210	₹13900.00	601510	₹17900.00
“lines”			600720	₹10900.00	600820	₹11900.00	600920	₹12900.00	601020	₹14900.00	601220	₹16900.00	601520	₹20900.00
“drops”			600730	₹10900.00	600830	₹11900.00	600930	₹12900.00	601030	₹14900.00	601230	₹16900.00	601530	₹20900.00
“royal”			600740	₹14900.00	600840	₹16900.00	600940	₹17900.00	601040	₹19900.00	601240	₹23900.00	601540	₹28900.00
“quadratum”			600750	₹14900.00	600850	₹16900.00	600950	₹17900.00	601050	₹19900.00	601250	₹23900.00	601550	₹28900.00
“organic”			600760	₹10900.00	600860	₹11900.00	600960	₹12900.00	601060	₹14900.00	601260	₹16900.00	601560	₹20900.00
“steel”			600782	₹9900.00	600882	₹9900.00	600982	₹11900.00	601082	₹13900.00	601282	₹15900.00	601582	₹19900.00
„plate”			600770	₹8900.00	600870	₹9900.00	600970	₹10900.00	601070	₹13900.00	601270	₹15900.00	601570	₹19900.00
Glass green			600790	₹25900.00	600890	₹28900.00	600990	₹29900.00	601090	₹34900.00	601290	₹39900.00	601590	₹47900.00
Glass white			600791	₹25900.00	600891	₹28900.00	600991	₹29900.00	601091	₹34900.00	601291	₹39900.00	601591	₹47900.00
Glass black			600792	₹25900.00	600892	₹28900.00	600992	₹29900.00	601092	₹34900.00	601292	₹39900.00	601592	₹47900.00

TECEdrainline drains

		Total assembly height with upper edge of finished floor. Drain assembly height	Code	₹
Horizontal drains	 DN 40	min. 68,5 mm*  Extremely flat drain 0.5 l/s min. 53 mm*	650004	₹1300.00
	 DN 50	min. 95 mm  Flat drain 0.7 l/s min. 81 mm	650000	₹1100.00
	 DN 50	min. 120 mm  Standard based drain 0.8 l/s min. 106 mm	650001	₹1100.00
	 DN 70	min. 148 mm  Drain with maximum drainage capacity 1.2 l/s min. 134 mm	650002	₹1900.00
Vertical drains	 DN 50	min. 67 mm*  Vertical drain 1.3 l/s min. 51 mm*	650003	₹2600.00
		■ FireStop fire protection set for the vertical drain With the FireStop fire protection set for TECE drainline shower channels, TECE is offering safety with fire protection – up to fire resistance class EI 120 in accordance with DIN EN 13501-3.		

* without assembly feet

Channels with Seal System sealing tape									
Nominal length		700 mm	800 mm	900 mm	1000 mm	1200 mm	1500 mm		
		Code	Code	Code	Code	Code	Code		
Straight channels		600700	600800	600900	601000	601200	601500		
		₹25900.00	₹26900.00	₹27900.00	₹28900.00	₹30900.00	₹33900.00		
Membrane odour trap		Other							
	Order No.	₹				Order No.	₹		
For extremely flat drain		660015	₹1500.00	Hair trap TECEdrainline for insert into the channel body				660005	₹1000.00
For flat drain and standard		660016	₹1500.00	FireStop fire protection set (EI 120) for vertical drain DN 50				660006	₹13900.00
For max. and vertical drains		660017	₹1500.00	Seal System sealing tape for TECEdrainline, self-adhesive, roll 10 m				660014	₹7300.00

HYGIENIC,
PROVEN,
VERSATILE.

With the two new TECEshowerline
shower channel sets you install
design and quality

Fig.	Product	System length	Order no.	₹
	TECEshowerline set with 2in1 design cover without sealing flange	700 mm	15201070	₹15900.00
		800 mm	15201080	₹16900.00
		900 mm	15201090	₹17900.00
	TECEshowerline Natural stone channel set	700 mm	15201072	₹20900.00
		800 mm	15201082	₹21900.00
		900 mm	15201092	₹22900.00
	TECEshowerline Odour trap and vermin barrier		15221000	₹1400.00
	TECE hair trap		660005	₹1000.00



ELEGANTLY
SOLVED!

TECEDrainprofile –
beautiful, practical, flush-to-wall:
the shower profile from TECE

TECEDrainprofile
shower profile

Shower profile for shower drainage, for installation in tile adhesive above the screed and seal. For floor coverings from 8-25 mm (incl. adhesive bed). For flush to the wall installation for wall coverings from 10 mm (incl. adhesive bed). For installation at the wall (flush to the wall) or at any specific distance from the wall.



Contents:

- Shower profile that can be cut to length made of stainless steel, with internal gradient for improved water drainage and self-cleaning effect, material 1.4301 (304)
- Profile cover made of stainless steel, with “push function” for removal by hand, material 1.4301 (304)
- Connection piece for combining with the TECEDrainprofile drain
- Grip elements on the underside of the shower profile for simple installation and solid connection with the tile adhesive

Product	Length/width	Order No.	₹
TECEDrainprofile Brushed stainless steel	800/55 mm	670800	₹31900.00
	900/55 mm	670900	₹32900.00
	1000/55 mm	671000	₹35900.00
	1200/55 mm	671200	₹36900.00
TECEDrainprofile Polished stainless steel	800/55 mm	670810	₹36900.00
	900/55 mm	670910	₹37900.00
	1000/55 mm	671010	₹38900.00
	1200/55 mm	671210	₹39900.00
TECEDrainprofile drain "standard", DN 50 side drain		673002	₹11900.00
TECEDrainprofile drain "flat", DN 40 side drain		673001	₹11900.00
TECEDrainprofile assembly feet		674000	₹1100.00
Sound insulation mat 6 mm Drainbase (roll)	8.00 m/1.25 m	660002	₹4400.00
Sound insulation mat 6 mm Drainbase (mat)	1.25 m/1.25 m	660001	₹5500.00

VERSATILE, ATTRACTIVE, CLEAN.

The new freedom in drainage systems: TECEDrainprofile allows the individual design of shower spaces without tile fragments on the sides. The shower profile can be optimally integrated into the shower space in terms of length. This also simplifies assembly and cleaning - with clever details for maximum hygiene and cleanliness with minimal effort.

Unmistakeable. Down to the detail with PVD finishes

TECEdrainprofile shower profile

From the modern loft character through to the atmospheric boudoir, flush plates and shower profiles complement current bathroom fittings for a comprehensively harmonious overall look.



64

TECEdrainprofile shower profiles	Version	Length	Width	Order no.	₹
	Brushed Black Chrome	800	55 mm	670801	₹62900.00
		900	55 mm	670901	₹65900.00
		1000	55 mm	671001	₹67900.00
		1200	55 mm	671201	₹69900.00
	Polished Black Chrome	800	55 mm	670811	₹69900.00
		900	55 mm	670911	₹71900.00
		1000	55 mm	671011	₹74900.00
		1200	55 mm	671211	₹79900.00
	Brushed Gold Optic	800	55 mm	670802	₹62900.00
		900	55 mm	670902	₹65900.00
		1000	55 mm	671002	₹67900.00
		1200	55 mm	671202	₹69900.00
	Polished Gold Optic	800	55 mm	670812	₹69900.00
		900	55 mm	670912	₹71900.00
		1000	55 mm	671012	₹74900.00
		1200	55 mm	671212	₹76900.00
	Brushed Red Gold	800	55 mm	670803	₹62900.00
		900	55 mm	670903	₹65900.00
		1000	55 mm	671003	₹67900.00
		1200	55 mm	671203	₹69900.00
	Polished Red Gold	800	55 mm	670813	₹69900.00
		900	55 mm	670913	₹71900.00
		1000	55 mm	671013	₹74900.00
		1200	55 mm	671213	₹77900.00


TECE
close to you

NEW

FOR
SIMPLICITY
LOVERS!

DIN
18534
compliant

TECEdrainline-Evo:
the new generation of the million times
tried and tested TECE shower channel



1

Protective construction cover made of plastic: protects the channel and sealing sleeve from dirt and damage during the construction phase. This is removed once the screed is filled.

2

The seal of originality: guarantees the original status of delivery of the channel from the factory when transferred undamaged between trades.

3

Transparent protective construction cover with opening for seal inspection.

4

Factory fitted Seal System sealing sleeve: offers additional reliability in sealing and saves an additional working step.



Optional secondary drainage (see pages 8-9)

5

TECEdrainline channel: made of stainless steel – free of screws and parts of threads on the inside. This consequently makes it hygienic and easy to clean. The inside gradient prevents any deposits building up as a result of standing water.

The TECEdrainline-Evo shower channel range

The TECEdrainline-Evo channel is compatible with all drains, covers and other components in the shower channel range. For wall-mounted installation there are special variants which come with a stainless steel edge for wall tile support.



Fig.	Product	System length	Order no.	₹
	TECEdrainline-Evo shower channel	700 mm	600702	₹32900.00
		800 mm	600802	₹33900.00
		900 mm	600902	₹34900.00
		1000 mm	601002	₹35900.00
		1200 mm	601202	₹37900.00
	TECEdrainline-Evo shower channel with wall tile support	700 mm	600703	₹29900.00
		800 mm	600803	₹30900.00
		900 mm	600903	₹31900.00
		1000 mm	601003	₹32900.00
		1200 mm	601203	₹34900.00

WHY TECEdrainline-“Evo”?

The TECEdrainline-Evo is a new generation of the shower channel from TECE that has been used a million times. The Drainline-Evo makes it easier for installers and tilers to install the channel and offers a bonus to reliability in assembly and sealing. This doesn't change any of the proven product features, such as the easy to clean stainless steel channel with anti-capillary edge.

TECE
close to you

TECEdrainpoint S


The modular system - Compact, Individual, Versatile



TECEdrainpoint S modular system principle – compact, individual, versatile















TECEdrainpoint S: The lean alternative to complicated "complete ranges".
The modular system – small range, infinite applications: put together your own drain from the modular system components. Select the drain, drain top, grate and accessories to meet your needs. Everything fits together and any combination is possible.

- Complete drains: it could not be easier. Four drain sets are available for the most common applications.
- Standardized Seal System universal flange. Just one flange design for liquid and strip composite seal or clamped flange connections.
- Certified seal safety through the Seal System.



The compact range and the freedom to combine all drains, drain tops and other accessories allows the creation of individual drain solutions for practically any requirement.

Basic components

	Drain tops including patterned grate				
	Plastic grate frame	Stainless steel grate frame		Stainless steel grate frame Natural stone	Tile Inert
100 mm	  3660001 ₹2100.00	  3660002 ₹3400.00	  3660007 ₹8700.00	  3660016 ₹4800.00	
					with Extension without Extension
150 mm	  3660003 ₹3300.00	  3660004 ₹4700.00	  3660008 ₹16000.00	  3660014a ₹7300.00 (with hair trap & odour trap)	  3660011 ₹7200.00
					  3660013a ₹6000.00 (with hair trap & odour trap)

It could not be easier. Four complete drain sets are available for the most common applications.

All drains have a DN 50 plastic (PP) drain body with removable odour trap and a drain top including a plastic (ABS) grate frame and O-ring seal. Supplied with TECEdrainpoint patterned grate made of drawn stainless steel, material 1.4301 (304), dimensions 100 x 100 mm polished finish, load class K3 (load of up to 300 kg).







Complete drain sets	
TECEdrainpoint S 110 drain set extra-flat with Seal System universal flange	
- With universal flange for the connection of composite seals or clamped flange connections - With ball joint, lateral inflow DN 40, including plug - Drainage capacity from 0.61 to 1.12 l/s - Reduced sealing water height = 30 mm	 3601100 ₹3400.00

TECEdrainpoint S 120 drain set standard with Seal System universal flange

Stainless steel grates	
 3665002 ₹1400.00	 3665003 ₹2100.00
 3665006 ₹6900.00	 3665009 ₹14700.00


Accessories		
 3660005 ₹2500.00	 3660006 ₹1400.00	 3690005 ₹800.00

Membrane odour traps		
 3695002 ₹2500.00	 3695005 ₹2500.00	 3695006 ₹2500.00

	Drain body with Seal System universal flange		
	vertical	horizontal	
DN 50	  3601600 ₹3700.00	  3601400 ₹3400.00	  3601401 ₹2900.00
DN 70	  3603600 ₹3700.00	  3603500 ₹3700.00	  3601500 ₹3700.00
DN 100	  3607600 ₹3700.00	  3607500 ₹3700.00	

*reduced sealing water height 30 mm

TECEdrainpoint S – now with tileable drain tops



The frameless tile base cover – seamless floor covering.


A special tile base for use as a cover is now available for TECEdrainpoint S.

The effect: the drain optically blends in with the tiled floor. The smaller version (100 x 100 mm, picture above) consists of a frameless tile base. The element is tiled and installed. The only thing that remains visible is the all-round drainage gap between the tiles

to allow the water to drain away. The point drain is perfectly integrated into the flooring pattern – and an excellent solution in particular for natural stone and ceramic tiles. For larger sizes (150 x 150 mm, picture below) the drain top has a stainless steel frame, into which the appropriate tile is laid.



Seal System – the new sealing standard for TECE drains and shower channels



Example of the Seal System in a TECEdrainpoint S drain with a certified sealing product: (1) screed, (2) universal flange protective film, (3) first coat of composite seal, (4) Seal System sealing sleeve, (5) second coat of composite seal

What is Seal System?

With Seal System, TECE provides installers and tilers certified reliability in the connection of composite seals to TECEdrainpoint drains and TECEdrainline channels. The system is inspected by Kiwa TBU, an independent testing institution, and is based on the test principles required by the building inspectorate in Germany.



Fifty sealing products from renowned manufacturers have been successfully inspected and certified. The inspections covered the functional reliability (tightness) of the composite sealing products with TECE drainage products. A certificate may be obtained for every successfully inspected product.

A list of all certified composite seals may be retrieved from www.sealsystem.net.

Seal System comprises the following components for TECEdrainpoint S:

1. TECEdrainpoint S drain with universal flange
2. Seal System seal collar
3. One of the 50 inspected and certified sealing products



TECEprofil – technology you can't see,
but has what it takes!



TECE 
close to you

TECEprofil

Pre-wall installation
with TECEprofil



For **TECE**logo, your hands
are your best tool.

With our professional installation system TECElogo, you already have the right tool: Your hands. Show what a real hands-on expert you are: On the construction site, you no longer need any pressing tools. Work simply with your hands: Maintenance-free, theft-proof and always the right size. TECElogo – intelligent professional technique, quick to push-fit and permanently secure. Discover the advantages:

FAST ASSEMBLY

You save time if you only need to push-fit and no longer need to press. And you can even save a lot of time. According to a study by Münster University of Applied Sciences, during assembly, the fitters polled had a time advantage of around 30 % compared to previously used systems.

SIMPLE ASSEMBLY

It's fast and easy to assemble the TECElogo professional system: (1) Cut to length, (2) Calibrate, (3) Push together, you're done.



Cut to length



Calibrate



Push together

TECElogo can be installed extremely quickly – without pressing tools. You can therefore work effectively on any construction site.

TECE
close to you

TECElogo push fittings

The installation system for
experts with TECElogo
composite pipe





*For MTNL / BSNL Lines

TECE INDIA PVT. LTD.

Tel : +91 22 2167 6767

info@tece.in

www.tece.in

