




M.B. Finishing Technologies

Redefining Finishing Excellence...

Customize Solutions for Buffing & Polishing Machines



TÜV
AUSTRIA

ISO 9001:2015

PRODUCT CATALOGUE

sale@mbtools.in
sales.mbtools@gmail.com

www.mbtools.in
www.mbfinishtech.com

Hotline:
+91-89566 48126
+91-91752 82992



M.B. Finishing Technologies
Redefining Finishing Excellence...

About Us

M.B. Finishing Technologies a subsidiary of **M.B. Tools Pvt. Ltd.** established in 1990, is an **ISO 9001:2015** certified company engaged in Design & manufacturing of **Automatic Special Purpose and Standard Buffing and Polishing Machines** for Automobile components & other industrial applications.

We have our own Tool room consisting facilities of **Cylindrical Grinding, Rotary & Surface Grinding, Milling, Turning, Drilling, Fabrication** etc.

The company is managed by professionals & supported by qualified engineers with rich experience in manufacturing with **Core strength in Design & Engineering**. The company management believes in the principles of Customer Oriented Thinking. With our positive attitude and gradual progress in last 30 years as well as experience in the field of automation with technical **"know how"**.

We have enhanced our Infrastructure, added new Machineries & diversified portfolio of SPM machine building, fabrication along with previous Machining facilities & has sufficient **SPARE CAPACITY** to deliver your organization.

Our Vision

To win the **trust** of our customer by providing them the **best quality** of machines & services from our side. Always to co-operate & support to our customers in the best manner. Building up the **brand value** of our organisation & always develop the business with our customers for the **long term**

Our Mission

- To be a **leading manufacturer** & Exporter in Polishing machine tool industry
- To supply premium **quality product** & Services
- Always improving ourselves **from Better to Best**

POTENTIALS



M.B. Finishing Technologies
Redefining Finishing Excellence...




Tank Polishing Machine




Pipe ID Polishing Machine




Sheet Polishing Machine



Super Finishing Machine



Heavy Roller Polishing Machine



Coil Polishing Machine



Centerless Pipe/Bar Polishing M/c



Conveyorised Flat Polishing M/c



Aluminium Section Polishing M/c



Cookware Buffing & Polishing M/c



Manual Belt Polishing Machine

Tank Polishing Machine




M.B. Finishing Technologies
Redefining Finishing Excellence...

*1st company to successfully develop
Tank polishing in India*



TPM-3000SD

M/c Model	TPM-1500SD	TPM-3000SD	TPM-4500SD
Component	Shell + Dish	Shell + Dish	Shell + Dish
Feed Rate (mm/min)	0 - 300	0 - 300	0 - 300
Consumable	Abrasive Belt + Wheel	Abrasive Belt + Wheel	Abrasive Belt + Wheel
Shell OD	Ø 0.5 - 1.5 m	Ø 0.5 - 3 m	Ø 0.5 - 4.5 m
Shell ID	Ø 1.1 - 1.5 m	Ø 1.1 - 3 m	Ø 1.1 - 4.5 m
Length	1.5 m	3 m	4.5 m
Power Req.	18.5 HP	19.5 HP	19.5 HP



Mirror Finish



Matt finish

Pipe ID Polishing Machine

*1st company to successfully develop
Pipe ID polishing in India*

M/c Model	PIP-1000	PIP-3000	PIP-6000
Application	Pipe ID	Pipe ID	Pipe ID
Feed Rate (m/min)	0 - 5	0 - 5	0 - 5
Consumable	Flap Wheel	Flap Wheel	Flap Wheel
No. of Station	3	3	6
Pipe ID Range	Ø 22 - 100 mm	Ø 22 - 100 mm	Ø 22 - 100 mm
Length	0.5 - 1 m	1 - 3 m	1 - 6 m
Power Req.	16.5 HP	18 HP	34 HP



PIP-3000



Before

After





M.B. Finishing Technologies
Redefining Finishing Excellence...

Super-finishing Machine



SFM-50

Process	Diagram of resulting surface	Height of micro irregularity (μm)
Precision Turning		1.25-12.50
Grinding		0.90-5.00
Honing		0.13-1.25
Lapping		0.08-0.25
Super Finishing		0.01-0.25

M/c Model	SFM-50
Application	Superfinishing of rotor shaft, piston rod, pins, fork tube, automobile components, Transmission shaft, Tulip shaft etc.
Output Finish	Ra – Up to 0.100 μm
Consumable	Abrasive Film 50mm Width
Component Specification	$\varnothing 20$ to $\varnothing 100\text{mm}$ OD Up to 50mm Width
Power Req.	3 HP



Heavy Rod OD Polishing


M/c Model	HLP300-1H (Single Head)
Application	Heavy Round bar, Tube, Piston rods, Shafts, Cylindrical Parts, Pins, etc.

Feed Rate 0-3 m/min

Consumable Abrasive Belt & Flap Wheel : 100mm Width

Component Specification $\varnothing 100$ to $\varnothing 300\text{mm}$ OD

Power Req. 7.5 HP (Total power consumption)




HLP300-1H



Sheet Polishing Machine



M.B. Finishing Technologies
Redefining Finishing Excellence...



SP1200-3H



M/c Model	SP600B-1H (Two Heads)
Application	Matt Finish on SS, MS, Aluminium, Copper Sheets, Square tube, Aluminium Section, Punch parts, Blanking etc.

Feed Rate	0.5 - 6 m/min
Consumable	Flap Wheel, Buff wheel
Component Specification	Width – 600mm Thickness – 1 to 100mm
Power Req.	12.5 HP (Total power consumption)

M/c Model	SP1200-3H (3 Heads)
Application	Matt Finish on SS, MS, Aluminium, Copper Sheets, Square tube, Aluminium Section, Punch parts, Blanking etc.
Feed Rate	0.5 - 6 m/min
Consumable	Belt, Flap Wheel, Buff wheel
Component Specification	Width – 1200mm Thickness – 1 to 100mm
Power Req.	41 HP (Total power consumption)



SP600B-1H



Flat Polishing Machine



M.B. Finishing Technologies
Redefining Finishing Excellence...

M/c Model	SP-300B-1H (Single Head)
Application	MS/SS Flats, Punched & Blanked Parts, Sheet metal Parts, Sprockets, Clutch Plates
Feed Rate	0.5 to 6 m/min
Consumable	Abrasive Belt + Wheel
Component Specification	Width – Up to 300mm Thickness – 1 to 80mm
Power Req.	9 HP (Total power consumption)



SP300B-1H




VB-150-L1

M/c Model	VB150-L1 (Single Head)
Application	MS/SS Flats, Punched & Blanked Parts, Sheet metal Parts, Sprockets, Clutch Plates
Feed Rate	6 m/min
Consumable	Abrasive Belt + Wheel
Component Specification	Width – Up to 150mm Thickness – 1 to 80mm
Power Req.	5.5 HP (Total power consumption)

M/c Model	SP300W-H3 (Three Heads)
Application	Square/Rectangle tube, Aluminium Section, MS/SS Sheets, Bus Bars etc.
Feed Rate	0.5 to 6 m/min
Consumable	Flap Wheel, Buff wheel
Component Specification	Width – Up to 300mm Thickness – 1 to 100mm
Power Req.	26 HP (Total power consumption)



SP300W-3H





M.B. Finishing Technologies
Redefining Finishing Excellence...

SS Coil Polishing Machine




CP100-4H




M/c Model	CP100-H4 (Four Heads)
Application	SS Coils, Aluminium Coils, Copper Coils etc.
Feed Rate	Up to 6 m/min
Consumable	Flap Wheel, Buff wheel
Component Specification	Width – Up to 300mm Thickness – 1 to 8 mm
Power Req.	22 HP (Total power consumption)

Manual Sheet Polishing Machine


M/c Model	LBPM-1200
Application	Mat Finish on SS, MS, Aluminium, Copper Sheets, Panel Box, Strips, Punch parts, Blanking etc.
Feed Rate	Manual
Consumable	Abrasive Belt 100mm Wide
Component Specification	Max. 1200x600x600mm
Power Req.	5.5 HP (Total power consumption)



LBPM-1200



Roller Polishing Attachment



Platen Polishing Attachment



M.B. Finishing Technologies
Redefining Finishing Excellence...

Cookware Buffing/Polishing Machine



RTP-7S-6H


M/c Model	RTP-7S-6H (7 Station 6 Heads)
Application	Cookware pot, Bowl, Basin, Big Tiffin, Bucket, Topla, Tawa, Kadhai Etc.
Cycle time	25 sec to 80 sec
Component Specification	Ø60 to Ø250mm OD
Power Req.	33 HP (Total power consumption)

M/c Model	CUP-2H (Two Heads)
Application	Cookware pot, Bowl, Basin, Big Tiffin, Bucket, Tawa, Kadhai Etc.
Cycle time	40 sec to 150 sec
Component Specification	Ø60 to Ø150mm OD
Power Req.	11 HP (Total power consumption)



CUP-2H

Turnkey Solution for Cookware Buffing



CUP-3H


M/c Model	CUP-3H (Three Heads)
Application	Cookware pot, Bowl, Basin, Big Tiffin, Bucket, Topla, Tawa, Kadhai Etc.
Cycle time	40 sec to 150 sec
Component Specification	Ø60 to Ø150mm OD
Power Req.	16 HP (Total power consumption)





M.B. Finishing Technologies
Redefining Finishing Excellence...

Cookware Buffing/Polishing Machine




CUP-150DH

M/c Model	CUP-ID/OD
Application	Cookware pot, Bowl, Basin, Big Tiffin, Bucket, Topla, Tawa, Kadhai Etc.
Cycle time	40 sec to 150 sec
Component Specification	Ø60 to Ø200mm OD
Power Req.	6 HP (Total power consumption)

M/c Model	CUP-150DH (Two Heads)
Application	Cookware pot, Bowl, Basin, Big Tiffin, Bucket, Topla, Tawa, Kadhai Etc.
Cycle time	40 sec to 150 sec
Component Specification	Ø100 to Ø300mm OD
Power Req.	16.5 HP (Total power consumption)

Turnkey Solution for Cookware Buffing



CUP-ID/OD



CUP-1H-i

M/c Model	CUP-1H-i (Single Heads)
Application	Cookware pot, Bowl, Basin, Big Tiffin etc.
Cycle time	40 sec to 150 sec
Consumable	Buff Wheel : OD upto Ø200 x 75mm Width
Component Specification	Ø60 to Ø150mm OD
Power Req.	6 HP (Total power consumption)



LID/Utensils Buffing/Polishing Machine



M.B. Finishing Technologies
Redefining Finishing Excellence...



TUP-1H

M/c Model	TUP-1H (Single Heads)
Application	Cookware LID, Tawa, Pan, Plates etc.
Cycle time	40 sec to 150 sec
Consumable	Buff Wheel : OD upto $\varnothing 200$ x 75mm Width
Component Specification	$\varnothing 60$ to $\varnothing 150$ mm OD
Power Req.	4 HP (Total power consumption)

Turnkey Solution for Mirror/MATT Finish for LID/Utensils

M/c Model	FUP-1H (Single Heads)
Application	Locket, Belt Buckle, Circles, Plates Etc.
Cycle time	10 sec to 30 sec
Consumable	Buff Wheel : OD upto $\varnothing 200$ x 75mm Width
Component Specification	$\varnothing 30$ to $\varnothing 60$ mm OD
Power Req.	3 HP (Total power consumption)




FUP-1H






M.B. Finishing Technologies
Redefining Finishing Excellence...

Square Tube Polishing Machine



STP100-16H

M/c Model	STP100-16H (16 Heads)
Application	Square/Rectangle tube, Aluminium Section, Bus Bars etc.
Feed Rate	Up to 6 m/min
Consumable	Flap Wheel, Buff wheel
Component Specification	Width – Up to 100mm Thickness – Up to 100mm
Power Req.	84 HP (Total power consumption)





Trolley Type Polishing Machine

M/c Model	TBP300-2H (Double Head)
Application	MS/SS Flats, Al Sections, Sheet, Punched & Blanked Sheets etc.
Feed Rate	0.5 to 6 m/min
Consumable	Buff/Flap Wheel
Component Specification	Width – Up to 300mm Thickness – 1 to 80mm
Power Req.	11.5 HP (Total power consumption)



TBP300-2H



Centerless Pipe Polishing Machine



M.B. Finishing Technologies
Redefining Finishing Excellence...



CG-150B-L1

M/c Model	CG-150B-L1 (Single Head)
Application	Bright Bar, Round bar, Tube, Piston rods, Shafts, Pins, Cylindrical Parts etc.
Feed Rate	0.5 to 6 m/min
Consumable	Abrasive Belt & Flap Wheel : 150mm Width
Component Specification	Ø10 to Ø150mm OD
Power Req.	5.5 HP (Total power consumption)

M/c Available in Multiple Heads

M/c Model	CG-150W-L1 (Single Head)
Application	Bright Bar, Round bar, Tube, Piston rods, Shafts, Pins, Cylindrical Parts etc.
Feed Rate	0.5 to 6 m/min
Consumable	Flap Wheel : OD Ø350 x ID Ø180 x 150mm Width
Component Specification	Ø10 to Ø150mm OD
Power Req.	5.5 HP (Total power consumption)



CG-150W-L1



Manual Belt Polishing Machine



M.B. Finishing Technologies
Redefining Finishing Excellence...




BGM-50-2H (Heavy Duty)

M/c Model	BGM-50-2H (Double Heads)
Application	Foundry, Die-casting, Wood working
Consumable	Abrasive Belt: 50mm Width
Power Req.	4 HP / 6 HP (Total power consumption)

KBGM-50 (Light Duty)

M/c Model	KBGM-50 (Single Head)
Application	Knife Grinding, Foundry, Die-casting, Wood working
Consumable	Abrasive Belt: 50mm Width
Power Req.	0.5 HP / 1 HP (Total power consumption)



WSGM-75

M/c Model	WSGM-75
Application	Weld Seam Lines, Foundry, Sheet Metal, Die-casting,
Consumable	Abrasive Belt: 75mm Width
Power Req.	3 HP / 5 HP (Total power consumption)



M.B. Finishing Technologies
Redefining Finishing Excellence...

Manual Wheel Polishing Machine




WPM-350-2H (Heavy Duty)

M/c Model	WPM-350-2H (Double Head Heavy Duty)
Application	Cookware, Utensils, Aluminium Die-casting
Consumable	Wheel: Ø350mm x 50 Width
Power Req.	5 HP / 7.5 HP (Total power consumption)

M/c Model	WPM-350-2H (Double Head Light Duty)
Application	Cookware, Utensils, Aluminium Die-casting
Consumable	Wheel: Ø350mm x 50 Width
Power Req.	3/5 HP (Total power consumption)



WPM-350-2H (Light Duty)



MUP-1H

M/c Model	MUP-1H (Manual Polishing)
Application	Sunray Finish: Cookware, Utensils
Consumable	Wheel: Ø350mm x 50 Width
Power Req.	3 HP (Total power consumption)



M.B. Finishing Technologies
Redefining Finishing Excellence...

Special Purpose Polishing Machine



**4 station Aluminium Billet
Brushing Machine**

**Bi-metal Coil Polishing
Machine**



**Top-Bottom Metal Sheet/Plate
Milling Machine**



M.B. Finishing Technologies
Redefining Finishing Excellence...

Types of Surface Finish




No. 1 & 2D Finish




No. 2 & 2B Finish



No. 3 Finish



No. 4 Finish




No. 6 Finish



No. 7 Finish



Hair Line Finish



Satin Finish



No.8 Mirror



M.B. Finishing Technologies
Redefining Finishing Excellence...

Our Valuable Clients



CYBERNETIK
TECHNOLOGIES



JOHN DEERE

CATERPILLAR®

KSPG
Automotive
GERMANY



ACG Pharma



The Indian Card
Clothing Co. Ltd

VULKAN
VULKAN Technologies Pvt. Ltd
GERMANY



ABSOLUTE
Dubai

AMEYA
EUROPE

RELIABLE



Reliable Autotech Pvt. Ltd.

Gansons⁷⁵⁺
Better Solutions Since 1947



sk
technologies for life
**S. K. Pharma
Machinery**



Contact Us



We Deliver Trust

Contact Us:

M.B. Finishing Technologies

Gat No 669 & 670, Balghare Vasti,
Chikhali, Pune-411062

sales.mbtools@gmail.com, sale@mbtools.in

+91-8956648126, +91-9175282992



www.mbtools.in