

A top-down view of a desk setup. In the upper left, a portion of a silver laptop is visible. Below it, a pair of glasses with thin frames lies on the desk. To the right of the glasses is a silver keyboard. In the center, an open spiral-bound notebook with lined pages is open. To the right of the notebook is a white computer mouse. In the bottom right corner, a portion of a black rotary phone is visible. The background is a light gray surface. Two teal-colored geometric shapes, resembling chevrons, are positioned in the top left and bottom right corners.

GET & SET

GETTERS

Del inglés Get, que significa obtener, el cual nos sirve para obtener (recuperar o acceder) el valor ya asignado a un atributo y utilizarlo para cierto método.

SETTERS

Del Inglés Set, que significa establecer, el cual nos sirve para asignar un valor inicial a un atributo, pero de forma explícita, además el Setter nunca retorna nada (Siempre es void), y solo nos permite dar acceso público a ciertos atributos que deseemos el usuario pueda modificar.

Para utilizar los setters y getters se tiene que declarar de la siguiente forma :

```
public string nombre;
```

```
public string Nombre {  
    get { return nombre; } // get method  
    set { nombre = value; } // set method  
}
```

o escribirse de la forma abreviada de la siguiente forma:

```
public string Nombre { get => nombre; set => nombre = value; }
```

