

## DFAT PNG Housing - Project 2 - PTE

| Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Unit                                            | Quantity | Rate | Amount |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------|------|--------|
|      | <p><b>PREAMBLE</b></p> <p>Tenderers must provide a full breakdown of the Contract Fixed Lump Sum as a fully costed Bill of Quantities (BOQ).</p> <p>This breakdown is to be provided against the individual items included in a BOQ. This template is an example only and should be adapted to suit the Tenderers needs. This BOQ provides indicative line items and quantities only, Tenderers must undertake their own due diligence when providing their BOQ.</p> <p>- The PDF version of the BOQ must be completed and returned as part of the Tender submission.<br/> - The Excel spreadsheet is provided for information and pricing assistance only and does not form part of the Tender submission.</p> | <p>Note</p> <p>Note</p> <p>Note</p> <p>Note</p> |          |      |        |

DFAT PNG Housing - Project 2- PTE

| SUMMARY               |                                                                                        |       |
|-----------------------|----------------------------------------------------------------------------------------|-------|
| Code                  | Description                                                                            | Total |
| 1                     | Stage 2                                                                                | \$ -  |
|                       | H35                                                                                    | 0     |
|                       | H36                                                                                    | 0     |
|                       | H37                                                                                    | 0     |
|                       | H38                                                                                    | 0     |
|                       | H39                                                                                    | 0     |
| 2                     | Stage 3                                                                                | 0     |
|                       | H29                                                                                    | 0     |
|                       | H30                                                                                    | 0     |
|                       | H31                                                                                    | 0     |
|                       | H32                                                                                    | 0     |
|                       | H33                                                                                    | 0     |
|                       | H34                                                                                    | 0     |
| 3                     | Stage 4                                                                                | 0     |
|                       | H23                                                                                    | 0     |
|                       | H24                                                                                    | 0     |
|                       | H25                                                                                    | 0     |
|                       | H26                                                                                    | 0     |
|                       | H27                                                                                    | 0     |
|                       | H28                                                                                    | 0     |
| 4                     | Stage 5                                                                                | 0     |
|                       | H13                                                                                    | 0     |
|                       | H14                                                                                    | 0     |
|                       | H15                                                                                    | 0     |
|                       | H16                                                                                    | 0     |
| 5                     | Stage 6                                                                                | 0     |
|                       | H17                                                                                    | 0     |
|                       | H18                                                                                    | 0     |
|                       | H19                                                                                    | 0     |
|                       | H20                                                                                    | 0     |
|                       | H21                                                                                    | 0     |
|                       | H22                                                                                    | 0     |
| 6                     | Stage 7                                                                                | 0     |
|                       | H1                                                                                     | 0     |
|                       | H2                                                                                     | 0     |
|                       | H3                                                                                     | 0     |
|                       | H4                                                                                     | 0     |
|                       | H5                                                                                     | 0     |
|                       | H6                                                                                     | 0     |
| 7                     | Stage 8                                                                                | 0     |
|                       | H7                                                                                     | 0     |
|                       | H8                                                                                     | 0     |
|                       | H9                                                                                     | 0     |
|                       | H10                                                                                    | 0     |
|                       | H11                                                                                    | 0     |
|                       | H12                                                                                    | 0     |
| TOTAL                 |                                                                                        | 0     |
| Provisional Sum Items |                                                                                        |       |
| 8                     | New Doors & Window (incl. prelims, margin, escalation & contingency)                   |       |
| 9                     | Additional Fitments incl. Whitegoods (incl. prelims, margin, escalation & contingency) |       |
| TOTAL                 |                                                                                        | 0     |
| TOTAL                 |                                                                                        | 0     |

Day Work Rates

|    | Description                        | Hourly Rate  | Daily Rate   |
|----|------------------------------------|--------------|--------------|
| 1  | Contract manager                   | [AUD or PCK] | [AUD or PCK] |
| 2  | Project manager                    | [AUD or PCK] | [AUD or PCK] |
| 3  | WHS manager                        | [AUD or PCK] | [AUD or PCK] |
| 4  | Foreman                            | [AUD or PCK] | [AUD or PCK] |
| 5  | Unskilled Labour                   | [AUD or PCK] | [AUD or PCK] |
| 6  | Electrician                        | [AUD or PCK] | [AUD or PCK] |
| 7  | Plumber                            | [AUD or PCK] | [AUD or PCK] |
| 8  | Mechanical Technician              | [AUD or PCK] | [AUD or PCK] |
| 9  | Carpenter                          | [AUD or PCK] | [AUD or PCK] |
| 10 | Plasterer                          | [AUD or PCK] | [AUD or PCK] |
| 11 | Painter                            | [AUD or PCK] | [AUD or PCK] |
| 12 | Tiler                              | [AUD or PCK] | [AUD or PCK] |
| 13 | [insert additional rows as require | [AUD or PCK] | [AUD or PCK] |

## DFAT PNG Housing - H1, H2, H7, H8 - PTE

| Code       | Description                                                                                                                                         | Quantity | UOM  | Rate       | Total    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| <b>1</b>   | <b>BUILDING TYPES</b><br><b>H1, H2, H7, H8</b>                                                                                                      |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                                 |          |      |            |          |
| <b>1.1</b> | <b><u>Demolition</u></b><br>DEMOLITION                                                                                                              |          |      |            |          |
|            | Preamble                                                                                                                                            |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                          |          | note |            |          |
|            | Protection                                                                                                                                          |          |      |            |          |
| 1.1.1      | Protection of the existing doors and architrave during construction                                                                                 | 15       | no   | PGK        | -        |
| 1.1.2      | Remove/store the reusable items                                                                                                                     | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                                 |          |      |            |          |
| 1.1.3      | Terminating redundant services and capping of existing services including light switches, GPO's Data outlets, TV outlets                            | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                          |          |      |            |          |
| 1.1.4      | Removal and disposal of existing joinery and accessories                                                                                            | 8        | m    | PGK        | -        |
| 1.1.5      | Removal and disposal of existing partition                                                                                                          | 8        | m2   | PGK        | -        |
| 1.1.6      | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                                   | 36       | m2   | PGK        | -        |
| 1.1.7      | Removal and disposal of existing wardrobe                                                                                                           | 12       | m    | PGK        | -        |
| 1.1.8      | Removal and disposal of existing door furniture                                                                                                     | 13       | no   | PGK        | -        |
| 1.1.9      | Removal and disposal of existing stair treads, handrail & balustrade                                                                                | 9        | m    | PGK        | -        |
| 1.1.10     | Removal and disposal of existing floor finishes                                                                                                     | 145      | m2   | PGK        | -        |
| 1.1.11     | Removal and disposal of existing shower base                                                                                                        | 2        | no   | PGK        | -        |
| 1.1.12     | Removal and disposal of bath & toilet pan                                                                                                           | 1        | item | PGK        | -        |
| 1.1.13     | Removal and disposal of existing doors                                                                                                              | 1        | no   | PGK        | -        |
| 1.1.14     | Removal and disposal existing wall tiling                                                                                                           | 86       | m2   | PGK        | -        |
| 1.1.15     | Removal and disposal internal distribution boards                                                                                                   | 1        | no   | PGK        | -        |
| 1.1.16     | Removal and disposal of existing curtain pelmets and making good area                                                                               | 34       | m    | PGK        | -        |
| 1.1.17     | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's      | 56       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                       |          |      | PGK        | -        |
| 1.1.19     | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                                 | 1        | Item | PGK        | -        |
| 1.1.20     | Removal and disposal of existing lights                                                                                                             | 1        | item | PGK        | -        |
| 1.1.21     | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                           | 1        | item | PGK        | -        |
| 1.1.22     | All emergency key fittings to be removed                                                                                                            | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                             |          |      | <b>PGK</b> | <b>-</b> |
| <b>1.2</b> | <b><u>Wall Finishes/Painting</u></b><br>WALL FINISHES/PAINTING                                                                                      |          |      |            |          |
|            | Preambles                                                                                                                                           |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.           |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                                 |          | note |            |          |
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                              |          | note |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed. |          | note |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                          |          | note |            |          |
|            | No painting or refinishing works are included to external facade                                                                                    |          | note |            |          |
|            | Painting                                                                                                                                            |          |      |            |          |
| 1.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                    | 338      | m2   | PGK        | -        |
|            | Tiling                                                                                                                                              |          |      |            |          |
| 1.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed                                                                | 66       | m2   | PGK        | -        |
|            | Edge and patching to existing walls                                                                                                                 |          |      |            |          |
| 1.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls         | 6        | m2   | PGK        | -        |
| 1.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                   | 88       | m2   | PGK        | -        |
|            | Skirting                                                                                                                                            |          |      |            |          |
| 1.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                  | 128      | m    | PGK        | -        |
|            | Doors                                                                                                                                               |          |      |            |          |
| 1.2.6      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                    | 13       | no   | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                 |          |      | <b>PGK</b> | <b>-</b> |

**1.3 Floor Finishes**

## FLOOR FINISHES

## Preambles

Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. note

Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate. note

## Tiling

|                             |                                                                                                                                                                 |        |            |          |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 1.3.1                       | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 120 m2 | PGK        | -        |
| 1.3.2                       | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 16 m2  | PGK        | -        |
| 1.3.3                       | Stair<br>Recessed stair nosing                                                                                                                                  | 13 m   | PGK        | -        |
| 1.3.4                       | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
| <b>TOTAL Floor Finishes</b> |                                                                                                                                                                 |        | <b>PGK</b> | <b>-</b> |

**1.4 Ceiling Finishes**

## CEILING FINISHES

## Preambles

## Finishes

|                               |                                                                                                                                                                                                                                                       |        |            |          |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 1.4.1                         | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 155 m2 | PGK        | -        |
| <b>TOTAL Ceiling Finishes</b> |                                                                                                                                                                                                                                                       |        | <b>PGK</b> | <b>-</b> |

**1.5 Door and Window**

## DOOR AND WINDOWS

## Preambles

Rates are deemed to include the supply and installation of all door hardware and all applied finishes. note

## Doors

|                              |                                                                                                                                                                                           |       |            |          |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 1.5.1                        | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x 1250mmH) | 1 no  | PGK        | -        |
| 1.5.2                        | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                       | 13 no | PGK        | -        |
| 1.5.3                        | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                           | 1 no  | PGK        | -        |
| <b>TOTAL Door and Window</b> |                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |

**1.6 Joinery**

## JOINERY

## Preamble

Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation. note

Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings. note

Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware. note

Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces. note

## Kitchen

|       |                                                                                                                                                                                                             |      |     |   |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|---|
| 1.6.1 | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback           | 10 m | PGK | - |
| 1.6.2 | Laundry<br>JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only. | 4 m  | PGK | - |
| 1.6.3 | Robes<br>JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                        | 6 m  | PGK | - |
| 1.6.4 | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails.                                                 | 1 m  | PGK | - |
| 1.6.5 | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                                                                | 3 m  | PGK | - |
| 1.6.6 | Linen<br>JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                                                          | 2 m  | PGK | - |
| 1.6.7 | Mirror cabinet<br>FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                                                     | 2 no | PGK | - |

**OFFICIAL**

|            |                                                                                                                                                                                                                                          |       |                      |          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------|----------|
| 1.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet Vanity Basin                                                                                                                                                            | 2 no  | PGK                  | -        |
| 1.6.9      | SAN-07 - Posh Domaine vanity                                                                                                                                                                                                             | 2 no  | PGK                  | -        |
| 1.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                                                                                                          | 2 no  | PGK                  | -        |
|            | <b>TOTAL Joinery</b>                                                                                                                                                                                                                     |       | <b>PGK</b>           | <b>-</b> |
| <b>1.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                                                                                                           |       |                      |          |
|            | FITMENTS INCL SANITARY FIXTURES                                                                                                                                                                                                          |       |                      |          |
|            | Kitchen                                                                                                                                                                                                                                  |       |                      |          |
| 1.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                                                                                                      | 1 no  | PGK                  | -        |
| 1.7.2      | FT-02 - Hideaway waste bin                                                                                                                                                                                                               |       | Including in joinery |          |
| 1.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                                                                                                         | 1 no  | PGK                  | -        |
| 1.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                                                                                               | 1 no  | PGK                  | -        |
| 1.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                                                                                                       |       | Including in joinery |          |
| 1.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                                                                                                  |       | Including in joinery |          |
| 1.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                                                                                                  |       | Including in joinery |          |
| 1.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                                                                                                          |       | Including in joinery |          |
| 1.7.9      | SAN-01 - new kitchen sink                                                                                                                                                                                                                | 1 no  | PGK                  | -        |
|            | Laundry                                                                                                                                                                                                                                  |       |                      |          |
| 1.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                                                                                               |       | Including in joinery |          |
| 1.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                                                                                                            | 1 no  | PGK                  | -        |
| 1.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                                                                                                     | 1 no  | PGK                  | -        |
| 1.7.13     | FT-11 - Mizu Drift trapscrew grate WC(GF)                                                                                                                                                                                                | 1 no  | PGK                  | -        |
| 1.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                                                                                                   | 1 no  | PGK                  | -        |
| 1.7.15     | FT-08 - Luna basin mixer                                                                                                                                                                                                                 | 1 no  | PGK                  | -        |
| 1.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                                                                                                | 1 no  | PGK                  | -        |
| 1.7.17     | FT-20 - Misu sooth towel ring                                                                                                                                                                                                            | 1 no  | PGK                  | -        |
| 1.7.18     | SAN-04 - Liano clean flush toilet suite Bath Room, ENS & WC(1F)                                                                                                                                                                          | 1 no  | PGK                  | -        |
| 1.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                                                                                                          | 2 no  | PGK                  | -        |
| 1.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                                                                                                   | 1 no  | PGK                  | -        |
| 1.7.21     | FT-08 - Luna basin mixer                                                                                                                                                                                                                 | 3 no  | PGK                  | -        |
| 1.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                                                                                                            | 1 no  | PGK                  | -        |
| 1.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                                                                                                           | 2 no  | PGK                  | -        |
| 1.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                                                                                                | 3 no  | PGK                  | -        |
| 1.7.25     | FT-12 - Luna double towel rail                                                                                                                                                                                                           | 4 no  | PGK                  | -        |
| 1.7.26     | FT-13 - Luna hand towel rail                                                                                                                                                                                                             | 2 no  | PGK                  | -        |
| 1.7.27     | FT-14 - Luna robe hook                                                                                                                                                                                                                   | 2 no  | PGK                  | -        |
| 1.7.28     | FT-15 - Creative glass - frameless front & return with hinged door                                                                                                                                                                       | 2 no  | PGK                  | -        |
| 1.7.29     | FT-20 - Misu sooth towel ring                                                                                                                                                                                                            | 1 no  | PGK                  | -        |
| 1.7.30     | SAN-04 - Liano clean flush toilet suite                                                                                                                                                                                                  | 1 no  | PGK                  | -        |
| 1.7.31     | SAN-05 - Luna island bath                                                                                                                                                                                                                | 1 no  | PGK                  | -        |
| 1.7.32     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                                                                                                     | 1 no  | PGK                  | -        |
|            | Balustrade & Handrail                                                                                                                                                                                                                    |       |                      |          |
| 1.7.33     | Solid FC-lined balustrade wall with timber framing, 125x25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres | 7 m   | PGK                  | -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                            |       | <b>PGK</b>           | <b>-</b> |
| <b>1.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                              |       |                      |          |
|            | Preambles                                                                                                                                                                                                                                |       |                      |          |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                   | note  |                      |          |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                             | note  |                      |          |
|            | Curtains and Blinds                                                                                                                                                                                                                      |       |                      |          |
| 1.8.1      | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High           | 62 m2 | PGK                  | -        |
| 1.8.2      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers  | 5 m   | PGK                  | -        |
|            | Film                                                                                                                                                                                                                                     |       |                      |          |
| 1.8.3      | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                      | 4 m2  | PGK                  | -        |
|            | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                               |       | <b>PGK</b>           | <b>-</b> |
| <b>1.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                         |       |                      |          |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                      |       |                      |          |
|            | Preambles                                                                                                                                                                                                                                |       |                      |          |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                   | note  |                      |          |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |        |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed.                                                                                                                                                                                           | note   |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                                                                                                                                                                                                                   | note   |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                                                                                                                                                                                                                 | note   |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                                                                                                                                                                                                                   | note   |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            |          |
| 1.9.1       | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                                                                              | 180 m2 | PGK        | -        |
|             | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                   |        | <b>PGK</b> | <b>-</b> |
| <b>1.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                   |        |            |          |
|             | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |            |          |
|             | Preamble                                                                                                                                                                                                                                                                                                                                                                                                                                                          |        |            |          |
|             | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                                                                                        | note   |            |          |
|             | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                                                                                  | note   |            |          |
|             | The Works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.                                                          | note   |            |          |
|             | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                                                                                | note   |            |          |
|             | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                                                                                | note   |            |          |
|             | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage.                                                                                                                                                                                                                                                                                 | note   |            |          |
|             | Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|             | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                                                                                |        |            |          |
| 1.10.1      | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                                                                         | 180 m2 | PGK        | -        |
|             | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                    |        | <b>PGK</b> | <b>-</b> |
| <b>1.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                                                                          |        |            |          |
|             | ELECTRICAL AND COMMUNICATION SERVICES                                                                                                                                                                                                                                                                                                                                                                                                                             |        |            |          |
|             | Preamble                                                                                                                                                                                                                                                                                                                                                                                                                                                          |        |            |          |
|             | The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.                                                                                                                                                              | note   |            |          |
|             | The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed. | note   |            |          |
|             | The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:                                                                                                                                                                                                                                  | note   |            |          |
|             | - general and equipment power;                                                                                                                                                                                                                                                                                                                                                                                                                                    |        |            |          |
|             | - lighting and lighting controls;                                                                                                                                                                                                                                                                                                                                                                                                                                 |        |            |          |
|             | - ceiling fans, exhaust fan interlocks, and appliance connections;                                                                                                                                                                                                                                                                                                                                                                                                |        |            |          |
|             | - smoke detection and fire-related electrical services;                                                                                                                                                                                                                                                                                                                                                                                                           |        |            |          |
|             | - electrical isolation, disconnection, demolition, and reconnection works;                                                                                                                                                                                                                                                                                                                                                                                        |        |            |          |
|             | - communications, data, TV, router outlets, conduits, and future-proofing pathways                                                                                                                                                                                                                                                                                                                                                                                |        |            |          |
|             | - surge protection devices;                                                                                                                                                                                                                                                                                                                                                                                                                                       |        |            |          |
|             | - upgrades and modifications within existing distribution boards                                                                                                                                                                                                                                                                                                                                                                                                  |        |            |          |

|        |                                                                                                                                                                                                                                                                                                                                                                                                                          |        |            |          |      |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|------|
|        | The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation. |        |            |          | note |
|        | The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.                                                                          |        |            |          | note |
|        | The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.                                        |        |            |          | note |
|        | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                                                                                                                 |        |            |          | note |
|        | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                                                                                                     |        |            |          | note |
|        | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.                                                                                      |        |            |          | note |
|        | Electrical and Communication services                                                                                                                                                                                                                                                                                                                                                                                    |        |            |          |      |
| 1.11.1 | Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                                                                                                                                                       | 180 m2 | PGK        | -        |      |
|        | <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                                                                                                                  |        | <b>PGK</b> | <b>-</b> |      |
|        | <b>TOTAL H1, H2, H7, H8</b>                                                                                                                                                                                                                                                                                                                                                                                              |        | <b>PGK</b> | <b>-</b> |      |



## DFAT PNG Housing - H3 - PTE

| Code       | Description                                                                                                                                    | Quantity | UOM  | Rate       | Total    |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 2          | BUILDING TYPES<br>H3                                                                                                                           |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                            |          |      |            |          |
| <b>2.1</b> | <b><u>Demolition</u></b>                                                                                                                       |          |      |            |          |
|            | DEMOLITION                                                                                                                                     |          |      |            |          |
|            | Preamble                                                                                                                                       |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                     |          | note |            |          |
|            | Protection                                                                                                                                     |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                                |          |      |            |          |
| 2.1.1      | during construction                                                                                                                            | 15       | no   | PGK        | -        |
| 2.1.2      | Remove/store the reusable items                                                                                                                | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                            |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                                |          |      |            |          |
| 2.1.3      | Data outlets, TV outlets                                                                                                                       | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                     |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                       | 8        | m    | PGK        | -        |
| 2.1.5      | Removal and disposal of existing partition                                                                                                     | 7        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                              | 36       | m2   | PGK        | -        |
| 2.1.6      |                                                                                                                                                | 12       | m    | PGK        | -        |
| 2.1.7      | Removal and disposal of existing wardrobe                                                                                                      | 13       | no   | PGK        | -        |
| 2.1.8      | Removal and disposal of existing door furniture                                                                                                |          |      |            |          |
|            | Removal and disposal of existing stair treads, handrail & balustrade                                                                           | 9        | m    | PGK        | -        |
| 2.1.9      |                                                                                                                                                | 145      | m2   | PGK        | -        |
| 2.1.10     | Removal and disposal of existing floor finishes                                                                                                | 2        | no   | PGK        | -        |
| 2.1.11     | Removal and disposal of existing shower base                                                                                                   | 1        | item | PGK        | -        |
| 2.1.12     | Removal and disposal of bath & toilet pan                                                                                                      | 1        | no   | PGK        | -        |
| 2.1.13     | Removal and disposal of existing doors                                                                                                         | 85       | m2   | PGK        | -        |
| 2.1.14     | Removal and disposal existing wall tiling                                                                                                      |          |      |            |          |
|            | Removal and disposal internal distribution boards                                                                                              | 1        | no   | PGK        | -        |
| 2.1.15     |                                                                                                                                                |          |      |            |          |
|            | Removal and disposal of existing curtain pelmets and making good area                                                                          | 30       | m    | PGK        | -        |
| 2.1.16     | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's | 56       | m2   | PGK        | -        |
| 2.1.17     | Miscellaneous                                                                                                                                  |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                            | 1        | Item | PGK        | -        |
| 2.1.18     |                                                                                                                                                | 1        | item | PGK        | -        |
| 2.1.19     | Removal and disposal of existing lights                                                                                                        |          |      |            |          |
|            | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                      | 1        | item | PGK        | -        |
| 2.1.20     | All emergency key fittings to be removed                                                                                                       | 1        | item | PGK        | -        |
| 2.1.21     |                                                                                                                                                |          |      |            |          |
|            | <b>TOTAL Demolition</b>                                                                                                                        |          |      | <b>PGK</b> | <b>-</b> |
| <b>2.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                           |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                         |          |      |            |          |
|            | Preambles                                                                                                                                      |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.      |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                            |          | note |            |          |

## OFFICIAL

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 2.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 333 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 2.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 71 m2  | PGK        | -        |
| 2.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 2.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 94 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        |            |          |
| 2.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 126 m  | PGK        | -        |
| 2.2.6      | Doors                                                                                                                                                           |        |            |          |
|            | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>2.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 2.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 119 m2 | PGK        | -        |
| 2.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 17 m2  | PGK        | -        |
| 2.3.3      | Stair                                                                                                                                                           |        |            |          |
|            | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 2.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>2.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 2.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning. mould treatment and eradication, minor repairs, sanding and priming as required. | 154 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>2.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 2.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 2.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 2.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>2.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 2.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 2.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 2.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 6 m    | PGK        | -        |

## OFFICIAL

|            |                                                                                                                                                             |      |                      |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
|            | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 1 m  | PGK                  | -        |
| 2.6.4      | WIR                                                                                                                                                         |      |                      |          |
|            | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                       | 3 m  | PGK                  | -        |
| 2.6.5      | Linen                                                                                                                                                       |      |                      |          |
|            | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                   | 2 m  | PGK                  | -        |
| 2.6.6      | Mirror cabinet                                                                                                                                              |      |                      |          |
|            | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 2 no | PGK                  | -        |
| 2.6.7      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK                  | -        |
| 2.6.8      | Vanity Basin                                                                                                                                                |      |                      |          |
|            | SAN-07 - Posh Domaine vanity                                                                                                                                | 2 no | PGK                  | -        |
| 2.6.9      | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK                  | -        |
| 2.6.10     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b>           | <b>-</b> |
| <b>2.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |                      |          |
|            | <b>FITMENTS INCL SANITARY FIXTURES</b>                                                                                                                      |      |                      |          |
|            | <b>Kitchen</b>                                                                                                                                              |      |                      |          |
| 2.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK                  | -        |
| 2.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      | Including in joinery |          |
| 2.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK                  | -        |
| 2.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                  | 1 no | PGK                  | -        |
| 2.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                          |      | Including in joinery |          |
| 2.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                     |      | Including in joinery |          |
| 2.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                     |      | Including in joinery |          |
| 2.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                             |      | Including in joinery |          |
| 2.7.9      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK                  | -        |
|            | <b>Laundry</b>                                                                                                                                              |      |                      |          |
| 2.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                  |      | Including in joinery |          |
| 2.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK                  | -        |
| 2.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                        | 1 no | PGK                  | -        |
| 2.7.13     | FT-11 - Mizu Drift trapscrew grate                                                                                                                          | 1 no | PGK                  | -        |
|            | <b>WC(GF)</b>                                                                                                                                               |      |                      |          |
| 2.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 2.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK                  | -        |
| 2.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK                  | -        |
| 2.7.17     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 2.7.18     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
|            | <b>Bath Room, ENS &amp; WC(1F)</b>                                                                                                                          |      |                      |          |
| 2.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK                  | -        |
| 2.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 2.7.21     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK                  | -        |
| 2.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK                  | -        |
| 2.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK                  | -        |
| 2.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK                  | -        |
| 2.7.25     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK                  | -        |
| 2.7.26     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK                  | -        |
| 2.7.27     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK                  | -        |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK                  | -        |
| 2.7.28     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 2.7.29     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
| 2.7.30     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK                  | -        |
| 2.7.31     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK                  | -        |
| 2.7.32     | Balustrade & Handrail                                                                                                                                       |      |                      |          |

|            |                                                                                                                                                                                                                                                                         |       |              |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
| 2.7.33     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK -</b> |
| <b>2.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |              |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |              |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |              |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |              |
| 2.8.1      | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 52 m2 | PGK -        |
| 2.8.2      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 5 m   | PGK -        |
|            | Film                                                                                                                                                                                                                                                                    |       |              |
| 2.8.3      | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 3 m2  | PGK -        |
|            | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK -</b> |
| <b>2.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |              |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |              |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |              |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |              |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |              |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |              |
|            | Mechanical services                                                                                                                                                                                                                                                     | note  |              |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------|
| 2.9.1       | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 181 m2                                                                  | PGK -<br>PGK - |
| <b>2.10</b> | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.</p> <p>The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.</p> <p>The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.</p> <p>The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.</p> <p>Any proposed excursions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | PGK -<br>PGK - |
| 2.10.1      | <p><b>TOTAL Hydraulic service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 181 m2                                                                  | PGK -<br>PGK - |
| <b>2.11</b> | <p><b><u>Electric Light, Power &amp; Communications</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                            | note   |            |          |
| The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                | note   |            |          |
| Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |            |          |
| Electrical and Communication services                                                                                                                                                                                                                                                                                               |        |            |          |
| Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                                                                  |        |            |          |
| <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                             | 181 m2 | PGK        | -        |
| <b>TOTAL H3</b>                                                                                                                                                                                                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |



## DFAT PNG Housing - H4, H 14, H15, H36, H38, H39 PTE

| Code       | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 3          | BUILDING TYPES<br>H4, H14, H15, H36, H37, H38, H39                                                                                        |          |      |            |          |
|            | 3 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>3.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|            | DEMOLITION                                                                                                                                |          |      |            |          |
|            | Preamble                                                                                                                                  |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|            | Protection                                                                                                                                |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 3.1.1      | during construction                                                                                                                       | 15       | no   | PGK        | -        |
| 3.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                       |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 3.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                  | 8        | m    | PGK        | -        |
| 3.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 3.1.6      | new fibre cement sheet                                                                                                                    | 41       | m2   | PGK        | -        |
| 3.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 11       | m    | PGK        | -        |
| 3.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|            | Removal and disposal of existing stair treads, handrail & balustrade                                                                      | 9        | m    | PGK        | -        |
| 3.1.10     | Removal and disposal of existing floor finishes                                                                                           | 146      | m2   | PGK        | -        |
| 3.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 3.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 3.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 3.1.14     | Removal and disposal existing wall tiling                                                                                                 | 69       | m2   | PGK        | -        |
|            | Removal and disposal internal distribution boards                                                                                         | 1        | no   | PGK        | -        |
| 3.1.16     | Removal and disposal of existing curtain pelmets and making good area                                                                     | 33       | m    | PGK        | -        |
|            | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
| 3.1.17     | Making good of existing window flashing and DPC's                                                                                         | 51       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                             |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                       | 1        | Item | PGK        | -        |
| 3.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|            | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                 | 1        | item | PGK        | -        |
| 3.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>3.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|            | Preambles                                                                                                                                 |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 3.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 346 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 3.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 66 m2  | PGK        | -        |
| 3.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 3.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 88 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        |            |          |
| 3.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 129 m  | PGK        | -        |
| 3.2.6      | Doors                                                                                                                                                           |        |            |          |
|            | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>3.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 3.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 121 m2 | PGK        | -        |
| 3.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 16 m2  | PGK        | -        |
| 3.3.3      | Stair                                                                                                                                                           |        |            |          |
|            | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 3.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>3.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 3.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 156 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>3.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 3.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 3.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 3.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>3.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 3.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 3.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 3.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 3 m    | PGK        | -        |

## OFFICIAL

|            |                                                                                                                                                                    |      |                      |          |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
| 3.6.4      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails.<br>WIR | 4 m  | PGK                  | -        |
| 3.6.5      | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.<br>Linen                     | 3 m  | PGK                  | -        |
| 3.6.6      | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.<br>Mirror cabinet                        | 2 m  | PGK                  | -        |
| 3.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                              | 2 no | PGK                  | -        |
| 3.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                                   | 2 no | PGK                  | -        |
| 3.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                       | 2 no | PGK                  | -        |
| 3.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                                    | 2 no | PGK                  | -        |
|            | <b>TOTAL Joinery</b>                                                                                                                                               |      | <b>PGK</b>           | <b>-</b> |
| <b>3.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                                     |      |                      |          |
|            | <b>FITMENTS INCL SANITARY FIXTURES</b>                                                                                                                             |      |                      |          |
|            | <b>Kitchen</b>                                                                                                                                                     |      |                      |          |
| 3.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                                | 1 no | PGK                  | -        |
| 3.7.2      | FT-02 - Hideaway waste bin                                                                                                                                         |      | Including in joinery |          |
| 3.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                                   | 1 no | PGK                  | -        |
| 3.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                         | 1 no | PGK                  | -        |
| 3.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                                 |      | Including in joinery |          |
| 3.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                            |      | Including in joinery |          |
| 3.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                            |      | Including in joinery |          |
| 3.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                                    |      | Including in joinery |          |
| 3.7.9      | SAN-01 - new kitchen sink                                                                                                                                          | 1 no | PGK                  | -        |
|            | <b>Laundry</b>                                                                                                                                                     |      |                      |          |
| 3.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                         |      | Including in joinery |          |
| 3.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                                      | 1 no | PGK                  | -        |
| 3.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                               | 1 no | PGK                  | -        |
| 3.7.13     | FT-11 - Mizu Drift trapscrew grate                                                                                                                                 | 1 no | PGK                  | -        |
|            | <b>WC(GF)</b>                                                                                                                                                      |      |                      |          |
| 3.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                             | 1 no | PGK                  | -        |
| 3.7.15     | FT-08 - Luna basin mixer                                                                                                                                           | 1 no | PGK                  | -        |
| 3.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                          | 1 no | PGK                  | -        |
| 3.7.17     | FT-20 - Misu sooth towel ring                                                                                                                                      | 1 no | PGK                  | -        |
| 3.7.18     | SAN-04 - Liano clean flush toilet suite                                                                                                                            | 1 no | PGK                  | -        |
|            | <b>Bath Room, ENS &amp; WC(1F)</b>                                                                                                                                 |      |                      |          |
| 3.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                                    | 2 no | PGK                  | -        |
| 3.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                             | 1 no | PGK                  | -        |
| 3.7.21     | FT-08 - Luna basin mixer                                                                                                                                           | 3 no | PGK                  | -        |
| 3.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                                      | 1 no | PGK                  | -        |
| 3.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                                     | 2 no | PGK                  | -        |
| 3.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                          | 3 no | PGK                  | -        |
| 3.7.25     | FT-12 - Luna double towel rail                                                                                                                                     | 4 no | PGK                  | -        |
| 3.7.26     | FT-13 - Luna hand towel rail                                                                                                                                       | 1 no | PGK                  | -        |
| 3.7.27     | FT-14 - Luna robe hook                                                                                                                                             | 2 no | PGK                  | -        |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                                 | 1 no | PGK                  | -        |
| 3.7.28     | FT-19 - Frameless shower screen corner                                                                                                                             | 1 no | PGK                  | -        |
| 3.7.29     | FT-20 - Misu sooth towel ring                                                                                                                                      | 1 no | PGK                  | -        |
| 3.7.30     | SAN-04 - Liano clean flush toilet suite                                                                                                                            | 1 no | PGK                  | -        |
| 3.7.31     | SAN-05 - Luna island bath                                                                                                                                          | 1 no | PGK                  | -        |
| 3.7.32     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                               | 2 no | PGK                  | -        |
| 3.7.33     | Balustrade & Handrail                                                                                                                                              |      |                      |          |

|            |                                                                                                                                                                                                                                                                         |       |              |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
| 3.7.34     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       |              |
| <b>3.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |              |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |              |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |              |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |              |
|            | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 59 m2 | PGK -        |
| 3.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 5 m   | PGK -        |
| 3.8.2      | Film                                                                                                                                                                                                                                                                    |       |              |
|            | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 2 m2  | PGK -        |
| 3.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK -</b> |
| <b>3.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |              |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |              |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |              |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |              |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |              |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |              |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |              |

|       |                                                                                                                                                                                                                      |        |              |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
| 3.9.1 | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements. | 181 m2 | PGK -        |
|       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                      |        | <b>PGK -</b> |

### **3.10** **Hydraulic service**

#### HYDRAULIC SERVICES

##### Preambles

The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.

note

The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.

note

The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.

note

The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.

note

The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.

note

Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.

note

##### Hydraulic services

Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.

|        |  |        |       |
|--------|--|--------|-------|
| 3.10.1 |  | 181 m2 | PGK - |
|--------|--|--------|-------|

#### **TOTAL Hydraulic service**

**PGK -**

### **3.11** **Electric Light, Power & Communications**

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|        |                                                                                                                                                                                                                                                                                                                                                                     |        |                                           |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------|
| 3.11.1 | <p>The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.</p>                                                                                     | note   |                                           |
|        | <p>The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.</p>                                                                         | note   |                                           |
|        | <p>Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.</p>                          | note   |                                           |
|        | <p>Electrical and Communication services<br/>Electrical &amp; Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.<br/><b>TOTAL Electric Light, Power &amp; Communications</b><br/><b>each apartment TOTAL</b></p> | 181 m2 | PGK -<br><br><b>PGK -</b><br><b>PGK -</b> |



## DFAT PNG Housing - H5 - PTE

| Code       | Description                                                                                                                                    | Quantity | UOM  | Rate       | Total    |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 4          | BUILDING TYPES<br>H5                                                                                                                           |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                            |          |      |            |          |
| <b>4.1</b> | <b><u>Demolition</u></b>                                                                                                                       |          |      |            |          |
|            | DEMOLITION                                                                                                                                     |          |      |            |          |
|            | Preamble                                                                                                                                       |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                     |          | note |            |          |
|            | Protection                                                                                                                                     |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                                |          |      |            |          |
| 4.1.1      | during construction                                                                                                                            | 15       | no   | PGK        | -        |
| 4.1.2      | Remove/store the reusable items                                                                                                                | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                            |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                                |          |      |            |          |
| 4.1.3      | Data outlets, TV outlets                                                                                                                       | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                     |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                       | 7        | m    | PGK        | -        |
| 4.1.5      | Removal and disposal of existing partition                                                                                                     | 11       | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                              | 35       | m2   | PGK        | -        |
| 4.1.6      | Removal and disposal of existing wardrobe                                                                                                      | 12       | m    | PGK        | -        |
| 4.1.7      | Removal and disposal of existing door furniture                                                                                                | 13       | no   | PGK        | -        |
| 4.1.8      | Removal and disposal of existing stair treads, handrail & balustrade                                                                           | 9        | m    | PGK        | -        |
| 4.1.9      | Removal and disposal of existing floor finishes                                                                                                | 156      | m2   | PGK        | -        |
| 4.1.10     | Removal and disposal of existing shower base                                                                                                   | 2        | no   | PGK        | -        |
| 4.1.11     | Removal and disposal of bath & toilet pan                                                                                                      | 1        | item | PGK        | -        |
| 4.1.12     | Removal and disposal of existing doors                                                                                                         | 1        | no   | PGK        | -        |
| 4.1.13     | Removal and disposal existing wall tiling                                                                                                      | 88       | m2   | PGK        | -        |
| 4.1.14     | Removal and disposal internal distribution boards                                                                                              | 1        | no   | PGK        | -        |
| 4.1.15     | Removal and disposal of existing curtain pelmets and making good area                                                                          | 26       | m    | PGK        | -        |
| 4.1.16     | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's | 38       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                  |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                            | 1        | Item | PGK        | -        |
| 4.1.18     | Removal and disposal of existing lights                                                                                                        | 1        | item | PGK        | -        |
| 4.1.19     | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                      | 1        | item | PGK        | -        |
| 4.1.20     | All emergency key fittings to be removed                                                                                                       | 1        | item | PGK        | -        |
| 4.1.21     | <b>TOTAL Demolition</b>                                                                                                                        |          |      | <b>PGK</b> | <b>-</b> |
| <b>4.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                           |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                         |          |      |            |          |
|            | Preambles                                                                                                                                      |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.      |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                            |          | note |            |          |

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 4.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 350 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 4.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 71 m2  | PGK        | -        |
| 4.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 4.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 94 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        |            |          |
| 4.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 126 m  | PGK        | -        |
|            | Doors                                                                                                                                                           |        |            |          |
| 4.2.6      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>4.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 4.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 120 m2 | PGK        | -        |
| 4.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 17 m2  | PGK        | -        |
| 4.3.3      | Stair                                                                                                                                                           |        |            |          |
| 4.3.3      | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 4.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>4.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

## OFFICIAL

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 4.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 155 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>4.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 4.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 4.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 4.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>4.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 4.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 4.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 4.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 6 m    | PGK        | -        |

OFFICIAL

|            |                                                                                                                                                             |      |                      |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
|            | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 1 m  | PGK                  | -        |
| 4.6.4      | WIR                                                                                                                                                         |      |                      |          |
|            | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                       | 3 m  | PGK                  | -        |
| 4.6.5      | Linen                                                                                                                                                       |      |                      |          |
|            | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                   | 2 m  | PGK                  | -        |
| 4.6.6      | Mirror cabinet                                                                                                                                              |      |                      |          |
|            | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 2 no | PGK                  | -        |
| 4.6.7      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK                  | -        |
| 4.6.8      | Vanity Basin                                                                                                                                                |      |                      |          |
|            | SAN-07 - Posh Domaine vanity                                                                                                                                | 2 no | PGK                  | -        |
| 4.6.9      | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK                  | -        |
| 4.6.10     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b>           | <b>-</b> |
| <b>4.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |                      |          |
|            | <b>FITMENTS INCL SANITARY FIXTURES</b>                                                                                                                      |      |                      |          |
|            | <b>Kitchen</b>                                                                                                                                              |      |                      |          |
| 4.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK                  | -        |
| 4.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      | Including in joinery |          |
| 4.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK                  | -        |
| 4.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                  | 1 no | PGK                  | -        |
| 4.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                          |      | Including in joinery |          |
| 4.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                     |      | Including in joinery |          |
| 4.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                     |      | Including in joinery |          |
| 4.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                             |      | Including in joinery |          |
| 4.7.9      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK                  | -        |
|            | <b>Laundry</b>                                                                                                                                              |      |                      |          |
| 4.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                  |      | Including in joinery |          |
| 4.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK                  | -        |
| 4.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                        | 1 no | PGK                  | -        |
| 4.7.13     | FT-11 - Mizu Drift trapscrew grate                                                                                                                          | 1 no | PGK                  | -        |
|            | <b>WC(GF)</b>                                                                                                                                               |      |                      |          |
| 4.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 4.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK                  | -        |
| 4.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK                  | -        |
| 4.7.17     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 4.7.18     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
|            | <b>Bath Room, ENS &amp; WC(1F)</b>                                                                                                                          |      |                      |          |
| 4.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK                  | -        |
| 4.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 4.7.21     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK                  | -        |
| 4.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK                  | -        |
| 4.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK                  | -        |
| 4.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK                  | -        |
| 4.7.25     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK                  | -        |
| 4.7.26     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK                  | -        |
| 4.7.27     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK                  | -        |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK                  | -        |
| 4.7.28     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 4.7.29     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
| 4.7.30     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK                  | -        |
| 4.7.31     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK                  | -        |
| 4.7.32     | Balustrade & Handrail                                                                                                                                       |      |                      |          |

|            |                                                                                                                                                                                                                                                                         |       |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 4.7.33     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK        | -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>4.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|            | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 44 m2 | PGK        | -        |
| 4.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 5 m   | PGK        | -        |
| 4.8.2      | Film                                                                                                                                                                                                                                                                    |       |            |          |
|            | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 3 m2  | PGK        | -        |
| 4.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>4.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|            | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------|
| 4.9.1       | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 180 m2                                                                  | PGK -<br>PGK - |
| <b>4.10</b> | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.</p> <p>The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.</p> <p>The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.</p> <p>The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.</p> <p>Any proposed excursions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | PGK -<br>PGK - |
| 4.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 180 m2                                                                  | PGK -<br>PGK - |
| <b>4.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                |

## ELECTRICAL AND COMMUNICATION SERVICES

## Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |      |                                           |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------------|
| 4.11.1 | <p>The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.</p>                                                                                                                                                                                                                                                                                                                                                 | note | PGK -<br><br><b>PGK -</b><br><b>PGK -</b> |
|        | <p>The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services. Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.</p> | note |                                           |
|        | <p>Electrical and Communication services<br/>Electrical &amp; Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.<br/><b>TOTAL Electric Light, Power &amp; Communications</b><br/><b>TOTAL H5</b></p>                                                                                                                                                                                                                                                                         | note |                                           |
|        | 180 m2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |      |                                           |



## DFAT PNG Housing - H6 - PTE

| Code       | Description                                                                                                                                    | Quantity | UOM  | Rate       | Total    |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 5          | BUILDING TYPES<br>H6                                                                                                                           |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                            |          |      |            |          |
| <b>5.1</b> | <b><u>Demolition</u></b>                                                                                                                       |          |      |            |          |
|            | DEMOLITION                                                                                                                                     |          |      |            |          |
|            | Preamble                                                                                                                                       |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                     |          | note |            |          |
|            | Protection                                                                                                                                     |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                                |          |      |            |          |
| 5.1.1      | during construction                                                                                                                            | 15       | no   | PGK        | -        |
| 5.1.2      | Remove/store the reusable items                                                                                                                | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                            |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                                |          |      |            |          |
| 5.1.3      | Data outlets, TV outlets                                                                                                                       | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                     |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                       | 7        | m    | PGK        | -        |
| 5.1.5      | Removal and disposal of existing partition                                                                                                     | 7        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                              | 40       | m2   | PGK        | -        |
| 5.1.7      | Removal and disposal of existing wardrobe                                                                                                      | 11       | m    | PGK        | -        |
| 5.1.8      | Removal and disposal of existing door furniture                                                                                                | 13       | no   | PGK        | -        |
|            | Removal and disposal of existing stair treads, handrail & balustrade                                                                           | 9        | m    | PGK        | -        |
| 5.1.10     | Removal and disposal of existing floor finishes                                                                                                | 151      | m2   | PGK        | -        |
| 5.1.11     | Removal and disposal of existing shower base                                                                                                   | 2        | no   | PGK        | -        |
| 5.1.12     | Removal and disposal of bath & toilet pan                                                                                                      | 1        | item | PGK        | -        |
| 5.1.13     | Removal and disposal of existing doors                                                                                                         | 1        | no   | PGK        | -        |
| 5.1.14     | Removal and disposal existing wall tiling                                                                                                      | 69       | m2   | PGK        | -        |
|            | Removal and disposal internal distribution boards                                                                                              | 1        | no   | PGK        | -        |
|            | Removal and disposal of existing curtain                                                                                                       |          |      |            |          |
| 5.1.16     | pelmet and making good area                                                                                                                    | 26       | m    | PGK        | -        |
|            | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's | 41       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                  |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                            | 1        | Item | PGK        | -        |
| 5.1.19     | Removal and disposal of existing lights                                                                                                        | 1        | item | PGK        | -        |
|            | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                      | 1        | item | PGK        | -        |
| 5.1.21     | All emergency key fittings to be removed                                                                                                       | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                        |          |      | <b>PGK</b> | <b>-</b> |
| <b>5.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                           |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                         |          |      |            |          |
|            | Preambles                                                                                                                                      |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.      |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                            |          | note |            |          |

## OFFICIAL

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 5.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 359 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 5.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 66 m2  | PGK        | -        |
| 5.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 5.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 88 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        |            |          |
| 5.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 130 m  | PGK        | -        |
| 5.2.6      | Doors                                                                                                                                                           |        |            |          |
|            | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>5.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 5.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 126 m2 | PGK        | -        |
| 5.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 16 m2  | PGK        | -        |
| 5.3.3      | Stair                                                                                                                                                           |        |            |          |
|            | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 5.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>5.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 5.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 161 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>5.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 5.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 5.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 5.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>5.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 5.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 5.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 5.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 3 m    | PGK        | -        |

## OFFICIAL

|            |                                                                                                                                                             |      |                      |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
|            | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 4 m  | PGK                  | -        |
| 5.6.4      | WIR                                                                                                                                                         |      |                      |          |
|            | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                       | 3 m  | PGK                  | -        |
| 5.6.5      | Linen                                                                                                                                                       |      |                      |          |
|            | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                   | 2 m  | PGK                  | -        |
| 5.6.6      | Mirror cabinet                                                                                                                                              |      |                      |          |
|            | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 2 no | PGK                  | -        |
| 5.6.7      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK                  | -        |
| 5.6.8      | Vanity Basin                                                                                                                                                |      |                      |          |
| 5.6.9      | SAN-07 - Posh Domaine vanity                                                                                                                                | 2 no | PGK                  | -        |
| 5.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK                  | -        |
|            | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b>           | <b>-</b> |
| <b>5.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |                      |          |
|            | <b>FITMENTS INCL SANITARY FIXTURES</b>                                                                                                                      |      |                      |          |
|            | <b>Kitchen</b>                                                                                                                                              |      |                      |          |
| 5.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK                  | -        |
| 5.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      | Including in joinery |          |
| 5.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK                  | -        |
| 5.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                  | 1 no | PGK                  | -        |
| 5.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                          |      | Including in joinery |          |
| 5.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                     |      | Including in joinery |          |
| 5.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                     |      | Including in joinery |          |
| 5.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                             |      | Including in joinery |          |
| 5.7.9      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK                  | -        |
|            | <b>Laundry</b>                                                                                                                                              |      |                      |          |
| 5.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                  |      | Including in joinery |          |
| 5.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK                  | -        |
| 5.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                        | 1 no | PGK                  | -        |
| 5.7.13     | FT-11 - Mizu Drift trapscrew grate                                                                                                                          | 1 no | PGK                  | -        |
|            | <b>WC(GF)</b>                                                                                                                                               |      |                      |          |
| 5.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 5.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK                  | -        |
| 5.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK                  | -        |
| 5.7.17     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 5.7.18     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
|            | <b>Bath Room, ENS &amp; WC(1F)</b>                                                                                                                          |      |                      |          |
| 5.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK                  | -        |
| 5.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 2 no | PGK                  | -        |
| 5.7.21     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK                  | -        |
| 5.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK                  | -        |
| 5.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK                  | -        |
| 5.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK                  | -        |
| 5.7.25     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK                  | -        |
| 5.7.26     | FT-13 - Luna hand towel rail                                                                                                                                | 1 no | PGK                  | -        |
| 5.7.27     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK                  | -        |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 1 no | PGK                  | -        |
| 5.7.28     | FT-19 - Frameless shower screen corner                                                                                                                      | 1 no | PGK                  | -        |
| 5.7.29     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 5.7.30     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
| 5.7.31     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK                  | -        |
| 5.7.32     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK                  | -        |
| 5.7.33     | Balustrade & Handrail                                                                                                                                       |      |                      |          |

|            |                                                                                                                                                                                                                                                                         |       |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 5.7.34     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK        | -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>5.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|            | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 45 m2 | PGK        | -        |
| 5.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 5.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK        | -        |
|            | Film                                                                                                                                                                                                                                                                    |       |            |          |
|            | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 4 m2  | PGK        | -        |
| 5.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>5.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|            | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                  |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------|
| 5.9.1       | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 186 m2                                                                  | <p>PGK -</p> <p><b>PGK -</b></p> |
| <b>5.10</b> | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.</p> <p>The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.</p> <p>The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.</p> <p>The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.</p> <p>Any proposed excursions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | <p>PGK -</p> <p><b>PGK -</b></p> |
| 5.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 186 m2                                                                  | <p>PGK -</p> <p><b>PGK -</b></p> |
| <b>5.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                  |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|        |                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 5.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                            | note   |            |          |
|        | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                | note   |            |          |
|        | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |            |          |
|        | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                         | 186 m2 | PGK        | -        |
|        | <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
|        | <b>TOTAL H6</b>                                                                                                                                                                                                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |



## DFAT PNG Housing - H9, H11 - PTE

| Code       | Description                                                                                                                                    | Quantity | UOM  | Rate       | Total    |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 6          | BUILDING TYPES<br>H9, H11                                                                                                                      |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                            |          |      |            |          |
| <b>6.1</b> | <b><u>Demolition</u></b>                                                                                                                       |          |      |            |          |
|            | DEMOLITION                                                                                                                                     |          |      |            |          |
|            | Preamble                                                                                                                                       |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                     |          | note |            |          |
|            | Protection                                                                                                                                     |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                                |          |      |            |          |
| 6.1.1      | during construction                                                                                                                            | 15       | no   | PGK        | -        |
| 6.1.2      | Remove/store the reusable items                                                                                                                | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                            |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                                |          |      |            |          |
| 6.1.3      | Data outlets, TV outlets                                                                                                                       | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                     |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                       | 7        | m    | PGK        | -        |
| 6.1.5      | Removal and disposal of existing partition                                                                                                     | 7        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                              | 44       | m2   | PGK        | -        |
| 6.1.7      | Removal and disposal of existing wardrobe                                                                                                      | 11       | m    | PGK        | -        |
| 6.1.8      | Removal and disposal of existing door furniture                                                                                                | 13       | no   | PGK        | -        |
|            | Removal and disposal of existing stair treads, handrail & balustrade                                                                           | 9        | m    | PGK        | -        |
| 6.1.10     | Removal and disposal of existing floor finishes                                                                                                | 151      | m2   | PGK        | -        |
| 6.1.11     | Removal and disposal of existing shower base                                                                                                   | 2        | no   | PGK        | -        |
| 6.1.12     | Removal and disposal of bath & toilet pan                                                                                                      | 1        | item | PGK        | -        |
| 6.1.13     | Removal and disposal of existing doors                                                                                                         | 1        | no   | PGK        | -        |
| 6.1.14     | Removal and disposal existing wall tiling                                                                                                      | 69       | m2   | PGK        | -        |
|            | Removal and disposal internal distribution boards                                                                                              | 1        | no   | PGK        | -        |
|            | Removal and disposal of existing curtain pelmets and making good area                                                                          | 26       | m    | PGK        | -        |
|            | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's | 44       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                  |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                            | 1        | Item | PGK        | -        |
| 6.1.19     | Removal and disposal of existing lights                                                                                                        | 1        | item | PGK        | -        |
|            | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                      | 1        | item | PGK        | -        |
| 6.1.21     | All emergency key fittings to be removed                                                                                                       | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                        |          |      | <b>PGK</b> | <b>-</b> |
| <b>6.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                           |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                         |          |      |            |          |
|            | Preambles                                                                                                                                      |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.      |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                            |          | note |            |          |

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 6.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 356 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 6.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 66 m2  | PGK        | -        |
| 6.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 6.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 90 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        | PGK        | -        |
| 6.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 130 m  |            |          |
| 6.2.6      | Doors                                                                                                                                                           |        | PGK        | -        |
|            | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  |            |          |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | PGK        | -        |
| <b>6.3</b> | <b><u>Floor Finishes</u></b>                                                                                                                                    |        | <b>PGK</b> | <b>-</b> |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | General                                                                                                                                                         |        |            |          |
| 6.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 126 m2 | PGK        | -        |
| 6.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 6.3.3      | Stair                                                                                                                                                           |        |            |          |
| 6.3.3      | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 6.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>6.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                  |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 6.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 160 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>6.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 6.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 6.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 6.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>6.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 6.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 6.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 6.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 3 m    | PGK        | -        |

## OFFICIAL

|            |                                                                                                                                                             |      |            |                      |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|            | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 4 m  | PGK        | -                    |
| 6.6.4      | WIR                                                                                                                                                         |      |            |                      |
|            | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                       | 3 m  | PGK        | -                    |
| 6.6.5      | Linen                                                                                                                                                       |      |            |                      |
|            | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                   | 2 m  | PGK        | -                    |
| 6.6.6      | Mirror cabinet                                                                                                                                              |      |            |                      |
|            | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 2 no | PGK        | -                    |
| 6.6.7      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 6.6.8      | Vanity Basin                                                                                                                                                |      | PGK        | -                    |
| 6.6.9      | SAN-07 - Posh Domaine vanity                                                                                                                                | 2 no |            |                      |
| 6.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
|            | <b>TOTAL Joinery</b>                                                                                                                                        |      | PGK        | -                    |
|            |                                                                                                                                                             |      | PGK        | -                    |
| <b>6.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      | <b>PGK</b> | <b>-</b>             |
|            | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|            | Kitchen                                                                                                                                                     |      |            |                      |
| 6.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 6.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 6.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 6.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                  | 1 no | PGK        | -                    |
| 6.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 6.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                     |      |            | Including in joinery |
| 6.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                     |      |            | Including in joinery |
| 6.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                             |      |            | Including in joinery |
| 6.7.9      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|            | Laundry                                                                                                                                                     |      |            |                      |
| 6.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                  |      |            | Including in joinery |
| 6.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK        | -                    |
| 6.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                        | 1 no | PGK        | -                    |
| 6.7.13     | FT-11 - Mizu Drift trapscrew grate WC(GF)                                                                                                                   | 1 no | PGK        | -                    |
| 6.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 6.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 6.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 6.7.17     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 6.7.18     | SAN-04 - Liano clean flush toilet suite Bath Room, ENS & WC(1F)                                                                                             | 1 no | PGK        | -                    |
| 6.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 6.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 2 no | PGK        | -                    |
| 6.7.21     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 6.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 6.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 6.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 6.7.25     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 6.7.26     | FT-13 - Luna hand towel rail                                                                                                                                | 1 no | PGK        | -                    |
| 6.7.27     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK        | -                    |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 1 no | PGK        | -                    |
| 6.7.28     | FT-19 - Frameless shower screen corner                                                                                                                      | 1 no | PGK        | -                    |
| 6.7.29     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 6.7.30     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 6.7.31     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 6.7.32     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 6.7.33     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|            |                                                                                                                                                                                                                                                                         |       |              |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
| 6.7.34     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK -</b> |
| <b>6.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |              |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |              |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |              |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |              |
|            | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 44 m2 | PGK -        |
| 6.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 5 m   | PGK -        |
| 6.8.2      | Film                                                                                                                                                                                                                                                                    |       |              |
|            | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 4 m2  | PGK -        |
| 6.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK -</b> |
| <b>6.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |              |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |              |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |              |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |              |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |              |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |              |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |              |

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                         |                |                |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------|----------------|
| 6.9.1 | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 186 m2                                                                  | PGK -<br>PGK - |                |
| 6.10  | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.</p> <p>The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.</p> <p>The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.</p> <p>The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.</p> <p>Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> <p><b>TOTAL Hydraulic service</b></p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | 186 m2         | PGK -<br>PGK - |
| 6.11  | <p><b><u>Electric Light, Power &amp; Communications</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                         |                |                |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|        |                                                                                                                                                                                                                                                                                                                                                |        |                                       |  |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------|--|
| 6.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                                       | note   |                                       |  |
|        | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                           | note   |                                       |  |
|        | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.            | note   |                                       |  |
|        | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.<br><b>TOTAL Electric Light, Power &amp; Communications</b><br><b>TOTAL H9, H11</b> | 186 m2 | PGK -<br><b>PGK -</b><br><b>PGK -</b> |  |



## DFAT PNG Housing - H10, H12 - PTE

| Code       | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 7          | BUILDING TYPES<br>H10, H12                                                                                                                |          |      |            |          |
|            | 4 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>7.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|            | DEMOLITION                                                                                                                                |          |      |            |          |
|            | Preamble                                                                                                                                  |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|            | Protection                                                                                                                                |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 7.1.1      | during construction                                                                                                                       | 15       | no   | PGK        | -        |
| 7.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                       |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 7.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                  | 7        | m    | PGK        | -        |
| 7.1.5      | Removal and disposal of existing partition                                                                                                | 9        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 7.1.6      | new fibre cement sheet                                                                                                                    | 36       | m2   | PGK        | -        |
| 7.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 12       | m    | PGK        | -        |
| 7.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|            | Removal and disposal of existing stair treads, handrail & balustrade                                                                      | 9        | m    | PGK        | -        |
| 7.1.10     | Removal and disposal of existing floor finishes                                                                                           | 161      | m2   | PGK        | -        |
| 7.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 7.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 7.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 7.1.14     | Removal and disposal existing wall tiling                                                                                                 | 72       | m2   | PGK        | -        |
|            | Removal and disposal internal distribution boards                                                                                         | 1        | no   | PGK        | -        |
|            | Removal and disposal of existing curtain                                                                                                  |          |      |            |          |
| 7.1.16     | pelmet and making good area                                                                                                               | 26       | m    | PGK        | -        |
|            | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
|            | Making good of existing window flashing and DPC's                                                                                         | 27       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                             |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 7.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 7.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|            | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                 | 1        | item | PGK        | -        |
| 7.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>7.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|            | Preambles                                                                                                                                 |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 7.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 370 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 7.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 71 m2  | PGK        | -        |
| 7.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6 m2   | PGK        | -        |
| 7.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 93 m2  | PGK        | -        |
|            | Skirting                                                                                                                                                        |        |            |          |
| 7.2.5      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 129 m  | PGK        | -        |
|            | Doors                                                                                                                                                           |        |            |          |
| 7.2.6      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>7.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 7.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 124 m2 | PGK        | -        |
| 7.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 16 m2  | PGK        | -        |
| 7.3.3      | Stair                                                                                                                                                           |        |            |          |
| 7.3.3      | Recessed stair nosing                                                                                                                                           | 13 m   | PGK        | -        |
| 7.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>7.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Finishes                                                                                                                                                        |        |            |          |

## OFFICIAL

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 7.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 160 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>7.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
|            | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   | PGK        | -        |
| 7.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 13 no  | PGK        | -        |
| 7.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
| 7.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>7.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
|            | Kitchen                                                                                                                                                                                                                                               |        |            |          |
| 7.6.1      | JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                                     | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |
| 7.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.                                                      | 4 m    | PGK        | -        |
|            | Robes                                                                                                                                                                                                                                                 |        |            |          |
| 7.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.                                                                                           | 6 m    | PGK        | -        |

OFFICIAL

|            |                                                                                                                                                             |      |                      |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
|            | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 1 m  | PGK                  | -        |
| 7.6.4      | WIR                                                                                                                                                         |      |                      |          |
|            | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                       | 3 m  | PGK                  | -        |
| 7.6.5      | Linen                                                                                                                                                       |      |                      |          |
|            | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                                   | 2 m  | PGK                  | -        |
| 7.6.6      | Mirror cabinet                                                                                                                                              |      |                      |          |
|            | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 2 no | PGK                  | -        |
| 7.6.7      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK                  | -        |
| 7.6.8      | Vanity Basin                                                                                                                                                |      |                      |          |
|            | SAN-07 - Posh Domaine vanity                                                                                                                                | 2 no | PGK                  | -        |
| 7.6.9      | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK                  | -        |
| 7.6.10     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b>           | <b>-</b> |
| <b>7.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |                      |          |
|            | <b>FITMENTS INCL SANITARY FIXTURES</b>                                                                                                                      |      |                      |          |
|            | <b>Kitchen</b>                                                                                                                                              |      |                      |          |
| 7.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK                  | -        |
| 7.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      | Including in joinery |          |
| 7.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK                  | -        |
| 7.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                  | 1 no | PGK                  | -        |
| 7.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                          |      | Including in joinery |          |
| 7.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                     |      | Including in joinery |          |
| 7.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                     |      | Including in joinery |          |
| 7.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                             |      | Including in joinery |          |
| 7.7.9      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK                  | -        |
|            | <b>Laundry</b>                                                                                                                                              |      |                      |          |
| 7.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                  |      | Including in joinery |          |
| 7.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK                  | -        |
| 7.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                        | 1 no | PGK                  | -        |
| 7.7.13     | FT-11 - Mizu Drift trapscrew grate                                                                                                                          | 1 no | PGK                  | -        |
|            | <b>WC(GF)</b>                                                                                                                                               |      |                      |          |
| 7.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 7.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK                  | -        |
| 7.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK                  | -        |
| 7.7.17     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 7.7.18     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
|            | <b>Bath Room, ENS &amp; WC(1F)</b>                                                                                                                          |      |                      |          |
| 7.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK                  | -        |
| 7.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK                  | -        |
| 7.7.21     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK                  | -        |
| 7.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK                  | -        |
| 7.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK                  | -        |
| 7.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK                  | -        |
| 7.7.25     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK                  | -        |
| 7.7.26     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK                  | -        |
| 7.7.27     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK                  | -        |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK                  | -        |
| 7.7.28     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK                  | -        |
| 7.7.29     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK                  | -        |
| 7.7.30     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK                  | -        |
| 7.7.31     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK                  | -        |
| 7.7.32     | Balustrade & Handrail                                                                                                                                       |      |                      |          |

|            |                                                                                                                                                                                                                                                                         |       |              |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------|
|            | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 7 m   | PGK -        |
| 7.7.33     | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK -</b> |
| <b>7.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |              |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |              |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |              |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |              |
| 7.8.1      | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 44 m2 | PGK -        |
|            | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |              |
| 7.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK -        |
|            | Film                                                                                                                                                                                                                                                                    |       |              |
| 7.8.3      | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 2 m2  | PGK -        |
|            | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK -</b> |
| <b>7.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |              |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |              |
|            | Preambles                                                                                                                                                                                                                                                               |       |              |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |              |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |              |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |              |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |              |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |              |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |              |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------|
| 7.9.1       | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 187 m2                                                                  | PGK -<br>PGK - |
| <b>7.10</b> | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.</p> <p>The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.</p> <p>The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.</p> <p>The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.</p> <p>Any proposed excursions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | PGK -<br>PGK - |
| 7.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 187 m2                                                                  | PGK -<br>PGK - |
| <b>7.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services  
Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

7.11.1

187 m2

PGK -

**TOTAL Electric Light, Power & Communications**

**PGK -**

**TOTAL H10, H12**

**PGK -**



## DFAT PNG Housing - H13, H16, H35 - PTE

| Code       | Description                                                                                                                                                     | Quantity | UOM  | Rate       | Total    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 8          | BUILDING TYPES<br>H13, H16, H35                                                                                                                                 |          |      |            |          |
|            | 3 BEDROOM APARTMENT                                                                                                                                             |          |      |            |          |
| <b>8.1</b> | <b><u>Demolition</u></b>                                                                                                                                        |          |      |            |          |
|            | DEMOLITION                                                                                                                                                      |          |      |            |          |
|            | Preamble                                                                                                                                                        |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                                      |          | note |            |          |
|            | Protection                                                                                                                                                      |          |      |            |          |
| 8.1.1      | Protection of the existing doors and architrave during construction                                                                                             | 14       | no   | PGK        | -        |
| 8.1.2      | Remove/store the reusable items                                                                                                                                 | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                                             |          |      |            |          |
| 8.1.3      | Terminating redundant services and capping of existing services including light switches, GPO's Data outlets, TV outlets                                        | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                                      |          |      |            |          |
| 8.1.4      | Removal and disposal of existing joinery and accessories                                                                                                        | 9        | m    | PGK        | -        |
| 8.1.5      | Removal and disposal of existing partition                                                                                                                      | 8        | m2   | PGK        | -        |
| 8.1.6      | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                                               | 24       | m2   | PGK        | -        |
| 8.1.7      | Removal and disposal of existing wardrobe                                                                                                                       | 10       | m    | PGK        | -        |
| 8.1.8      | Removal and disposal of existing door furniture                                                                                                                 | 12       | no   | PGK        | -        |
| 8.1.9      | Removal and disposal of existing stair treads, handrail & balustrade                                                                                            | 9        | m    | PGK        | -        |
| 8.1.10     | Removal and disposal of existing floor finishes                                                                                                                 | 138      | m2   | PGK        | -        |
| 8.1.11     | Removal and disposal of existing shower base                                                                                                                    | 2        | no   | PGK        | -        |
| 8.1.12     | Removal and disposal of bath & toilet pan                                                                                                                       | 1        | item | PGK        | -        |
| 8.1.13     | Removal and disposal of existing doors                                                                                                                          | 1        | no   | PGK        | -        |
| 8.1.14     | Removal and disposal existing wall tiling                                                                                                                       | 92       | m2   | PGK        | -        |
| 8.1.15     | Removal and disposal internal distribution boards                                                                                                               | 1        | no   | PGK        | -        |
| 8.1.16     | Removal and disposal of existing curtain pelmets and making good area                                                                                           | 31       | m    | PGK        | -        |
| 8.1.17     | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's                  | 45       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                                   |          |      |            |          |
| 8.1.18     | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                                             | 1        | Item | PGK        | -        |
| 8.1.19     | Removal and disposal of existing lights                                                                                                                         | 1        | item | PGK        | -        |
| 8.1.20     | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                                       | 1        | item | PGK        | -        |
| 8.1.21     | All emergency key fittings to be removed                                                                                                                        | 1        | item | PGK        | -        |
|            | <b>TOTAL Demolition</b>                                                                                                                                         |          |      | <b>PGK</b> | <b>-</b> |
| <b>8.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                                            |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                                          |          |      |            |          |
|            | Preambles                                                                                                                                                       |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.                       |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                                             |          | note |            |          |
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          |          | note |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |          | note |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      |          | note |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                |          | note |            |          |
|            | Painting                                                                                                                                                        |          |      |            |          |
| 8.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 323      | m2   | PGK        | -        |
|            | Tiling                                                                                                                                                          |          |      |            |          |
| 8.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 67       | m2   | PGK        | -        |
| 8.2.3      | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 5        | m2   | PGK        | -        |
| 8.2.4      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 6        | m2   | PGK        | -        |
| 8.2.5      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 96       | m2   | PGK        | -        |
|            | Skirting                                                                                                                                                        |          |      |            |          |

OFFICIAL

|            |                                                                                                                                                                                                                                                       |        |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 8.2.6      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                                                                                    | 117 m  | PGK        | -        |
| 8.2.7      | Doors<br>Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                                                                                             | 12 no  | PGK        | -        |
|            | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                                                                                                                   |        | <b>PGK</b> | <b>-</b> |
| <b>8.3</b> | <b><u>Floor Finishes</u></b>                                                                                                                                                                                                                          |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                                                                                                        |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced.                                                                                       | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                                                                                                            | note   |            |          |
|            | Tiling                                                                                                                                                                                                                                                |        |            |          |
| 8.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver                                                                                                   | 113 m2 | PGK        | -        |
| 8.3.2      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver                                                                                       | 18 m2  | PGK        | -        |
| 8.3.3      | Stair                                                                                                                                                                                                                                                 |        |            |          |
| 8.3.3      | Recessed stair nosing                                                                                                                                                                                                                                 | 14 m   | PGK        | -        |
| 8.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                                                                                                        | 8 m2   | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                                                                                                           |        | <b>PGK</b> | <b>-</b> |
| <b>8.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                                                                                                        |        |            |          |
|            | CEILING FINISHES                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Finishes                                                                                                                                                                                                                                              |        |            |          |
| 8.4.1      | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 149 m2 | PGK        | -        |
|            | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        | <b>PGK</b> | <b>-</b> |
| <b>8.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |            |          |
|            | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |            |          |
|            | Preambles                                                                                                                                                                                                                                             |        |            |          |
|            | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |            |          |
|            | Doors                                                                                                                                                                                                                                                 |        |            |          |
| 8.5.1      | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x 1250mmH)                                                             | 1 no   | PGK        | -        |
| 8.5.2      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 12 no  | PGK        | -        |
| 8.5.3      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 1 no   | PGK        | -        |
|            | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |
| <b>8.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |            |          |
|            | JOINERY                                                                                                                                                                                                                                               |        |            |          |
|            | Preamble                                                                                                                                                                                                                                              |        |            |          |
|            | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |            |          |
|            | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |            |          |
|            | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |            |          |
|            | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |            |          |
| 8.6.1      | Kitchen<br>JO1a/b - comprising 880mm high under-bench cupboards and drawers, 800mm high overhead cupboards, pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback                                          | 10 m   | PGK        | -        |
|            | Laundry                                                                                                                                                                                                                                               |        |            |          |

OFFICIAL

|            |                                                                                                                                                                                                                                          |      |                      |          |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----------------------|----------|
| 8.6.2      | JO2a/b – comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm solid surface benchtop, tiled splashback and overhead cupboards to washing machine side only.<br>Robes                                | 4 m  | PGK                  | -        |
| 8.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails.<br>WIR                                                                       | 6 m  | PGK<br>PGK           | -<br>-   |
| 8.6.4      | JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.<br>Linen                                                                                           | 3 m  | PGK                  | -        |
| 8.6.5      | JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.<br>Mirror cabinet                                                                                              | 2 m  | PGK                  | -        |
| 8.6.6      | FT-16 - Issy cloud double mirror with shaving cabinet                                                                                                                                                                                    | 1 no |                      |          |
| 8.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                                                                                                    | 1 no | PGK                  | -        |
| 8.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet<br>Vanity Basin                                                                                                                                                         | 2 no | PGK<br>PGK           | -<br>-   |
| 8.6.9      | SAN-07 - Posh Domaine vanity                                                                                                                                                                                                             | 1 no |                      |          |
| 8.6.10     | SAN-08 - Posh Domaine vanity                                                                                                                                                                                                             | 1 no | PGK                  | -        |
| 8.6.11     | SAN-03 - Posh Solus vanity unit                                                                                                                                                                                                          | 2 no | PGK                  | -        |
|            | <b>TOTAL Joinery</b>                                                                                                                                                                                                                     |      | <b>PGK</b>           | <b>-</b> |
| <b>8.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                                                                                                           |      |                      |          |
|            | FITMENTS INCL SANITARY FIXTURES                                                                                                                                                                                                          |      |                      |          |
|            | Kitchen                                                                                                                                                                                                                                  |      |                      |          |
| 8.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                                                                                                      | 1 no | PGK                  | -        |
| 8.7.2      | FT-02 - Hideaway waste bin                                                                                                                                                                                                               |      | Including in joinery |          |
| 8.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                                                                                                         | 1 no | PGK                  | -        |
| 8.7.4      | FT-22 - Kessebohmer cooking agent pull out                                                                                                                                                                                               | 1 no | PGK                  | -        |
| 8.7.5      | FT-24 - 9 compartment cutlery tray                                                                                                                                                                                                       |      | Including in joinery |          |
| 8.7.6      | FT-26 - Kessebohmer dispense junior III                                                                                                                                                                                                  |      | Including in joinery |          |
| 8.7.7      | FT-27 - Kessebohmer dispense pantry 300                                                                                                                                                                                                  |      | Including in joinery |          |
| 8.7.8      | FT-28 - Kessebohmer no.15 pull out - towel rail                                                                                                                                                                                          |      | Including in joinery |          |
| 8.7.9      | SAN-01 - new kitchen sink<br>Laundry                                                                                                                                                                                                     | 1 no | PGK                  | -        |
| 8.7.10     | FT-05 - Oval wardrobe rail                                                                                                                                                                                                               |      | Including in joinery |          |
| 8.7.11     | FT-09 - Luna Basin/Bath Mixer                                                                                                                                                                                                            | 1 no | PGK                  | -        |
| 8.7.12     | SAN-09 - Square 25L Laundry Sink 0th                                                                                                                                                                                                     | 1 no | PGK                  | -        |
| 8.7.13     | FT-11 - Mizu Drift trapscrew grate<br>WC(GF)                                                                                                                                                                                             | 1 no | PGK                  | -        |
| 8.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                                                                                                   | 1 no | PGK                  | -        |
| 8.7.15     | FT-08 - Luna basin mixer                                                                                                                                                                                                                 | 1 no | PGK                  | -        |
| 8.7.16     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                                                                                                | 1 no | PGK                  | -        |
| 8.7.17     | FT-20 - Misu sooth towel ring                                                                                                                                                                                                            | 1 no | PGK                  | -        |
| 8.7.18     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                                                                                                       | 1 no | PGK                  | -        |
| 8.7.19     | FT-06 - Caroma Luna metal shelf                                                                                                                                                                                                          | 2 no | PGK                  | -        |
| 8.7.20     | FT-07 - Caroma luna toilet roll holder                                                                                                                                                                                                   | 1 no | PGK                  | -        |
| 8.7.21     | FT-08 - Luna basin mixer                                                                                                                                                                                                                 | 3 no | PGK                  | -        |
| 8.7.22     | FT-09 - Luna basin/bath mixer                                                                                                                                                                                                            | 1 no | PGK                  | -        |
| 8.7.23     | FT-10 - Luna bath/shower mixer                                                                                                                                                                                                           | 2 no | PGK                  | -        |
| 8.7.24     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                                                                                                | 3 no | PGK                  | -        |
| 8.7.25     | FT-12 - Luna double towel rail                                                                                                                                                                                                           | 4 no | PGK                  | -        |
| 8.7.26     | FT-13 - Luna hand towel rail                                                                                                                                                                                                             | 2 no | PGK                  | -        |
| 8.7.27     | FT-14 - Luna robe hook                                                                                                                                                                                                                   | 2 no | PGK                  | -        |
| 8.7.28     | FT-15 - Creative glass - frameless front & return with hinged door                                                                                                                                                                       | 2 no | PGK                  | -        |
| 8.7.29     | FT-20 - Misu sooth towel ring                                                                                                                                                                                                            | 1 no | PGK                  | -        |
| 8.7.30     | SAN-04 - Liano clean flush toilet suite                                                                                                                                                                                                  | 1 no | PGK                  | -        |
| 8.7.31     | SAN-05 - Luna island bath                                                                                                                                                                                                                | 1 no | PGK                  | -        |
| 8.7.32     | SAN-06 - Luna SYS O/H shower on rail<br>Balustrade & Handrail                                                                                                                                                                            | 2 no | PGK                  | -        |
| 8.7.33     | Solid FC-lined balustrade wall with timber framing, 125x25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres | 7 m  | PGK                  | -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                            |      | <b>PGK</b>           | <b>-</b> |
| <b>8.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                              |      |                      |          |
|            | FILM/SIGNAGE                                                                                                                                                                                                                             |      |                      |          |
|            | Preambles                                                                                                                                                                                                                                |      |                      |          |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |        |            |          |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                                                                                                                                                                                            | note   |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                                                                                                                                                                                                      | note   |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            |          |
| 8.8.1       | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and | 55 m2  | PGK        | -        |
| 8.8.2       | blockout layers                                                                                                                                                                                                                                                                                                                                                                                                                                   | 5 m    | PGK        | -        |
|             | Film                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |            |          |
| 8.8.3       | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                                                                                                                                                                                               | 2 m2   | PGK        | -        |
|             | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                                                                                                                                                                                                        |        | <b>PGK</b> | <b>-</b> |
| <b>8.9</b>  | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                  |        |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            |          |
|             | Preambles                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                                                                                                                                                                                            | note   |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed.                                                                                                                                                                           | note   |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical                                                                                                                                                                                                                             | note   |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                                                                                                                                                                                                 | note   |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                                                                                                                                                                                                   | note   |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            |          |
| 8.9.1       | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                                                              | 174 m2 | PGK        | -        |
|             | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                                                                   |        | <b>PGK</b> | <b>-</b> |
| <b>8.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                   |        |            |          |
|             | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |            |          |
|             | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                                                                        | note   |            |          |
|             | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                                                                  | note   |            |          |
|             | The Works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services.                                          | note   |            |          |
|             | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                                                                | note   |            |          |
|             | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                                                                | note   |            |          |

Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.

note

Hydraulic services

Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.

8.10.1

174 m2

**TOTAL Hydraulic service**

PGK

-

## 8.11

### **Electric Light, Power & Communications**

#### **ELECTRICAL AND COMMUNICATION SERVICES**

##### **Preamble**

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services

Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

8.11.1

174 m2

PGK

-

|                                              |     |   |
|----------------------------------------------|-----|---|
| TOTAL Electric Light, Power & Communications | PGK | - |
| TOTAL H13, H16, H35                          | PGK | - |

## DFAT PNG Housing - H18, H23, H31 - PTE

| Code       | Description                                                                                                                                    | Quantity | UOM  | Rate       | Total    |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 9          | BUILDING TYPES<br>H18, H23, H31                                                                                                                |          |      |            |          |
|            | 3 BEDROOM APARTMENT                                                                                                                            |          |      |            |          |
| <b>9.1</b> | <b><u>Demolition</u></b>                                                                                                                       |          |      |            |          |
|            | DEMOLITION                                                                                                                                     |          |      |            |          |
|            | Preamble                                                                                                                                       |          |      |            |          |
|            | Rate include disposal of demolition debris                                                                                                     |          | note |            |          |
|            | Protection                                                                                                                                     |          |      |            |          |
|            | Protection of the existing doors and architrave                                                                                                |          |      |            |          |
| 9.1.1      | during construction                                                                                                                            | 14       | no   | PGK        | -        |
| 9.1.2      | Remove/store the reusable items                                                                                                                | 1        | Item | PGK        | -        |
|            | Services Protection                                                                                                                            |          |      |            |          |
|            | Terminating redundant services and capping of existing services including light switches, GPO's                                                |          |      |            |          |
| 9.1.3      | Data outlets, TV outlets                                                                                                                       | 1        | Item | PGK        | -        |
|            | Demolition                                                                                                                                     |          |      |            |          |
|            | Removal and disposal of existing joinery and accessories                                                                                       | 11       | m    | PGK        | -        |
| 9.1.5      | Removal and disposal of existing partition                                                                                                     | 6        | m2   | PGK        | -        |
|            | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for new fibre cement sheet                              | 32       | m2   | PGK        | -        |
| 9.1.6      | Removal and disposal of existing wardrobe                                                                                                      | 10       | m    | PGK        | -        |
| 9.1.7      | Removal and disposal of existing door furniture                                                                                                | 13       | no   | PGK        | -        |
| 9.1.8      | Removal and disposal of existing stair treads, handrail & balustrade                                                                           | 11       | m    | PGK        | -        |
| 9.1.9      | Removal and disposal of existing floor finishes                                                                                                | 136      | m2   | PGK        | -        |
| 9.1.10     | Removal and disposal of existing shower base                                                                                                   | 2        | no   | PGK        | -        |
| 9.1.11     | Removal and disposal of bath & toilet pan                                                                                                      | 1        | item | PGK        | -        |
| 9.1.12     | Removal and disposal of existing doors                                                                                                         | 1        | no   | PGK        | -        |
| 9.1.13     | Removal and disposal existing wall tiling                                                                                                      | 89       | m2   | PGK        | -        |
| 9.1.14     | Removal and disposal internal distribution boards                                                                                              | 1        | no   | PGK        | -        |
| 9.1.15     | Removal and disposal of existing curtain pelmets and making good area                                                                          | 26       | m    | PGK        | -        |
| 9.1.16     | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and DPC's | 44       | m2   | PGK        | -        |
|            | Miscellaneous                                                                                                                                  |          |      |            |          |
|            | Removal and disposal of existing general power, wiring, smoke alarms and any other unmeasured items                                            | 1        | Item | PGK        | -        |
| 9.1.18     | Removal and disposal of existing lights                                                                                                        | 1        | item | PGK        | -        |
| 9.1.19     | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                      | 1        | item | PGK        | -        |
| 9.1.20     | All emergency key fittings to be removed                                                                                                       | 1        | item | PGK        | -        |
| 9.1.21     | <b>TOTAL Demolition</b>                                                                                                                        |          |      | <b>PGK</b> | <b>-</b> |
| <b>9.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                           |          |      |            |          |
|            | WALL FINISHES/PAINTING                                                                                                                         |          |      |            |          |
|            | Preambles                                                                                                                                      |          |      |            |          |
|            | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works.      |          | note |            |          |
|            | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                            |          | note |            |          |

|            |                                                                                                                                                                 |        |            |          |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|            | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|            | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        |            |          |
|            | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|            | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|            | Painting                                                                                                                                                        |        |            |          |
| 9.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 366 m2 | PGK        | -        |
|            | Tiling                                                                                                                                                          |        |            |          |
| 9.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 63 m2  | PGK        | -        |
|            | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 6 m2   | PGK        | -        |
| 9.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 9.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 91 m2  | PGK        | -        |
| 9.2.5      | Skirting                                                                                                                                                        |        |            |          |
|            | Allowance for new 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                            | 127 m  | PGK        | -        |
| 9.2.6      | Doors                                                                                                                                                           |        |            |          |
|            | Allowance for painting all doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 13 no  | PGK        | -        |
| 9.2.7      | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>9.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|            | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|            | Preambles                                                                                                                                                       |        |            |          |
|            | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|            | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|            | Tiling                                                                                                                                                          |        |            |          |
| 9.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 115 m2 | PGK        | -        |
|            | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 9.3.2      | Stair                                                                                                                                                           |        |            |          |
| 9.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 9.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|            | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>9.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|            | CEILING FINISHES                                                                                                                                                |        |            |          |



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 9.4.1                                                                                                                                                                                                                                                 | 157 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>9.5</b>                                                                                                                                                                                                                                            | <b><u>Door and Window</u></b> |       |
| DOOR AND WINDOWS                                                                                                                                                                                                                                      |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |       |
| 9.5.1                                                                                                                                                                                                                                                 | 1 no                          | PGK - |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |       |
| 9.5.2                                                                                                                                                                                                                                                 | 13 no                         | PGK - |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |       |
| 9.5.3                                                                                                                                                                                                                                                 | 1 no                          | PGK - |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>9.6</b>                                                                                                                                                                                                                                            | <b><u>Joinery</u></b>         |       |
| JOINERY                                                                                                                                                                                                                                               |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |       |
| 9.6.1                                                                                                                                                                                                                                                 | 11 m                          | PGK - |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |       |
| 9.6.2                                                                                                                                                                                                                                                 | 4 m                           | PGK - |
| Robes                                                                                                                                                                                                                                                 |                               |       |

## OFFICIAL

|            |                                                                                                                                                             |      |            |                      |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|            | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 9.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 2 m  | PGK        | -                    |
| 9.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 9.6.5      | Linen<br>JO8a/b – comprising open walk-in linen storage with adjustable shelving to full height in compact laminate to all surfaces                         | 3 m  | PGK        | -                    |
| 9.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 9.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 9.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 9.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 9.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 9.6.11     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 9.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>9.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|            | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|            | Kitchen                                                                                                                                                     |      |            |                      |
| 9.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 9.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 9.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 9.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 9.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 9.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|            | Laundry                                                                                                                                                     |      |            |                      |
| 9.7.7      | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK        | -                    |
|            | WC(GF)                                                                                                                                                      |      |            |                      |
| 9.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 9.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 9.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 9.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 9.7.12     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
|            | Bath Room, ENS & WC(1F)                                                                                                                                     |      |            |                      |
| 9.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 9.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 9.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 9.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 9.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 9.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 9.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 9.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 9.7.21     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK        | -                    |
|            | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK        | -                    |
| 9.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 9.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 9.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 9.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 9.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

## OFFICIAL

|            |                                                                                                                                                                                                                                                                         |       |            |          |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 9.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|            | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>9.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|            | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|            | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|            | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|            | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|            | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|            | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 46 m2 | PGK        | -        |
| 9.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 9.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 4 m   | PGK        | -        |
|            | Film                                                                                                                                                                                                                                                                    |       |            |          |
|            | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and                                                                                                                                                                                  |       |            |          |
| 9.8.3      | bathroom windows for privacy                                                                                                                                                                                                                                            | 2 m2  | PGK        | -        |
|            | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>9.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|            | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|            | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|            | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|            | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|            | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|            | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|            | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|            | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                             |                |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------|
| 9.9.1       | <p>Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.</p> <p><b>TOTAL Mechanical service</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 194 m2                                                      | PGK -<br>PGK - |
| <b>9.10</b> | <p><b><u>Hydraulic service</u></b></p> <p>HYDRAULIC SERVICES</p> <p>Preambles</p> <p>The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.</p> <p>The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed. The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract. The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements. Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.</p> <p>Hydraulic services</p> <p>Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.</p> <p><b>TOTAL Hydraulic service</b></p> | <p>note</p> <p>note</p> <p>note</p> <p>note</p> <p>note</p> | PGK -<br>PGK - |
| <b>9.11</b> | <p><b><u>Electric Light, Power &amp; Communications</u></b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                             |                |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|        |                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 9.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                            | note   |            |          |
|        | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                | note   |            |          |
|        | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |            |          |
|        | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                         | 194 m2 | PGK        | -        |
|        | <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
|        | <b>TOTAL H18, H23, H31</b>                                                                                                                                                                                                                                                                                                          |        | <b>PGK</b> | <b>-</b> |

## DFAT PNG Housing - H19, H30 - PTE

| Code        | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 10          | BUILDING TYPES<br>H19, H30                                                                                                                |          |      |            |          |
|             | 3 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>10.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|             | As insufficient information provided, T&T made the following assumptions to prepare this estimate                                         |          |      |            |          |
|             | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|             | Preamble                                                                                                                                  |          |      |            |          |
|             | Protection                                                                                                                                |          |      |            |          |
|             | Protection of the existing doors and architrave during construction                                                                       | 14       | no   | PGK        | -        |
| 10.1.1      |                                                                                                                                           |          |      |            |          |
| 10.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|             | Services Protection                                                                                                                       |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 10.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|             | Demolition                                                                                                                                |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 10       | m    | PGK        | -        |
| 10.1.4      |                                                                                                                                           |          |      |            |          |
| 10.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 10.1.6      | new fibre cement sheet                                                                                                                    | 33       | m2   | PGK        | -        |
| 10.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 10       | m    | PGK        | -        |
| 10.1.8      | Removal and disposal of existing door furniture                                                                                           | 12       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads, handrail & balustrade                                                                      | 12       | m    | PGK        | -        |
| 10.1.9      |                                                                                                                                           |          |      |            |          |
| 10.1.10     | Removal and disposal of existing floor finishes                                                                                           | 136      | m2   | PGK        | -        |
| 10.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 10.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 10.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 10.1.14     | Removal and disposal existing wall tiling                                                                                                 | 69       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution boards                                                                                         | 1        | no   | PGK        | -        |
| 10.1.15     |                                                                                                                                           |          |      |            |          |
|             | Removal and disposal of existing curtain pelmets and making good area                                                                     | 26       | m    | PGK        | -        |
| 10.1.16     |                                                                                                                                           |          |      |            |          |
|             | Removal and disposal of all existing external perimeter windows and security grill including Making good of existing window flashing and  |          |      |            |          |
| 10.1.17     | DPC's                                                                                                                                     | 44       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                                                             |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 10.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 10.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                 | 1        | item | PGK        | -        |
| 10.1.20     |                                                                                                                                           |          |      |            |          |
| 10.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>10.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|             | Preambles                                                                                                                                 |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |

OFFICIAL

|             |                                                                                                                                                                 |        |      |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|------------|----------|
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                                             |        | note |            |          |
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          |        | note |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             |        | note |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      |        | note |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                |        | note |            |          |
|             | Painting                                                                                                                                                        |        |      |            |          |
|             | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 366 m2 |      | PGK        | -        |
| 10.2.1      | Tiling                                                                                                                                                          |        |      |            |          |
|             | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge                                                                       |        |      |            |          |
| 10.2.2      | and patching to existing walls                                                                                                                                  | 63 m2  |      | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and                            |        |      |            |          |
| 10.2.3      | patching to existing walls                                                                                                                                      | 6 m2   |      | PGK        | -        |
|             | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles                                                                        |        |      |            |          |
| 10.2.4      | (Earp Bros or similar), patching to existing walls                                                                                                              | 4 m2   |      | PGK        | -        |
| 10.2.5      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 91 m2  |      | PGK        | -        |
|             | Skirting                                                                                                                                                        |        |      |            |          |
|             | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 127 m  |      | PGK        | -        |
| 10.2.6      | Doors                                                                                                                                                           |        |      |            |          |
|             | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  |      | PGK        | -        |
| 10.2.7      | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        |      | <b>PGK</b> | <b>-</b> |
| <b>10.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |      |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |      |            |          |
|             | Preambles                                                                                                                                                       |        |      |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. |        | note |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      |        | note |            |          |
|             | Tiling                                                                                                                                                          |        |      |            |          |
|             | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 115 m2 |      | PGK        | -        |
| 10.3.1      | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro                                  |        |      |            |          |
| 10.3.2      | premium grout in sterling silver                                                                                                                                | 18 m2  |      | PGK        | -        |
|             | Stair                                                                                                                                                           |        |      |            |          |
| 10.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   |      | PGK        | -        |
|             | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  |      | PGK        | -        |
| 10.3.4      | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        |      | <b>PGK</b> | <b>-</b> |



|             |                                                                                                                                                                                                                                                       |        |  |              |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|--------------|
| <b>10.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                                                                                                        |        |  |              |
|             | CEILING FINISHES                                                                                                                                                                                                                                      |        |  |              |
|             | Preambles                                                                                                                                                                                                                                             |        |  |              |
|             | Finishes                                                                                                                                                                                                                                              |        |  |              |
|             | Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. | 157 m2 |  | PGK -        |
| 10.4.1      | <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |        |  | <b>PGK -</b> |
| <b>10.5</b> | <b><u>Door and Window</u></b>                                                                                                                                                                                                                         |        |  |              |
|             | DOOR AND WINDOWS                                                                                                                                                                                                                                      |        |  |              |
|             | Preambles                                                                                                                                                                                                                                             |        |  |              |
|             | Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                | note   |  |              |
|             | Doors                                                                                                                                                                                                                                                 |        |  |              |
|             | Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      | 1 no   |  | PGK -        |
| 10.5.1      | Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   | 12 no  |  | PGK -        |
| 10.5.2      | Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       | 2 no   |  | PGK -        |
| 10.5.3      | <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |        |  | <b>PGK -</b> |
| <b>10.6</b> | <b><u>Joinery</u></b>                                                                                                                                                                                                                                 |        |  |              |
|             | JOINERY                                                                                                                                                                                                                                               |        |  |              |
|             | Preamble                                                                                                                                                                                                                                              |        |  |              |
|             | Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                | note   |  |              |
|             | Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   | note   |  |              |
|             | Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                | note   |  |              |
|             | Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 | note   |  |              |
|             | Kitchen                                                                                                                                                                                                                                               |        |  |              |
|             | JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          | 11 m   |  | PGK -        |
| 10.6.1      | Laundry                                                                                                                                                                                                                                               |        |  |              |
|             | JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         | 4 m    |  | PGK -        |
| 10.6.2      | Robes                                                                                                                                                                                                                                                 |        |  |              |

## OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
| 10.6.3      | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 10.6.4      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 2 m  | PGK        | -                    |
| 10.6.5      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 10.6.6      | Linen<br>JO8a/b – comprising open walk-in linen storage with adjustable shelving to full height in compact laminate to all surfaces                         | 3 m  | PGK        | -                    |
| 10.6.7      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 10.6.8      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 10.6.9      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 10.6.10     | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 10.6.11     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 10.6.12     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
|             | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>10.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 10.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 10.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 10.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 10.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 10.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 10.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 10.7.7      | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK        | -                    |
|             | WC(GF)                                                                                                                                                      |      |            |                      |
| 10.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 10.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 10.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 10.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 10.7.12     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
|             | Bath Room, ENS & WC(1F)                                                                                                                                     |      |            |                      |
| 10.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 10.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 10.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 10.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 10.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 10.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 10.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 10.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 10.7.21     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK        | -                    |
| 10.7.22     | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK        | -                    |
| 10.7.23     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 10.7.24     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 10.7.25     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 10.7.26     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
|             | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 10.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>10.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 44 m2 | PGK        | -        |
| 10.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 10.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK        | -        |
|             | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish                                                                                                                                                                                                                        |       |            |          |
| 10.8.3      | SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                                                                      | 3 m2  | PGK        | -        |
|             | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>10.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 194 m2 | PGK -        |
| 10.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>10.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 10.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 194 m2 | PGK -        |
| <b>10.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|         |                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 10.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                            | note   |            |          |
|         | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                | note   |            |          |
|         | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |            |          |
|         | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                         | 194 m2 | PGK        | -        |
|         | <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
|         | <b>TOTAL H19, H30</b>                                                                                                                                                                                                                                                                                                               |        | <b>PGK</b> | <b>-</b> |

## DFAT PNG Housing - H20, H27 - PTE

| Code        | Description                                                                                       | Quantity | UOM  | Rate       | Total    |
|-------------|---------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 11          | BUILDING TYPES<br>H20, H27                                                                        |          |      |            |          |
|             | 4 BEDROOM APARTMENT                                                                               |          |      |            |          |
| <b>11.1</b> | <b><u>Demolition</u></b>                                                                          |          |      |            |          |
|             | DEMOLITION                                                                                        |          |      |            |          |
|             | Preamble                                                                                          |          |      |            |          |
|             | Rate include disposal of demolition debris                                                        |          | note |            |          |
|             | Protection                                                                                        |          |      |            |          |
|             | Protection of the existing doors and architrave                                                   |          |      |            |          |
| 11.1.1      | during construction                                                                               | 14       | no   | PGK        | -        |
| 11.1.2      | Remove/store the reusable items                                                                   | 1        | Item | PGK        | -        |
|             | Services Protection                                                                               |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's   |          |      |            |          |
| 11.1.3      | Data outlets, TV outlets                                                                          | 1        | Item | PGK        | -        |
|             | Demolition                                                                                        |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                          | 11       | m    | PGK        | -        |
| 11.1.5      | Removal and disposal of existing partition                                                        | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for        |          |      |            |          |
| 11.1.6      | new fibre cement sheet                                                                            | 48       | m2   | PGK        | -        |
| 11.1.7      | Removal and disposal of existing wardrobe                                                         | 11       | m    | PGK        | -        |
| 11.1.8      | Removal and disposal of existing door furniture                                                   | 13       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads, handrail & balustrade                              | 9        | m    | PGK        | -        |
| 11.1.10     | Removal and disposal of existing floor finishes                                                   | 155      | m2   | PGK        | -        |
| 11.1.11     | Removal and disposal of existing shower base                                                      | 2        | no   | PGK        | -        |
| 11.1.12     | Removal and disposal of bath & toilet pan                                                         | 1        | item | PGK        | -        |
| 11.1.13     | Removal and disposal of existing doors                                                            | 1        | no   | PGK        | -        |
| 11.1.14     | Removal and disposal existing wall tiling                                                         | 72       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution boards                                                 | 1        | no   | PGK        | -        |
|             | Removal and disposal of existing curtain                                                          |          |      |            |          |
| 11.1.16     | pelmet and making good area                                                                       | 28       | m    | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including      |          |      |            |          |
|             | Making good of existing window flashing and                                                       |          |      |            |          |
| 11.1.17     | DPC's                                                                                             | 54       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                     |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                |          |      |            |          |
| 11.1.18     | unmeasured items                                                                                  | 1        | Item | PGK        | -        |
| 11.1.19     | Removal and disposal of existing lights                                                           | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans,                                                   |          |      |            |          |
| 11.1.20     | associated controls and make good ceiling                                                         | 1        | item | PGK        | -        |
| 11.1.21     | All emergency key fittings to be removed                                                          | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                           |          |      | <b>PGK</b> | <b>-</b> |
| <b>11.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                              |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                            |          |      |            |          |
|             | Preambles                                                                                         |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all |          |      |            |          |
|             | patching and surface preparation works.                                                           |          | note |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and    |          |      |            |          |
|             | priming as required.                                                                              |          | note |            |          |

OFFICIAL

|             |                                                                                                                                                                 |        |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note   |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|             | Painting                                                                                                                                                        |        |            |          |
| 11.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 405 m2 | PGK        | -        |
|             | Tiling                                                                                                                                                          |        |            |          |
| 11.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 66 m2  | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 7 m2   | PGK        | -        |
| 11.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 11.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 95 m2  | PGK        | -        |
|             | Skirting                                                                                                                                                        |        |            |          |
| 11.2.6      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 134 m  | PGK        | -        |
|             | Doors                                                                                                                                                           |        |            |          |
| 11.2.7      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|             | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>11.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|             | Tiling                                                                                                                                                          |        |            |          |
| 11.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 134 m2 | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 11.3.2      | Stair                                                                                                                                                           |        |            |          |
| 11.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 11.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>11.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|             | CEILING FINISHES                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 11.4.1                                                                                                                                                                                                                                                | 177 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>11.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |       |
| DOOR AND WINDOWS                                                                                                                                                                                                                                      |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |       |
| 11.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |       |
| 11.5.2                                                                                                                                                                                                                                                | 13 no                         | PGK - |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |       |
| 11.5.3                                                                                                                                                                                                                                                | 3 no                          | PGK - |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>11.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |       |
| JOINERY                                                                                                                                                                                                                                               |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |       |
| 11.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK - |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |       |
| 11.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK - |
| Robes                                                                                                                                                                                                                                                 |                               |       |

## OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 11.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. |      |            |                      |
| 11.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 4 m  | PGK        | -                    |
| 11.6.5      | Linen<br>JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                          | 3 m  | PGK        | -                    |
| 11.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 2 m  | PGK        | -                    |
| 11.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 11.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 1 no | PGK        | -                    |
| 11.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 2 no | PGK        | -                    |
| 11.6.10     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 11.6.11     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 1 no | PGK        | -                    |
| 11.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>11.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 11.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 11.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 11.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 11.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 11.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 11.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 11.7.7      | FT-09 - Luna Basin/Bath Mixer<br>WC(GF)                                                                                                                     | 1 no | PGK        | -                    |
| 11.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 11.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 11.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 11.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 11.7.12     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                          | 1 no | PGK        | -                    |
| 11.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 11.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 11.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 11.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 11.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 11.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 11.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 11.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 11.7.21     | FT-14 - Luna robe hook<br>FT-15 - Creative glass - frameless front & return with hinged door                                                                | 2 no | PGK        | -                    |
| 11.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 11.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 11.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 11.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 11.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 11.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>11.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 50 m2 | PGK        | -        |
| 11.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 11.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK        | -        |
|             | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 5 m2  | PGK        | -        |
| 11.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>11.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 222 m2 | PGK -        |
| 11.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>11.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 11.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 222 m2 | PGK -        |
| <b>11.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services  
Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

222 m2

**TOTAL Electric Light, Power & Communications**  
**TOTAL H20, H27**

PGK -  
**PGK -**  
**PGK -**

## DFAT PNG Housing - H21, H34, H26 - PTE

| Code        | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 12          | BUILDING TYPES<br>H21, H34, H26                                                                                                           |          |      |            |          |
|             | 3 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>12.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|             | DEMOLITION                                                                                                                                |          |      |            |          |
|             | Preamble                                                                                                                                  |          |      |            |          |
|             | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|             | Protection                                                                                                                                |          |      |            |          |
|             | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 12.1.1      | during construction                                                                                                                       | 14       | no   | PGK        | -        |
| 12.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|             | Services Protection                                                                                                                       |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 12.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|             | Demolition                                                                                                                                |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 11       | m    | PGK        | -        |
| 12.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 12.1.6      | new fibre cement sheet                                                                                                                    | 32       | m2   | PGK        | -        |
| 12.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 10       | m    | PGK        | -        |
| 12.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads, handrail & balustrade                                                                      | 11       | m    | PGK        | -        |
| 12.1.10     | Removal and disposal of existing floor finishes                                                                                           | 136      | m2   | PGK        | -        |
| 12.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 12.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 12.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 12.1.14     | Removal and disposal existing wall tiling                                                                                                 | 89       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution boards                                                                                         | 1        | no   | PGK        | -        |
| 12.1.16     | Removal and disposal of existing curtain pelmets and making good area                                                                     | 26       | m    | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
| 12.1.17     | Making good of existing window flashing and DPC's                                                                                         | 44       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                                                             |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 12.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 12.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                 | 1        | item | PGK        | -        |
| 12.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>12.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|             | Preambles                                                                                                                                 |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|             |                                                                                                                                                                 |        |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note   |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|             | Painting                                                                                                                                                        |        |            |          |
| 12.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 366 m2 | PGK        | -        |
|             | Tiling                                                                                                                                                          |        |            |          |
| 12.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 63 m2  | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 6 m2   | PGK        | -        |
| 12.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 12.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 91 m2  | PGK        | -        |
|             | Skirting                                                                                                                                                        |        |            |          |
| 12.2.6      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 127 m  | PGK        | -        |
|             | Doors                                                                                                                                                           |        |            |          |
| 12.2.7      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|             | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>12.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|             | Tiling                                                                                                                                                          |        |            |          |
| 12.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 115 m2 | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 12.3.2      | Stair                                                                                                                                                           |        |            |          |
| 12.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 12.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>12.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|             | CEILING FINISHES                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |

## OFFICIAL



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 12.4.1                                                                                                                                                                                                                                                | 157 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>12.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |       |
| DOOR AND WINDOWS                                                                                                                                                                                                                                      |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |       |
| 12.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |       |
| 12.5.2                                                                                                                                                                                                                                                | 13 no                         | PGK - |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |       |
| 12.5.3                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>12.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |       |
| JOINERY                                                                                                                                                                                                                                               |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |       |
| 12.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK - |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |       |
| 12.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK - |
| Robes                                                                                                                                                                                                                                                 |                               |       |

OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 12.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 2 m  | PGK        | -                    |
| 12.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 12.6.5      | Linen<br>JO8a/b – comprising open walk-in linen storage with adjustable shelving to full height in compact laminate to all surfaces                         | 3 m  | PGK        | -                    |
| 12.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 12.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 12.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 12.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 12.6.10     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 12.6.11     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 12.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>12.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 12.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 12.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 12.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 12.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 12.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 12.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 12.7.7      | FT-09 - Luna Basin/Bath Mixer<br>WC(GF)                                                                                                                     | 1 no | PGK        | -                    |
| 12.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 12.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 12.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 12.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 12.7.12     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                          | 1 no | PGK        | -                    |
| 12.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 12.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 12.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 12.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 12.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 12.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 12.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 12.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 12.7.21     | FT-14 - Luna robe hook<br>FT-15 - Creative glass - frameless front & return with hinged door                                                                | 2 no | PGK        | -                    |
| 12.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 12.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 12.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 12.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 12.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
|             | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max                                               |       |            |          |
| 12.7.27     | 900 mm centres                                                                                                                                                                                                                                                          | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>12.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 46 m2 | PGK        | -        |
| 12.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 4 m   | PGK        | -        |
| 12.8.2      | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 2 m2  | PGK        | -        |
| 12.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>12.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 194 m2 | PGK -        |
| 12.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>12.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 12.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 194 m2 | PGK -        |
| <b>12.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |        |                                       |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------|
| 12.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                                                                                                                                                                                                                                                                                                                 | note   | PGK -<br><b>PGK -</b><br><b>PGK -</b> |
|         | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services. Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |                                       |
|         | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                                                                                                                                                                                                                                                                                                              | note   |                                       |
|         | <b>TOTAL Electric Light, Power &amp; Communications</b><br><b>TOTAL H21, H34, H26</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 194 m2 |                                       |

## DFAT PNG Housing - H22, H33 - PTE

| Code        | Description                                                                                                                               | Quantity   | UOM       | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|------------|----------|
| 13          | BUILDING TYPES<br>H22, H33                                                                                                                |            |           |            |          |
|             | 3 BEDROOM APARTMENT                                                                                                                       |            |           |            |          |
| <b>13.1</b> | <b><u>Demolition</u></b>                                                                                                                  |            |           |            |          |
|             | DEMOLITION                                                                                                                                |            |           |            |          |
|             | Preamble                                                                                                                                  |            |           |            |          |
|             | Rate include disposal of demolition debris                                                                                                |            | note      |            |          |
|             | Protection                                                                                                                                |            |           |            |          |
|             | Protection of the existing doors and architrave                                                                                           |            |           |            |          |
| 13.1.1      | during construction                                                                                                                       | 14         | no        | PGK        | -        |
| 13.1.2      | Remove/store the reusable items                                                                                                           | 1          | Item      | PGK        | -        |
|             | Services Protection                                                                                                                       |            |           |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |            |           |            |          |
| 13.1.3      | Data outlets, TV outlets                                                                                                                  | 1          | Item      | PGK        | -        |
|             | Demolition                                                                                                                                |            |           |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 10         | m         | PGK        | -        |
| 13.1.5      | Removal and disposal of existing partition                                                                                                | 6          | m2        | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |            |           |            |          |
| 13.1.6      | new fibre cement sheet                                                                                                                    | 33         | m2        | PGK        | -        |
| 13.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 10         | m         | PGK        | -        |
| 13.1.8      | Removal and disposal of existing door furniture                                                                                           | 12         | no        | PGK        | -        |
|             | Removal and disposal of existing stair treads, handrail & balustrade                                                                      | 12         | m         | PGK        | -        |
| 13.1.10     | Removal and disposal of existing floor finishes                                                                                           | 136        | m2        | PGK        | -        |
| 13.1.11     | Removal and disposal of existing shower base                                                                                              | 2          | no        | PGK        | -        |
| 13.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1          | item      | PGK        | -        |
| 13.1.13     | Removal and disposal of existing doors                                                                                                    | 1          | no        | PGK        | -        |
| 13.1.14     | Removal and disposal existing wall tiling                                                                                                 | 69         | m2        | PGK        | -        |
|             | Removal and disposal internal distribution boards                                                                                         | 1          | no        | PGK        | -        |
| 13.1.16     | Removal and disposal of existing curtain pelmets and making good area                                                                     | 26         | m         | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including                                              |            |           |            |          |
| 13.1.17     | Making good of existing window flashing and DPC's                                                                                         | 44         | m2        | PGK        | -        |
|             | Miscellaneous                                                                                                                             |            |           |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |            |           |            |          |
| 13.1.18     | unmeasured items                                                                                                                          | 1          | Item      | PGK        | -        |
| 13.1.19     | Removal and disposal of existing lights                                                                                                   | 1          | item      | PGK        | -        |
|             | Removal and disposal all existing ceiling fans, associated controls and make good ceiling                                                 | 1          | item      | PGK        | -        |
| 13.1.21     | All emergency key fittings to be removed                                                                                                  | 1          | item      | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   | <b>194</b> | <b>m2</b> | <b>PGK</b> | <b>-</b> |
| <b>13.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |            |           |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |            |           |            |          |
|             | Preambles                                                                                                                                 |            |           |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |            | note      |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |            | note      |            |          |

## OFFICIAL

|             |                                                                                                                                                                 |               |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note          |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note          |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note          |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note          |            |          |
|             | Painting                                                                                                                                                        |               |            |          |
| 13.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 366 m2        | PGK        | -        |
|             | Tiling                                                                                                                                                          |               |            |          |
| 13.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 63 m2         | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 6 m2          | PGK        | -        |
| 13.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2          | PGK        | -        |
| 13.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 91 m2         | PGK        | -        |
|             | Skirting                                                                                                                                                        |               |            |          |
| 13.2.6      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 127 m         | PGK        | -        |
|             | Doors                                                                                                                                                           |               |            |          |
| 13.2.7      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no         | PGK        | -        |
|             | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             | <b>194 m2</b> | <b>PGK</b> | <b>-</b> |
| <b>13.3</b> | <b><u>Floor Finishes</u></b>                                                                                                                                    |               |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |               |            |          |
|             | Preambles                                                                                                                                                       |               |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note          |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note          |            |          |
|             | Tiling                                                                                                                                                          |               |            |          |
| 13.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 115 m2        | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2         | PGK        | -        |
| 13.3.2      | Stair                                                                                                                                                           |               |            |          |
| 13.3.3      | Recessed stair nosing                                                                                                                                           | 18 m          | PGK        | -        |
| 13.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2         | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     | <b>194 m2</b> | <b>PGK</b> | <b>-</b> |
| <b>13.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                  |               |            |          |
|             | CEILING FINISHES                                                                                                                                                |               |            |          |
|             | Preambles                                                                                                                                                       |               |            |          |



|                                                                                                                                                                                                                                                       |                               |              |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------|
| Finishes                                                                                                                                                                                                                                              |                               |              |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |              |
| 13.4.1                                                                                                                                                                                                                                                | 157 m2                        | PGK -        |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |              |
|                                                                                                                                                                                                                                                       | <b>194 m2</b>                 | <b>PGK -</b> |
| <b>13.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |              |
| DOOR AND WINDOWS                                                                                                                                                                                                                                      |                               |              |
| Preambles                                                                                                                                                                                                                                             |                               |              |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |              |
|                                                                                                                                                                                                                                                       | note                          |              |
| Doors                                                                                                                                                                                                                                                 |                               |              |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |              |
| 13.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK -        |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |              |
| 13.5.2                                                                                                                                                                                                                                                | 12 no                         | PGK -        |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |              |
| 13.5.3                                                                                                                                                                                                                                                | 2 no                          | PGK -        |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |              |
|                                                                                                                                                                                                                                                       |                               | <b>PGK -</b> |
| <b>13.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |              |
| JOINERY                                                                                                                                                                                                                                               |                               |              |
| Preamble                                                                                                                                                                                                                                              |                               |              |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |              |
|                                                                                                                                                                                                                                                       | note                          |              |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |              |
|                                                                                                                                                                                                                                                       | note                          |              |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |              |
|                                                                                                                                                                                                                                                       | note                          |              |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |              |
|                                                                                                                                                                                                                                                       | note                          |              |
| Kitchen                                                                                                                                                                                                                                               |                               |              |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |              |
| 13.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK -        |
| Laundry                                                                                                                                                                                                                                               |                               |              |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |              |
| 13.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK -        |
| Robes                                                                                                                                                                                                                                                 |                               |              |

## OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 13.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 2 m  | PGK        | -                    |
| 13.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 13.6.5      | Linen<br>JO8a/b – comprising open walk-in linen storage with adjustable shelving to full height in compact laminate to all surfaces                         | 3 m  | PGK        | -                    |
| 13.6.7      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 13.6.8      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 13.6.9      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 13.6.10     | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 13.6.11     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 13.6.12     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 13.6.13     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>13.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 13.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 13.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 13.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 13.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 13.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 13.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 13.7.7      | FT-09 - Luna Basin/Bath Mixer                                                                                                                               | 1 no | PGK        | -                    |
|             | WC(GF)                                                                                                                                                      |      |            |                      |
| 13.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 13.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 13.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 13.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 13.7.12     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
|             | Bath Room, ENS & WC(1F)                                                                                                                                     |      |            |                      |
| 13.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 13.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 13.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 13.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 13.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 13.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 13.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 13.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 13.7.21     | FT-14 - Luna robe hook                                                                                                                                      | 2 no | PGK        | -                    |
|             | FT-15 - Creative glass - frameless front & return with hinged door                                                                                          | 2 no | PGK        | -                    |
| 13.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 13.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 13.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 13.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 13.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 13.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>13.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 43 m2 | PGK        | -        |
| 13.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 13.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK        | -        |
|             | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish                                                                                                                                                                                                                        |       |            |          |
| 13.8.3      | SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                                                                      | 3 m2  | PGK        | -        |
|             | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>13.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 194 m2 | PGK -        |
| 13.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>13.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 13.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 194 m2 | PGK -        |
| <b>13.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services  
Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

13.11.1

194 m2

PGK -

**TOTAL Electric Light, Power & Communications**

**PGK -**

**TOTAL H22, H33**

**PGK -**

## DFAT PNG Housing - H24, H 17 - PTE

| Code        | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| <b>14</b>   | <b>BUILDING TYPES<br/>H24, H17</b>                                                                                                        |          |      |            |          |
|             | 4 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>14.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|             | DEMOLITION                                                                                                                                |          |      |            |          |
|             | Preamble                                                                                                                                  |          |      |            |          |
|             | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|             | Protection                                                                                                                                |          |      |            |          |
|             | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 14.1.1      | during construction                                                                                                                       | 14       | no   | PGK        | -        |
| 14.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|             | Services Protection                                                                                                                       |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 14.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|             | Demolition                                                                                                                                |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 11       | m    | PGK        | -        |
| 14.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 14.1.6      | new fibre cement sheet                                                                                                                    | 48       | m2   | PGK        | -        |
| 14.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 11       | m    | PGK        | -        |
| 14.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads,                                                                                            |          |      |            |          |
| 14.1.9      | handrail & balustrade                                                                                                                     | 9        | m    | PGK        | -        |
| 14.1.10     | Removal and disposal of existing floor finishes                                                                                           | 155      | m2   | PGK        | -        |
| 14.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 14.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 14.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 14.1.14     | Removal and disposal existing wall tiling                                                                                                 | 72       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution                                                                                                |          |      |            |          |
| 14.1.15     | boards                                                                                                                                    | 1        | no   | PGK        | -        |
|             | Removal and disposal of existing curtain                                                                                                  |          |      |            |          |
| 14.1.16     | pelmet and making good area                                                                                                               | 28       | m    | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
|             | Making good of existing window flashing and                                                                                               |          |      |            |          |
| 14.1.17     | DPC's                                                                                                                                     | 53       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                                                             |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 14.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 14.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans,                                                                                           |          |      |            |          |
| 14.1.20     | associated controls and make good ceiling                                                                                                 | 1        | item | PGK        | -        |
| 14.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>14.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|             | Preambles                                                                                                                                 |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|             |                                                                                                                                                                 |        |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note   |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|             | Painting                                                                                                                                                        |        |            |          |
| 14.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 406 m2 | PGK        | -        |
|             | Tiling                                                                                                                                                          |        |            |          |
| 14.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 66 m2  | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 7 m2   | PGK        | -        |
| 14.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 14.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 95 m2  | PGK        | -        |
|             | Skirting                                                                                                                                                        |        |            |          |
| 14.2.6      | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 134 m  | PGK        | -        |
|             | Doors                                                                                                                                                           |        |            |          |
| 14.2.7      | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
|             | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>14.3</b> | <b>Floor Finishes</b>                                                                                                                                           |        |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|             | Tiling                                                                                                                                                          |        |            |          |
| 14.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 134 m2 | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 14.3.2      | Stair                                                                                                                                                           |        |            |          |
| 14.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 14.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>14.4</b> | <b>Ceiling Finishes</b>                                                                                                                                         |        |            |          |
|             | CEILING FINISHES                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |

## OFFICIAL



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 14.4.1                                                                                                                                                                                                                                                | 177 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>14.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |       |
| <b>DOOR AND WINDOWS</b>                                                                                                                                                                                                                               |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |       |
| 14.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |       |
| 14.5.2                                                                                                                                                                                                                                                | 13 no                         | PGK - |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |       |
| 14.5.3                                                                                                                                                                                                                                                | 3 no                          | PGK - |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>14.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |       |
| <b>JOINERY</b>                                                                                                                                                                                                                                        |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |       |
| 14.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK - |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |       |
| 14.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK - |
| Robes                                                                                                                                                                                                                                                 |                               |       |

## OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 14.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 4 m  | PGK        | -                    |
| 14.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 14.6.5      | Linen<br>JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                          | 2 m  | PGK        | -                    |
| 14.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 14.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 14.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 14.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 14.6.10     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 14.6.11     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 14.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>14.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 14.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 14.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 14.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 14.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 14.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 14.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 14.7.7      | FT-09 - Luna Basin/Bath Mixer<br>WC(GF)                                                                                                                     | 1 no | PGK        | -                    |
| 14.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 14.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 14.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 14.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 14.7.12     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                          | 1 no | PGK        | -                    |
| 14.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 14.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 14.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 14.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 14.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 14.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 14.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 14.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 14.7.21     | FT-14 - Luna robe hook<br>FT-15 - Creative glass - frameless front & return with hinged door                                                                | 2 no | PGK        | -                    |
| 14.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 14.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 14.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 14.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 14.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 14.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
|             |                                                                                                                                                                                                                                                                         |       |            |          |
| <b>14.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric - 2100mm High                                          | 49 m2 | PGK        | -        |
| 14.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds                                                                                |       |            |          |
| 14.8.2      | inside providing diffusing and blackout layers                                                                                                                                                                                                                          | 5 m   | PGK        | -        |
|             | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and                                                                                                                                                                                  |       |            |          |
| 14.8.3      | bathroom windows for privacy                                                                                                                                                                                                                                            | 3 m2  | PGK        | -        |
|             | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>14.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 222 m2 | PGK -        |
| 14.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>14.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 14.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 222 m2 | PGK -        |
| <b>14.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services  
Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

14.11.1

222 m2

**TOTAL Electric Light, Power & Communications**  
**TOTAL H24, H17**

PGK -  
**PGK -**  
**PGK -**

## DFAT PNG Housing - H25, H29 - PTE

| Code        | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 15          | BUILDING TYPES<br>H25, H29                                                                                                                |          |      |            |          |
|             | 4 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>15.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|             | DEMOLITION                                                                                                                                |          |      |            |          |
|             | Preamble                                                                                                                                  |          |      |            |          |
|             | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|             | Protection                                                                                                                                |          |      |            |          |
|             | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 15.1.1      | during construction                                                                                                                       | 14       | no   | PGK        | -        |
| 15.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|             | Services Protection                                                                                                                       |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 15.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|             | Demolition                                                                                                                                |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 11       | m    | PGK        | -        |
| 15.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 15.1.6      | new fibre cement sheet                                                                                                                    | 50       | m2   | PGK        | -        |
| 15.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 11       | m    | PGK        | -        |
| 15.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads,                                                                                            |          |      |            |          |
| 15.1.9      | handrail & balustrade                                                                                                                     | 10       | m    | PGK        | -        |
| 15.1.10     | Removal and disposal of existing floor finishes                                                                                           | 155      | m2   | PGK        | -        |
| 15.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 15.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 15.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 15.1.14     | Removal and disposal existing wall tiling                                                                                                 | 72       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution                                                                                                |          |      |            |          |
| 15.1.15     | boards                                                                                                                                    | 1        | no   | PGK        | -        |
|             | Removal and disposal of existing curtain                                                                                                  |          |      |            |          |
| 15.1.16     | pelmet and making good area                                                                                                               | 28       | m    | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
|             | Making good of existing window flashing and                                                                                               |          |      |            |          |
| 15.1.17     | DPC's                                                                                                                                     | 46       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                                                             |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 15.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 15.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans,                                                                                           |          |      |            |          |
| 15.1.20     | associated controls and make good ceiling                                                                                                 | 1        | item | PGK        | -        |
| 15.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>15.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|             | Preambles                                                                                                                                 |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|             |                                                                                                                                                                 |        |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note   |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|             | Painting                                                                                                                                                        |        |            |          |
| 15.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 413 m2 | PGK        | -        |
|             | Tiling                                                                                                                                                          |        |            |          |
| 15.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 67 m2  | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 7 m2   | PGK        | -        |
| 15.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 15.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 96 m2  | PGK        | -        |
| 15.2.5      | Skirting                                                                                                                                                        |        |            |          |
|             | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 145 m  | PGK        | -        |
| 15.2.6      | Doors                                                                                                                                                           |        |            |          |
|             | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
| 15.2.7      | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>15.3</b> | <b><u>Floor Finishes</u></b>                                                                                                                                    |        |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|             | Tiling                                                                                                                                                          |        |            |          |
| 15.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 134 m2 | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 15.3.2      | Stair                                                                                                                                                           |        |            |          |
| 15.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 15.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>15.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                  |        |            |          |
|             | CEILING FINISHES                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 15.4.1                                                                                                                                                                                                                                                | 178 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>15.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |       |
| <b>DOOR AND WINDOWS</b>                                                                                                                                                                                                                               |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new                                                                                                        |                               |       |
| 15.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| perforated metal screen (900mmW x                                                                                                                                                                                                                     |                               |       |
| Adding new door seals and replacing existing                                                                                                                                                                                                          |                               |       |
| 15.5.2                                                                                                                                                                                                                                                | 13 no                         | PGK - |
| door hardware as per the door schedule                                                                                                                                                                                                                |                               |       |
| Replacing the leaf finish of D04 to GL.01 new                                                                                                                                                                                                         |                               |       |
| double glazing to match new double glazed                                                                                                                                                                                                             |                               |       |
| 15.5.3                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| windows                                                                                                                                                                                                                                               |                               |       |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>15.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |       |
| <b>JOINERY</b>                                                                                                                                                                                                                                        |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including                                                                               |                               |       |
| 15.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK - |
| waterfall edge and tiled splashback.                                                                                                                                                                                                                  |                               |       |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead                                                                                      |                               |       |
| 15.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK - |
| cupboard above washer/dryer.                                                                                                                                                                                                                          |                               |       |
| Robes                                                                                                                                                                                                                                                 |                               |       |

OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 15.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 4 m  | PGK        | -                    |
| 15.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 15.6.5      | Linen<br>JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                          | 2 m  | PGK        | -                    |
| 15.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 15.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 15.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 15.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 15.6.10     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 15.6.11     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 15.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>15.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 15.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 15.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 15.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 15.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 15.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 15.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 15.7.7      | FT-09 - Luna Basin/Bath Mixer<br>WC(GF)                                                                                                                     | 1 no | PGK        | -                    |
| 15.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 15.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 15.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 15.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 15.7.12     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                          | 1 no | PGK        | -                    |
| 15.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 15.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 15.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 15.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 15.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 15.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 15.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 15.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 15.7.21     | FT-14 - Luna robe hook<br>FT-15 - Creative glass - frameless front & return with hinged door                                                                | 2 no | PGK        | -                    |
| 15.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 15.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 15.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 15.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 15.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
|             | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max                                               |       |            |          |
| 15.7.27     | 900 mm centres                                                                                                                                                                                                                                                          | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>15.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 46 m2 | PGK        | -        |
| 15.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 6 m   | PGK        | -        |
| 15.8.2      | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 4 m2  | PGK        | -        |
| 15.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>15.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 222 m2 | PGK -        |
| 15.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>15.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 15.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 222 m2 | PGK -        |
| <b>15.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.

note

The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.

note

Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation.

note

Electrical and Communication services  
Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.

15.11.1

222 m2

**TOTAL Electric Light, Power & Communications**  
**TOTAL H25, H29**

PGK -  
**PGK -**  
**PGK -**

## DFAT PNG Housing - H28, H32 - PTE

| Code        | Description                                                                                                                               | Quantity | UOM  | Rate       | Total    |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|------|------------|----------|
| 16          | BUILDING TYPES<br>H28, H32                                                                                                                |          |      |            |          |
|             | 4 BEDROOM APARTMENT                                                                                                                       |          |      |            |          |
| <b>16.1</b> | <b><u>Demolition</u></b>                                                                                                                  |          |      |            |          |
|             | DEMOLITION                                                                                                                                |          |      |            |          |
|             | Preamble                                                                                                                                  |          |      |            |          |
|             | Rate include disposal of demolition debris                                                                                                |          | note |            |          |
|             | Protection                                                                                                                                |          |      |            |          |
|             | Protection of the existing doors and architrave                                                                                           |          |      |            |          |
| 16.1.1      | during construction                                                                                                                       | 14       | no   | PGK        | -        |
| 16.1.2      | Remove/store the reusable items                                                                                                           | 1        | Item | PGK        | -        |
|             | Services Protection                                                                                                                       |          |      |            |          |
|             | Terminating redundant services and capping of existing services including light switches, GPO's                                           |          |      |            |          |
| 16.1.3      | Data outlets, TV outlets                                                                                                                  | 1        | Item | PGK        | -        |
|             | Demolition                                                                                                                                |          |      |            |          |
|             | Removal and disposal of existing joinery and accessories                                                                                  | 11       | m    | PGK        | -        |
| 16.1.5      | Removal and disposal of existing partition                                                                                                | 6        | m2   | PGK        | -        |
|             | Removal and disposal of plasterboard cladding in all existing wardrobes, and make good for                                                |          |      |            |          |
| 16.1.6      | new fibre cement sheet                                                                                                                    | 50       | m2   | PGK        | -        |
| 16.1.7      | Removal and disposal of existing wardrobe                                                                                                 | 11       | m    | PGK        | -        |
| 16.1.8      | Removal and disposal of existing door furniture                                                                                           | 13       | no   | PGK        | -        |
|             | Removal and disposal of existing stair treads,                                                                                            |          |      |            |          |
| 16.1.9      | handrail & balustrade                                                                                                                     | 10       | m    | PGK        | -        |
| 16.1.10     | Removal and disposal of existing floor finishes                                                                                           | 155      | m2   | PGK        | -        |
| 16.1.11     | Removal and disposal of existing shower base                                                                                              | 2        | no   | PGK        | -        |
| 16.1.12     | Removal and disposal of bath & toilet pan                                                                                                 | 1        | item | PGK        | -        |
| 16.1.13     | Removal and disposal of existing doors                                                                                                    | 1        | no   | PGK        | -        |
| 16.1.14     | Removal and disposal existing wall tiling                                                                                                 | 72       | m2   | PGK        | -        |
|             | Removal and disposal internal distribution                                                                                                |          |      |            |          |
| 16.1.15     | boards                                                                                                                                    | 1        | no   | PGK        | -        |
|             | Removal and disposal of existing curtain                                                                                                  |          |      |            |          |
| 16.1.16     | pelmet and making good area                                                                                                               | 28       | m    | PGK        | -        |
|             | Removal and disposal of all existing external perimeter windows and security grill including                                              |          |      |            |          |
|             | Making good of existing window flashing and                                                                                               |          |      |            |          |
| 16.1.17     | DPC's                                                                                                                                     | 52       | m2   | PGK        | -        |
|             | Miscellaneous                                                                                                                             |          |      |            |          |
|             | Removal and disposal of existing general power, wiring, smoke alarms and any other                                                        |          |      |            |          |
| 16.1.18     | unmeasured items                                                                                                                          | 1        | Item | PGK        | -        |
| 16.1.19     | Removal and disposal of existing lights                                                                                                   | 1        | item | PGK        | -        |
|             | Removal and disposal all existing ceiling fans,                                                                                           |          |      |            |          |
| 16.1.20     | associated controls and make good ceiling                                                                                                 | 1        | item | PGK        | -        |
| 16.1.21     | All emergency key fittings to be removed                                                                                                  | 1        | item | PGK        | -        |
|             | <b>TOTAL Demolition</b>                                                                                                                   |          |      | <b>PGK</b> | <b>-</b> |
| <b>16.2</b> | <b><u>Wall Finishes/Painting</u></b>                                                                                                      |          |      |            |          |
|             | WALL FINISHES/PAINTING                                                                                                                    |          |      |            |          |
|             | Preambles                                                                                                                                 |          |      |            |          |
|             | All existing internal walls to be repainted or retiled as applicable, following completion of all patching and surface preparation works. |          | note |            |          |
|             | Internal wall surfaces to be prepared to receive new finishes, including filling, sanding, and priming as required.                       |          | note |            |          |

## OFFICIAL

|             |                                                                                                                                                                 |        |            |          |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
|             | Ceiling painting is excluded from this section and is addressed under Ceiling Finishes                                                                          | note   |            |          |
|             | New skirting is assumed to be provided to all internal walls, except within wet areas where full-height or partial-height wall tiling is installed.             | note   |            |          |
|             | Painting is assumed behind fixed and loose joinery unless noted otherwise.                                                                                      | note   |            |          |
|             | No painting or refinishing works are included to external facade                                                                                                | note   |            |          |
|             | Painting                                                                                                                                                        |        |            |          |
| 16.2.1      | Painting to wall in PA.01 with 3 coat (Dulux Wash&Wear;+Plus, Semigloss/Stain), allow patch to the existing wall                                                | 407 m2 | PGK        | -        |
|             | Tiling                                                                                                                                                          |        |            |          |
| 16.2.2      | TI.01 wall tiling to wet area - 300mm x 600mm Bright White Porcelain Tiles - Pressed Edge and patching to existing walls                                        | 67 m2  | PGK        | -        |
|             | TI.02 feature wall tiling to wet area - 300mm x 600mm Stage Grey Matt Porcelain Tiles (National Tiles or similar) - Pressed Edge and patching to existing walls | 7 m2   | PGK        | -        |
| 16.2.3      | TI.05 wall tiling to kitchen & laundry - 296 x 297mm Kit Kat White Gloss Porcelain Tiles (Earp Bros or similar), patching to existing walls                     | 4 m2   | PGK        | -        |
| 16.2.4      | Waterproof membrane to wet areas to Walls & floor                                                                                                               | 96 m2  | PGK        | -        |
| 16.2.5      | Skirting                                                                                                                                                        |        |            |          |
|             | 100mm high laminated skirting, and paint in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                              | 145 m  | PGK        | -        |
| 16.2.6      | Doors                                                                                                                                                           |        |            |          |
|             | Paint to doors 2-sides in PA.02 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Whisper White, SW1C2)                                                                | 13 no  | PGK        | -        |
| 16.2.7      | <b>TOTAL Wall Finishes/Painting</b>                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
| <b>16.3</b> | <b><u>Floor Finishes</u></b>                                                                                                                                    |        |            |          |
|             | FLOOR FINISHES                                                                                                                                                  |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |
|             | Floor tiling is assumed to extend beneath all new joinery units to allow for future removal or reconfiguration without requiring floor finishes to be replaced. | note   |            |          |
|             | Any new screed required to achieve levels and falls is deemed to be included within the floor tiling rate.                                                      | note   |            |          |
|             | Tiling                                                                                                                                                          |        |            |          |
| 16.3.1      | TI.03 - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver             | 134 m2 | PGK        | -        |
|             | TI.04 to wet area - 300mm x 600mm x 9mm thick tiled flooring, supplied by EARP BROS, Moov Grey, with laticrete spectralock pro premium grout in sterling silver | 18 m2  | PGK        | -        |
| 16.3.2      | Stair                                                                                                                                                           |        |            |          |
| 16.3.3      | Recessed stair nosing                                                                                                                                           | 18 m   | PGK        | -        |
| 16.3.4      | Re-finish the existing timber stairs landing, treads and rises                                                                                                  | 10 m2  | PGK        | -        |
|             | <b>TOTAL Floor Finishes</b>                                                                                                                                     |        | <b>PGK</b> | <b>-</b> |
| <b>16.4</b> | <b><u>Ceiling Finishes</u></b>                                                                                                                                  |        |            |          |
|             | CEILING FINISHES                                                                                                                                                |        |            |          |
|             | Preambles                                                                                                                                                       |        |            |          |



|                                                                                                                                                                                                                                                       |                               |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------|
| Finishes                                                                                                                                                                                                                                              |                               |       |
| Paint to all existing plasterboard ceilings for new 3-coat paint system PA.03 (Dulux Wash&Wear;+Plus Kitchen & Bathroom, Flat white, low sheen), including cleaning, mould treatment and eradication, minor repairs, sanding and priming as required. |                               |       |
| 16.4.1                                                                                                                                                                                                                                                | 178 m2                        | PGK - |
| <b>TOTAL Ceiling Finishes</b>                                                                                                                                                                                                                         |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>16.5</b>                                                                                                                                                                                                                                           | <b><u>Door and Window</u></b> |       |
| <b>DOOR AND WINDOWS</b>                                                                                                                                                                                                                               |                               |       |
| Preambles                                                                                                                                                                                                                                             |                               |       |
| Rates are deemed to include the supply and installation of all door hardware and all applied finishes.                                                                                                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Doors                                                                                                                                                                                                                                                 |                               |       |
| Refurbishment of existing gate including all preparation, fixings, finishes, adjustments, and making good required to suit installation of new perforated metal screen (900mmW x                                                                      |                               |       |
| 16.5.1                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| Adding new door seals and replacing existing door hardware as per the door schedule                                                                                                                                                                   |                               |       |
| 16.5.2                                                                                                                                                                                                                                                | 13 no                         | PGK - |
| Replacing the leaf finish of D04 to GL.01 new double glazing to match new double glazed windows                                                                                                                                                       |                               |       |
| 16.5.3                                                                                                                                                                                                                                                | 1 no                          | PGK - |
| <b>TOTAL Door and Window</b>                                                                                                                                                                                                                          |                               |       |
| <b>PGK -</b>                                                                                                                                                                                                                                          |                               |       |
| <b>16.6</b>                                                                                                                                                                                                                                           | <b><u>Joinery</u></b>         |       |
| <b>JOINERY</b>                                                                                                                                                                                                                                        |                               |       |
| Preamble                                                                                                                                                                                                                                              |                               |       |
| Joinery unit rates are deemed to include the supply and installation of laminated benchtops and tiled splashbacks, complete, unless specifically noted otherwise in the documentation.                                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Robe unit rates are deemed to include the supply and installation of sliding mirrored doors, complete with tracks, guides, and associated fittings.                                                                                                   |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all hardware necessary for a complete and functional installation, including soft - close hinges, soft - close runners, fixings, and all incidental hardware.                                                |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Joinery unit rates are deemed to include all costs associated with delivery to site, handling, positioning, installation, and making good directly affected surfaces.                                                                                 |                               |       |
|                                                                                                                                                                                                                                                       | note                          |       |
| Kitchen                                                                                                                                                                                                                                               |                               |       |
| JO3a/b – comprising 880mm high under-bench cupboards and drawer units, 800mm high overhead cupboards, tall pantry units and complete with 20mm stone benchtop including waterfall edge and tiled splashback.                                          |                               |       |
| 16.6.1                                                                                                                                                                                                                                                | 11 m                          | PGK - |
| Laundry                                                                                                                                                                                                                                               |                               |       |
| JO4a/b - comprising 880mm high under-bench cupboards and drawers, full-height broom cupboard, 20mm stone benchtop, tiled splashback and open shelf, and overhead cupboard above washer/dryer.                                                         |                               |       |
| 16.6.2                                                                                                                                                                                                                                                | 4 m                           | PGK - |
| Robes                                                                                                                                                                                                                                                 |                               |       |

OFFICIAL

|             |                                                                                                                                                             |      |            |                      |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------------|----------------------|
|             | JO5a – comprising full height built-in sliding door wardrobes to 2700 mm high with 4 panel door system, mirror behind, internal shelving and hanging rails. | 3 m  | PGK        | -                    |
| 16.6.3      | JO5b – comprising full height built-in sliding door wardrobes to 2700 mm high with 2 panel door system, mirror behind, internal shelving and hanging rails. | 4 m  | PGK        | -                    |
| 16.6.4      | WIR<br>JO7a/b – comprising open walk-in robe joinery with full-height laminate carcass, adjustable shelving, drawer units and hanging rails.                | 3 m  | PGK        | -                    |
| 16.6.5      | Linen<br>JO6 – comprising full-height sliding door linen cupboard to 2700mm high with 3 panel door system, hang rail and shelving.                          | 2 m  | PGK        | -                    |
| 16.6.6      | Mirror cabinet<br>FT-16 - Issy cloud double mirror with shaving cabinet                                                                                     | 1 no | PGK        | -                    |
| 16.6.7      | FT-17 - Issy cloud double mirror with shaving cabinet                                                                                                       | 1 no | PGK        | -                    |
| 16.6.8      | FT-18 - Issy Z1 custom recessed oval mirror with shaving cabinet                                                                                            | 2 no | PGK        | -                    |
| 16.6.9      | Vanity Basin<br>SAN-07 - Posh Domaine vanity                                                                                                                | 1 no | PGK        | -                    |
| 16.6.10     | SAN-08 - Posh Domaine vanity                                                                                                                                | 1 no | PGK        | -                    |
| 16.6.11     | SAN-03 - Posh Solus vanity unit                                                                                                                             | 2 no | PGK        | -                    |
| 16.6.12     | <b>TOTAL Joinery</b>                                                                                                                                        |      | <b>PGK</b> | <b>-</b>             |
| <b>16.7</b> | <b><u>Fitments incl. Sanitary Fixtures</u></b>                                                                                                              |      |            |                      |
|             | FITMENTS INCL SANITARY FIXTURES                                                                                                                             |      |            |                      |
|             | Kitchen                                                                                                                                                     |      |            |                      |
| 16.7.1      | FT-01 - Caroma Urbane II sink mixer                                                                                                                         | 1 no | PGK        | -                    |
| 16.7.2      | FT-02 - Hideaway waste bin                                                                                                                                  |      |            | Including in joinery |
| 16.7.3      | FT-04 - Kessebohmer magic corner                                                                                                                            | 1 no | PGK        | -                    |
| 16.7.4      | FT-21 - full height pull out unit                                                                                                                           |      |            | Including in joinery |
| 16.7.5      | FT-23 - 7 compartment cutlery tray                                                                                                                          |      |            | Including in joinery |
| 16.7.6      | SAN-01 - new kitchen sink                                                                                                                                   | 1 no | PGK        | -                    |
|             | Laundry                                                                                                                                                     |      |            |                      |
| 16.7.7      | FT-09 - Luna Basin/Bath Mixer<br>WC(GF)                                                                                                                     | 1 no | PGK        | -                    |
| 16.7.8      | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 16.7.9      | FT-08 - Luna basin mixer                                                                                                                                    | 1 no | PGK        | -                    |
| 16.7.10     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 1 no | PGK        | -                    |
| 16.7.11     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 16.7.12     | SAN-04 - Liano clean flush toilet suite<br>Bath Room, ENS & WC(1F)                                                                                          | 1 no | PGK        | -                    |
| 16.7.13     | FT-06 - Caroma Luna metal shelf                                                                                                                             | 2 no | PGK        | -                    |
| 16.7.14     | FT-07 - Caroma luna toilet roll holder                                                                                                                      | 1 no | PGK        | -                    |
| 16.7.15     | FT-08 - Luna basin mixer                                                                                                                                    | 3 no | PGK        | -                    |
| 16.7.16     | FT-09 - Luna basin/bath mixer                                                                                                                               | 1 no | PGK        | -                    |
| 16.7.17     | FT-10 - Luna bath/shower mixer                                                                                                                              | 2 no | PGK        | -                    |
| 16.7.18     | FT-11 - Mizu Drift trapscrew grate square                                                                                                                   | 3 no | PGK        | -                    |
| 16.7.19     | FT-12 - Luna double towel rail                                                                                                                              | 4 no | PGK        | -                    |
| 16.7.20     | FT-13 - Luna hand towel rail                                                                                                                                | 2 no | PGK        | -                    |
| 16.7.21     | FT-14 - Luna robe hook<br>FT-15 - Creative glass - frameless front & return with hinged door                                                                | 2 no | PGK        | -                    |
| 16.7.22     | FT-20 - Misu sooth towel ring                                                                                                                               | 1 no | PGK        | -                    |
| 16.7.23     | SAN-04 - Liano clean flush toilet suite                                                                                                                     | 1 no | PGK        | -                    |
| 16.7.24     | SAN-05 - Luna island bath                                                                                                                                   | 1 no | PGK        | -                    |
| 16.7.25     | SAN-06 - Luna SYS O/H shower on rail                                                                                                                        | 2 no | PGK        | -                    |
| 16.7.26     | Balustrade & Handrail                                                                                                                                       |      |            |                      |

|             |                                                                                                                                                                                                                                                                         |       |            |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|----------|
| 16.7.27     | Solid FC-lined balustrade wall with timber framing, 125×25 mm timber top rail, wall finished to match adjacent surfaces, combined with 40 mm dia hardwood wall-mounted handrail fixed on heavy-duty metal brackets at max 900 mm centres                                | 8 m   | PGK        | -        |
|             | <b>TOTAL Fitments incl. Sanitary Fixtures</b>                                                                                                                                                                                                                           |       | <b>PGK</b> | <b>-</b> |
| <b>16.8</b> | <b><u>Film/ Signage</u></b>                                                                                                                                                                                                                                             |       |            |          |
|             | FILM/SIGNAGE                                                                                                                                                                                                                                                            |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | All blinds shall be installed inside the window reveal                                                                                                                                                                                                                  | note  |            |          |
|             | Curtains shall provide a minimum 300 mm overlap to the window opening measured to width only                                                                                                                                                                            | note  |            |          |
|             | Curtains and Blinds                                                                                                                                                                                                                                                     |       |            |          |
|             | FT.25 - manual double roller blind system with diffusing blind and blackout blind, operated by stainless steel chain, using Vertilux 5% transparent diffusing fabric and Hamilton room-darkening blackout fabric, sized to suit window openings                         | 46 m2 | PGK        | -        |
| 16.8.1      | FT.29 - full height blackout curtains on internal S-fold track with 300 mm overlap to window openings, moisture-resistant fabric (colour TBC), together with manual double roller blinds inside providing diffusing and blackout layers                                 | 6 m   | PGK        | -        |
| 16.8.2      | Film                                                                                                                                                                                                                                                                    |       |            |          |
|             | FM.01 - privacy film that 3M fasara frost finish SH2EMLA to be installed on all WC and bathroom windows for privacy                                                                                                                                                     | 4 m2  | PGK        | -        |
| 16.8.3      | <b>TOTAL Film/ Signage</b>                                                                                                                                                                                                                                              |       | <b>PGK</b> | <b>-</b> |
| <b>16.9</b> | <b><u>Mechanical service</u></b>                                                                                                                                                                                                                                        |       |            |          |
|             | MECHANICAL SERVICES                                                                                                                                                                                                                                                     |       |            |          |
|             | Preambles                                                                                                                                                                                                                                                               |       |            |          |
|             | The Mechanical Services Works shall be carried out in accordance with the mechanical services drawings, schedules, details, and specifications forming part of the contract documents.                                                                                  | note  |            |          |
|             | The Contractor shall be deemed to have examined and allowed for the complete scope of the Mechanical Services Works, including all work shown, specified, noted, or reasonably inferred from the contract documents, whether or not individually or expressly detailed. | note  |            |          |
|             | The Works shall include all labour, materials, plant, equipment, coordination, testing, commissioning, certification, approvals, and incidental works necessary to deliver fully operational and compliant mechanical services.                                         | note  |            |          |
|             | The Contractor shall allow for all coordination with other trades, builders' work in connection with mechanical services, penetrations, supports, access requirements, and making good associated with the Works.                                                       | note  |            |          |
|             | Any departure from the documented scope or design intent shall be clearly identified at tender stage. Unidentified departures shall not constitute a variation.                                                                                                         | note  |            |          |
|             | Mechanical services                                                                                                                                                                                                                                                     |       |            |          |

|              |                                                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|              | Mechanical Services including split-system air conditioning, ventilation, pipework, cabling, ductwork, exhaust systems, documentation, testing, commissioning, and handover in accordance with project requirements.                                                                                                                                                                                     | 222 m2 | PGK -        |
| 16.9.1       | <b>TOTAL Mechanical service</b>                                                                                                                                                                                                                                                                                                                                                                          |        | <b>PGK -</b> |
| <b>16.10</b> | <b><u>Hydraulic service</u></b>                                                                                                                                                                                                                                                                                                                                                                          |        |              |
|              | HYDRAULIC SERVICES                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Preambles                                                                                                                                                                                                                                                                                                                                                                                                |        |              |
|              | The Hydraulic Services Works shall be executed strictly in accordance with the hydraulic services drawings, schedules, details, legends, and specifications forming part of the contract documents, read in conjunction with all other contract documents.                                                                                                                                               | note   |              |
|              | The Contractor shall be deemed to have fully examined the site, existing conditions, and all documentation and to have allowed for the complete, coordinated, and compliant execution of the Hydraulic Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not expressly detailed.                                                                         | note   |              |
|              | The works shall include the complete provision of all labour, materials, plant, equipment, testing, inspections, commissioning, certification, approvals, and making good necessary to deliver fully functional hydraulic services, including water services, sanitary plumbing, drainage, stormwater, hot water systems, valves, fixtures, fittings, accessories, and connections to existing services. | note   |              |
|              | The Contractor shall allow for all works associated with existing services, including investigation, CCTV inspection, testing, modification, alteration, temporary diversion, isolation, removal, and sealing of redundant services, without entitlement to additional payment, except where expressly directed as a variation under the contract.                                                       | note   |              |
|              | The Contractor shall allow for all coordination with other trades, authorities, and the builder, including builders' work in connection with hydraulic services, penetrations, sleeves, fire rated and acoustic sealing, access panels, temporary services, staging requirements, and reinstatement of affected building elements.                                                                       | note   |              |
|              | Any proposed exclusions, assumptions, qualifications, or departures from the documented scope or performance requirements shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed to be included and shall not constitute grounds for a variation.                                                                                                          | note   |              |
|              | Hydraulic services                                                                                                                                                                                                                                                                                                                                                                                       |        |              |
|              | Hydraulic services including hot and cold water reticulation, sanitary drainage, fixtures, valves, fittings, testing, commissioning, documentation, and handover in accordance with project requirements.                                                                                                                                                                                                |        |              |
| 16.10.1      | <b>TOTAL Hydraulic service</b>                                                                                                                                                                                                                                                                                                                                                                           | 222 m2 | PGK -        |
| <b>16.11</b> | <b><u>Electric Light, Power &amp; Communications</u></b>                                                                                                                                                                                                                                                                                                                                                 |        |              |

## ELECTRICAL AND COMMUNICATION SERVICES

### Preamble

The Electrical and Communications Services Works shall be executed strictly in accordance with the electrical and communications drawings, legends, schedules, notes, details, and specifications forming part of the contract documents, read in conjunction with all other contract documentation.

note

The Contractor shall be deemed to have fully examined the existing electrical and communications installations, distribution boards, submains, cabling routes, and all documentation, and to have allowed for the complete, coordinated, integrated, compliant, and safe execution of the Electrical and Communications Services Works, including all matters shown, specified, noted, or reasonably inferred, whether or not individually or expressly detailed.

note

The Works shall include, but not be limited to, the full provision of labour, materials, equipment, testing, commissioning, certification, approvals, and making good necessary to deliver fully operational systems, including:

- general and equipment power;
- lighting and lighting controls;
- ceiling fans, exhaust fan interlocks, and appliance connections;
- smoke detection and fire-related electrical services;
- electrical isolation, disconnection, demolition, and reconnection works;
- communications, data, TV, router outlets, conduits, and future-proofing pathways
- surge protection devices;
- upgrades and modifications within existing distribution boards.

note

The Contractor shall allow for the investigation, assessment, isolation, disconnection, modification, retention, replacement, or removal of existing electrical and communications services as required to complete the Works, including rewiring to new RCD/RCBO protection and reconnection to existing distribution boards, without entitlement to additional payment except where expressly directed as a variation.

note

The Contractor shall allow for all coordination with other trades and systems, including mechanical, hydraulic, fire, architectural, and structural works. No claim for additional payment or time shall arise due to coordination issues, access constraints, ceiling or wall congestion, or clashes that could reasonably have been foreseen.

note

The location, heights, and routing of outlets, switches, luminaires, communications points, and equipment shown on the drawings are indicative. Final locations shall be coordinated on site to suit building elements, furniture, joinery, appliance layouts, and service clearances, while maintaining compliance with AS/NZS 3000, AS/CA S009, and other applicable standards.

note

|         |                                                                                                                                                                                                                                                                                                                                     |        |            |          |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|----------|
| 16.11.1 | The Contractor shall allow for all penetrations, sleeves, fire-rated and acoustic sealing, access panels, builders' work in connection with electrical and communications services, and reinstatement of affected surfaces necessary to deliver a complete installation.                                                            | note   |            |          |
|         | The Contractor shall be solely responsible for testing, commissioning, certification, inspection coordination, and provision of all compliance documentation, test reports, as built drawings, and operation and maintenance manuals for the Electrical and Communications Services.                                                | note   |            |          |
|         | Any assumptions, exclusions, substitutions, qualifications, or departures from the documented scope, systems, performance requirements, or coordination obligations shall be clearly identified in writing at tender stage. Any matter not so identified shall be deemed included and shall not constitute grounds for a variation. | note   |            |          |
|         | Electrical and Communication services<br>Electrical & Communications services including power, lighting, switching, ceiling fans, distribution boards, surge protection, data and TV outlets, cabling, testing, commissioning, documentation, and handover.                                                                         | 222 m2 | PGK        | -        |
|         | <b>TOTAL Electric Light, Power &amp; Communications</b>                                                                                                                                                                                                                                                                             |        | <b>PGK</b> | <b>-</b> |
|         | <b>TOTAL H28, H32</b>                                                                                                                                                                                                                                                                                                               |        | <b>PGK</b> | <b>-</b> |