Pattern codes

1. Take no of rows from the user
        ROWS = 3

        *   *   *
        *   *   *
        *   *   *

2. Take no of rows & cols from the user
    ROWS = 3
    Col = 4

        1   2   3   4
        5   6   7   8
        9   10   11   12

3.   Take no of rows from the user
    ROWS = 3

        a   b   c
        d   e   f
        g   h   i

4.   Take no of rows from the user
    ROWS = 3

        1   1   1
        2   2   2
        3   3   3

5.   Take no of rows from the user
    ROWS = 4

        4   4   4   4
        3   3   3   3
        2   2   2   2
        1   1   1   1

6. Take no of rows from the user
    ROWS = 3

```
9     8     7
6     5     4
3     2     1
```

7. Take no of rows from the user
   ROWS = 3

```
A     A     A
B     B     B
C     C     C
```

8. Take no of rows from the user
   ROWS = 3

```
1     3     5
7     9     11
13    15    17
```

9. Take no of rows from the user
   ROWS = 4

```
1     2     3     4
a     b     c     d
5     6     7     8
e     f     g     h
```

10. Take no of rows from the user   ROWS = 3

```
1     4     7
10    13    16
19    22    25
```

1. Take no of rows from the user   ROWS = 4

```
d     d     d     d
c     c     c     c
b     b     b     b
a     a     a     a
```

1. Take no of rows from the user   ROWS = 3

```
a     B     c
d     E     f
g     H     i
```

2. Take no of rows from the user   ROWS = 3

1	2	3
2	3	4
3	4	5

3. Take no of rows from the user   ROWS = 4

D	D	D	D
C	C	C	C
B	B	B	B
A	A	A	A

4. Take no of rows from the user   ROWS = 3

9	64	7
36	5	16
3	4	1

5. Take no of rows from the user   ROWS = 3

A	b	C
d	E	f
G	h	I

6. Take no of rows from the user   ROWS = 3

1	3	5
5	7	9
9	11	13

7. Take no of rows & col from the user   ROWS = 6   Col = 4

1	2	3	4
a	b	c	d
#	#	#	#

```
5       6       7       8
e       f       g       h
#       #       #       #
```

1. Take no of rows from the user   **ROWS = 4**

```
D       c       B       a
a       B       c       D
F       e       D       c
b       C       d       E
```

1. Take no of rows from the user   **ROWS = 4**

```
1       4       7       10
7       10      13      16
13      16      19      22
19      22      25      28
```

1. Take no of rows from the user   **ROWS = 3**

```
*
*       *
*       *       *
```

2. Take no of rows from the user   **ROWS = 4**

```
1
2       3
4       5       6
7       8       9       10
```

3. Take no of rows from the user   **ROWS = 4**

```
1
2       2
3       3       3
4       4       4       4
```

4. Take no of rows from the user   **ROWS = 4**

```
1
1       2
1       2       3
1       2       3       4
```

5. Take no of rows from the user   ROWS = 4

```
a
b       c
d       e       f
g       h       i       j
```

6. Take no of rows from the user   ROWS = 4

```
4
3       3
2       2       2
1       1       1       1
```

7. Take no of rows from the user   ROWS = 3

```
c
b       b
a       a       a
```

8. Take no of rows from the user   ROWS = 4

```
1
2       4
3       6       9
4       8       12      16
```

9. Take no of rows from the user   ROWS = 3

```
3
6       9
12      15      18
```

ROWS = 4

```
4
8       12
16      20      24
28      32      36      40
```

10. Take no of rows from the user   ROWS = 4

```
10
I       H
7       6       5
D       C       B       A
```

1. Take no of rows from the user   ROWS = 4

```
1       2       3       4
1       2       3
1       2
1
```

2. Take no of rows from the user   ROWS = 4

```
*       *       *       *
*       *       *
*       *
*
```

3. Take no of rows from the user   ROWS = 4

```
1       2       3       4
5       6       7
8       9
10
```

4. Take no of rows from the user   ROWS = 4

```
4       3       2       1
3       2       1
2       1
1
```

5. Take no of rows from the user   ROWS = 4

```
a       b       c       d
a       b       c
a       b
a
```

6. Take no of rows from the user   ROWS = 5

```
1    2    3    4    5
2    3    4    5
3    4    5
4    5
5
```

7. Take no of rows from the user   ROWS = 4
```
        d    d    d    d
        C    C    C
        b    b
        A
```

ROWS = 3
```
        c    c    c
        B    B
        a
```

8. Take no of rows from the user   ROWS = 4
```
        D    C    B    A
        C    B    A
        B    A
        A
```

9. Take no of rows from the user   ROWS = 4
```
        4    3    2    1
        C    B    A
        2    1
        A
```

10. Take no of rows from the user   ROWS = 4
```
        1    2    3    4
        4    5    6
        6    7
```

7

1. Take no of rows from the user   ROWS = 4

4	3	2	1
4	3	2	
4	3		
4			

1. Take no of rows from the user   **ROWS = 5**

5	**D**	**3**	**B**	**1**
D	**3**	**B**	**1**	
3	**B**	**1**		
B	**1**			
1				

1. Take no of rows from the user   **ROWS = 4**

			1
		1	**2**
	1	**2**	**3**
1	**2**	**3**	**4**

2. Take no of rows from the user   **ROWS = 4**

			4
		4	**3**
	4	**3**	**2**
4	**3**	**2**	**1**

3. Take no of rows from the user   **ROWS = 4**

			d
		c	**c**
	b	**b**	**b**
a	**a**	**a**	**a**

4. Take no of rows from the user   **ROWS = 3**

		1
	4	**7**
10	**13**	**16**

```
                1
            5   9
     13    17   21
25   29    33   37
```

5. **Take no of rows from the user   ROWS = 4**

```
               D
          c    D
     B    c    D
a    B    c    D
```

6. **Take no of rows from the user   ROWS = 5**

```
                5
            5   6
        5   4   3
     5  6   7   8
5    4  3   2   1
```

7. **Take no of rows from the user   ROWS = 5**

```
                A
            b   a
        C   E   G
     d  c   b   a
E    G  I   K   M
```

8. **Take no of rows from the user   ROWS = 3**

```
            1
        A   b
     1  2   3
A    b  C   d
```

9. Take no of rows & col from the user   ROWS =4

```
                        4
                 3      6
          2      4      6
   1      2      3      4
```

1. Take no of rows from the user   ROWS = 5

```
                        1
                 1      b
          1      b      2
   1      b      2      d
1  b      2      d      3
```

1. Take no of rows from the user   ROWS = 5

```
1
1      2
2      3      4
4      5      6      7
7      8      9      10     11
```

10. Take no of rows & col from the user   ROWS =4

```
1
4      9
64     125    216
2401   4096   6561   10000
```

Space added

```
_      _      _      1
_      _      4      9
_      64     125    216
2401   4096   6561   10000
```

1. Take no of rows from the user   ROWS = 3

```
      *      *      *      *
             *      *      *
                    *      *
                           *
```

2. Take no of rows from the user   ROWS = 3

1	2	3	4
	5	6	7
		8	9
			10

3. Take no of rows from the user   ROWS = 3

1	2	3	4
	1	2	3
		1	2
			1

4. Take no of rows from the user   ROWS = 4

d	d	d	d
	c	c	c
		b	b
			a

5. Take no of rows from the user   ROWS = 4

a	B	c	D
	E	f	G
		h	I
			J

6. Take no of rows from the user   ROWS = 4

1	2	3	4
	2	3	4
		3	4
			4

7. Take no of rows from the user   ROWS = 4

4	3	2	1
	3	2	1
		2	1
			1

8. Take no of rows from the user   ROWS = 4

D	D	D	D
	c	c	c

B   B
        a

9. Take no of rows from the user   ROWS = 4

100	9	64	7
	36	5	16
		3	4
			1

10. Take no of rows from the user   ROWS = 4

a	B	c	D
	e	F	g
		H	i
			J

11. Take no of rows from the user   ROWS = 5

1	3	5	7	9
	9	7	5	3
		3	5	7
			7	5
				5

12. Take no of rows from the user   ROWS = 4

A	b	C	d
	e	G	i
		K	n
			q

1. Take no of rows from the user   ROWS = 4

```
                        *
                  *     *     *
            *     *     *     *     *
      *     *     *     *     *     *     *
```

2. Take no of rows from the user   ROWS = 4

```
                  4
            3     3     3
      2     2     2     2     2
1     1     1     1     1     1     1
```

3. **Take no of rows from the user**   ROWS = 4

```
                1
            1   2   1
        1   2   3   2   1
    1   2   3   4   3   2   1
```

4. **Take no of rows from the user**   ROWS = 4

```
                4
            4   3   4
        4   3   2   3   4
    4   3   2   1   2   3   4
```

5. **Take no of rows from the user**   ROWS = 4

```
                d
            c   c   c
        b   b   b   b   b
    a   a   a   a   a   a   a
```

6. **Take no of rows from the user**   ROWS = 4

```
                d
            C   C   C
        b   b   b   b   b
    A   A   A   A   A   A   A
```

7. **Take no of rows from the user**   ROWS = 4

```
                1
            4   7   4
        7   10  13  10  7
    10  13  16  19  16  13  10
```

8. **Take no of rows from the user**   ROWS = 4

```
                D
            c   D   c
        B   c   D   c   B
    a   B   c   D   c   B   a
```

9. Take no of rows from the user ROWS = 5

				5				
			5	6	5			
		5	4	3	4	5		
	5	6	7	8	7	6	5	
5	4	3	2	1	2	3	4	5

10. Take no of rows from the user ROWS = 5

				A				
			b	a	b			
		C	E	G	E	C		
	d	c	b	a	b	c	d	
E	G	I	K	M	K	I	G	E

11. Take no of rows from the user ROWS = 4

			1			
		A	b	A		
	1	2	3	2	1	
A	b	C	d	C	b	A

12. Take no of rows & col from the user ROWS =4

			4			
		3	6	3		
	2	4	6	4	2	
1	2	3	4	3	2	1

1. Take no of rows from the user ROWS = 4

			*			
*	*	*	*	*	*	*
	*	*	*	*	*	
		*	*	*		
			*			

*	*	*	*	*	*	*
	*	*	*	*	*	
		*	*	*		
			*			

2. Take no of rows from the user ROWS = 3

1	2	3	4	5
	6	7	8	
		9		

3. Take no of rows from the user ROWS = 4

```
1   2   3   4   5   6   7
    1   2   3   4   5
        1   2   3
            1
```

4. Take no of rows from the user   ROWS = 4

```
1   2   3   4   3   2   1
    2   3   4   3   2
        3   4   3
            4
```

5. Take no of rows from the user   ROWS = 4

```
d   d   d   d   d   d   d
    c   c   c   c   c
        b   b   b
            a
```

6. Take no of rows from the user   ROWS = 4

```
1   2   3   4   3   2   1
    1   2   3   2   1
        1   2   1
            1
```

7. Take no of rows from the user   ROWS = 4

```
4   3   2   1   2   3   4
    3   2   1   2   3
        2   1   2
            1
```

8. Take no of rows from the user   ROWS = 4

```
D   C   B   A   B   C   D
    c   b   a   b   c
        B   A   B
            a
```

9. Take no of rows from the user   ROWS = 4

```
A0  B1  C2  D3  E4  F5  G6
    H2  I3  J4  K5  L6
        M4  N5  O6
            P6
```

10. Take no of rows from the user   ROWS = 4

```
*     *     *     #     *     *     *
      *     *     #     *     *
            *     #     *
                  #
```

11. Take no of rows from the user   ROWS = 4

```
7     6     5     4     3     2     1
      5     4     3     2     1
            3     2     1
                  1
```

12. Take no of rows from the user   ROWS = 5

```
      1     3     5     7     9     7     5     3     1
            9     7     5     3     5     7     9
                  3     5     7     5     3
                        7     5     7
                              5
```

Hint use an extra variable

1.   Take no of rows from the user   ROWS = 4

```
*
*     *
*     *     *
*     *     *     *
*     *     *
*     *
*
```

2.   Take no of rows from the user   ROWS = 4

```
1
1     2
1     2     3
1     2     3     4
1     2     3
1     2
1
```

3.   Take no of rows from the user   ROWS = 4

```
1
2     1
```

```
3    2    1
4    3    2    1
3    2    1
2    1
1
```

4. **Take no of rows from the user   ROWS = 4**

```
4
3    3
2    2    2
1    1    1    1
2    2    2
3    3
4
```

5. **Take no of rows from the user   ROWS = 4**

```
3
2    3
1    2    3
0    1    2    3
1    2    3
2    3
3
```

6. **Take no of rows from the user   ROWS = 3**

```
*
*    *    *
*    *    *    *    *
*    *    *
*
```

7. **Take no of rows from the user   ROWS = 3**

```
1
1    2    3
1    2    3    4    5
1    2    3
```

1

8. Take no of rows from the user   ROWS = 4

```
D
C    D
B    C    D
A    B    C    D
B    C    D
C    D
D
```

9. Take no of rows from the user   ROWS = 3

```
1
3 2 1
5 4 3 2 1
3 2 1
1
```

10. Take no of rows from the user   ROWS = 4

```
1
2    4
3    6    9
4    8    12    16
3    6    9
2    4
1
```

11. Take no of rows from the user   ROWS = 4

```
1
1    4
4    7    10
10   13   16   19
19   22   25
25   28
28
```

1. Take no of rows from the user   ROWS = 4

```
                *
            *    *
        *    *    *
```

```
        *       *       *       *
                *       *       *
                        *       *
                                *
```

2. Take no of rows from the user   ROWS = 4

```
                                1
                        1       2
                1       2       3
        1       2       3       4
                1       2       3
                        1       2
                                1
```

3. Take no of rows from the user   ROWS = 4

```
                                1
                        2       1
                3       2       1
        4       3       2       1
                3       2       1
                        2       1
                                1
```

4. Take no of rows from the user   ROWS = 4

```
                        4
                3       3
        2       2       2
1       1       1       1
        2       2       2
                3       3
                        4
```

5. Take no of rows from the user   ROWS = 4

```
                        3
                2       3
        1       2       3
```

```
0    1    2    3
     1    2    3
          2    3
               3
```

6. **Take no of rows from the user**   **ROWS = 3**

```
                *
        *       *
*   *   *   *   *
        *       *
                *
```

7. **Take no of rows from the user**   **ROWS = 3**

```
                1
        1   2   3
1   2   3   4   5
        1   2   3
                1
```

8. **Take no of rows from the user**   **ROWS = 4**

```
                D
        C       D
    B   C       D
A   B   C       D
    B   C       D
        C       D
                D
```

9. **Take no of rows from the user**   **ROWS = 4**

```
                1
        2   4
3   6   9
```

```
        4       8       12      16
                3       6       9
                        2       4
                                1
```

10. Take no of rows from the user   ROWS = 3

```
                                1
                3       2       1
        5       4       3       2       1
                        3       2       1
                                1
```

11. Take no of rows from the user   ROWS = 4

```
                        1
                1       4
        4       7       10
10      13      16      19
        19      22      25
                25      28
                        28
```

12. Take no of rows from the user   ROWS = 4

```
                        1
                1       2
        2       3       4
4       5       6       7
        7       8       9
                9       10
                        10
```

13. Take no of rows from the user   ROWS = 4

```
                                A
                        a       b
                B       C       D
        d       e       f       g
                G       H       I
                        i       j
                                J
```

1. Take no of rows from the user   ROWS = 4

```
                        *
```

```
         *    *    *
    *    *    *    *    *
*    *    *    *    *    *    *
    *    *    *    *    *
         *    *    *
              *
```

2. Take no of rows from the user   ROWS = 4

```
              1
         2    2    2
    3    3    3    3    3
4   4    4    4    4    4    4
    3    3    3    3    3
         2    2    2
              1
```

3. Take no of rows from the user   ROWS = 4

```
                   1
              1    2    1
         1    2    3    2    1
    1    2    3    4    3    2    1
         1    2    3    2    1
              1    2    1
                   1
```

4. Take no of rows from the user   ROWS = 4

```
              1
         2    1    2
    3    2    1    2    3
4   3    2    1    2    3    4
    3    2    1    2    3
         2    1    2
              1
```

5. Take no of rows from the user   ROWS = 4

```
              4
         3    3    3
```

```
      2    2    2    2    2
1     1    1    1    1    1    1
      2    2    2    2    2
           3    3    3
                4
```

6. Take no of rows from the user   ROWS = 3

```
                A
           b    b    b
      C    C    C    C    C
d     d    d    d    d    d    d
      C    C    C    C    C
           b    b    b
                A
```

7. Take no of rows from the user   ROWS = 3

```
                A
           b    A    b
      C    b    A    b    C
d     C    b    A    b    C    d
      C    b    A    b    C
           b    A    b
                A
```

8. Take no of rows from the user   ROWS = 4

```
                D
           D    C    D
      D    C    B    C    D
D     C    B    A    B    C    D
      D    C    B    C    D
           D    C    D
                D
```

9. Take no of rows from the user   ROWS = 4

```
                1
           4    2    4
```

```
      9     6     3     6     9
16   12     8     4     8    12    16
      9     6     3     6     9
            4     2     4
                  1
```

10. Take no of rows from the user   ROWS = 4

```
*     *     *     *     *     *     *
*     *     *                 *     *     *
*     *                             *     *
*                                         *
*     *                             *     *
*     *     *                 *     *     *
*     *     *     *     *     *     *
```

1.   Take no of rows from the user   ROWS = 3

```
            1
          3 2 1
        5 4 3 2 1
          3 2 1
            1
```

2.   Take no of rows from the user   ROWS = 4

```
            1
          1  b  3
        1  b  3  d  5
      1  b  3  d  5  f  7
```

3.   Take no of rows from the user   ROWS = 4

```
g     6     e     4     c     2     a
      5     d     3     b     1
            c     2     a
                  1
```

4.   Take no of rows from the user   ROWS = 4

```
                  1
            4     2     4
      9     6     3     6     9
16   12     8     4     8    12    16
```

9   6   3   6   9
     4   2   4
          1