# The XXX problem

#### **Summary**

Do not include the name of your school, advisor, or team members on this or any page.

Papers must be within the 25 page limit.

Be sure to change the control number and problem choice above. You may delete these instructions as you begin to type your report here.

Follow us @COMAPMath on Twitter or COMAPCHINAOFFICIAL on Weibo for the most up to date contest information.

**Keywords**: Matlab; Mathematical modelling.

Team # 2123481 Page 1 of 5

# The XXX problem

### Miao Fangran, Wang Xizhi, Wang Zhuo

February 8, 2021

#### **Summary**

Do not include the name of your school, advisor, or team members on this or any page.

Papers must be within the 25 page limit.

Be sure to change the control number and problem choice above. You may delete these instructions as you begin to type your report here.

Follow us @COMAPMath on Twitter or COMAPCHINAOFFICIAL on Weibo for the most up to date contest information.

**Keywords**: Matlab; Mathematical modelling.

Team # 2123481 Page 2 of 5

# **Contents**

1	Introduction	3
	1.1 Problem Background	3
	1.2 Literature Review	3
	1.3 Our work	3
2	Preparation of the Models	3
	2.1 Assumptions	3
3	The Models	3
4	Strengths and weaknesses	3
	4.1 Strengths	3
Aį	ppendices	4
Aı	ppendix A First appendix	4
ΑĮ	ppendix B Second appendix	4

Team # 2123481 Page 3 of 5

### 1 Introduction

- 1.1 Problem Background
- 1.2 Literature Review
- 1.3 Our work

# 2 Preparation of the Models

#### 2.1 Assumptions

Here are our assumptions:

- Under an ideal environment, which means that the temperature is perfect and the food is sufficient, the decomposition rate of fungis is mainly related to the extension rate and the moisture trade-off.
- The decomposition rate has a linear relationship with extension rate.
- The logarithm of decomposition rate has a linear relationship with moisture trade-off.
- If the environment is not so perfect, we introduce two parameters to adjust the decomposition rate—temperature and fungi's proportion.

With such condition, we can conclude two partial differential equations:

#### 3 The Models

## 4 Strengths and weaknesses

### 4.1 Strengths

[1]

## References

[1] Robert R Bush and Frederick Mosteller. A mathematical model for simple learning. In *Selected Papers of Frederick Mosteller*, pages 221–234. Springer, 2006.

Team # 2123481 Page 4 of 5

# **Appendices**

## **Appendix A** First appendix

Here are simulation programmes we used in our model as follow.

#### **Input matlab source:**

```
function [t,seat,aisle]=OI6Sim(n,target,seated)
pab=rand(1,n);
for i=1:n
    if pab(i) < 0.4
        aisleTime(i) = 0;
    else
        aisleTime(i) = trirnd(3.2,7.1,38.7);
    end
end</pre>
```

## Appendix B Second appendix

some more text **Input C++ source:** 

```
// Name
          : Sudoku.cpp
// Author
         : wzlf11
// Version
         : a.0
// Copyright : Your copyright notice
// Description : Sudoku in C++.
#include <iostream>
#include <cstdlib>
#include <ctime>
using namespace std;
int table[9][9];
int main() {
   for (int i = 0; i < 9; i++) {
     table[0][i] = i + 1;
  srand((unsigned int)time(NULL));
  shuffle((int *)&table[0], 9);
  while(!put_line(1))
     shuffle((int *)&table[0], 9);
```

Team # 2123481 Page 5 of 5

```
for(int x = 0; x < 9; x++) {
    for(int y = 0; y < 9; y++) {
        cout << table[x][y] << " ";
    }
    cout << endl;
}
return 0;
}</pre>
```