pg30.php

```
<!-- 30. Write a program to create CSS and implement with PHP form using include function
and to perform following operations.
I. Registration of user.
ii. login of user
iii. validation for above operations -->
<?php
session_start();
$error = '';
if (isset($_POST['login'])) {
  $username = trim($_POST['username']);
  $password = trim($_POST['password']);
  if (empty($username) || empty($password)) {
    $error = 'All fields are required.';
 } elseif (isset($_SESSION['users'][$username]) && $_SESSION['users'][$username] ===
$password) {
    $_SESSION['username'] = $username;
    header('Location: welcome.php');
    exit();
 } else {
    $error = 'Invalid username or password!';
}
if (isset($_GET['logout'])) {
  session_destroy();
  header('Location: pg30.php');
 exit();
}
$title = "Login";
include 'header.php';
?>
<h2>Login</h2>
<?php if ($error) { echo "<p class='error'>$error"; } ?>
<form method="post" action="">
  <label for="username">Username:</label>
  <input type="text" id="username" name="username" required>
```

```
<label for="password">Password:</label>
  <input type="password" id="password" name="password" required>
        <button type="submit" name="login">Login</button>
        </form>
        Don't have an account? <a href="register.php">Register here</a>

</ph>
```

```
register.php
<?php
session_start();
$error = '';
if (isset($_POST['register'])) {
  $username = trim($_POST['username']);
  $password = trim($_POST['password']);
  $confirm_password = trim($_POST['confirm_password']);
 if (empty($username) || empty($password) || empty($confirm_password)) {
    $error = 'All fields are required.';
 } elseif ($password !== $confirm_password) {
   $error = 'Passwords do not match.';
 } else {
   // Save user data (for demonstration, using session)
   $_SESSION['users'][$username] = $password;
   header('Location: pg30.php');
   exit();
 }
}
$title = "Register";
include 'header.php';
?>
<h2>Register</h2>
<?php if ($error) { echo "<p class='error'>$error"; } ?>
<form method="post" action="">
  <label for="username">Username:</label>
  <input type="text" id="username" name="username" required>
  <label for="password">Password:</label>
  <input type="password" id="password" name="password" required>
  <label for="confirm_password">Confirm Password:</label>
  <input type="password" id="confirm_password" name="confirm_password" required>
  <button type="submit" name="register">Register</button>
</form>
```

<?php include 'footer.php'; ?>

welcome.php

```
<?php
session_start();

if (!isset($_SESSION['username'])) {
    header('Location: pg30.php');
    exit();
}

$title = "Welcome";
include 'header.php';
?>

<h2>Welcome, <?php echo htmlspecialchars($_SESSION['username']); ?>!</h2>
You have successfully logged in.
<a href="pg30.php?logout=true">Logout</a>
<?php include 'footer.php'; ?>
```

header.php

footer.php

```
</div>
```

</body>

</html>

```
style.css
body {
  font-family: Arial, sans-serif;
  background-color: #f0f0f0;
  margin: 0;
  padding: 0;
}
.container {
  width: 300px;
  margin: 50px auto;
  padding: 20px;
  background-color: #fff;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}
h2 {
  text-align: center;
}
form {
  display: flex;
  flex-direction: column;
}
label {
  margin-bottom: 5px;
}
input[type="text"], input[type="password"] {
  margin-bottom: 10px;
  padding: 8px;
  border: 1px solid #ccc;
  border-radius: 4px;
}
button {
  padding: 10px;
  background-color: #28a745;
  color: #fff;
  border: none;
  border-radius: 4px;
```

cursor: pointer;

```
button:hover {
  background-color: #218838;
}
.error {
  color: red;
  text-align: center;
```

output



