Html Practical -27

```
<!DOCTYPE html>
<html>
<head>
<title>Sum of Integers</title>
<script>
  let arr = [];
  arr.push(5, 10, 15);
  let sum = arr.reduce((acc, curr) => acc + curr, 0);
  document.getElementById('output').innerText =
'Sum of integers: ${sum}';
</script>
</head>
<body>
  <div id="output"></div>
</body>
</html>
```

## **Output:**

Copy code

Sum of integers: 30

```
<!DOCTYPE html>
<html>
<head>
<title>Set Paragraph Background Color</title>
<script>
  window.onload = function() {
document.getElementById('paragraph').style.back
groundColor = 'lightblue';
  };
</script>
</head>
<body>
  This is a paragraph with
background color set using JavaScript.
</body>
</html>
```

# **Practical -28**


#### **Output:**

This is a paragraph with background color set using JavaScript. (including: background light blue)

```
<!DOCTYPE html>
<html>
<head>
<title>New Window with Contents</title>
<script>
  window.onload = function() {
    var newWindow = window.open(", '_blank',
'width=400,height=300');
    newWindow.document.write('<h1>New
Window Contents</h1>');
    newWindow.document.write('This is some
content in the new window.');
  }:
</script>
</head>
<body>
</body>
</html>
```

### **Practical -29**

#### **Output:**



New Window Contents
This is some content in the new window.

## **Practical -30**

📋 Copy code Html <!DOCTYPE html> <html> <head> <title>Resize Window</title> <script> window.onload = function() { window.resizeBy(200, 150); }; </script> </head> <body> </body> </html>

#### **Output:**

The window is resized 200 pixels horizontally and 150 pixels vertically.

By- UD7