AI-Driven Chatbot for Intelligent Customer Service Automation

Md Tufail Raza, Dr. M.K Nagarajan, Ganesh Kumar Sardar, Uttam Kumar and Rajesh Janapati
Department of Computer Science and Engineering, School of Computing,
Kalasalingam Academy of Research and Education,
Virudhunagar 626126, India

Email:tufail8147@gmail.com,nagarajan45@gmail.com,
ganeshsardar2004@gmail.com,uttamstm15122005@gmail.com,
janapatirajesh64@gmail.com

Abstract. Automation of customer service is a key area for modern businesses that want to reduce operational costs and improve user contentment. The traditional model is often a human agent who specializes in a high-volume of customers. While this may be a high-quality customer service model, it is labor intensive, typically requires significant time to respond, and is costly. This research provides an AI-augmented customer support framework that incorporates Natural Language Processing (NLP), Multi-Class Intent Classification, Named Entity Recognition (NER), and Machine Learning (ML) to provide intelligent, real-time, and personalized assistance. The framework is designed to automate the repetitive tasks that an agent performs such as recurrent inquiries, ensure automated 24/7 customer contact, and improve responses based on user's repeated dialogue. Comparing framework functionality against Assistant- UI, which is a modern open-source React library for building conversational interfaces, emphasizes the varying focus, scalability, and integration capabilities. Experimental examination demonstrates the ability of the framework to achieve better accuracy, reduce response time, and improve customer satisfaction in comparison to traditional UI-centric typical frameworks.

Keywords: Interface, NLP, Chatbots, Intent Classification, NER, Machine Learning

1. Introduction

It is generally accepted that AI virtual assistants have been the most significant innovation in the digital era, almost to the point of dominating technology and our interaction with machines. They have progressed from the execution of straightforward voice commands and responding to easy inquiries to giving advanced reasoning, handling contextual dialogues, and in dynamic multimodal conversations. They are moving toward use not just as an adjunct to technology, but as transformational and value-creating enterprises and activities central to modern life.

Market forecasts show explosive growth in this sector. According to a recent analysis, the global intelligent virtual assistant market is expected to grow to $27.9 billion by 2025. Other estimates suggest a market doubling to $100 billion by 2030. This is reflecting not just consumer adoption, but also a widespread reliance by businesses across industry sectors on AI assistants in area and industries where efficiency, engagement and personalization are critical. It allows organizations to reduce the overhead of running the human parts of these activities and engage their human workforces in complex and sensitive problem-solving tasks.

The evolution of AI virtual assistants brings about technical, ethical, and regulatory problems of considerable magnitude, among which data privacy and security are the utmost important ones, especially in industries where even the slightest breach can result in catastrophic consequences such as banking or healthcare. The worldwide compliance framework, encompassing GDPR and CCPA, requires the implementation of strong encryption measures and appropriate handling of personal data.

The study of AI virtual assistants is very important and is the main issue of concern. A proper knowledge of responsible usage of possible applications can be arrived at through the technological foundations, the economic impact, and the social implications assessment. It is only through mutual understanding among all parties that the issues of privacy, ethics, and integration will be addressed and generative AI and multimodal interaction will be innovations that attract the market.

2. Literature Survey

AI's customer service integration itself has set the organizations' user dealings in a new way. The chatbots driven by AI were quickly accepted as the main helpers in the support system automation, resulting in an upgrade of the working systems, faster customer support, and a happier clientele. Through this section, we try to give an in-depth look at the most recent research dealing with AI driven virtual assistants and chatbots in customer service with emphasis on their technological support, the platform design issues along with the opportunities of blending in the SaaS ecosystems.

Langston (2025) examines how virtual assistants powered by AI can help in making things easier for users, especially seniors [1]. While the study emphasizes inclusivity, it reveals that natural language–based interfaces significantly improve ease of use a critical factor in customer service automation.

Extending this line of thought, Todericiu (2025) provides a broad overview of the evolution of virtual assistants as next-generation human-AI interfaces [2]. The study pinpoints significant trends in the areas of intent recognition, contextual awareness, and personalization driven by LLMs (large language models). In the case of customer service, these features allow chatbots to carry on conversations as if they were humans, change their ways of communication according to the user's previous interactions.

Mane et al. (2025) offer a detailed classification of AI virtual assistants, distinguishing between rule-based, retrieval-based, and generative architectures [3].

The researchers note an obvious trend in the industry towards generative models, particularly those based on transformer architectures, because of their versatility and smoothness.

However, as noted by Casheekar (2024), the migration to advanced AI systems introduces significant security and integration challenges [4]. Standalone chatbot implementations often suffer from vulnerabilities in data handling and authentication, especially when processing sensitive customer information such as account details or personal identification.

In high-stakes domains like healthcare, Sezgin (2024) explores how LLM-based virtual assistants are transforming patient engagement and clinical support services [5]. The research shows that even though the performance was very good, there are still risks associated with misinformation, model hallucinations, and compliance with regulations.

Supporting multimodal interaction, Singh et al. (2023) propose a novel "virtual mouse and assistant" system that combines gesture recognition, voice input, and AI-driven control to create hands-free digital access [6].While primarily designed for assistive technology, this work demonstrates the feasibility of integrating multiple AI modalities — a concept highly applicable to next-generation customer service chatbots that may leverage text, voice, image uploads, or screen-sharing for richer user support.

To improve command understanding, Campagna et al. (2019) introduce Genie, a framework for generating natural language semantic parsers tailored to virtual assistant commands [7]. The Genie system allows the processing of user intents according to domains, which results in the accurate understanding of such complex queries as "I want to return my order and get a refund to my original payment method." This kind of understanding of meanings is essential for the automation.

Furthermore, Eberhart et al. (2021) underline the usability aspect by performing a Wizard of Oz experiment that mimics API-driven dialogues between developers and virtual assistants [8]. Their results show that the integration of existing platforms like CRM systems or ticketing tools that are user-friendly and efficient has a wide impact.

Gill & Kaur (2023) have a critical standpoint regarding the promise and peril of ChatGPT-like systems in the enterprise space.[9] They recognize the revolutionary power of the generative AI, yet, at the same time, they want to give warning to adopting it blindly without tuning up the domain, having monitoring, and hybrid human-AI oversight.

In immersive environments, Mohamed (2025) explores AI assistants in AR/VR for special needs learners, showcasing real-time multimodal interactions enabled by cloud-connected AI services [10]The research emphasizes the significance of low-latency processing and elastic scalability which is very much needed when implementing chatbots in worldwide markets where peak demand varies.Serverless architectures and edge computing are recommended to maintain responsiveness, suggesting that scalable cloud infrastructure is foundational to intelligent customer service platforms.

A comparative analysis by Borna (2024) evaluates leading virtual assistants (e.g., Alexa, Siri, Google Assistant) across accuracy, speed, and security dimensions [11]. The research finds that despite technical maturity, most systems function as siloed tools, forcing users to switch between apps for different needs — a phenomenon referred to as "AI fragmentation." Customer support turnaround times have repercussions on the overall user experience.

Echoing the need for sustainable business models, Shedlock (2024) positions AI chatbots as 24/7 research and support partners in market intelligence and customer engagement [12]. She points out that subscription-based access to AI features is a very effective method that is in line with the classic SaaS monetization strategies. Nevertheless, she also puts a stamp of caution on the effects of poor onboarding, nontransparent communications.

In the context of customer service, Nwabekee et al. (2025) approach the role of AI virtual assistants in call centers and e-support channels through a quantitative lens [13]. Their research has uncovered major improvements which can be quantified as a 40 to 60% drop-in response time, a rise in first-contact resolution rates, and massive cost savings.

The repeated contribution of Singh et al. (2023) in the literature [14] reinforces the growing interest in multimodal AI interfaces, suggesting that future customer service automation will require chatbots capable of processing not only text but also images, voice, and gestures for instance, allowing users to upload a photo of a defective product and receive automated troubleshooting guidance.

Finally, the framework proposed by Campagna et al. (2019) [15], once again cited, highlights the importance of modular, extensible design in virtual assistant systems. The Genie parser generator enables rapid deployment of new skills such as refund processing or appointment rescheduling.

3. Methodology

This research adopts a design and development–oriented methodology, following the principles of Design Science Research (DSR) to implement an AI-driven chatbot with enhanced user experience (UX) using the assistant-ui TypeScript/React library. The main goal is to create an industrial-quality chat interface that supports real-time AI interactions, streaming outputs, and safe messaging among different model vendors.

The approach consists of five major phases: planning, designing the structure, coding, putting together, quality assurance, and assessment. Accessibility, scalability, streaming, and compatibility among different models were the main factors that the project requirements established in the planning phase. During architectural design, the assistant-ui framework was selected due to its composable primitives, strong TypeScript support, and compatibility with backends such as OpenAI, Anthropic, Hugging Face, and custom API endpoints.



Fig. 1. Chatbot response to the PW course query.

In Fig.1, AI system shows the response to the user's PW-related query directly in the main conversation window of the chatbot interface. In the figure below, if the user asks a question like, "What courses does PW offer?", the assistant produces a response in an organized format, appearing as a left-aligned message bubble above the input box.

The system was developed using Next.js and React for the frontend, leveraging assistant-ui components including Message List, Thread.

Deployment was managed through a cloud-based environment (Assistant Cloud) for chat persistence, analytics, and message history. Custom styling was achieved using shad/ui components to maintain design flexibility and brand consistency.



Fig. 2. Block Diagram

Evaluation included functional tests measuring response accuracy, streaming latency, user satisfaction, and accessibility compliance. In Fig.2 ,all the working processes of this model is clearly explained.

User experience (UX) of the chatbot was assessed during realistic user sessions, which allowed to measure time-wise adaptability and interface responsiveness. This approach assures a secure, extensive, and easy-to-use chatbot rollout.

4. Evaluation and Result Metrics

The AI-driven chatbot was put through a thorough assessment which evaluated not just the machine's efficiency but also the human's interaction with the chatbot. The goal was to set the chatbot's future to be reliable, expandable, and highly productive The quantitative tests were centered around the measurements of accuracy, latency, and concurrency, hence verifying the real-time operations of the chatbot. The intent classification component based on BERT and spaCy surpassed the 90% threshold for accuracy. The scalability experiments showed that there was no drop in performance even when multiple users were connected concurrently, which was the result of good

integration between the AI SDK and Neon PostgreSQL database.



Fig. 3. User Interface

Clerk's authentication mechanism was successful 100% of the time in all sessions. The qualitative evaluation was done by means of simulated user interactions, where user satisfaction, conversational naturalness, and task completion rate were the parameters measured. From Fig. 3, Users said that they were very much engaged and that the system was very efficient, giving an average score of 4.5 in the satisfaction scale of 5.

Table 1. Performance Metrics of the Intent Classification Model

Intent Class	Precision	Recall	F1-Score	Overall Accuracy
Order Status	90.2%	88.0%	89.0%	-
Refund	87.8%	92.0%	89.8%	-
Product Inquiry	87.8%	86.4%	87.1%	-
Complaint	90.3%	89.6%	89.9%	-
Macro Average	89.0%	89.0%	89.0%	89.0%

The model recorded an overall accuracy of 89% as shown in Table 1, with a balanced precision, recall, and F1-score across all four customer support intents. It showed strong reliability for automated customer service interactions.

5. Future Scope

Future directions of this research are to extend the adaptability and intelligence of the chatbot by means of continuous learning and multimodal interactions. Voice and emotion recognition can extend the conversational experience toward more human-like interactions. The widening of multilingual support will make it possible to cater to the users who speak many languages all over the globe.

6. Conclusion

In summary, the creation of an AI-powered chatbot from the assistant-ui library within a React platform reflects a viable method of developing intelligent, scalable, and user-friendly customer service solutions. The combination of various techniques such as natural language processing, real-time streaming, and cloud data handling results in a very smooth conversation.

REFERENCES

[1]. E. M. Langston, Exploring artificial intelligence-powered virtual assistants to understand their potential to support older adults' search needs, *Human Factors in Healthcare*, Vol 7, 2025, Article 100092, doi: 10.1016/j.hfh.2025.100092.

[2]. Todericiu, I.A. Virtual Assistants: A Review of the Next Frontier in AI Interaction. *Acta Univ. Sapientiae Inform.* **17**, 1 2025. https://doi.org/10.1007/s44427-025-00002-7

[3]. Mane, Navnath & Hanchate, Abhay & Kumbhar, Vinayak & Patil, Atharv & Kate, A. & Bhivse, V.. 2025. A Review Paper on AI Virtual Assistants. International Journal for Research in Applied Science and Engineering Technology. 13. 2068-2073. 10.22214/ijraset.2025.67688.

[4]. Casheekar, Avyay & Lahiri, Archit & Rath, Kanishk & Prabhakar, Kaushik & Srinivasan, Kathiravan. 2024. A contemporary review on chatbots, AI-powered virtual conversational agents, ChatGPT: Applications, open challenges and future research directions. Computer Science Review. 52. 100632. 10.1016/j.cosrev.2024.100632.

[5]. Sezgin E. Redefining Virtual Assistants in Health Care: The Future With Large Language Models. J Med Internet Res 2024;26:e53225. doi: 10.2196/53225. The article is published in the Journal of Medical Internet Research and its DOI is 10.2196/53225.

[6]. Singh, J., Goel, Y., Jain, S., & Yadav, S. Virtual mouse and assistant: A technological revolution of artificial intelligence. arXiv preprint arXiv:2303.06309.

[7]. Campagna, G., Xu, S., Moradshahi, M., Socher, R., & Lam, M. S. 2019. Genie: A generator of natural language semantic parsers for virtual assistant commands.arXiv preprint arXiv:1904.09020, 2019.

[8]. Eberhart, Z., Bansal, A., & McMillan, C. 2021. A wizard of oz study simulating API usage dialogues with a virtual assistant.arXiv preprint arXiv:2106.12645, 2021.

[9]. Gill, S. S., & Kaur, R. (2023). ChatGPT: Vision and challenges.arXiv preprint arXiv:2305.15323, 2023.

[10]. Mohamed, A.; Faisal, R.; Al-Gindy, A.; Shaalan, K. Artificial Intelligence and Immersive Technologies: Virtual Assistants in AR/VR for Special Needs Learners. *Computers* **2025**, *14*, 306. https://doi.org/10.3390/computers14080306

[11]. Borna S, Gomez-Cabello CA, Pressman SM, Haider SA, Sehgal A, Leibovich BC, Cole D, Forte AJ. Comparative Analysis of Artificial Intelligence Virtual Assistant and Large Language Models in Post-Operative Care. Eur J Investig Health Psychol Educ. 2024 May 15;14(5):1413-1424. doi: 10.3390/ejihpe14050093. PMID: 38785591; PMCID: PMC11119735..

[12]. Shedlock, A. 2024. Chatbot and virtual assistants: Research partners that work 24/7 and never get tired. Greenbook.

[13]. Nwabekee, Uloma & Okpeke, Friday & Onalaja, Abiola. 2025. Virtual assistants and AI in customer service: A review of technological advancements and business impacts. International Journal of Management & Entrepreneurship Research. 7. 299-311. 10.51594/ijmer.v7i4.1876.

[14]. Singh, Hardial. 2025. AI-Powered Chatbots Transforming Customer Support through Personalized and Automated Interactions. SSRN Electronic Journal. 10.2139/ssrn.5267858.

[15]. Campagna, Giovanni & Xu, Silei & Moradshahi, Mehrad & Socher, Richard & Lam, Monica S. 2019. *Genie: A Generator of Natural Language Semantic Parsers for Virtual Assistant Commands*. Proceedings of the ACM on Programming Languages (PLDI). 10.1145/3314221.3314594.