

Workspaces ▾ More ▾

⏮ ⏭ /li POST sav POST Nev GET getQt ⏭ + ▾ No environment ▾

QuizApp / saveQuestions Save ▾ Share ▾

POST ▾ http://localhost:8080/saveQuestions Send ▾

Params Auth Headers (8) Body • Scripts Settings Cookies Beautify

raw ▾ JSON ▾

```
1 {
2   "questionTitle": "What is Java?",
3   "option1": "Programming Language",
4   "option2": "Coffee",
5   "option3": "Animal",
6   "option4": "Car",
7   "correctAnswer": "Programming Language",
8   "difficultyLevel": "EASY",
9   "category": "JAVA"
10 }
11
```

Body ▾ 200 OK • 122 ms • 374 B • Preview Visualize ▾

```
{ } JSON ▾ Preview Visualize ▾
1 {
2   "id": 11,
3   "questionTitle": "What is Java?",
4   "option1": "Programming Language",
5   "option2": "Coffee",
6   "option3": "Animal",
7   "option4": "Car",
8   "correctAnswer": "Programming Language",
9   "difficultyLevel": "EASY",
10  "category": "JAVA"
11 }
```

Console Postbot Runner Vault ?

Workspaces ▾ More ▾

🔍 👤 ⚙️ 🔔 🔄

👤 ▾

—

< test/ii POST save POST Nev GET getQt > + ▾

🗑️ No environment ▾

📄

QuizApp / getQuestionsById

Save ▾

Share 🔗

📄

GET ▾ http://localhost:8080/getQuestionsById/2

Send ▾

🗨️

Params Auth Headers (6) Body Scripts Settings

Cookies

</>

Query Params

🔄

	Key	Value	Descri...	...	Bulk Edit
--	-----	-------	-----------	-----	-----------

Body ▾ 🔄

200 OK • 16 ms • 420 B • 🌐 📄 ...

📄

{ } JSON ▾

▶ Preview

🔗 Visualize ▾

🔧 ⌵ 🔍 📄 🔗

```
1 {
2   "id": 2,
3   "questionTitle": "What is the correct main method signature in
4     Java?",
5   "option1": "A framework",
6   "option2": "A server",
7   "option3": "A DB",
8   "option4": "All the Above",
9   "correctAnswer": "public static void main",
10  "difficultyLevel": "HARD",
11  "category": "SPRINGBOOT"
12 }
```

🔍 📄 Console

🔄 Postbot ▶ Runner 🔗 🌐 🏠 Vault 🗑️ 🧩 ?

Workspaces ▾ More ▾

🔍 👤 ⚙️ 🔔 🔄

👤 ▾

—

< av1 ● POST Nev ● GET getQl ● GET getAll > + ▾

🗑️ No environment ▾

📄

🔗 QuizApp / getAllQuestions

📁 Save ▾

Share 🔗

GET ▾

http://localhost:8080/getAllQuestions

Send ▾

Params Auth Headers (6) Body Scripts Settings

Cookies </>

Body ▾ ↻

200 OK • 180 ms • 2.37 KB • 🌐 📄 ⋮

{ } JSON ▾ ▶ Preview 🔗 Visualize ▾

🔧 ⌵ 🔍 📄 🔗

```
1  [
2    {
3      "id": 2,
4      "questionTitle": "What is the correct main method
5        signature in Java?",
6      "option1": "A framework",
7      "option2": "A server",
8      "option3": "A DB",
9      "option4": "All the Above",
10     "correctAnswer": "public static void main",
11     "difficultyLevel": "HARD",
12     "category": "SPRINGBOOT"
13   },
14   {
15     "id": 3,
16     "questionTitle": "Which keyword is used to declare an
17       integer variable in Java?",
18     "option1": "integer",
19     "option2": "number",
20     "option3": "int",
21     "option4": "num",
22     "correctAnswer": "int".
```

🔍 Console

🔗 Postbot ▶ Runner 🔗 🌐 🏠 Vault 🗑️ ?

Workspaces ▾ More ▾

lev ● GET getQl GET getAll PATCH upc

> + ▾

No environment ▾

QuizApp / updateQuestion

Save ▾ Share

PATCH ▾ http://localhost:8080/updateQuestion/2

Send ▾

Params Auth Headers (8) Body ● Scripts Settings

Cookies Beautify

raw ▾ JSON ▾

```
3      "difficultyLevel": "HARD"
4
5  }
```

Body ▾

200 OK • 20 ms • 420 B •

{ } JSON ▾ Preview Visualize ▾

```
1  {
2    "id": 2,
3    "questionTitle": "What is the correct main method signature in
4      Java?",
5    "option1": "A framework",
6    "option2": "A server",
7    "option3": "A DB",
8    "option4": "All the Above",
9    "correctAnswer": "public static void main",
10   "difficultyLevel": "HARD",
11   "category": "SPRINGBOOT"
12 }
```

Console Postbot Runner Vault ?

Workspaces ▾ More ▾

🔍

👤

⚙️

🔔

🔄

👤 ▾

—

< GET getAll PATCH upc **DEL New** > + ▾

No environment ▾

QuizApp / New Request

Save ▾

Share

🔗

DELETE ▾

http://localhost:8080/deleteQuestionById/2

Send ▾

Params

Auth

Headers (6)

Body

Scripts

Settings

Cookies

Query Params

	Key	Value	Descrip...	⋮ Bulk Edit
	Key	Value	Description	

Body ▾ 🔄

200 OK • 81 ms • 184 B • 🌐 📄 ⋮

Raw ▾

▶ Preview

🔗 Visualize ▾

🔍

🔗

🔗

1 Deleted Successfully

🔍 Console

🔗 Postbot

▶ Runner

🔗

🔗

🏠 Vault

🗑️

🔗

?

Workspaces ▾ More ▾

<

POST crez

GET http:

GET get/{li

POST

>

+

▾

No environment ▾

QuizApp / create

Save ▾

Share

POST ▾ http://localhost:8080/quiz/create?category=JAVA&lev...

Send ▾

Params • Auth Headers (8) Body • Scripts Settings Cookies

Body ▾ ↻

200 OK • 200 ms • 1.33 KB • 🌐 📄 ⋮

{ } JSON ▾ Preview Visualize ▾

🔍 📄 🔗

```
1  {
2      "id": 2,
3      "title": "JavaBasicsQuiz\n",
4      "questions": [
5          {
6              "id": 6,
7              "questionTitle": "Which keyword is used for
                                inheritance in Java?",
8              "option1": "implements",
9              "option2": "inherits",
10             "option3": "extends",
11             "option4": "includes",
12             "correctAnswer": "extends",
13             "difficultyLevel": "EASY",
14             "category": "JAVA"
15         },
16         {
17             "id": 10,
18             "questionTitle": "Which keyword is used to write a
                                loop that repeats a fixed number of times?",
19             "option1": "loop",
20             "option2": "iterate".
```

🔍 📄 Console Postbot Runner 🔗 🕒 Vault 🗑️ ?

Workspaces ▾ More ▾

POST crea GET http: GET get/{ POST

No environment ▾

QuizApp / get/{id}/questions Save Share

GET http://localhost:8080/quiz/get/1/questions Send

Params Auth Headers (6) Body Scripts Settings Cookies

Body 200 OK • 52 ms • 932 B

{ } JSON Preview Visualize

```
1  [
2    {
3      "id": 4,
4      "questionTitle": "Which statement is used to print text in
5        Java?",
6      "option1": "echo",
7      "option2": "System.out.print",
8      "option3": "System.out.println",
9      "option4": "print()"
10   },
11   {
12     "id": 7,
13     "questionTitle": "What is the boolean value for true in
14       Java?",
15     "option1": "yes",
16     "option2": "1",
17     "option3": "true",
18     "option4": "on"
19   },
20   {
21     "id": 5,
22     "questionTitle": "Which keyword is used to create an
```

Console Postbot Runner Vault ?

The screenshot shows the VS Code REST Client interface. At the top, there's a toolbar with icons for Workspaces, More, Search, Add, Settings, Notifications, and a user profile. Below this, a breadcrumb navigation shows the current request: `POST cal/1` (highlighted in orange), `GET getQl`, `GET getAll`, and `PATCH`. To the right of the breadcrumb is a dropdown menu showing "No environment".

The main area displays the request details for `QuizApp / cal/1/submit`. The method is `POST` (highlighted in orange) and the URL is `http://localhost:8080/quiz/cal/1/submit`. There are buttons for "Save", "Share", and "Send" (highlighted in blue). Below the URL bar, there are tabs for "Params", "Auth", "Headers (8)", "Body" (highlighted in green), "Scripts", and "Settings".

Under the "Body" tab, there are two sub-tabs: "raw" and "JSON" (highlighted in blue). The "JSON" tab is active, showing a response of `200 OK` with a status of `200 OK` (highlighted in green), a response time of `23 ms`, and a response size of `165 B`. There are also icons for "Cookies" and "Beautify".

At the bottom, there's a section for the response body. It shows a JSON object `{}` (highlighted in blue) and a "Preview" button. There are also icons for "Visualize", "Copy", and "Link".