Web Development Activity - Source Code (Q10, Q16, Q28)

Question 10: Real Estate Property Listing Website

File: q10_real_estate.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>DreamNest Realty - Property Listings</title>
<style>
  * { margin:0; padding:0; box-sizing:border-box; }
  body { font-family: "Segoe UI", Arial, sans-serif; background:#f4f6f8; color:#222; }
  header { background:#1e3a5f; color:#fff; padding:16px 40px; display:flex; justify-content:space-between; align-
items:center; }
  header h1 { font-size:24px; }
  nav a { color:#fff; margin-left:20px; text-decoration:none; }
  nav a:hover { color:#f5b301; }
  .hero { background:linear-gradient(135deg,#2c5f8a,#1e3a5f); color:#fff; text-align:center; padding:50px 20px; }
  .hero h2 { font-size:34px; margin-bottom:10px; }
  .filter { background:#fff; max-width:1000px; margin:-25px auto 30px; padding:20px; border-radius:10px;
            box-shadow:0 4px 12px rgba(0,0,0,.15); display:flex; gap:12px; flex-wrap:wrap; }
  .filter input, .filter select { flex:1; min-width:150px; padding:10px; border:1px solid #ccc; border-radius:6px; }
  .filter button { padding:10px 24px; background:#f5b301; border:none; border-radius:6px; font-weight:bold; cursor:
pointer; }
  .container { max-width:1100px; margin:auto; padding:0 20px; }
  h3.title { margin:20px 0; color:#1e3a5f; font-size:24px; }
  .grid { display:grid; grid-template-columns:repeat(auto-fit,minmax(300px,1fr)); gap:20px; }
  .card { background:#fff; border-radius:10px; overflow:hidden; box-shadow:0 2px 8px rgba(0,0,0,.1); transition:
transform .3s; }
  .card:hover { transform:translateY(-5px); }
  .img { height:160px; display:flex; align-items:center; justify-content:center; font-size:60px; }
  .c1 .img { background:linear-gradient(135deg,#a8e063,#56ab2f); }
  .c2 .img { background:linear-gradient(135deg,#89f7fe,#66a6ff); }
  .c3 .img { background:linear-gradient(135deg,#fbc2eb,#a18cd1); }
  .info { padding:15px; }
  .tag { display:inline-block; background:#1e3a5f; color:#fff; font-size:12px; padding:3px 10px; border-radius:20px; }
  .info h4 { margin:8px 0 4px; font-size:18px; }
  .price { color:#2e7d32; font-weight:bold; font-size:20px; margin:6px 0; }
  .loc { color:#666; font-size:14px; }
  .amen { margin-top:8px; font-size:13px; color:#444; }
  table { width:100%; border-collapse:collapse; background:#fff; margin-bottom:40px; }
  th, td { padding:12px; border:1px solid #ddd; text-align:center; }
  th { background:#1e3a5f; color:#fff; }
  tr:nth-child(even) { background:#f0f4f8; }
  footer { background:#1e3a5f; color:#fff; text-align:center; padding:15px; }
</style>
</head>
<body>
<header>
  <h1>&#127968; DreamNest Realty</h1>
  <nav><a href="#">Home</a><a href="#listings">Listings</a><a href="#compare">Compare</a><a href="#">Contact</a></nav>
</header>

<section class="hero">
  <h2>Find Your Dream Home</h2>
  <p>Houses, apartments and rental properties across the city</p>
</section>

<form class="filter" onsubmit="filterCards(); return false;">
  <input type="text" id="loc" placeholder="Search by location">
  <select id="type">
    <option value="all">All Types</option>
    <option value="House">House</option>
    <option value="Apartment">Apartment</option>
    <option value="Rental">Rental</option>
  </select>
  <select id="price">
    <option value="99999999">Any Price</option>
    <option value="5000000">Below ₹50 Lakh</option>
    <option value="10000000">Below ₹1 Crore</option>
  </select>
  <button type="submit">Search</button>
</form>

<div class="container">
  <h3 class="title" id="listings">Featured Properties</h3>
  <div class="grid">
    <div class="card c1" data-type="House" data-loc="hyderabad" data-price="8500000">
      <div class="img">&#127969;</div>
```

```
      <div class="info"><span class="tag">House</span>
        <h4>3 BHK Independent Villa</h4>
        <p class="price">₹85,00,000</p>
        <p class="loc">&#128205; Gachibowli, Hyderabad</p>
        <p class="amen">&#10004; Garden &#10004; Parking &#10004; 2400 sq.ft</p></div>
    </div>
    <div class="card c2" data-type="Apartment" data-loc="vijayawada" data-price="4500000">
      <div class="img">&#127970;</div>
      <div class="info"><span class="tag">Apartment</span>
        <h4>2 BHK Luxury Apartment</h4>
        <p class="price">₹45,00,000</p>
        <p class="loc">&#128205; Benz Circle, Vijayawada</p>
        <p class="amen">&#10004; Gym &#10004; Lift &#10004; 1200 sq.ft</p></div>
    </div>
    <div class="card c3" data-type="Rental" data-loc="guntur" data-price="15000">
      <div class="img">&#127971;</div>
      <div class="info"><span class="tag">Rental</span>
        <h4>1 BHK Rental Flat</h4>
        <p class="price">₹15,000 / month</p>
        <p class="loc">&#128205; Brodipet, Guntur</p>
        <p class="amen">&#10004; Furnished &#10004; Wi-Fi &#10004; 650 sq.ft</p></div>
    </div>
  </div>

  <h3 class="title" id="compare">Property Comparison</h3>
  <table>
    <tr><th>Feature</th><th>Villa</th><th>Apartment</th><th>Rental Flat</th></tr>
    <tr><td>Price</td><td>₹85 Lakh</td><td>₹45 Lakh</td><td>₹15,000/mo</td></tr>
    <tr><td>Area</td><td>2400 sq.ft</td><td>1200 sq.ft</td><td>650 sq.ft</td></tr>
    <tr><td>Bedrooms</td><td>3</td><td>2</td><td>1</td></tr>
    <tr><td>Parking</td><td>Yes</td><td>Yes</td><td>No</td></tr>
    <tr><td>Location</td><td>Hyderabad</td><td>Vijayawada</td><td>Guntur</td></tr>
  </table>
</div>

<footer>&copy; 2026 DreamNest Realty | All Rights Reserved</footer>

<script>
function filterCards() {
  const loc = document.getElementById("loc").value.toLowerCase();
  const type = document.getElementById("type").value;
  const max = Number(document.getElementById("price").value);
  document.querySelectorAll(".card").forEach(c => {
    const ok = c.dataset.loc.includes(loc) &&
               (type === "all" || c.dataset.type === type) &&
               Number(c.dataset.price) <= max;
    c.style.display = ok ? "block" : "none";
  });
}
</script>
</body>
</html>
```

Question 16: Travel Agency Website

File: q16_travel_agency.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>WanderWays Travels</title>
<style>
  * { margin:0; padding:0; box-sizing:border-box; }
  body { font-family: Verdana, sans-serif; background:#fffaf3; color:#333; }
  header { position:absolute; width:100%; padding:18px 40px; display:flex; justify-content:space-between; color:#fff;
}
  header h1 { font-size:24px; }
  nav a { color:#fff; margin-left:18px; text-decoration:none; }
  .hero { height:380px; background:linear-gradient(rgba(0,0,0,.35),rgba(0,0,0,.35)),
          linear-gradient(160deg,#ff7e5f,#feb47b 45%,#3aa8c1 75%,#0f5e7a);
          color:#fff; display:flex; flex-direction:column; justify-content:center; align-items:center; text-align:
center; }
  .hero h2 { font-size:42px; margin-bottom:10px; }
  .hero a { margin-top:18px; background:#ff7e5f; color:#fff; padding:12px 28px; border-radius:30px; text-decoration:
none; }
  section { max-width:1100px; margin:40px auto; padding:0 20px; }
  h3 { text-align:center; font-size:28px; color:#0f5e7a; margin-bottom:25px; }
  .grid { display:grid; grid-template-columns:repeat(auto-fit,minmax(240px,1fr)); gap:20px; }
  .dest { border-radius:12px; overflow:hidden; background:#fff; box-shadow:0 3px 10px rgba(0,0,0,.12); }
  .dest .pic { height:140px; display:flex; align-items:flex-end; padding:10px; color:#fff; font-size:22px; font-
weight:bold; }
  .goa { background:linear-gradient(135deg,#f7971e,#ffd200); }
  .kerala { background:linear-gradient(135deg,#11998e,#38ef7d); }
  .manali { background:linear-gradient(135deg,#83a4d4,#b6fbff); }
  .dubai { background:linear-gradient(135deg,#c94b4b,#4b134f); }
  .dest .body { padding:14px; }
  .dest .price { color:#ff5722; font-weight:bold; font-size:18px; }
  .dest small { color:#777; }
  .itinerary { background:#fff; border-left:5px solid #ff7e5f; padding:20px; border-radius:8px; }
  .itinerary li { margin:8px 0 8px 20px; }
  form { background:#fff; padding:25px; border-radius:12px; box-shadow:0 3px 10px rgba(0,0,0,.1); display:grid; grid-
template-columns:1fr 1fr; gap:15px; }
  form label { font-size:14px; font-weight:bold; display:block; margin-bottom:4px; }
  form input, form select, form textarea { width:100%; padding:10px; border:1px solid #ccc; border-radius:6px; }
  .full { grid-column:1 / 3; }
  form button { background:#0f5e7a; color:#fff; padding:12px; border:none; border-radius:6px; font-size:16px; cursor:
pointer; }
  footer { background:#0f5e7a; color:#fff; text-align:center; padding:15px; }
  @media (max-width:600px) { form { grid-template-columns:1fr; } .full { grid-column:1; } .hero h2 { font-size:28px;
} }
</style>
</head>
<body>
<header>
  <h1>&#9992; WanderWays</h1>
  <nav><a href="#packages">Packages</a><a href="#itinerary">Itinerary</a><a href="#enquiry">Enquiry</a></nav>
</header>

<div class="hero">
  <h2>Explore The World With Us</h2>
  <p>Affordable holiday packages to India's and the world's best destinations</p>
  <a href="#packages">View Packages</a>
</div>

<section id="packages">
  <h3>Popular Holiday Packages</h3>
  <div class="grid">
    <div class="dest"><div class="pic goa">Goa</div>
      <div class="body"><p>Beaches &amp; Nightlife</p><small>4 Days / 3 Nights</small><p class="price">₹14,999</p></
div></div>
    <div class="dest"><div class="pic kerala">Kerala</div>
      <div class="body"><p>Backwaters &amp; Houseboats</p><small>5 Days / 4 Nights</small><p class="price">₹19,499</
p></div></div>
    <div class="dest"><div class="pic manali">Manali</div>
      <div class="body"><p>Snow &amp; Mountains</p><small>6 Days / 5 Nights</small><p class="price">₹22,999</p></
div></div>
    <div class="dest"><div class="pic dubai">Dubai</div>
      <div class="body"><p>Desert Safari &amp; Shopping</p><small>5 Days / 4 Nights</small><p class="price">₹54,999</
p></div></div>
  </div>
</section>

<section id="itinerary">
  <h3>Sample Itinerary - Kerala</h3>
  <div class="itinerary">
    <ol>
      <li><b>Day 1:</b> Arrival at Kochi, Fort Kochi sightseeing</li>
      <li><b>Day 2:</b> Drive to Munnar, tea gardens visit</li>
```

```
      <li><b>Day 3:</b> Eravikulam National Park &amp;amp; Mattupetty Dam</li>
      <li><b>Day 4:</b> Alleppey houseboat stay</li>
      <li><b>Day 5:</b> Departure from Kochi</li>
    </ol>
  </div>
</section>

<section id="enquiry">
  <h3>Travel Enquiry Form</h3>
  <form onsubmit="alert('Thank you! Our travel expert will contact you soon.'); return false;">
    <div><label for="n">Full Name</label><input id="n" type="text" required></div>
    <div><label for="e">Email</label><input id="e" type="email" required></div>
    <div><label for="d">Destination</label>
      <select id="d"><option>Goa</option><option>Kerala</option><option>Manali</option><option>Dubai</option></
select></div>
    <div><label for="t">Travel Date</label><input id="t" type="date" required></div>
    <div class="full"><label for="m">Message</label><textarea id="m" rows="3"></textarea></div>
    <button class="full" type="submit">Send Enquiry</button>
  </form>
</section>

<footer>&copy; 2026 WanderWays Travel Agency | Call: +91 98765 43210</footer>
</body>
</html>
```

Question 28: User Registration and Login Interface

File: q28_login_registration.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>User Registration and Login</title>
<style>
  * { margin:0; padding:0; box-sizing:border-box; }
  body { font-family: Arial, sans-serif; background:linear-gradient(135deg,#43cea2,#185a9d); min-height:100vh;
padding:30px; }
  h1 { text-align:center; color:#fff; margin-bottom:20px; }
  .tabs { text-align:center; margin-bottom:20px; }
  .tabs button { padding:10px 18px; margin:3px; border:none; border-radius:20px; cursor:pointer; background:#fff;
color:#185a9d; font-weight:bold; }
  .tabs button.active { background:#185a9d; color:#fff; }
  .box { display:none; background:#fff; max-width:420px; margin:auto; padding:30px; border-radius:12px; box-shadow:0
8px 25px rgba(0,0,0,.2); }
  .box.show { display:block; }
  .box h2 { color:#185a9d; margin-bottom:18px; text-align:center; }
  label { display:block; font-weight:bold; font-size:14px; margin:12px 0 5px; }
  input, select, textarea { width:100%; padding:10px; border:2px solid #ccc; border-radius:6px; font-size:14px;
outline:none; transition:border .2s; }
  input:focus, select:focus, textarea:focus { border-color:#43cea2; box-shadow:0 0 5px #43cea2; }
  input.error { border-color:#e53935; background:#fff5f5; }
  .msg { color:#e53935; font-size:12px; min-height:14px; }
  .ok { color:#2e7d32; text-align:center; margin-top:10px; font-weight:bold; }
  button.submit { width:100%; margin-top:18px; padding:12px; background:#185a9d; color:#fff; border:none; border-
radius:6px; font-size:16px; cursor:pointer; }
  button.submit:hover { background:#43cea2; }
  .small { font-size:13px; text-align:center; margin-top:10px; }
</style>
</head>
<body>
<h1>&#128274; SecureApp Portal</h1>
<div class="tabs">
  <button class="active" onclick="show('reg',this)">Register</button>
  <button onclick="show('login',this)">Login</button>
  <button onclick="show('forgot',this)">Forgot Password</button>
  <button onclick="show('profile',this)">Profile Setup</button>
</div>

<!-- Registration -->
<form class="box show" id="reg" novalidate onsubmit="return register()">
  <h2>Create Account</h2>
  <label for="rname">Full Name</label>
  <input id="rname" type="text" required minlength="3" placeholder="Enter your name">
  <span class="msg" id="e1"></span>
  <label for="remail">Email</label>
  <input id="remail" type="email" required placeholder="name@example.com">
  <span class="msg" id="e2"></span>
  <label for="rpass">Password</label>
  <input id="rpass" type="password" required minlength="8" placeholder="Min 8 characters">
  <span class="msg" id="e3"></span>
  <label for="rcpass">Confirm Password</label>
  <input id="rcpass" type="password" required>
  <span class="msg" id="e4"></span>
  <button class="submit" type="submit">Register</button>
  <p class="ok" id="regok"></p>
</form>

<!-- Login -->
<form class="box" id="login" onsubmit="return login()">
  <h2>Login</h2>
  <label for="lemail">Email</label>
  <input id="lemail" type="email" required autocomplete="username">
  <label for="lpass">Password</label>
  <input id="lpass" type="password" required autocomplete="current-password">
  <label><input type="checkbox" style="width:auto"> Remember me</label>
  <button class="submit" type="submit">Login</button>
  <p class="ok" id="loginok"></p>
</form>

<!-- Forgot password -->
<form class="box" id="forgot" onsubmit="document.getElementById('fok').textContent='Reset link sent to your email!';
return false;">
  <h2>Password Recovery</h2>
  <label for="femail">Registered Email</label>
  <input id="femail" type="email" required>
  <button class="submit" type="submit">Send Reset Link</button>
  <p class="ok" id="fok"></p>
</form>

<!-- Profile setup -->
```

```
<form class="box" id="profile" onsubmit="document.getElementById('pok').textContent='Profile saved successfully!';
return false;">
  <h2>Profile Setup</h2>
  <label for="phone">Phone Number</label>
  <input id="phone" type="tel" pattern="[0-9]{10}" required placeholder="10 digit number">
  <label for="dob">Date of Birth</label>
  <input id="dob" type="date" required>
  <label for="gender">Gender</label>
  <select id="gender"><option>Male</option><option>Female</option><option>Other</option></select>
  <label for="bio">Short Bio</label>
  <textarea id="bio" rows="3" maxlength="150"></textarea>
  <button class="submit" type="submit">Save Profile</button>
  <p class="ok" id="pok"></p>
</form>

<script>
function show(id, btn) {
  document.querySelectorAll(".box").forEach(b => b.classList.remove("show"));
  document.querySelectorAll(".tabs button").forEach(b => b.classList.remove("active"));
  document.getElementById(id).classList.add("show");
  btn.classList.add("active");
}
function setErr(input, msgId, text) {
  document.getElementById(msgId).textContent = text;
  input.classList.toggle("error", text !== "");
  return text === "";
}
function register() {
  const n = document.getElementById("rname"), e = document.getElementById("remail");
  const p = document.getElementById("rpass"), c = document.getElementById("rcpass");
  let ok = setErr(n, "e1", n.value.trim().length < 3 ? "Name must have at least 3 characters" : "");
  ok = setErr(e, "e2", /^\S+@\S+\.\S+$/.test(e.value) ? "" : "Enter a valid email") && ok;
  ok = setErr(p, "e3", p.value.length < 8 ? "Password must be at least 8 characters" : "") && ok;
  ok = setErr(c, "e4", c.value !== p.value || c.value === "" ? "Passwords do not match" : "") && ok;
  if (ok) {
    localStorage.setItem("user", JSON.stringify({ email: e.value, pass: p.value }));
    document.getElementById("regok").textContent = "Registration successful! Please login.";
  }
  return false;
}
function login() {
  const u = JSON.parse(localStorage.getItem("user") || "{}");
  const e = document.getElementById("lemail").value, p = document.getElementById("lpass").value;
  const out = document.getElementById("loginok");
  if (u.email === e && u.pass === p) { out.style.color = "#2e7d32"; out.textContent = "Login successful! Welcome."; }
  else { out.style.color = "#e53935"; out.textContent = "Invalid email or password."; }
  return false;
}
</script>
</body>
</html>
```