the Odds API Code Samples (v4) - NodeJS

The Odds API provides live odds for loads of sports from bookmakers around the world, in an easy to use JSON format.

Before getting started, be sure to get a free API key from https://the-odds-api.com

For more info on the API, see the docs

Get Started

```
node sample-v4.js YOUR_API_KEY
```

This will print:

- A list of in-season sports
- Events and odds for the next 8 upcoming games (across all sports)
- Requests used & remaining for your api key

To change the sport, region and market, see the parameters specified at the beginning sample-v4.js

Make sure the axios library is installed `npm install axios`

Host

All requests use the host `https://api.the-odds-api.com`

Connections that require IPv6 can use `https://ipv6-api.the-odds-api.com`

GET sports

Returns a list of in-season sport objects. The sport key can be used as the `sport` parameter in other endpoints. This endpoint does not count against the usage quota.

Endpoint

```
GET /v4/sports/?apiKey={apiKey}
```

Parameters

- **apiKey** The API key associated with your subscription. See usage plans
- **all** Optional - if this parameter is set to true (`all=true`), a list of both in and out of season sports will be returned

api.the-odds-api.com/v4/sports/?apiKey=b59370b4edcfdb8e3ef4104f2ca72dac

Schema

For a detailed API spec, see the API Reference

#

Example Request

GET https://api.the-odds-api.com/v4/sports/?apiKey=YOUR_API_KEY

Example Response


```
[
    {
        "key": "americanfootball_ncaaf",
        "group": "American Football",
        "title": "NCAAF",
        "description": "US College Football",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "americanfootball_nfl",
        "group": "American Football",
        "title": "NFL",
        "description": "US Football",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "americanfootball_nfl_super_bowl_winner",
        "group": "American Football",
        "title": "NFL Super Bowl Winner",
        "description": "Super Bowl Winner 2021/2022",
        "active": true,
        "has_outrights": true
    },
    {
        "key": "aussierules_afl",
```

```
        "group": "Aussie Rules",
        "title": "AFL",
        "description": "Aussie Football",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "baseball_mlb",
        "group": "Baseball",
        "title": "MLB",
        "description": "Major League Baseball",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "basketball_nba",
        "group": "Basketball",
        "title": "NBA",
        "description": "US Basketball",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "cricket_test_match",
        "group": "Cricket",
        "title": "Test Matches",
        "description": "International Test Matches",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "golf_masters_tournament_winner",
        "group": "Golf",
        "title": "Masters Tournament Winner",
        "description": "2022 WInner",
        "active": true,
        "has_outrights": true
    },
    {
        "key": "golf_the_open_championship_winner",
        "group": "Golf",
```

```
        "title": "The Open Winner",
        "description": "2021 WInner",
        "active": true,
        "has_outrights": true
    },
    {
        "key": "golf_us_open_winner",
        "group": "Golf",
        "title": "US Open Winner",
        "description": "2021 WInner",
        "active": true,
        "has_outrights": true
    },
    {
        "key": "icehockey_nhl",
        "group": "Ice Hockey",
        "title": "NHL",
        "description": "US Ice Hockey",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "mma_mixed_martial_arts",
        "group": "Mixed Martial Arts",
        "title": "MMA",
        "description": "Mixed Martial Arts",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "rugbyleague_nrl",
        "group": "Rugby League",
        "title": "NRL",
        "description": "Aussie Rugby League",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_australia_aleague",
        "group": "Soccer",
        "title": "A-League",
```

```
        "description": "Aussie Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_brazil_campeonato",
        "group": "Soccer",
        "title": "Brazil Série A",
        "description": "Brasileirão Série A",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_denmark_superliga",
        "group": "Soccer",
        "title": "Denmark Superliga",
        "description": "",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_finland_veikkausliiga",
        "group": "Soccer",
        "title": "Veikkausliiga - Finland",
        "description": "",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_japan_j_league",
        "group": "Soccer",
        "title": "J League",
        "description": "Japan Soccer League",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_league_of_ireland",
        "group": "Soccer",
        "title": "League of Ireland",
        "description": "Airtricity League Premier Division",
```

```
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_norway_eliteserien",
        "group": "Soccer",
        "title": "Eliteserien - Norway",
        "description": "Norwegian Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_spain_segunda_division",
        "group": "Soccer",
        "title": "La Liga 2 - Spain",
        "description": "Spanish Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_sweden_allsvenskan",
        "group": "Soccer",
        "title": "Allsvenskan - Sweden",
        "description": "Swedish Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_sweden_superettan",
        "group": "Soccer",
        "title": "Superettan - Sweden",
        "description": "Swedish Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "soccer_uefa_european_championship",
        "group": "Soccer",
        "title": "UEFA Euro 2020",
        "description": "UEFA European Championship",
        "active": true,
```

```
        "has_outrights": false
    },
    {
        "key": "soccer_usa_mls",
        "group": "Soccer",
        "title": "MLS",
        "description": "Major League Soccer",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "tennis_atp_french_open",
        "group": "Tennis",
        "title": "ATP French Open",
        "description": "Men's Singles",
        "active": true,
        "has_outrights": false
    },
    {
        "key": "tennis_wta_french_open",
        "group": "Tennis",
        "title": "WTA French Open",
        "description": "Women's Singles",
        "active": true,
        "has_outrights": false
    }
]
```


Response Headers

Calls to the /sports endpoint will not affect the quota usage. The following response headers are returned:

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset

- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

This endpoint does not count against the usage quota.

GET odds

Returns a list of upcoming and live games with recent odds for a given sport, region and market

Endpoint

```
GET /v4/sports/{sport}/odds/?apiKey={apiKey}&regions={regions}&markets={markets}
```

Parameters

- **sport** The sport key obtained from calling the /sports endpoint. `upcoming` is always valid, returning any live games as well as the next 8 upcoming games across all sports
- **apiKey** The API key associated with your subscription. See usage plans
- **regions** Determines the bookmakers to be returned. For example, `us`, `us2` (United States), `uk` (United Kingdom), `au` (Australia) and `eu` (Europe). Multiple regions can be specified if comma delimited. See the list of bookmakers by region.

- **markets** Optional - Determines which odds market is returned. Defaults to `h2h` (head to head / moneyline). Valid markets are `h2h` (moneyline), `spreads` (points handicaps), `totals` (over/under) and `outrights` (futures). Multiple markets can be specified if comma delimited. `spreads` and `totals` markets are mainly available for US sports and bookmakers at this time. Each specified market costs 1 against the usage quota, for each region.
  Lay odds are automatically included with `h2h` results for relevant betting exchanges (Betfair, Matchbook etc). These have a `h2h_lay` market key.
  For sports with outright markets (such as Golf), the market will default to `outrights` if not specified. Lay odds for outrights (`outrights_lay`) will automatically be available for relevant exchanges.
  For more info, see descriptions of betting markets.
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.
- **oddsFormat** Optional - Determines the format of odds in the response. Valid values are `decimal` and `american`. Defaults to `decimal`. When set to `american`, small discrepancies might exist for some bookmakers due to rounding errors.
- **eventIds** Optional - Comma-separated game ids. Filters the response to only return games with the specified ids.
- **bookmakers** Optional - Comma-separated list of bookmakers to be returned. If both `bookmakers` and `regions` are both specified, `bookmakers` takes priority. Bookmakers can be from any region. Every group of 10 bookmakers

is the equivalent of 1 region. For example, specifying up to 10 bookmakers counts as 1 region. Specifying between 11 and 20 bookmakers counts as 2 regions.

- **commenceTimeFrom** Optional - filter the response to show games that commence on and after this parameter. Values are in ISO 8601 format, for example 2023-09-09T00:00:00Z. This parameter has no effect if the sport is set to 'upcoming'.
- **commenceTimeTo** Optional - filter the response to show games that commence on and before this parameter. Values are in ISO 8601 format, for example 2023-09-10T23:59:59Z. This parameter has no effect if the sport is set to 'upcoming'.
- **includeLinks** Optional - if `true`, the response will include bookmaker links to events, markets, and betslips if available. Valid values are `true` or `false`
- **includeSids** Optional - if `true`, the response will include source ids (bookmaker ids) for events, markets and outcomes if available. Valid values are `true` or `false`. This field can be useful to construct your own links to handle variations in state or mobile app links.
- **includeBetLimits** Optional - if `true`, the response will include the bet limit of each betting option, mainly available for betting exchanges. Valid values are `true` or `false`
- **includeRotationNumbers** Optional - if `true`, the response will include the home and away rotation numbers if available. See this link for details. Valid values are `true` or `false`.

api.the-odds-api.com/v4/sports/upcoming/odds/?regions=us&markets=h2h&apiKey=b59370b4edcfdb8e3ef4104f2ca72dac

For a detailed API spec, see the API Reference

Example Request

GET

https://api.the-odds-api.com/v4/sports/americanfootball_nfl/odds/?apiKey=YOUR_API_KEY&regions=us&markets=h2h,spreads&oddsFormat=american

(opens new window)

Example Response


```
[
    {
        "id": "bda33adca828c09dc3cac3a856aef176",
        "sport_key": "americanfootball_nfl",
        "commence_time": "2021-09-10T00:20:00Z",
        "home_team": "Tampa Bay Buccaneers",
        "away_team": "Dallas Cowboys",
        "bookmakers": [
            {
                "key": "unibet",
                "title": "Unibet",
                "last_update": "2021-06-10T13:33:18Z",
                "markets": [
                    {
                        "key": "h2h",
                        "outcomes": [
                            {
                                "name": "Dallas Cowboys",
                                "price": 240
                            },
                            {
                                "name": "Tampa Bay Buccaneers",
                                "price": -303
```

```
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -109,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -111,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "caesars",
        "title": "Caesars",
        "last_update": "2021-06-10T13:33:48Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 240
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -278
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
```

```
                {
                    "name": "Dallas Cowboys",
                    "price": -110,
                    "point": 6.5
                },
                {
                    "name": "Tampa Bay Buccaneers",
                    "price": -110,
                    "point": -6.5
                }
            ]
        }
    ]
},
{
    "key": "sugarhouse",
    "title": "SugarHouse",
    "last_update": "2021-06-10T13:34:07Z",
    "markets": [
        {
            "key": "h2h",
            "outcomes": [
                {
                    "name": "Dallas Cowboys",
                    "price": 240
                },
                {
                    "name": "Tampa Bay Buccaneers",
                    "price": -305
                }
            ]
        },
        {
            "key": "spreads",
            "outcomes": [
                {
                    "name": "Dallas Cowboys",
                    "price": -109,
                    "point": 6.5
                },
                {
```

```
                        "name": "Tampa Bay Buccaneers",
                        "price": -112,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "draftkings",
        "title": "DraftKings",
        "last_update": "2021-06-10T13:33:26Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 240
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -305
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -109,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -112,
                        "point": -6.5
                    }
                ]
            }
```

```
        ]
    },
    {
        "key": "pointsbetus",
        "title": "PointsBet (US)",
        "last_update": "2021-06-10T13:36:20Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 230
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -291
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -110,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -110,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "betonlineag",
        "title": "BetOnline.ag",
        "last_update": "2021-06-10T13:37:29Z",
```

```
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 240
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -286
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -105,
                        "point": 6
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -115,
                        "point": -6
                    }
                ]
            }
        ]
    },
    {
        "key": "betmgm",
        "title": "BetMGM",
        "last_update": "2021-06-10T13:32:45Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
```

```
                        "price": 225
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -275
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -110,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -110,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "betrivers",
        "title": "BetRivers",
        "last_update": "2021-06-10T13:35:33Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 240
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -305
                    }
```

```
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -109,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -112,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "fanduel",
        "title": "FanDuel",
        "last_update": "2021-06-10T13:33:23Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 225
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -275
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
```

```
                        "name": "Dallas Cowboys",
                        "price": -110,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -110,
                        "point": -6.5
                    }
                ]
            }
        ]
    },
    {
        "key": "barstool",
        "title": "Barstool Sportsbook",
        "last_update": "2021-06-10T13:34:48Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": 240
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
                        "price": -305
                    }
                ]
            },
            {
                "key": "spreads",
                "outcomes": [
                    {
                        "name": "Dallas Cowboys",
                        "price": -109,
                        "point": 6.5
                    },
                    {
                        "name": "Tampa Bay Buccaneers",
```

```
                    "price": -112,
                    "point": -6.5
                }
            ]
        }
    ]
},
{
    "key": "bovada",
    "title": "Bovada",
    "last_update": "2021-06-10T13:35:51Z",
    "markets": [
        {
            "key": "h2h",
            "outcomes": [
                {
                    "name": "Dallas Cowboys",
                    "price": 240
                },
                {
                    "name": "Tampa Bay Buccaneers",
                    "price": -290
                }
            ]
        },
        {
            "key": "spreads",
            "outcomes": [
                {
                    "name": "Dallas Cowboys",
                    "price": -110,
                    "point": 6.5
                },
                {
                    "name": "Tampa Bay Buccaneers",
                    "price": -110,
                    "point": -6.5
                }
            ]
        }
    ]
```

```
            },
            {
                "key": "williamhill_us",
                "title": "William Hill (US)",
                "last_update": "2021-06-10T13:34:10Z",
                "markets": [
                    {
                        "key": "h2h",
                        "outcomes": [
                            {
                                "name": "Dallas Cowboys",
                                "price": 240
                            },
                            {
                                "name": "Tampa Bay Buccaneers",
                                "price": -280
                            }
                        ]
                    },
                    {
                        "key": "spreads",
                        "outcomes": [
                            {
                                "name": "Dallas Cowboys",
                                "price": -110,
                                "point": 6.5
                            },
                            {
                                "name": "Tampa Bay Buccaneers",
                                "price": -110,
                                "point": -6.5
                            }
                        ]
                    }
                ]
            }
        ]
    },
...
```


#

Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

#

Usage Quota Costs

The usage quota cost is 1 per region per market.



Examples

- 1 market, 1 region

  Cost: 1

  Example `/v4/sports/americanfootball_nfl/odds?markets=h2h&regions=us&...`
- 3 markets, 1 region

  Cost: 3

  Example `/v4/sports/americanfootball_nfl/odds?markets=h2h,spreads,totals&regions=us&...`
- 1 market, 3 regions

  Cost: 3

  Example `/v4/sports/soccer_epl/odds?markets=h2h&regions=us,uk,eu&...`

- 3 markets, 3 regions

  Cost: 9

  Example:

  `/v4/sports/basketball_nba/odds?markets=h2h,spreads,totals&regions=us,uk,au&...`

> Keeping track of quota usage
>
> To keep track of usage credits, every API call includes the following response headers:

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

More info

- The list of events returned in the /odds endpoint mirrors events that are listed by major bookmakers. In other words, the API only returns events for which odds are available. For most sports, this usually includes games for the current round
- Events may temporarily become unavailable after a round, before bookmakers begin listing the next round of games
- Events may be unavailable if the sport is not in season. For popular sports, bookmakers may begin listing new season events a few months in advance

- If no events are returned, the request will not count against the usage quota
- To determine if an event is in-play, the `commence_time` can be used. If `commence_time` is less than the current time, the event is in-play. The /odds endpoint does not return completed events
- The market-level `last_update` field shows the last time our system saw odds for that market from the bookmaker. When a market is suspended or closed, its `last_update` stops advancing, and the market is removed from the API response after about 15 minutes. The bookmaker-level `last_update` field is deprecated.

#

GET scores

Returns a list of upcoming, live and recently completed games for a given sport. Live and recently completed games contain scores. Games from up to 3 days ago can be returned using the `daysFrom` parameter. Live scores update approximately every 30 seconds.

The scores endpoint applies to selected sports and is gradually being expanded to more sports. See the current list of covered sports and leagues.

#

Endpoint

```
GET /v4/sports/{sport}/scores/?apiKey={apiKey}&daysFrom={daysFrom}&dateFormat={dateFormat}
```

Parameters

- **sport** The sport key obtained from calling the /sports endpoint.
- **apiKey** The API key associated with your subscription. See usage plans
- **daysFrom** Optional - The number of days in the past from which to return completed games. Valid values are integers from `1` to `3`. If this parameter is missing, only live and upcoming games are returned.
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.
- **eventIds** Optional - Comma-separated game ids. Filters the response to only return games for the specified game ids.

Schema

For the detailed API spec, see the API Reference

Example Request

```
GET https://api.the-odds-api.com/v4/sports/basketball_nba/scores/?daysFrom=1&apiKey=YOUR_API_KEY
```

(opens new window)

Example Response


```
[
    {
        "id": "572d984e132eddaac3da93e5db332e7e",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-06T03:10:38Z",
        "completed": true,
        "home_team": "Sacramento Kings",
        "away_team": "Oklahoma City Thunder",
        "scores": [
            {
                "name": "Sacramento Kings",
                "score": "113"
            },
            {
                "name": "Oklahoma City Thunder",
                "score": "103"
            }
        ],
        "last_update": "2022-02-06T05:18:19Z"
    },
    {
        "id": "e2296d6d1206f8d185466876e2b444ea",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-06T03:11:26Z",
        "completed": true,
        "home_team": "Portland Trail Blazers",
        "away_team": "Milwaukee Bucks",
        "scores": [
            {
                "name": "Portland Trail Blazers",
                "score": "108"
            },
            {
                "name": "Milwaukee Bucks",
```

```
            "score": "137"
        }
    ],
    "last_update": "2022-02-06T05:21:01Z"
},
{
    "id": "8d8affc2e29bcafd3cdec8b414256cda",
    "sport_key": "basketball_nba",
    "sport_title": "NBA",
    "commence_time": "2022-02-06T20:41:04Z",
    "completed": true,
    "home_team": "Denver Nuggets",
    "away_team": "Brooklyn Nets",
    "scores": [
        {
            "name": "Denver Nuggets",
            "score": "124"
        },
        {
            "name": "Brooklyn Nets",
            "score": "104"
        }
    ],
    "last_update": "2022-02-06T22:50:22Z"
},
{
    "id": "aae8b3294ab2de36e63c614e44e94d80",
    "sport_key": "basketball_nba",
    "sport_title": "NBA",
    "commence_time": "2022-02-06T20:41:47Z",
    "completed": true,
    "home_team": "Minnesota Timberwolves",
    "away_team": "Detroit Pistons",
    "scores": [
        {
            "name": "Minnesota Timberwolves",
            "score": "118"
        },
        {
            "name": "Detroit Pistons",
            "score": "105"
```

```
            }
        ],
        "last_update":  "2022-02-06T22:52:29Z"
    },
    {
        "id":  "07767ff2952c6b025aa5584626db2910",
        "sport_key":  "basketball_nba",
        "sport_title":  "NBA",
        "commence_time":  "2022-02-06T20:42:13Z",
        "completed":  true,
        "home_team":  "Chicago Bulls",
        "away_team":  "Philadelphia 76ers",
        "scores":  [
            {
                "name":  "Chicago Bulls",
                "score":  "108"
            },
            {
                "name":  "Philadelphia 76ers",
                "score":  "119"
            }
        ],
        "last_update":  "2022-02-06T22:58:23Z"
    },
    {
        "id":  "3f63cadf65ad249c5bc6b1aac8ba426d",
        "sport_key":  "basketball_nba",
        "sport_title":  "NBA",
        "commence_time":  "2022-02-06T23:10:53Z",
        "completed":  true,
        "home_team":  "Orlando Magic",
        "away_team":  "Boston Celtics",
        "scores":  [
            {
                "name":  "Orlando Magic",
                "score":  "83"
            },
            {
                "name":  "Boston Celtics",
                "score":  "116"
            }
```

```
        ],
        "last_update": "2022-02-07T01:18:57Z"
    },
    {
        "id": "4843de62e910869ee34065ffe4c20137",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-06T23:11:42Z",
        "completed": true,
        "home_team": "Dallas Mavericks",
        "away_team": "Atlanta Hawks",
        "scores": [
            {
                "name": "Dallas Mavericks",
                "score": "103"
            },
            {
                "name": "Atlanta Hawks",
                "score": "94"
            }
        ],
        "last_update": "2022-02-07T01:26:29Z"
    },
    {
        "id": "e0f6669de3ae5af63162c3d9459184bf",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-06T23:12:42Z",
        "completed": true,
        "home_team": "Cleveland Cavaliers",
        "away_team": "Indiana Pacers",
        "scores": [
            {
                "name": "Cleveland Cavaliers",
                "score": "98"
            },
            {
                "name": "Indiana Pacers",
                "score": "85"
            }
        ],
```

```
        "last_update":  "2022-02-07T01:36:15Z"
    },
    {
        "id":  "a306576b1789dd1c884cc1aa61fda4bf",
        "sport_key":  "basketball_nba",
        "sport_title":  "NBA",
        "commence_time":  "2022-02-07T00:11:03Z",
        "completed":  true,
        "home_team":  "Houston Rockets",
        "away_team":  "New Orleans Pelicans",
        "scores":  [
            {
                "name":  "Houston Rockets",
                "score":  "107"
            },
            {
                "name":  "New Orleans Pelicans",
                "score":  "120"
            }
        ],
        "last_update":  "2022-02-07T02:25:17Z"
    },
    {
        "id":  "4b25562aa9e87b57aa16f970abaec8cc",
        "sport_key":  "basketball_nba",
        "sport_title":  "NBA",
        "commence_time":  "2022-02-07T02:11:01Z",
        "completed":  false,
        "home_team":  "Los Angeles Clippers",
        "away_team":  "Milwaukee Bucks",
        "scores":  [
            {
                "name":  "Los Angeles Clippers",
                "score":  "40"
            },
            {
                "name":  "Milwaukee Bucks",
                "score":  "37"
            }
        ],
        "last_update":  "2022-02-07T02:47:23Z"
```

```
    },
    {
        "id": "19434a586e3723c55cd3d028b90eb112",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-08T00:10:00Z",
        "completed": false,
        "home_team": "Charlotte Hornets",
        "away_team": "Toronto Raptors",
        "scores": null,
        "last_update": null
    },
    {
        "id": "444e56cbf5a6d534741bb8d1298e2d50",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-08T01:10:00Z",
        "completed": false,
        "home_team": "Oklahoma City Thunder",
        "away_team": "Golden State Warriors",
        "scores": null,
        "last_update": null
    },
    {
        "id": "16d461b95e9d643d7f2469f72c098a20",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2022-02-08T02:10:00Z",
        "completed": false,
        "home_team": "Utah Jazz",
        "away_team": "New York Knicks",
        "scores": null,
        "last_update": null
    }
]
```


Tip

The game `id` field in the scores response matches the game `id` field in the odds response

Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

The usage quota cost is 2 if the `daysFrom` parameter is specified (returning completed events), otherwise the usage quota cost is 1.

Examples

- Return live and upcoming games, and games completed within the last 3 days

  Only live and completed games will have scores

  Cost: 2

  Example `/v4/sports/americanfootball_nfl/scores?daysFrom=3&apiKey=...`
- Return live and upcoming games

  Only live games will have scores

  Cost: 1

  Example `/v4/sports/americanfootball_nfl/scores?apiKey=...`

Keeping track of quota usage

To keep track of usage credits, every API call includes the following response headers:

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

#

GET events

Returns a list of in-play and pre-match events for a specified sport or league. The response includes event id, home and away teams, and the commence time for each event. Odds are not included in the response. This endpoint does not count against the usage quota.

#

Endpoint

GET /v4/sports/{sport}/events?apiKey={apiKey}

#

Parameters

- **sport** The sport key obtained from calling the /sports endpoint

- **apiKey** The API key associated with your subscription. See usage plans
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.
- **eventIds** Optional - Comma-separated game ids. Filters the response to only return games with the specified ids.
- **commenceTimeFrom** Optional - filter the response to show games that commence on and after this parameter. Values are in ISO 8601 format, for example 2023-09-09T00:00:00Z. This parameter has no effect if the sport is set to 'upcoming'.
- **commenceTimeTo** Optional - filter the response to show games that commence on and before this parameter. Values are in ISO 8601 format, for example 2023-09-10T23:59:59Z. This parameter has no effect if the sport is set to 'upcoming'.
- **includeRotationNumbers** Optional - if `true`, the response will include the home and away rotation numbers if available. See this link for details. Valid values are `true` or `false`.

Schema

For the detailed API spec, see the API Reference

Example Request

GET

https://api.the-odds-api.com/v4/sports/americanfootball_nfl/events?apiKey=YOUR_API_KEY

(opens new window)

#

Example Response


```
[
    {
      "id": "a512a48a58c4329048174217b2cc7ce0",
      "sport_key": "americanfootball_nfl",
      "sport_title": "NFL",
      "commence_time": "2023-01-01T18:00:00Z",
      "home_team": "Atlanta Falcons",
      "away_team": "Arizona Cardinals"
    },
    {
      "id": "0ba747b1414a31b05ef37f0bf3d7fbe9",
      "sport_key": "americanfootball_nfl",
      "sport_title": "NFL",
      "commence_time": "2023-01-01T18:00:00Z",
      "home_team": "Tampa Bay Buccaneers",
      "away_team": "Carolina Panthers"
    },
    {
      "id": "d7120d8231032db343cb86b20cfaaf48",
      "sport_key": "americanfootball_nfl",
      "sport_title": "NFL",
      "commence_time": "2023-01-01T18:00:00Z",
      "home_team": "Detroit Lions",
      "away_team": "Chicago Bears"
    },
    {
      "id": "c7e2faa6faf714fbe08621a727604cd8",
      "sport_key": "americanfootball_nfl",
      "sport_title": "NFL",
      "commence_time": "2023-01-01T18:00:00Z",
```

```
    "home_team": "Washington Commanders",
    "away_team": "Cleveland Browns"
  },
  {
    "id": "2ed3fd0d267bbae31360e9f19d5adbab",
    "sport_key": "americanfootball_nfl",
    "sport_title": "NFL",
    "commence_time": "2023-01-01T18:00:00Z",
    "home_team": "Kansas City Chiefs",
    "away_team": "Denver Broncos"
  },
  ...
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

This endpoint does not count against the usage quota.

#

GET event odds

Returns odds for a single event. Accepts any available betting markets using the `markets` parameter. Coverage of non-featured markets is currently limited to selected bookmakers and sports, and expanding over time.

When to use this endpoint: Use this endpoint to access odds for any supported market. Since the volume of data returned can be large, these requests will only query one event at a time. If you are only interested in the most popular betting markets, including head-to-head (moneyline), spreads (handicap), over/under (totals), the main /odds endpoint is simpler to integrate and more cost-effective.

Endpoint

```
GET /v4/sports/{sport}/events/{eventId}/odds?apiKey={apiKey}&regions={regions}&markets={markets}&dateFormat={dateFormat}&oddsFormat={oddsFormat}
```

Parameters

Parameters are the same as for the /odds endpoint with exceptions listed below. All available market keys are accepted in the markets parameter.

- **eventId** The ID of an upcoming or live game, to be used in the URL path. Event ids can be found in the "id" field in the response of the events endpoint.
- **includeMultipliers** Optional. Applicable to US DFS sites. If `true`, the response will include the multipliers in each bet selection outcome if available. Valid values are `true` or `false`. Defaults to `false`.

Schema

For the detailed API spec, see the API Reference

Example Request

GET https://api.the-odds-api.com/v4/sports/americanfootball_nfl/events/a512a48a58c4329048174217b2cc7ce0/odds?apiKey=YOUR_API_KEY&regions=us&markets=player_pass_tds&oddsFormat=american

(opens new window)

Example Response

The response schema is almost the same as that of the /odds endpoint with a few differces:

- A single game is returned, determined by the `eventId` parameter.
- The `last_update` field is only available on the market level in the response and not on the bookmaker level. This reflects the fact that markets can update on their own schedule.
- Relevant markets will have a `description` field in their outcomes.


```
{
    "id": "a512a48a58c4329048174217b2cc7ce0",
    "sport_key": "americanfootball_nfl",
    "sport_title": "NFL",
    "commence_time": "2023-01-01T18:00:00Z",
    "home_team": "Atlanta Falcons",
    "away_team": "Arizona Cardinals",
    "bookmakers": [
```

```
{
    "key": "draftkings",
    "title": "DraftKings",
    "markets": [
        {
            "key": "player_pass_tds",
            "last_update": "2023-01-01T05:31:29Z",
            "outcomes": [
                {
                    "name": "Over",
                    "description": "David Blough",
                    "price": -205,
                    "point": 0.5
                },
                {
                    "name": "Under",
                    "description": "David Blough",
                    "price": 150,
                    "point": 0.5
                },
                {
                    "name": "Over",
                    "description": "Desmond Ridder",
                    "price": -270,
                    "point": 0.5
                },
                {
                    "name": "Under",
                    "description": "Desmond Ridder",
                    "price": 195,
                    "point": 0.5
                }
            ]
        }
    ]
},
{
    "key": "fanduel",
    "title": "FanDuel",
    "markets": [
        {
```

```
                "key": "player_pass_tds",
                "last_update": "2023-01-01T05:35:06Z",
                "outcomes": [
                    {
                        "name": "Over",
                        "description": "David Blough",
                        "price": -215,
                        "point": 0.5
                    },
                    {
                        "name": "Under",
                        "description": "David Blough",
                        "price": 164,
                        "point": 0.5
                    },
                    {
                        "name": "Over",
                        "description": "Desmond Ridder",
                        "price": 196,
                        "point": 1.5
                    },
                    {
                        "name": "Under",
                        "description": "Desmond Ridder",
                        "price": -260,
                        "point": 1.5
                    }
                ]
            }
        ]
    }
]
}
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets

- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

The usage quota cost depends on the number of markets and regions used in the request.



Examples of usage quota costs

- 1 market, 1 region

  Cost: 1

  Example

  `/v4/sports/americanfootball_nfl/events/a512a48a58c4329048174217b2cc7ce0/odds?markets=h2h&regions=us&...`
- 3 markets, 1 region

  Cost: 3

  Example

  `/v4/sports/americanfootball_nfl/events/a512a48a58c4329048174217b2cc7ce0/odds?markets=h2h,spreads,totals&regions=us&...`
- 1 market, 3 regions

  Cost: 3

  Example

  `/v4/sports/soccer_epl/events/037d7b6bb128546961e2a06680f63944/odds?markets=h2h&regions=us,uk,eu&...`

- 3 markets, 3 regions

  Cost: 9

  Example:

  `/v4/sports/basketball_nba/events/0b83beff5f82f8623eea93dbc1d7cd4e/odds?markets=h2h,spreads,totals&regions=us,uk,au&...`

> Keeping track of quota usage
>
> To keep track of usage credits, every API response includes the following response headers:

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

#

More info

- Responses with empty data do not count towards the usage quota.
- When calculating the market component of usage quota costs, a count of unique markets in the API response is used. For example if you specify 5 different markets and 1 region in the API call, and data is only available for 2 markets, the cost will be [2 markets] x [1 region] = 2

#

GET event markets

Returns available market keys for each bookmaker for a single event.

This endpoint only returns recently seen market keys for each bookmaker - it is not a comprehensive list of all supported markets. As an event's commence time approaches, this endpoint will return more market keys as bookmakers open more markets.

Endpoint

```
GET /v4/sports/{sport}/events/{eventId}/markets?apiKey={apiKey}&regions={regions}&dateFormat={dateFormat}
```

Parameters

- **sport** The sport key obtained from calling the sports endpoint.
- **eventId** The ID of an upcoming or live game. Event ids can be found in the "id" field in the response of the events endpoint.
- **apiKey** The API key associated with your subscription. See usage plans
- **regions** Determines the bookmakers to be returned. For example, `us`, `us2` (United States), `uk` (United Kingdom), `au` (Australia) and `eu` (Europe). Multiple regions can be specified if comma delimited. See the list of bookmakers by region.

- **bookmakers** Optional - Comma-separated list of bookmakers to be returned. If both `bookmakers` and `regions` are both specified, `bookmakers` takes priority. Bookmakers can be from any region. Every group of 10 bookmakers is the equivalent of 1 region. For example, specifying up to 10 bookmakers counts as 1 region. Specifying between 11 and 20 bookmakers counts as 2 regions.
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.

Schema

For the detailed API spec, see the API Reference

Example Request

GET https://api.the-odds-api.com/v4/sports/baseball_mlb/events/19699ba901294e39cb07fc4f19929a38/markets?apiKey=YOUR_API_KEY&regions=us

(opens new window)

Example Response


```
{
    "id": "19699ba901294e39cb07fc4f19929a38",
    "sport_key": "baseball_mlb",
    "sport_title": "MLB",
    "commence_time": "2025-08-06T16:36:00Z",
    "home_team": "Philadelphia Phillies",
    "away_team": "Baltimore Orioles",
```

```
        "bookmakers": [
            {
                "key": "fanduel",
                "title": "FanDuel",
                "markets": [
                    {
                        "key": "alternate_spreads",
                        "last_update": "2025-08-06T07:39:57Z"
                    },
                    {
                        "key": "batter_doubles",
                        "last_update": "2025-08-06T07:39:57Z"
                    },
                    {
                        "key": "batter_hits",
                        "last_update": "2025-08-06T07:39:57Z"
                    },
                    {
                        "key": "batter_home_runs",
                        "last_update": "2025-08-06T07:39:57Z"
                    },
```




Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

A call to this endpoint costs 1 usage credit.

#

GET participants

Returns list of participants for a given sport. Depending on the sport, a participant can be either a team or an individual. For example for NBA, a list of teams is returned. For tennis, a list of players is returned.

This endpoint does not return players on a team.

The returned list should be treated as a whitelist and may include participants that are not currently active.

Endpoint

```
GET /v4/sports/{sport}/participants?apiKey={apiKey}
```

Parameters

- **sport** The sport key obtained from calling the /sports endpoint
- **apiKey** The API key associated with your subscription. See usage plans

Schema

For the detailed API spec, see the API Reference

Example Request

GET

https://api.the-odds-api.com/v4/sports/americanfootball_nfl/participants?apiKey=YOUR_API_KEY

(opens new window)

#

Example Response


```
[
    {
        "full_name": "Arizona Cardinals",
        "id": "par_01hqmkr1xsfxmrj5pdq0f23asx"
    },
    {
        "full_name": "Atlanta Falcons",
        "id": "par_01hqmkr1xtexkbhkq7ct921rne"
    },
    {
        "full_name": "Baltimore Ravens",
        "id": "par_01hqmkr1xvev9rf557fy09k2cx"
    },
    {
        "full_name": "Buffalo Bills",
        "id": "par_01hqmkr1xwe6prjwr3j4gpqwx8"
    },
    {
        "full_name": "Carolina Panthers",
        "id": "par_01hqmkr1xxf2ebbqzb95qzxxxm"
    },
    {
        "full_name": "Chicago Bears",
        "id": "par_01hqmkr1xye20ahvp8fr2bvt74"
    },
    {
        "full_name": "Cincinnati Bengals",
        "id": "par_01hqmkr1xze7xbceshy9tka512"
    },
    {
```

```
        "full_name": "Cleveland Browns",
        "id": "par_01hqmkr1y0ez5bem3gdncd8a0d"
    },
    {
        "full_name": "Dallas Cowboys",
        "id": "par_01hqmkr1y1esas88pmaxe87by4"
    },
    {
        "full_name": "Denver Broncos",
        "id": "par_01hqmkr1y2e15tjsz9afcsj7da"
    },
    {
        "full_name": "Detroit Lions",
        "id": "par_01hqmkr1y3fex9sq94dgg1107y"
    },
    {
        "full_name": "Green Bay Packers",
        "id": "par_01hqmkr1y4ez38hyananses4hq"
    },
    {
        "full_name": "Houston Texans",
        "id": "par_01hqmkr1y5f63reha26n71p2jx"
    },
    {
        "full_name": "Indianapolis Colts",
        "id": "par_01hqmkr1y6f10rxbf8y2y2xthh"
    },
    {
        "full_name": "Jacksonville Jaguars",
        "id": "par_01hqmkr1y7e2r9kcn2qe0dt1d5"
    },
    {
        "full_name": "Kansas City Chiefs",
        "id": "par_01hqmkr1y8e9gt2q2rhmv196pv"
    },
    {
        "full_name": "Las Vegas Raiders",
        "id": "par_01hqmkr1y9fkaaeekn9w035jft"
    },
    {
        "full_name": "Los Angeles Chargers",
```

```
        "id":  "par_01hqmkr1yafvas6wtv3jfs9f7a"
    },
    {
        "full_name":  "Los Angeles Rams",
        "id":  "par_01hqmkr1ybfmfb8mhz10drfe21"
    },
    {
        "full_name":  "Miami Dolphins",
        "id":  "par_01hqmkr1ycf7dsbr1997gz03y9"
    },
    {
        "full_name":  "Minnesota Vikings",
        "id":  "par_01hqmkr1ydf6vrfmd5f07caj88"
    },
    {
        "full_name":  "New England Patriots",
        "id":  "par_01hqmkr1yeffz9y9spwv8bx3na"
    },
    {
        "full_name":  "New Orleans Saints",
        "id":  "par_01hqmkr1yfe62tp0rvy8bn2jyc"
    },
    {
        "full_name":  "New York Giants",
        "id":  "par_01hqmkr1ygfzrv5sqe2v97c43e"
    },
    {
        "full_name":  "New York Jets",
        "id":  "par_01hqmkr1yhe4sb3y0wfzga67tf"
    },
    {
        "full_name":  "Philadelphia Eagles",
        "id":  "par_01hqmkr1yjedgakx37g743855e"
    },
    {
        "full_name":  "Pittsburgh Steelers",
        "id":  "par_01hqmkr1yker5bwcznt0b1jpj1"
    },
    {
        "full_name":  "San Francisco 49ers",
        "id":  "par_01hqmkr1ymfv0a8kfg96ha10ag"
```

```
    },
    {
        "full_name": "Seattle Seahawks",
        "id": "par_01hqmkr1ynfwaa91y9zvagkavd"
    },
    {
        "full_name": "Tampa Bay Buccaneers",
        "id": "par_01hqmkr1ypeszan8sq8dh7rqbg"
    },
    {
        "full_name": "Tennessee Titans",
        "id": "par_01hqmkr1yqexebpc06vyfwxqqm"
    },
    {
        "full_name": "Washington Commanders",
        "id": "par_01hqmkr1yrfsvbjjasn01a7xz4"
    }
]
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

A call to this endpoint costs 1 usage credit.

GET historical odds

Returns a snapshot of games with bookmaker odds for a given sport, region and market, at a given historical timestamp. Historical odds data is available from June 6th 2020, with snapshots taken at 10 minute intervals. From September 2022, historical odds snapshots are available at 5 minute intervals. This endpoint is only available on paid usage plans.

Endpoint

```
GET /v4/historical/sports/{sport}/odds?apiKey={apiKey}&regions={regions}&markets={markets}&date={date}
```

Parameters

Parameters are the same as for the /odds endpoint, with the addition of the `date` parameter.

- **date** The timestamp of the data snapshot to be returned, specified in ISO8601 format, for example `2021-10-18T12:00:00Z` The historical odds API will return the closest snapshot equal to or earlier than the provided `date` parameter.

Schema

For a detailed API spec, see the API Reference

#

Example Request

```
GET https://api.the-odds-api.com/v4/historical/sports/americanfootball_nfl/odds/?apiKey=YOUR_API_KEY&regions=us&markets=h2h&oddsFormat=american&date=2021-10-18T12:00:00Z
```

(opens new window)

#

Example Response

The response schema is the same as that of the /odds endpoint, but wrapped in a structure that contains information about the snapshot, including:

- timestamp: The timestamp of the snapshot. This will be the closest available timestamp equal to or earlier than the provided `date` parameter.
- previous_timestamp: the preceding available timestamp. This can be used as the `date` parameter in a new request to move back in time.
- next_timestamp: The next available timestamp. This can be used as the `date` parameter in a new request to move forward in time.

More sample responses for selected sports


```
{
    "timestamp": "2021-10-18T11:55:00Z",
    "previous_timestamp": "2021-10-18T11:45:00Z",
    "next_timestamp": "2021-10-18T12:05:00Z",
    "data": [
        {
            "id": "4edd5ce090a3ec6192053b10d27b87b0",
```

```
"sport_key": "americanfootball_nfl",
"sport_title": "NFL",
"commence_time": "2021-10-19T00:15:00Z",
"home_team": "Tennessee Titans",
"away_team": "Buffalo Bills",
"bookmakers": [
    {
        "key": "draftkings",
        "title": "DraftKings",
        "last_update": "2021-10-18T11:48:09Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -294
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 230
                    }
                ]
            }
        ]
    },
    {
        "key": "twinspires",
        "title": "TwinSpires",
        "last_update": "2021-10-18T11:48:00Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -278
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 220
```

```
                    }
                ]
            }
        ]
    },
    {
        "key": "betfair",
        "title": "Betfair",
        "last_update": "2021-10-18T11:48:25Z",
        "markets": [
            {
                "key": "h2h_lay",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -233
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 240
                    }
                ]
            },
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -238
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 230
                    }
                ]
            }
        ]
    },
    {
        "key": "sugarhouse",
        "title": "SugarHouse",
```

```
        "last_update": "2021-10-18T11:48:27Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -263
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 228
                    }
                ]
            }
        ]
    },
    {
        "key": "betrivers",
        "title": "BetRivers",
        "last_update": "2021-10-18T11:45:46Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -263
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 228
                    }
                ]
            }
        ]
    },
    {
        "key": "barstool",
        "title": "Barstool Sportsbook",
        "last_update": "2021-10-18T11:48:21Z",
```

```
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -278
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 220
                    }
                ]
            }
        ]
    },
    {
        "key": "fanduel",
        "title": "FanDuel",
        "last_update": "2021-10-18T11:47:58Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -270
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 220
                    }
                ]
            }
        ]
    },
    {
        "key": "betmgm",
        "title": "BetMGM",
        "last_update": "2021-10-18T11:44:23Z",
        "markets": [
```

```
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -250
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 210
                    }
                ]
            }
        ]
    },
    {
        "key": "unibet",
        "title": "Unibet",
        "last_update": "2021-10-18T11:49:57Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -263
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 225
                    }
                ]
            }
        ]
    },
    {
        "key": "williamhill_us",
        "title": "William Hill (US)",
        "last_update": "2021-10-18T11:48:21Z",
        "markets": [
            {
```

```
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -270
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 220
                    }
                ]
            }
        ]
    },
    {
        "key": "betonlineag",
        "title": "BetOnline.ag",
        "last_update": "2021-10-18T11:48:28Z",
        "markets": [
            {
                "key": "h2h",
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -256
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 215
                    }
                ]
            }
        ]
    },
    {
        "key": "pointsbetus",
        "title": "PointsBet (US)",
        "last_update": "2021-10-18T11:48:46Z",
        "markets": [
            {
                "key": "h2h",
```

```
                "outcomes": [
                    {
                        "name": "Buffalo Bills",
                        "price": -263
                    },
                    {
                        "name": "Tennessee Titans",
                        "price": 210
                    }
                ]
            }
        ]
    },
...
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

The usage quota cost for historical odds is 10 per region per market.



Examples of usage quota costs for historical odds

- 1 market, 1 region

  Cost: 10

Example

`/v4/historical/sports/americanfootball_nfl/odds?markets=h2h&regions=us&...`

- 3 markets, 1 region

  Cost: 30

  Example

  `/v4/historical/sports/americanfootball_nfl/odds?markets=h2h,spreads,totals&regions=us&...`

- 1 market, 3 regions

  Cost: 30

  Example

  `/v4/historical/sports/soccer_epl/odds?markets=h2h&regions=us,uk,eu&...`

- 3 markets, 3 regions

  Cost: 90

  Example:

  `/v4/historical/sports/basketball_nba/odds?markets=h2h,spreads,totals&regions=us,uk,au&...`

Keeping track of quota usage

To keep track of usage credits, every API response includes the following response headers:

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

#

More info

- Responses with empty data do not count towards the usage quota.
- Prior to Septemer 18th 2022, only decimal odds were caputred in historical snapshots. American odds before this time are calculated from decimal odds and may include small rounding errors.
- Data errors aren't common but they can occur from time to time. We are usually quick to correct errors in the current odds API, however they can still be present in historical odds snapshots. In future we plan to remove known errors from historical snapshots.
- Bookmakers, sports and markets will only be available in the historical odds API from the time that they were added to the current odds API.

#

GET historical events

Returns a list of historical events as they appeared in the API at the given timestamp (`date` parameter). This includes events that had odds available at the query's timestamp. The response includes event ID, home and away teams, and the commence time for each event. Odds are not included in the response. This endpoint can be used to find historical event IDs to be used in the historical event odds endpoint. This endpoint is only available on paid usage plans.

#

Endpoint

```
GET /v4/historical/sports/{sport}/events?apiKey={apiKey}&date={date}
```

#

Parameters

- **sport** The sport key obtained from calling the /sports endpoint
- **apiKey** The API key associated with your subscription. See usage plans
- **date** The timestamp of the data snapshot to be returned, specified in ISO8601 format, for example `2021-10-18T12:00:00Z` The historical odds API will return the closest snapshot equal to or earlier than the provided `date` parameter.
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.
- **eventIds** Optional - Comma-separated game ids. Filters the response to only return games with the specified ids.
- **commenceTimeFrom** Optional - filter the response to show games that commence on and after this parameter. Values are in ISO 8601 format, for example 2023-09-09T00:00:00Z. This parameter has no effect if the sport is set to 'upcoming'.
- **commenceTimeTo** Optional - filter the response to show games that commence on and before this parameter. Values are in ISO 8601 format, for example 2023-09-10T23:59:59Z. This parameter has no effect if the sport is set to 'upcoming'.

- **includeRotationNumbers** Optional - if `true`, the response will include the home and away rotation numbers if available. See this link for details. Valid values are `true` or `false`.

Schema

For the detailed API spec, see the API Reference

Example Request

```
GET https://api.the-odds-api.com/v4/historical/sports/basketball_nba/events?apiKey=YOUR_API_KEY&date=2023-11-29T22:42:00Z
```

(opens new window)

Example Response

The response schema is almost the same as that of the /events endpoint, but wrapped in a structure that contains information about the snapshot, including:

- timestamp: The timestamp of the snapshot. This will be the closest available timestamp equal to or earlier than the provided date parameter.
- previous_timestamp: the preceding available timestamp. This can be used as the date parameter in a new request to move back in time.
- next_timestamp: The next available timestamp. This can be used as the date parameter in a new request to move forward in time.

```
{
    "timestamp": "2023-11-29T22:40:39Z",
    "previous_timestamp": "2023-11-29T22:35:39Z",
    "next_timestamp": "2023-11-29T22:45:40Z",
    "data": [
        {
            "id": "da359da99aa27e97d38f2df709343998",
            "sport_key": "basketball_nba",
            "sport_title": "NBA",
            "commence_time": "2023-11-30T00:10:00Z",
            "home_team": "Detroit Pistons",
            "away_team": "Los Angeles Lakers"
        },
        {
            "id": "0a502b246aa29f8ac2edb7a3ddf71ae9",
            "sport_key": "basketball_nba",
            "sport_title": "NBA",
            "commence_time": "2023-11-30T00:10:00Z",
            "home_team": "Orlando Magic",
            "away_team": "Washington Wizards"
        },
        {
            "id": "2667f897a67e6cdad61bd26a3b941d83",
            "sport_key": "basketball_nba",
            "sport_title": "NBA",
            "commence_time": "2023-11-30T00:40:00Z",
            "home_team": "Toronto Raptors",
            "away_team": "Phoenix Suns"
        },
        ...
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

#
Usage Quota Costs

This endpoint costs 1 from usage quota. If no events are found, it will not cost.

#
GET historical event odds

Returns historical odds for a single event as they appeared at a specified timestamp. Accepts any available betting markets using the `markets` parameter. Historical data for additional markets (player props, alternate lines, period markets) are available after 2023-05-03T05:30:00Z. This endpoint is only available on paid usage plans.

> Tip
>
> When querying historical odds for featured markets, the historical odds endpoint is simpler to implement and more cost-effective.

#
Endpoint

```
GET /v4/historical/sports/{sport}/events/{eventId}/odds?apiKey={apiKey}&regions={regions}&markets={markets}&dateFormat={dateFormat}&oddsFormat={oddsFormat}&date={date}
```

#
Parameters

Parameters are the same as for the /odds endpoint, with additional parameters listed below. All available market keys are accepted in the markets parameter.

- **eventId** The ID of a historical game, to be used in the URL path. Historical event ids can be found in the "id" field in the response of the historical events endpoint.
- **date** The timestamp of the data snapshot to be returned, specified in ISO8601 format, for example `2023-11-29T22:42:00Z` The historical odds API will return the closest snapshot equal to or earlier than the provided `date` parameter. Historical data for additional markets are available after 2023-05-03T05:30:00Z. Snapshots are available at 5 minute intervals.
- **includeMultipliers** Optional. Applicable to US DFS sites. If `true`, the response will include the multipliers in each bet selection outcome if available. Valid values are `true` or `false`. Defaults to `false`.

Schema

For the detailed API spec, see the API Reference

Example Request

```
GET https://api.the-odds-api.com/v4/historical/sports/basketball_nba/events/da359da99aa27e97d38f2df709343998/odds?apiKey=YOUR_API_KEY&date=2023-11-29T22:45:00Z&regions=us&markets=player_points,h2h_q1
```

(opens new window)

Example Response

The response schema is almost the same as that of the /event odds endpoint, but wrapped in a structure that contains information about the snapshot, including:

- timestamp: The timestamp of the snapshot. This will be the closest available timestamp equal to or earlier than the provided date parameter.
- previous_timestamp: the preceding available timestamp. This can be used as the date parameter in a new request to move back in time.
- next_timestamp: The next available timestamp. This can be used as the date parameter in a new request to move forward in time.


```
{
    "timestamp": "2023-11-29T22:40:39Z",
    "previous_timestamp": "2023-11-29T22:35:39Z",
    "next_timestamp": "2023-11-29T22:45:40Z",
    "data": {
        "id": "da359da99aa27e97d38f2df709343998",
        "sport_key": "basketball_nba",
        "sport_title": "NBA",
        "commence_time": "2023-11-30T00:10:00Z",
        "home_team": "Detroit Pistons",
        "away_team": "Los Angeles Lakers",
        "bookmakers": [
            {
                "key": "draftkings",
                "title": "DraftKings",
                "last_update": "2023-11-29T22:40:09Z",
                "markets": [
                    {
                        "key": "h2h_q1",
                        "last_update": "2023-11-29T22:40:55Z",
```

```
            "outcomes": [
                {
                    "name": "Detroit Pistons",
                    "price": 2.5
                },
                {
                    "name": "Los Angeles Lakers",
                    "price": 1.56
                }
            ]
        },
        {
            "key": "player_points",
            "last_update": "2023-11-29T22:40:55Z",
            "outcomes": [
                {
                    "name": "Over",
                    "description": "Anthony Davis",
                    "price": 1.83,
                    "point": 23.5
                },
                {
                    "name": "Under",
                    "description": "Anthony Davis",
                    "price": 1.91,
                    "point": 23.5
                },
                {
                    "name": "Over",
                    "description": "Ausar Thompson",
                    "price": 1.87,
                    "point": 11.5
                },
                {
                    "name": "Under",
                    "description": "Ausar Thompson",
                    "price": 1.87,
                    "point": 11.5
                },
                {
                    "name": "Over",
```

```
            "description": "Cade Cunningham",
            "price": 1.91,
            "point": 23.5
        },
        {
            "name": "Under",
            "description": "Cade Cunningham",
            "price": 1.83,
            "point": 23.5
        },
        {
            "name": "Over",
            "description": "D'Angelo Russell",
            "price": 1.87,
            "point": 14.5
        },
        ...
```

Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

The usage quota cost depends on the number of markets and regions used in the request.

Examples of usage quota costs

- 1 market, 1 region

  Cost: 10

  Example

  ```
  /v4/historical/sports/americanfootball_nfl/events/a512a48a58c4329048174217b2cc7ce0/odds?markets=player_pass_tds&regions=us&...
  ```

- 3 markets, 1 region

  Cost: 30

  Example

  ```
  /v4/historical/sports/americanfootball_nfl/events/a512a48a58c4329048174217b2cc7ce0/odds?markets=player_pass_tds,player_anytime_td,player_rush_longest&regions=us&...
  ```

- 1 market, 3 regions

  Cost: 30

  Example

  ```
  /v4/historical/sports/basketball_nba/events/037d7b6bb128546961e2a06680f63944/odds?markets=player_points&regions=us,us2,au&...
  ```

- 3 markets, 3 regions

  Cost: 90

  Example:

  ```
  /v4/historical/sports/basketball_nba/events/0b83beff5f82f8623eea93dbc1d7cd4e/odds?markets=player_points,player_assists,alternate_spreads&regions=us,us2,au&...
  ```

Keeping track of quota usage

To keep track of usage credits, every API response includes the following response headers:

- x-requests-used
- x-requests-remaining
- x-requests-last

More info

- Responses with empty data do not count towards the usage quota.
- When calculating the market component of usage quota costs, a count of unique markets in the API response is used. For example if you specify 5 different markets and 1 region in the API call, and data is only available for 2 markets, the cost will be 10 x [2 markets] x [1 region] = 20

GET historical event markets

Returns available market keys for each bookmaker for a single event, as they appeared at a specified timestamp.

This endpoint only returns market keys that were available for each bookmaker at the time of the snapshot - it is not a comprehensive list of all supported markets. As an event's commence time approaches, this endpoint will usually return more market keys as bookmakers open more markets.

Endpoint

```
GET /v4/historical/sports/{sport}/events/{eventId}/markets?apiKey={apiKey}&regions={regions}&dateFormat={dateFormat}&date={date}
```

Parameters

- **sport** The sport key obtained from calling the sports endpoint.
- **eventId** The ID of an upcoming or live game. Event ids can be found in the "id" field in the response of the events endpoint.
- **apiKey** The API key associated with your subscription. See usage plans
- **regions** Determines the bookmakers to be returned. For example, `us`, `us2` (United States), `uk` (United Kingdom), `au` (Australia) and `eu` (Europe). Multiple regions can be specified if comma delimited. See the list of bookmakers by region.
- **bookmakers** Optional - Comma-separated list of bookmakers to be returned. If both `bookmakers` and `regions` are both specified, `bookmakers` takes priority. Bookmakers can be from any region. Every group of 10 bookmakers is the equivalent of 1 region. For example, specifying up to 10 bookmakers counts as 1 region. Specifying between 11 and 20 bookmakers counts as 2 regions.
- **dateFormat** Optional - Determines the format of timestamps in the response. Valid values are `unix` and `iso` (ISO 8601). Defaults to `iso`.

- **date** The timestamp of the data snapshot to be returned, specified in ISO8601 format, for example `2021-10-18T12:00:00Z` The historical odds API will return the closest snapshot equal to or earlier than the provided `date` parameter.

Schema

For a detailed API spec, see the API Reference

Example Request

GET https://api.the-odds-api.com/v4/historical/sports/baseball_mlb/events/2a828119814add28306d706ccb802ac3/markets?date=2026-09-14T20:30:00Z&regions=us&apiKey=YOUR_API_KEY

(opens new window)

Example Response


```
{
    "timestamp": "2026-09-14T20:25:36Z",
    "previous_timestamp": "2026-09-14T20:20:36Z",
    "next_timestamp": "2026-09-14T20:30:36Z",
    "data": {
        "id": "2a828119814add28306d706ccb802ac3",
        "sport_key": "baseball_mlb",
        "sport_title": "MLB",
        "commence_time": "2026-09-14T22:41:00Z",
        "home_team": "Cleveland Guardians",
        "away_team": "Chicago White Sox",
        "bookmakers": [
```

```
            {
                "key": "fanduel",
                "title": "FanDuel",
                "markets": [
                    {
                        "key": "batter_first_home_run",
                        "last_update": "2026-09-14T20:25:16Z"
                    },
                    {
                        "key": "batter_hits_alternate",
                        "last_update": "2026-09-14T20:25:16Z"
                    },
                    {
                        "key": "batter_hits_runs_rbis_alternate",
                        "last_update": "2026-09-14T20:25:16Z"
                    },
                    {
                        "key": "batter_home_runs_alternate",
                        "last_update": "2026-09-14T20:25:16Z"
                    },
                    {
                        "key": "batter_rbis_alternate",
                        "last_update": "2026-09-14T20:25:16Z"
                    },
                    ...
```


Response Headers

The following response headers are returned

- **x-requests-remaining** The usage credits remaining until the quota resets
- **x-requests-used** The usage credits used since the last quota reset
- **x-requests-last** The usage cost of the last API call

Usage Quota Costs

A call to this endpoint costs 1 usage credit.