Jamia Millia Islamia
A Central University
(NAAC Accredited 'A' Grade)

A
PROJECT REPORT
ON
"Daily Delivery" (E-commers website)

Submitted by:

Uvesh Ahmad (18DCS8064) Aamir ilyas (17DCS8029)
Adnaan Ansari (18DCS8065)

In the partial Fulfillment of

Diploma in Computer Engineering

Jamia Millia Islamia

Under the supervision of

Ms. Supriya

Supervisor, Computer Engineering

UNIVERSITY POLYTECHNIC

Faculty of Engineering & Technology
Jamia Millia Islamia

2020-2021

جامعہ ملیّہ اسلامیہ
जामिया मिल्लिया इस्लामिया

Jamia Millia Islamia
A Central University

Date: 20/03/2021

CERTIFICATE

This is to certify that the project entitled "**Daily Delivery website**" submitted by **Uvesh Ahmad (18DCS8064), Adnaan Ansari (18DCS-8056),** and **Aamir ilyas (17DCS8029)** in partial fulfillment of the requirement for the award of the Diploma in Computer. They have worked under my guidance and supervision and have fulfilled all the requirements for the submission.

Uvesh Ahmad (18DCS8064) **Aamir ilyas (17DCS8029)**

Adnaan Ansari (18DCS8065)

Supriya

Ms. Supriya

(Supervisor)

Approved by

Sunil	Dr. Mumtaz Ahmad
(Section In-charge)	(Acting Principal)
Computer Engineering Section	University Polytechnic

ACKNOWLEDGEMENT

We are highly indebted to the project Supervisor **Ms.Supriya** and **all other respected Teachers of Computer Engineering, Jamia Millia Islamia, New Delhi** for enabling us to work on such a project. Their constant encouragement and valuable guidance has been very precious. We are thankful to them for all the formal and informal discussion , constructive criticism and valuable suggestions which were a guiding factor in continuous improvement in project.

We are highly thankful to the friends and colleagues who gave the required confidence and support that always helped in boosting the morale and provide great and much needed motivation.

Place : New Delhi,
Date: 20 December,2021

ABSTRACT

The purpose of Daily Delivery is to automate the existing manual system by the help of computerized equipment's and full-fledged computer software, fulfilling their requirements, so that their valuable data /information can be stored for a longer period with easy accessing and manipulation of the same. The required software and hardware are easily available and easy to work with.

Online Daily Delivery (website), as described above, can lead to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus it will help organization in better utilization of resources. The organization can maintain computerized records without redundant entries. That means that one need not be distracted by information that is not relevant, while being able to reach the information.The aim is to automate its existing manual system by the help of computerized equipments and full-fledged computer software, fulfilling their requirements, so that their valuable data/information can be stored for a longer period with easy accessing and manipulation of the same. Basically the project describes how to manage for good performance and better services for the clients.

Table of Contents

CHAPTER 1

INTRODUCTION

The "Daily Delivery " has been developed to override the problems prevailing in the practicing manual system. This software is supported to eliminate and in some cases reduce the hardships faced by this existing system. Moreover this system is designed for the particular need of the company to carry out operations in a smooth and effective manner.

The website is reduced as much as possible to avoid errors while entering the data. It also provides error message while entering invalid data. No formal knowledge is needed for the user to use this system. Thus by this all it proves it is user-friendly. Daily Delivery, as described above, can lead to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus it will help organization in better utilization of resources.

Every organization, whether big or small, has challenges to overcome and managing the information of Category, Daily Delivery, Order, Payment, Product Every Daily Delivery has different Daily Delivery needs, therefore we design exclusive employee management systems that are adapted to your managerial requirements. This is designed to assist in strategic planning, and will help you ensure that your organization is equipped with the right level of information and details for your future goals. Also, for those busy executive who are always on the go, our systems come with remote access features, which will allow you to manage your workforce anytime, at all times. These systems will ultimately allow you to better manage resources.

CHAPTER 2

OBJECTIVE

The main objective of the Project on Online Daily Delivery is to manage the details of product, Category, Customer, Order, product. It manages all the information about vegetables, fruits, masala, etc Shop, Payment, Daily Delivery. The project is totally built at administrative end and thus only the administrator is guaranteed the access. The purpose of the project is to build an website to reduce the manual work for managing the Daily Delivery, Category, Payment, Customer. It tracks all the details about the Customer, Order, product. The Internet makes human life easy from booking to shopping websites. Groceries are an essential thing in human life to run day to day life. This innovative idea brings the whole shopping experience within the hand in very few clicks away. Online shopping helps people save more time and new experiences to explore with the help of the Internet. Online E-commerce is the best example showcasing usage of the Internet in the country. Users are interested to purchase food items, fresh vegetables, fruits, and other grocery products online using the internet.

2.1 Functionalities provided by Online Daily Delivery are as follows:

- Online Daily Delivery also manage the Payment details online for Order details, product details, Daily Delivery.
- It tracks all the information of Category, Payment, Order etc.
- Manage the information of Category
- Shows the information and description of the Daily Delivery, Customer
- To increase efficiency of managing the Daily Delivery, Category
- It deals with monitoring the information and transactions of Order.
- Manage the information of Daily Delivery

- Editing, adding and updating of Records is improved which results in proper resource management of Daily Delivery data.
- Manage the information of Order
- Integration of all records of product.

CHAPTER 3

SCOPE

It may help collecting perfect management in details. In a very short time, the collection will be obvious, simple and sensible. It will help a person to know the management of passed year perfectly and vividly. It also helps in current all works relative to Online Daily Delivery. It will be also reduced the cost of collecting the management & collection procedure will go on smoothly.

Our project aims at Business process automation, i.e. we have tried to computerize various processes of Online Daily Delivery. .

- In computer system, it is not necessary to create the manifest but we can directly print it, which saves our time.
- To assist the staff in capturing the effort spent on their respective working areas.
- To utilize resources in an efficient manner by increasing their productivity through automation.
- The system generates types of information that can be used for various purposes.
- It satisfy the user requirement
- Be easy to understand by the user and operator
- Be easy to operate
- Have a good user interface
- Be expandable
- Delivered on schedule within the budget.

CHAPTER 4

MODULES :

- **Daily Delivery Management Module**: Used for managing the Daily Delivery details.
- **Daily Delivery**: Used for managing the details of product.
- **Payment Module** : Used for managing the details of Payment
- **Category Management Module**: Used for managing the information and details of the Category.
- **Customer Module** : Used for managing the Customer details
- **Order Module :** Used for managing the Order information
- **Login Module**: Used for managing the login details
- **Users Module** : Used for managing the users of the system

CHAPTER 5

INPUT DATA AND VALIDATION:

- All the fields such as Daily Delivery, Customer, food product are validated and does not take invalid values.
- Each form for Daily Delivery website, Category, Payment can not accept blank value fields
- Avoiding errors in data
- Controlling amount of input
- Integration of all the modules/forms in the system.
- Preparation of the test cases.
- Preparation of the possible test data with all the validation checks.
- Actual testing done manually.
- Recording of all the reproduced errors.
- Modifications done for the errors found during testing.
- Prepared the test result scripts after rectification of the errors.
- Validations for user input.
- Checking of the Coding standards to be maintained during coding.
- Testing the module with all the possible test data.
- Testing of the functionality involving all type of calculations etc.
- Commenting standard in the source files.

CHAPTER 6

FEATURES OF THE PROJECT

- Product and Component based
- Creating & Changing Issues at ease
- Query Issue List to any depth
- Reporting & Charting in more comprehensive way
- User Accounts to control the access and maintain security
- Simple Status & Resolutions
- Multi-level Priorities & Severities.
- Targets & Milestones for guiding the programmers
- Attachments & Additional Comments for more information
- Robust database back-end
- Various level of reports available with a lot of filter criteria's It contain better storage capacity.
- Accuracy in work.
- Easy & fast retrieval of information.
- Well designed reports.
- Decrease the load of the person involve in existing manual system.
- Access of any information individually.
- Work becomes very speedy.
- Easy to update information

CHAPTER 7

SOFTWARE REQUIREMENT SPECIFICATION:

The Software Requirements Specification is produced at the culmination of the analysis task. The function and performance allocated to software as part of system engineering are refined by establishing a complete information description, a detailed functional and behavioral description, an indication of performance requirements and design constraints, appropriate validation criteria, and other data pertinent to requirements.

7.1 The proposed system has the following requirements:

- System needs store information about new entry of Daily Delivery website.
- System needs to help the internal staff to keep information of Category and find them as per various queries.
- System need to maintain quantity record.
- System need to keep the record of Customer.
- System need to update and delete the record.
- System also needs a search area.
- It also needs a security system to prevent data.

CHAPTER 8

IDENTIFICATION OF NEED:

The old manual system was suffering from a series of drawbacks. Since whole of the system was to be maintained with hands the process of keeping, maintaining and retrieving the information was very tedious and lengthy. The records were never used to be in a systematic order. there used to be lots of difficulties in associating any particular transaction with a particular context. If any information was to be found it was required to go through the different registers, documents there would never exist anything like report generation. There would always be unnecessary consumption of time while entering records and retrieving records. One more problem was that it was very difficult to find errors while entering the records. Once the records were entered it was very difficult to update these records.

The reason behind it is that there is lot of information to be maintained and have to be kept in mind while running the business .For this reason we have provided features Present system is partially automated (computerized), actually existing system is quite laborious as one has to enter same information at three different places.

CHAPTER 9

FEASIBILITY STUDY:

After doing the project Online Daily Delivery web site, study and analyzing all the existing or required functionalities of the system, the next task is to do the feasibility study for the project. All projects are feasible - given unlimited resources and infinite time. Feasibility study includes consideration of all the possible ways to provide a solution to the given problem. The proposed solution should satisfy all the user requirements and should be flexible enough so that future changes can be easily done based on the future upcoming requirements.

9.1 A. Economical Feasibility:

This is a very important aspect to be considered while developing a project. We decided the technology based on minimum possible cost factor.

- All hardware and software cost has to be borne by the organization.
- Overall we have estimated that the benefits the organization is going to receive from the proposed system will surely overcome the initial costs and the later on running cost for system.

9.2B. Technical Feasibility

This included the study of function, performance and constraints that may affect the ability to achieve an acceptable system. For this feasibility study, we studied complete functionality to be provided in the system, as described in the System Requirement Specification (SRS), and checked if everything was possible using different type of frontend and backend platform.

9.3C. Operational Feasibility

No doubt the proposed system is fully GUI based that is very user friendly and all inputs to be taken all self-explanatory even to a layman. Besides, a proper training has been conducted to let know the essence of the system to the users so that they feel comfortable with new system. As far our study is concerned the clients are comfortable and happy as the system has cut down their loads and doing.

CHAPTER 10

SYSTEM DESIGN

In this phase, a logical system is built which fulfils the given requirements. Design phase of software development deals with transforming the clients's requirements into a logically working system. Normally, design is performed in the following in the following two steps:

11.1 Primary Design Phase:

In this phase, the system is designed at block level. The blocks are created on the basis of analysis done in the problem identification phase. Different blocks are created for different functions emphasis is put on minimising the information flow between blocks. Thus, all activities which require more interaction are kept in one block.

11.2 Secondary Design Phase:

In the secondary phase the detailed design of every block is performed.

11.3 The general tasks involved in the design process are the following:

1. Design various blocks for overall system processes.
2. Design smaller, compact and workable modules in each block.
3. Design various database structures.
4. Specify details of programs to achieve desired functionality.
5. Design the form of inputs, and outputs of the system.
6. Perform documentation of the design.
7. System reviews.

11.4 User Interface Design

User Interface Design is concerned with the dialogue between a user and the computer. It is concerned with everything from starting the system or logging into the system to the eventually presentation of desired inputs and outputs. The overall flow of screens and messages is called a dialogue.

11.5 The following steps are various guidelines for User Interface Design:

1. The system user should always be aware of what to do next.
2. The screen should be formatted so that various types of information, instructions and messages always appear in the same general display area.
3. Message, instructions or information should be displayed long enough to allow the system user to read them.
4. Use display attributes sparingly.
5. Default values for fields and answers to be entered by the user should be specified.
6. A user should not be allowed to proceed without correcting an error.
7. The system user should never get an operating system message or fatal error.

CHAPTER 11

PROJECT CATEGORY

Relational Database Management System (RDBMS) : This is an RDBMS based project which is currently using MySQL for all the transaction statements. MySQL is an opensource RDBMS System.

12.1 Brief Introduction about RDBMS :

A relational database management system (RDBMS) is a database management system (DBMS) that is based on the relational model as invented by E. F. Codd, of IBM's San Jose Research Laboratory. Many popular databases currently in use are based on the relational database model.

RDBMSs have become a predominant choice for the storage of information in new databases used for financial records, manufacturing and logistical information, personnel data, and much more since the 1980s. Relational databases have often replaced legacy hierarchical databases and network databases because they are easier to understand and use. However, relational databases have been challenged by object databases, which were introduced in an attempt to address the object-relational impedance mismatch in relational database, and XML databases.



12.2 Implementation Methodology:

Model View Controller or MVC as it is popularly called, is a software design pattern for developing web applications. A Model View Controller pattern is made up of the following three parts:

- **Model** - The lowest level of the pattern which is responsible for maintaining data.
  View - This is responsible for displaying all or a portion of the data to the user.
- **Controller** - Software Code that controls the interactions between the Model and View.

MVC is popular as it isolates the application logic from the user interface layer and supports separation of concerns. Here the Controller receives all requests for the application and then works with the Model to prepare any data needed by the View. The View then uses the data prepared by the Controller to generate a final presentable response. The MVC abstraction can be graphically represented as follows.

MVC (Model View Controller Flow) Diagram

DATA FLOW DIAGRAM



CHAPTER 12

PROJECT SCHEDULING:

An elementary Gantt chart or Timeline chart for the development plan is given below. The plan explains the tasks versus the time (in weeks) they will take to complete.



W*i*'s are weeks of the months, for i =1, 2, 3, 4

CHAPTER 13

<u>Tools/Platform, Hardware and Software Requirement specifications:</u>

14.1 Software Requirements:

Name of component	Specification
Operating System	Windows7, Windows8, Windows10, Linux
Language	PHP
Database	MySQL Server
Browser	Any of Mozilla, Opera, Chrome etc
Web Server	Apache
Software Development Kit	PHP
Scripting Language Enable	Javascript
Database JDBC Driver	MySQL Jconnector

14.2 Hardware Requirements:

Name of component	Specification
Processor	Pentium III 630MHz
RAM	128 MB
Hard disk	20 GB
Monitor	15” color monitor
Keyboard	122 keys

CHAPTER 14

PROJECT PROFILE:

There has been continuous effort to develop tools, which can ease the process of software development. But, with the evolving trend of different programming paradigms today's software developers are really challenged to deal with the changing technology. Among other issues, software re-engineering is being regarded as an important process in the software development industry. One of the major tasks here is to understand software systems that are already developed and to transform them to a different software environment. Generally, this requires a lot of manual effort in going through a program that might have been developed by another programmer. This project makes a novel attempt to address the issued of program analysis and generation of diagrams, which can depict the structure of a program in a better way. Today, UML is being considered as an industrial standard for software engineering design process. It essential provides several diagramming tools that can express different aspects/ characteristics of program such as

Use cases: Elicit requirement from users in meaningful chunks. Construction planning is built around delivering some use cases n each interaction basis for system testing.

Class diagrams: shows static structure of concepts, types and class. Concepts how users think about the world; type shows interfaces of software components; classes shows implementation of software components.

Interaction diagrams: shows how several objects collaborate in single use case.

Package diagram: show group of classes and dependencies among them.

State diagram: show how single object behaves across many use cases.

Activity diagram: shows behavior with control structure. Can show many objects over many uses, many object in single use case, or implementations methods encourage parallel behavior, etc. The end-product of this project is a comprehensive tool that can parse any vb.net program and extract most of the object oriented features inherent in the program such as polymorphism, inheritance, encapsulation and abstraction.

CHAPTER 15

PERT CHART (Program Evaluation Review Technique):

PERT chart is organized for events, activities or tasks. It is a scheduling device that shows graphically the order of the tasks to be performed. It enables the calculation of the critical path. The time and cost associated along a path is calculated and the path requires the greatest amount of elapsed time in critical path.



PERT Chart representation

CHAPTER 16

DATAFLOW DIAGRAM:

Data flow diagram is the starting point of the design phase that functionally decomposes the requirements specification. A DFD consists of a series of bubbles joined by lines. The bubbles represent data transformation and the lines represent data flows in the system. A DFD describes what data flow rather than how they are processed, so it does not hardware, software and data structure.

A **data-flow diagram** (**DFD**) is a graphical representation of the "flow" of data through an information system. DFDs can also be used for the visualization of data processing (structured design). A **data flow diagram** (DFD) is a significant modeling technique for analyzing and constructing information processes. DFD literally means an illustration that explains the course or movement of information in a process. DFD illustrates this flow of information in a process based on the inputs and outputs. A DFD can be referred to as a Process Model.

The data flow diagram is a graphical description of a system’s data and how to Process

transform the data is known as Data Flow Diagram (DFD).

Unlike details flow chart, DFDs don’t supply detail descriptions of modules that graphically describe a system’s data and how the data interact with the system. Data flow diagram number of symbols and the following symbols are of by DeMarco.



Source/sink

Data Flow

DeMarco &
Yourdon Gane & Sarson symbols symbols

<u>16.1 There are seven rules for construct a data flow diagram.</u>

i) Arrows should not cross each other.

ii) Squares, circles and files must wears names. **iii)** Decomposed data flows must be balanced. **iv)** No two data flows, squares or circles can be the same names. **v)** Draw all data flows around the outside of the diagram.

vi) Choose meaningful names for data flows, processes & data stores.

vii) Control information such as record units, password and validation requirements are not penitent to a data flow diagram.

Additionally, a **DFD** can be utilized to visualize data processing or a structured design.

This basic DFD can be then disintegrated to a lower level diagram demonstrating smaller steps exhibiting details of the system that is being modeled.

On a DFD, data items flow from an external data source or an internal data store to an internal data store or an external data sink, via an internal process. It is common practice to draw a context-level data flow diagram first, which shows the interaction between the system and external agents, which act as data sources and data sinks. On the context diagram (also known as the Level 0 DFD'), the system's interactions with the outside world are modeled purely in terms of data flows across the system boundary. The context diagram shows the entire system as a single process, and gives no clues as to its internal organization.

This context-level DFD is next "exploded", to produce a Level 1 DFD that shows some of the detail of the system being modeled. The Level 1 DFD shows how the system is divided into sub-systems (processes), each of which deals with one or more of the data flows to or from an external agent, and which together provide all of the functionality of the system as a whole. The level 1 DFD is further spreaded and split into more descriptive and detailed description about the project as level 2 DFD.The level 2 DFD can be a number of data flows which will finally show the entire description of the software project.

16.2 E-R Diagram:



16.3 Entity Relationship Diagram

E-R Model is a popular high level conceptual data model. This model and its variations are frequently used for the conceptual design of database application and many database design tools employ its concept.

A database that confirms to an E-R diagram can be represented by a collecton of tables in the relational system. The mapping of E-R diagram to the entities are:

- Attributes

- Relations
    - Many-to-many

    - Many-to-one

      ○ One-to-

      many ○ One-

      to-one

- Weak entities
- Sub-type and super-type

The entities and their relationshops between them are shown using the following conventions.

- An entity is shown in rectangle. 
- A diamond represent the relationship among number of entities. 
- The attributes shown as ovals are connected to the entities or relationship by lines.

- Diamond,oval and relationships are labeled.

- Model is an abstraction process that hides super details while highlighting details relation to application at end.
- A data model is a mechanism that provides this abstraction for database application.
- Data modeling is used for representing entities and their relationship in the database.

- Entities are the basic units used in modeling database entities can have concrete existence or constitute ideas or concepts.
- Entity type or entity set is a group of similar objects concern to an organization for which it maintain data,
- Properties are characteristics of an entity also called as attributes.

- A key is a single attribute or combination of 2 or more attributes of an entity set is used to identify one or more instances of the set.
- In relational model we represent the entity by a relation and use tuples to represent an instance of the entity.
- Relationship is used in data modeling to represent in association between an entity set.
- An association between two attributes indicates that the values of the associated attributes are independent.

CHAPTER 17

SECURITY TESTING OF THE PROJECT:

Testing is vital for the success of any software. no system design is ever perfect. Testing is also carried in two phases. first phase is during the software engineering that is during the module creation. second phase is after the completion of software. this is system testing which verifies that the whole set of programs hanged together.

17.1 White Box Testing:

In this technique, the close examination of the logical parts through the software are tested by cases that exercise species sets of conditions or loops. all logical parts of the software checked once. Errors that can be corrected using this technique are typographical errors, logical expressions which should be executed once may be getting executed more than once and error resulting by using wrong controls and loops. When the box testing tests all the independent part within a module a logical decisions on their true and the false side are exercised , all loops and bounds within their operational bounds were exercised and internal data structure to ensure their validity were exercised once.

17.2 Black Box Testing:

This method enables the software engineer to device sets of input techniques that fully exercise all functional requirements for a program. black box testing tests the input, the output and the external data. it checks whether the input data is correct and whether we are getting the desired output.

17.3 Alpha Testing:

Acceptance testing is also sometimes called alpha testing. Be spoke systems are developed for a single customer. The alpha testing proceeds until the system developer and the customer agree that the provided system is an acceptable implementation of the system requirements.

17.4 Beta Testing:

On the other hand, when a system isto be marked as a software product, another process called beta testing is often conducted. During beta testing, a system is delivered among a number of potential users who agree to use it. The customers then report problems to the developers. This provides the product for real use and detects errors which may not have been anticipated by the system developers.

17.5 Unit Testing:

Each module is considered independently. it focuses on each unit of software as implemented in the source code. it is white box testing.

17.6 Integration Testing:

Integration testing aims at constructing the program structure while at the same constructing tests to uncover errors associated with interfacing the modules. modules are integrated by using the top down approach.

17.7 Validation Testing:

Validation testing was performed to ensure that all the functional and performance requirements are met.

17.8 System Testing:

It is executing programs to check logical changes made in it with intention of finding errors. a system is tested for online response, volume of transaction, recovery from failure etc. System testing is done to ensure that the system satisfies all the user requirements.

CHAPTER 18

SYSTEM ANALYSIS:

System analysis is a process of gathering and interpreting facts, diagnosing problems and the information about the Online Daily Delivery to recommend improvements on the system. It is a problem solving activity that requires intensive communication between the system users and system developers. System analysis or study is an important phase of any system development process. The system is studied to the minutest detail and analyzed. The system analyst plays the role of the interrogator and dwells deep into the working of the present system. The system is viewed as a whole and the input to the system are identified. The outputs from the organizations are traced to the various processes. System analysis is concerned with becoming aware of the problem, identifying the relevant and decisional variables, analyzing and synthesizing the various factors and determining an optimal or at least a satisfactory solution or program of action. A detailed study of the process must be made by various techniques like interviews, questionnaires etc. The data collected by these sources must be scrutinized to arrive to a conclusion. The conclusion is an understanding of how the system functions. This system is called the existing system. Now the existing system is subjected to close study and problem areas are identified. The designer now functions as a problem solver and tries to sort out the difficulties that the enterprise faces. The solutions are given as proposals. The proposal is then weighed with the existing system analytically and the best one is selected. The proposal is presented to the user for an endorsement by the user. The proposal is reviewed on user request and suitable changes are made. This is loop that ends as soon as the user is satisfied with proposal. Preliminary study is the process of gathering and interpreting facts, using the information for further studies on the system. Preliminary study is problem solving activity that requires intensive communication between the system users and system developers. It does various feasibility studies. In these studies a rough figure of the system activities can be obtained, from which the decision about the strategies to be followed for effective system study and analysis can be taken.

18.1 Existing System of Online Daily Delivery:

In the existing system the exams are done only manually but in proposed system we have to computerize the exams using this application.

- Lack of security of data.
- More man power.
- Time consuming.
- Consumes large volume of pare work.
- Needs manual calculations.
- No direct role for the higher officials

18.2 Proposed System of Online Daily Delivery:

The aim of proposed system is to develop a system of improved facilities. The proposed system can overcome all the limitations of the existing system. The system provides proper security and reduces the manual work.

- Security of data.
- Ensure data accuracy's.
- Proper control of the higher officials.
- Minimize manual data entry.
- Minimum time needed for the various processing.
- Greater efficiency.
- Better service.
- User friendliness and interactive.
- Minimum time required.

CHAPTER 20

SCREENSHOTS

Screenshots-1: Home Page



Screenshots-2: Fresh Fruits



3: Only Vegetables



Screenshots-

Screenshots-4:Add To Cart



6: Remove product





<u>Screenshots-6: Buy product user details:</u>

7: Backend,Add Product


DAILY DELIVERY
Search for...
Douglas McGee
Tables
Add Product
Add New Product
Product
Price
Category
Select Category
Post image
Choose File
No file chosen
Save
Copyright © Your Website 2020
localhost/LearnPHP/website data/admin/index.html

Screenshots-

Screenshots-8: Backend,Add Product



Screenshots-9: Backend,Use data



CHAPTER 20

Coding of the Project Online Daily Delivery (website)

21.1 Codding for HTML:Home page

```
<!DOCTYPE html>
<html lang="en">
   <head>
      <meta charset="UTF-8">
      <meta name="viewport" content="width=drive-width, initial-scale1.0">
<title>Daily Delivery | Ecommerce Website</title>

      <link rel="stylesheet" href="style.css">
      <link rel="preconnect" href="https://fonts.gstatic.com">
      <link href="https://fonts.googleapis.com/css2?family=Akaya+Kanadaka&display=swap" rel="styl
esheet">
      <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/fontawesome.min.css">

   </head>
   <body>

      <div class="container">
         <div class="navbar">
            <div class="logo">
               <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/logo1.jpg" width="125px" height="80px">

            </div>
            <nav>
               <ul>
                  <li><a href="">Home</a></li>
                  <li><a href="">Product</a></li>
                  <li><a href="">About</a></li>
                  <li><a href="">Contact</a></li>
                  <li><a href="">Account</a></li>


               </ul>
            </nav>
```

[redacted]

```
            <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/cart icon.jpg" width="30px" height="30px">









         </div>
         <div class="row">
            <div class="col-2">

                 <h1 class="h1"> The online Grocery Store in India<br></h2>
                  <p>Daily Delivery is an online supermarket for all your daily needs.</p>

                  <a href="" class="btn">Explore Now</a>

            </div>
            <div class="col-2">
               <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/add1.png">
            </div>
         </div>

      </div>


      <!------Item categories------->

     <div class="categories">
        <div class="small-container">
         <div class="row">

            <div class="col-3">
               <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/veg1.jpg">
            </div>
            <div class="col-3">
             <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/fruits.jpg">

            </div>
            <div class="col-3">
             <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/food grains oil masala.png">
```

```
</div>
```

```
            </div>
        </div>
    </div>
</div>
```

[redacted]

```
<!----------------Item-------------->

  <div class="small-container">
    <h2 class="title">item</h2>
```

```
        <div class="row">

    <div class="col-4">
                <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/gobhi.jpg">
<h4>Cabbage </h4>
                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o"></i>
                    <i class="fa fa-star-o"></i>
<i class="fa fa-star-o"></i>

                </div>
                <p>$2/Kg</p>
            </div>
            <div class="col-4">
                <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/cabbagee.jpg">
<h4>Cabbage clipart single</h4>
                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o"></i>
                    <i class="fa fa-star-o"></i>
<i class="fa fa-star-o"></i>

                </div>
                <p>$3/Kg</p>
            </div>
            <div class="col-4">
                <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/whole-garlicc.jpg">
<h4>Garlic</h4>
                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
```

```html
        <i class="fa fa-star"></i>
        <i class="fa fa-star-o"></i>

    </div>
    <p>$5/Kg</p>
</div>
```

```
<div class="col-4">
```

```
                <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/potato1.jpg">
                <h4>Potato</h4>

                <div class="rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o"></i>
<i class="fa fa-star-o"></i>

                </div>
                <p>$3/Kg</p>
            </div>

        </div>

        <!-------Costly item------->

        <div class="small-container">
     <h2 class="title">Costly item</h2>
     <div class="row">
        <div class="col-4">
            <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/Pink Lettuce11.jpg">
<h4>Pink Lettuce </h4>
            <div class="rating">
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star-o"></i>
                <i class="fa fa-star-o"></i>
                <i class="fa fa-star-o"></i>

            </div>
            <p>$25/Kg</p>
        </div>
        <div class="col-4">
            <img  src="C:\Users\Uvesh  Sid\Desktop\anaconda\E-commers  website/Hop  Shoots2.jpg">
<h4>Hop Shoots</h4>
            <div class="rating">
                <i class="fa fa-star"></i>
                <i class="fa fa-star"></i>
                <i class="fa fa-star-o"></i>
```

```
<i class="fa fa-star-o"></i>
<i class="fa fa-star-o"></i>
```

```
            </div>
            <p>$850/Kg</p>
        </div>
        <div class="col-4">
            <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers website/La Bonnotte Potatoes3.jpg">
            <h4>La Bonnotte Potatoes</h4>
            <div class="rating">
                <i class="fa fa-star"></i>
```

```
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>

          </div>
          <p>$750/Kg</p>
        </div>
        <div class="col-4">
          <img    src="C:\Users\Uvesh    Sid\Desktop\anaconda\E-commers    website/peas-or-
mangetout4.jpg">
          <h4>peas-or-mange-tout</h4>
          <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>

          </div>
          <p>$12/Kg</p>
        </div>

    </div>
    <div class="row">
        <div class="col-4">
          <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/Taiwanese Mushroomm55.jpg">
          <h4>Taiwanese Mushroom </h4>
          <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
```

```
    </div>
```

```
    <p>$7/Kg</p>
  </div>
```

```
<div class="col-4">
    <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/Wasabi Root6.jpg">
```

```html
          <h4>Wasabi Root</h4>
          <div class="rating">
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star-o"></i>
              <i class="fa fa-star-o"></i>
              <i class="fa fa-star-o"></i>

          </div>
          <p>$150/Kg</p>
      </div>
      <div class="col-4">
          <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/Yamashita spinach7.png">
          <h4>Yamashita spinach</h4>
          <div class="rating">
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star-o"></i>

          </div>
          <p>$30/Kg</p>
      </div>
  </div>

      </div>

  </div>

  </div>
  </div>

<!-------item Fruits------->

<h2 class="title">Fruits</h2>
<div class="row">
  <div class="col-4">
```

```
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/Water-Melon.jpg">
<h4>Water-Melon1 </h4>
        <div class="rating">
            <i class="fa fa-star"></i>
```

```
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$8/Kg</p>
    </div>
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/orange2.jpg">
        <h4>Orange</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$10/Kg</p>
    </div>
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/canary-melon3.png">
<h4>Canary-Melon3</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$6/Kg</p>
    </div>
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/banana1.jpg">
<h4>Banana</h4>
        <div class="rating">
```

```
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star"></i>
        <i class="fa fa-star-o"></i>
        <i class="fa fa-star-o"></i>



      </div>
      <p>$12/Kg</p>
    </div>

</div>

<!-----Masale----->
<h2 class="title">Masale</h2>
```

```
<div class="row">
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/Shahi-Garam-
Masala33.jpg">
        <h4>Shahi-Garam-Masala</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$4</p>
    </div>

    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/red chilli powder44.jpg">
<h4>red chilli powder</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$2</p>
    </div>
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/ginger-garlic11.jpg">
<h4>Ginger-Garlic</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>

            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>
```

```
        </div>
        <p>$3</p>
    </div>
    <div class="col-4">
        <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/Chilli-checken44.jpg">
        <h4>Chilli-checken</h4>
        <div class="rating">
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star"></i>
            <i class="fa fa-star-o"></i>

        </div>
        <p>$3</p>
    </div>

    </div>
```

```
</div>

</div>
</div>

<!--------Footer------->

<div class="footer">
    <div class="container">
        <div class="row">
            <div class="footer-col-1">
                <h3>Download App For Android and ios mobile</h3>
                <div class="app-logo">
                    <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/play store1.png">
                    <img src="C:\Users\Uvesh Sid\Desktop\anaconda\Ecommers
website/google_play 11.png">

                </div>
            </div>
            <div class="footer-col-2">

                <img src="C:\Users\Uvesh Sid\Desktop\anaconda\E-commers website/logo11.jpg">
<p>Our Porpose Is to Sustainably Make the Pleasure Android                    Benefits of daily
Life and to the many.                  </p>
            </div>
            <div class="footer-col-3">



            <h3>Useful Links</h3>
                <ul>
                    <li>Coupone</li>
                    <li>Blog Post</li>
                    <li>Return Policy</li>
                    <li>Join Affiliate</li>
                </ul>
            </div>
            <div class="footer-col-4">
```

```html
          <h3>Follow Us</h3>
          <ul>
            <li>Facebook</li>
            <li>Instagram</li>
            <li>Twitter</li>
            <li>Join</li>
          </ul>
        </div>
      <div>
    </div>
</div>
<hr>
<p class="copyright">    Copyright 2021 Uvesh Ahmad</p>
</body>
</html>
```

21.3 Codding for CSS:

```
*{
    margin: 0;
padding: 0;
    box-sizing: border-box;

}
body{
    font-family:'Akaya Kanadaka', cursive;

}
.navbar{
    display: flex;      align-
items: center;      padding:
20px;
}
nav{
    flex: 1;

    text-align: right;

}
.h1{
    color:red;
}

nav  ul  li{          display:
inline-block;
    margin-right: 20px;

}
a{       text-decoration:
none;
    color: black;
  } p{
color: black;
}
```

```
.container{
   max-width: 1300px;
margin: auto;     padding-left:
25px;
   padding-right: 25px;

}
.row{
   display: flex;     align-
items: center;     flex-wrap:
wrap;
   justify-content: space-around;

}
.col-2 img{
width: 100%;
   padding: 20px 0;
}

.btn{     display: inline-
block;
background:black;
   color: #fff;
padding: 8px 30px;
margin: 30px 0;
border-radius: 30px;
   transition: background 0.5s ;
}
.btn:hover{

   background: #563434;
}
.header .row{
margin: 50px;
```

```
}
```

```
.categories{
margin: 70px 0;

}
```

```
.col-3{ flex-basis:30%
;
```

```
    min-width: 250px;
margin-bottom: 30px;
}
.col-3 img{
width: 100%;
}
.small-container{     max-
width: 1080px;
```

```
    margin: auto;     padding-
left: 20px;
    padding-right: 20px;
}
.col-4{     flex-basis:
25%;     padding:
10px;     min-width:
200px;
    margin-bottom: 50px;

}
.col-4{
    width: 100%;
}
.title{
    text-align: center;

    margin: 0 auto 80px;
position: relative;     line-height:
60px;
    color: #555;
}
.title::after{
    content: '';
    background: #ff523b;
    width: 80px;
height: 5px;
border-radius: 5px;
    position: absolute;

    bottom:       0;
left: 50%;
    transform: translateX(-50%);
}
```

```
.h4{
    color: #555;
```

```
    font-weight: normal;

} .col-4 p{     font-
size: 14px;
}
.rating .fa{
color: #ff523b;
}

/*-------Footer-------*/

.footer{
background: #000;
```

```
    color: #8a8a8a;     font-
size: 15px;     padding:
60px 0 20px;



}
.footer p {
    color: #8a8a8a;
}
.footer h3{
    color: #fff;
    margin-bottom: 20px;
}
.footer-col-1, .footer-col-2, .footer-col-3, .footer-col-4{

    min-width: 250px;
    margin-bottom: 20px;

}
.footer-col-1{
    flex-basis: 30%;

}
.footer-col-2{     width:
180px;     margin-
bottom: 20px;
    size: 20px;
}
.app-logo{

    margin-top: 20px;

}
.app-logo{
```

```
    width: 140px;
}
```

```
.footer hr{      border:
none;      background:
#b5b5b5;
    height: 1px; margin:
    20px 0;
}
.copyright{      text-
align: center;
}
.menu-icon{
width: 28px;
margin-left: 20px;
display: none;
```

```
}
/*-------------all products page---------*/

.row-2{     justify-content: space-
between;     margin: 100px auto
50px;
}
.select{
    border: 1px solid #ff523b;
padding: 5px;
}



.select:focus{
    outline: none;
}
.page-btn{     margin: 0
auto 40px;     padding:
20px;
    color:red;
}
.page-btn span{     display:
inline-block;     border: 1px
solid #ff523b;     margin-left:
10px;     width: 40px;
height: 40px;     text-align:
center;
    line-height: 40px;

    cursor: pointer;
}
.page-btn span:hover{
background-color: #ff523b;     color:
#fff;
```

```
}
```

```css
/*----------Single product details-------*/
.single-product{     margin-top: 80px;
}
.single-product .col-2 img{
    padding: 0;
}
>.single-product .col-2{
padding: 20px;
}

/*--------cart items----------*/
```

```
.cart-page{
    margin: 80px auto;
}
table{     width:
100%;
    border-collapse: collapse;
}

.cart-info{
display: flex;
    flex-wrap: wrap;

} th{     text-
align: left;
padding: 5px;
    color: #fff;
    background:#ff523b;
}
td{
    padding: 10px 5px;
}
td input{
width: 40px;
height: 30px;
padding: 5px;
    color: #ff523b;
} td
a{

    color: red;        font-
size: 12px;
    font-size:larger;
}
```

```
td img{
```

```
    width: 80px;
height: 80px;
    margin-right: 10px;
}
.total-price{ display:
    flex; justify-
    content: center;
}



/*------------Account---------*/

.account-page{
```

```
    padding: 50px 0;
}
.form-container{
background: white;
width: 300px;     height:
400px;     position:
relative;     text-align:
center;     padding:
20px 0;     margin:
auto;
  box-shadow: 0 0 20px 0px rgba(0,0,0,0.1);
}

.form-container span{
font-weight: bold;
padding: 0 10px;
color: #555;     cursor:
pointer;     width:
100px;
    display: inline-block;
}
.form-btn{
    display:  inline-block;

}



.form-container form{
    max-width: 300px;

    padding: 0 20px;
    /*
    position: absolute;
top: 130px;
```

```
    */
}
```

```
.form input{
width: 100%;
height: 30px;
margin: 10px 0;
padding: 0 10px;
```

```
    border: 1px solid #ccc;

}
 form .btn{
width: 100%;
border: none;
cursor: pointer;
    margin: 10px 0;
}

form .btn:focus{
    outline: none;
}
#LoginForm{
    left: -300px;
}
#RegForm{
    left: 0;
}
```

21.4 Coding for php:add product

```
<?php include'header.php';?>

<div id="admin-content">
      <div class="container">
         <div class="row">
```

```
            <div class="col-md-12">
                <h1 class="admin-heading">Add New Product</h1>
            </div>

             <div class="col-md-offset-3 col-md-6">
                 <!-- Form -->
                 <form  action="save-product.php" method="POST" enctype="multipart/formdata">
                     <div class="form-group">
                         <label for="p_name">Product</label>
                         <input type="text" name="p_name" class="form-control"
autocomplete="off" id="post_product" required>
                     </div>

                     <div class="form-group">
                         <label for="price"> Price</label>
                         <input    type="text"    name="price"    id="price"    required>
</div>

                     <div class="form-group">

                         <label for="category">Category</label>
                         <select name="category" class="form-control" id="category">
                             <option value="" selected> Select Category</option>
                             <?php
                               include "config.php";
                               $sql = "SELECT * FROM category";

                               $result = mysqli_query($conn, $sql) or die("Query Failed.");

                               if(mysqli_num_rows($result) > 0){
while($row = mysqli_fetch_assoc($result)){
echo "<option
value='{$row['category_id']}'>{$row['category_name']}</option>";
                                 }
                               }
                             ?>
                         </select>

       </div>

                     <div class="form-group">
```

```
                        <label for="image">Product image</label>



        <input type="file" name="fileToUpload" id="image" required>
                     </div>
                     <input type="submit" name="submit" class="btn btn-primary" value="Save"
required />
                 </form>
                 <!--/Form -->
             </div>
         </div>
     </div>
 </div>

<?php include'footer.php';?>
```

21.6 Coding for php:config

```
<?php

$hostname = "http://localhost/LearnPHP/websitedata";

$conn=mysqli_connect("localhost","root","","ecommerce");
?>
```

21.7 Coding for php: register

```
<?php
```

```
  if(isset($_POST['save']))
{
    $conn=mysqli_connect("localhost","root","","ecommerce");
    $fname=mysqli_real_escape_string($conn,$_POST['fname']);
    $lname=mysqli_real_escape_string($conn,$_POST['lname']);
    $email=mysqli_real_escape_string($conn,$_POST['email']);
    $password=mysqli_real_escape_string($conn,$_POST['password']);
$rpassword=mysqli_real_escape_string($conn,$_POST['rpassword']);
if($password==$rpassword)
{
        $sql1 = "INSERT INTO user (fst_name,lst_name,email, password)
VALUES ('{$fname}','{$lname}','{$email}','{$password}')";
if(mysqli_query($conn,$sql1)){
      header("Location://localhost/LearnPHP/Websitedata/index.php");
    }
    //   $sql="SELECT email FROM user WHERE email={$email}";
    //   $result=mysqli_query($conn,$sql);
//       if(mysqli_num_rows($result) > 0){
//     echo "<p style='color:red;text-align:center;margin: 10px 0;'>UserName already
Exists.</p>"; //   }else{
//     $sql1 = "INSERT INTO user (fst_name,lst_name,email, password,)
//              VALUES ('{$fname}','{$lname}','{$email}','{$password}')";
//              if(mysqli_query($conn,$sql1)){
//       header("Location: admin/users.php");
//     }else{
//       echo "<p style='color:red;text-align:center;margin: 10px 0;'>Can't Insert User.</p>";
//     }
//  }http://localhost/LearnPHP/Website%20data/
  }
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-tofit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Register</title>
```

```
    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link



href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,6
00i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body class="bg-gradient-primary">

    <div class="container">

    <div class="card o-hidden border-0 shadow-lg my-5" style="width: 500px; margin: auto;">
            <div class="card-body p-0">
                <!-- Nested Row within Card Body -->

                        <div class="p-5">
                            <div class="text-center">
                                <h1 class="h4 text-gray-900 mb-4">Create an Account!</h1>
                            </div>
                            <form class="user" action="<?php $_SERVER['PHP_SELF']?>"
method="post">
                                <div class="form-group row">
                                    <div class="col-sm-6 mb-3 mb-sm-0">
                                        <input type="text" name="fname" class="form-control formcontrol-
user" id="exampleFirstName"
                                            placeholder="First Name">
                                    </div>
                                    <div class="col-sm-6">
                                        <input type="text" name="lname" class="form-control formcontrol-
user" id="exampleLastName"
                                            placeholder="Last Name">
                                    </div>
                                </div>
```

```
<div class="form-group">
    <input type="email" name="email" class="form-control formcontrol-
user" id="exampleInputEmail"
        placeholder="Email Address">
</div>
<div class="form-group row">
    <div class="col-sm-6 mb-3 mb-sm-0">
        <input type="password" name="password" class="form-control form-
control-user"
            id="exampleInputPassword" placeholder="Password">
    </div>
    <div class="col-sm-6">
        <input type="password" name="rpassword" class="formcontrol
form-control-user"

    id="exampleRepeatPassword" placeholder="Repeat Password">
    </div>



</div>
<input type="submit" name="save" value="Register Account" class="btn
btn-primary btn-user btn-block">
<hr>

<a href="index.php" class="btn btn-google btn-user btn-block">
    <i class="fab fa-google fa-fw"></i> Register with Google
</a>

<a href="index.php" class="btn btn-facebook btn-user btn-block">
<i class="fab fa-facebook-f fa-fw"></i> Register with Facebook
</a>

</form>
<hr>
<div class="text-center">

    <a class="small" href="forgot-password.html">Forgot
Password?</a>
</div>

<div class="text-center">
```

```
                                <a class="small" href="index.php">Already have an account?
Login!</a>
                            </div>
                        </div>


                </div>
            </div>

        </div>



        <!-- Bootstrap core JavaScript-->

        <script src="vendor/jquery/jquery.min.js"></script>

        <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

        <!-- Core plugin JavaScript-->
        <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

        <!-- Custom scripts for all pages-->
        <script src="js/sb-admin-2.min.js"></script>

    </body>

    </html>
```

21.8 Codding for php:logout

```
<?php

include "config.php";
```

```
session_start();

session_unset();

session_destroy();

header("Location: {$hostname}/admin/");

?>
```

21.9 Codding for php:user data

```
<?php include'header.php';?>
<div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Tables</h1>

                        </div>

   <div class="card-body">
                            <div class="table-responsive">

 <?php
                                include"config.php";
                                $sql = "SELECT * FROM user ORDER BY user_id";
$result = mysqli_query($conn, $sql) or die("Query Failed.");
if(mysqli_num_rows($result) > 0){                              ?>



                                <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">


                                    <thead>
                                        <tr>
                                            <th>Name</th>
                                            <th>Email</th>
                                            <th>Role</th>
                                        </tr>
                                    </thead>
                                    <tbody>
                                    <?php
                          while($row = mysqli_fetch_assoc($result)) {
                        ?>
                                        <tr>
                                            <td><?php echo $row['fst_name'] . " ". $row['lst_name'];
?></td>
                                            <td><?php echo $row['email']; ?></td>
```

```
                                        <td><?php
if($row['role'] == 1){
echo "Admin";
                               }else{
                                 echo "User";
                               }
                            ?></td>
                                    </tr>

      <?php } ?>


     </tbody>

                             </table>
                             <?php } ?>
                         </div>
                     </div>
                 </div>

             </div>

             <!-- /.container-fluid -->
<?php include'footer.php';?>
```

21.10 Coding for Product.php

```
<?php

   ob_start();

         session_start();

         include_once("../includes/db_connect.php");

         include_once("../includes/functions.php");

         if($_REQUEST[act]=="save_product")
```

```
{
	save_product();
	exit;
}
if($_REQUEST[act]=="delete_product")
{
	delete_product();
	exit;
}
###Code for save product#####
function save_product()
{
	global $con;
	$R=$_REQUEST;
	///////////////////////////////////
	$image_name = $_FILES[product_image][name];
```

```
$location = $_FILES[product_image][tmp_name];

if($image_name!="")

{

	move_uploaded_file($location,"../uploads/".$image_name);

}

else

{

	$image_name = $R[avail_image];

}

//die;

if($R[product_id])
{

	$statement = "UPDATE `product` SET";

	$cond = "WHERE `product_id` = '$R[product_id]'";

	$msg = "Data Updated Successfully.";

	$condQuery = "";
```

```
}

else

{

    $statement = "INSERT INTO `product` SET";

    $cond = "";

    $msg="Data saved successfully.";

}

$SQL=   $statement."

            `product_title` = '$R[product_title]',

            `product_category_id` = '$R[product_category_id]',

            `product_cost` = '$R[product_cost]',

            `product_description` = '$R[product_description]',
`product_image` = '$image_name'".

             $cond;

$rs = mysqli_query($con,$SQL) or die(mysqli_error($con));

header("Location:../report-product.php?msg=$msg");
```

```
	}

#########Function for delete product##########3

function delete_product()

{

	global $con;

	$SQL="SELECT * FROM product WHERE product_id =
$_REQUEST[product_id]";

	$rs=mysqli_query($con,$SQL);

	$data=mysqli_fetch_assoc($rs);



	/////////Delete the record//////////

	$SQL="DELETE FROM product WHERE product_id =
$_REQUEST[product_id]";

	mysqli_query($con,$SQL) or die(mysqli_error($con)); //////////Delete the image///////////

	if($data[product_image])

	{

		unlink("../uploads/".$data[product_image]);
```

```php
        }

        header("Location:../report-product.php?msg=Deleted Successfully.");

}
?>
```

21.11 Coding for User.php

```
<?php
   ob_start();
        session_start();
        include_once("../includes/db_connect.php");
        include_once("../includes/functions.php");
        if($_REQUEST[act]=="save_user")
        {
                save_user();
                exit;
        }
        if($_REQUEST[act]=="delete_user")
        {
                delete_user();
                exit;
        }
```

```
if($_REQUEST[act]=="get_report")
{
    get_report();
    exit;
}
###Code for save user#####
function save_user()
{
    global $con;
    $R=$_REQUEST;
    ///Checking Username Exits or not ////
    $SQL="SELECT * FROM user WHERE user_username = 
'$_REQUEST[user_username]'";
    $rs=mysqli_query($con,$SQL);
    $data=mysqli_fetch_assoc($rs);
    if($data['user_username'] && $R['user_id'] != 
$_SESSION['user_details']['user_id']) {
```

```
{
header("Location:../user.php?msg=Username Already Exits. Kindly choose another....");
        return;
    }
    ///////////////////////////////////
    $image_name = $_FILES[user_image][name];
    $location = $_FILES[user_image][tmp_name];
    if($image_name!="")
    {
        move_uploaded_file($location,"../uploads/".$image_name);
    }
    else
    {
        $image_name = $R[avail_image];
    }
    if($R[user_level_id] == "" || !isset($R[user_level_id]))
    {
```

```
        $R[user_level_id] = 2;
}
if($R[user_id])
{
        $statement = "UPDATE `user` SET";
        $cond = "WHERE `user_id` = '$R[user_id]'";
        $msg = "Data Updated Successfully.";
        $condQuery = "";
}
else
{
        $statement = "INSERT INTO `user` SET";
        $condQuery = "`user_username` = '$R[user_username]',
                        `user_password` = '$R[user_password]',";
        $cond = "";
        $msg="Data saved successfully.";
```

```
}

$SQL=   $statement."

                `user_level_id` = '$R[user_level_id]',

                ".

                 $condQuery

                 ."



                `user_name` = '$R[user_name]',

                `user_add1` = '$R[user_add1]',

                `user_add2` = '$R[user_add2]',

                `user_city` = '$R[user_city]',



                `user_state` = '$R[user_state]',

                `user_country` = '$R[user_country]',

                `user_email` = '$R[user_email]',

                `user_mobile` = '$R[user_mobile]',
```

```
`user_gender` = '$R[user_gender]',

`user_dob` = '$R[user_dob]',

`user_image` = '$image_name'".

$cond;

$rs = mysqli_query($con,$SQL) or die(mysqli_error($con));



if($_SESSION['login']!=1)

{

        header("Location:../login.php?msg=You are registered successfully.
Login with your credential !!!");

        exit;

}



else if($_SESSION['user_details']['user_level_id'] == 3) {



    header("Location:../user.php?user_id=".$_SESSION['user_details']['user_id']."&m
sg=Your account updated successfully !!!");

        exit;

}
```

```
        header("Location:../report-user.php?msg=$msg&type=$R[user_level_id]");
    }
#########Function for delete user##########3
function delete_user()
{
    global $con;
    $SQL="SELECT * FROM user WHERE user_id = $_REQUEST[user_id]";
    $rs=mysqli_query($con,$SQL);
    $data=mysqli_fetch_assoc($rs);


    /////////Delete the record//////////
    $SQL="DELETE FROM user WHERE user_id = $_REQUEST[user_id]";
    mysqli_query($con,$SQL) or die(mysqli_error($con));


    //////////Delete the image///////////
    if($data[user_image])
```

```
	{
		unlink("../uploads/".$data[user_image]);

	}

	header("Location:../report-user.php?msg=Deleted
Successfully.&type=$data[user_level_id]");
}
?>
```

CHAPTER 21

CONCLUSION

- A description of the background and context of the project and its relation to work already done in the area.
- Made statement of the aims and objectives of the project.
- The description of Purpose, Scope, and applicability.
- We define the problem on which we are working in the project.
- We describe the requirement Specifications of the system and the actions that can be done on these things.
- We understand the problem domain and produce a model of the system, which describes operations that can be performed on the system.
- We included features and operations in detail, including screen layouts.
- We designed user interface and security issues related to system.
- Finally the system is implemented and tested according to test cases.

CHAPTER 22

FUTURE SCOPE

It can be summarized that the future scope of the project circles around maintaining information regarding:

- We can give more advance software for Online Daily Delivery including more facilities
- We will host the platform on online servers to make it accessible worldwide
- Integrate multiple load balancers to distribute the loads of the system
- Create the master and slave database structure to reduce the overload of the database queries
- Implement the backup mechanism for taking backup of codebase and database on regular basis on different servers

The above mentioned points are the enhancements which can be done to increase the applicability and usage of this project. Here we can maintain the records of Daily Delivery and Category. Also, as it can be seen that now-a-days the players are versatile, i.e. so there is a scope for introducing a method to maintain the Daily Delivery. Enhancements can be done to maintain all the Daily Delivery, Category, Customer, Order, product.

LIMITATION

Although we have put our best efforts to make the software flexible, easy to operate but limitations cannot be ruled out. Though the software presents a broad range of options to its users some intricate options could not be covered into it; partly because of logistic and partly due to lack of sophistication. Paucity of time was also major constraint, thus it was not possible to make the software foolproof and dynamic. Lack of time also compelled me to ignore some part such as storing old result of the candidate etc.

22.1 List of limitations which is available in the Daily Delivery:

- Excel export has not been developed for Daily Delivery
- The transactions are executed in off-line mode, hence on-line data for Customer, Order capture and modification is not possible.
- on-line reports of Daily Delivery, product, Customer cannot be generated due to batch mode execution.

REFERENCES:

The following YouTube channels and websites were referred during the analysis and execution phase of the project.

- Google for problem solving
- Wikipedia,
- Book,
- http://www.javaworld.com/javaworld/jw-01-1998/jw-01-Credentialreview.html
- http://www.jdbc-tutorial.com/
- http://www.javatpoint.com/java-tutorial
- https://docs.oracle.com/javase/tutorial/
- http://www.wampserver.com/en/
- http://www.tutorialspoint.com/mysql/
- httpd.apache.org/docs/2.0/misc/tutorials.html