

# VitaLens — Sample Laboratory Diagnostic Report

DEMO / SYNTHETIC DATA — NOT A REAL MEDICAL REPORT

**Patient:** Rahul Sharma   **Age/Sex:** 42 / Male  
**Report ID:** VL-DEMO-20261003-001   **Collection Date:** 03-Oct-2026  
**Fasting Status:** Fasting   **Sample:** Blood / Serum

## Complete Blood Count (CBC)

| Test             | Observed Value | Unit        | Reference Range   |
|------------------|----------------|-------------|-------------------|
| Hemoglobin       | 13.4           | g/dL        | 13.0 - 17.0       |
| WBC Count        | 8,700          | cells/mcL   | 4,000 - 11,000    |
| RBC Count        | 4.62           | million/mcL | 4.5 - 5.9         |
| Platelet Count   | 235,000        | cells/mcL   | 150,000 - 450,000 |
| Hematocrit (PCV) | 40.8           | %           | 40.0 - 50.0       |

## Diabetes & Metabolic Panel

| Test                  | Observed Value | Unit  | Reference Range |
|-----------------------|----------------|-------|-----------------|
| Fasting Blood Glucose | 142            | mg/dL | 70 - 99         |
| HbA1c                 | 7.1            | %     | 4.0 - 5.6       |

## Lipid Profile

| Test              | Observed Value | Unit  | Reference Range |
|-------------------|----------------|-------|-----------------|
| Total Cholesterol | 228            | mg/dL | < 200           |
| LDL Cholesterol   | 154            | mg/dL | < 100           |
| HDL Cholesterol   | 42             | mg/dL | 40 - 60         |
| Triglycerides     | 176            | mg/dL | < 150           |

## Renal Panel (KFT / RFT)

| Test                      | Observed Value | Unit          | Reference Range |
|---------------------------|----------------|---------------|-----------------|
| Serum Creatinine          | 1.1            | mg/dL         | 0.7 - 1.3       |
| Blood Urea Nitrogen (BUN) | 18             | mg/dL         | 7 - 20          |
| eGFR                      | 84             | mL/min/1.73m² | > 60            |
| Uric Acid                 | 6.8            | mg/dL         | 3.5 - 7.2       |

## Liver Function Test (LFT)

| Test       | Observed Value | Unit | Reference Range |
|------------|----------------|------|-----------------|
| ALT (SGPT) | 46             | U/L  | 7 - 40          |
| AST (SGOT) | 31             | U/L  | 10 - 40         |

| Test            | Observed Value | Unit  | Reference Range |
|-----------------|----------------|-------|-----------------|
| Total Bilirubin | 0.8            | mg/dL | 0.2 - 1.2       |

**Thyroid Panel**

| Test    | Observed Value | Unit  | Reference Range |
|---------|----------------|-------|-----------------|
| TSH     | 3.2            | mIU/L | 0.4 - 4.0       |
| Free T4 | 1.1            | ng/dL | 0.8 - 1.8       |

**Laboratory Comment:** Results are provided for software testing only. This synthetic report contains intentionally normal and abnormal values to test VitaLens extraction, normalization, flagging, explanation, and triage workflows.

**Important:** This document is synthetic test data and must not be used for diagnosis, treatment, or clinical decision-making.