




## Hello Nike App

Download the app to access everything Nike. [Get Your Great](#)

## First Look

## Nike Air Max Pulse

Extreme comfort. Hyper durable. Max volume. Introducing the Air Max Pulse—designed to push you past your limits and help you go to the max.

[Notify Me](#)[Shop Air Max](#)

## Best of Air Max



Nike Air Max Pulse

Women's Shoes

\$13,995



Nike Air Max Pulse

Men's Shoes

\$13,995



Nike Air Max Pulse

Men's Shoes

\$13,995



Nike Air Max Pulse

Men's Shoes

\$13,995

## Featured



## STEP INTO WHAT FEELS GOOD

Cause everyone should know the feeling of running in that perfect pair.

[Find Your Shoe](#)

## Gear Up



\$3,895

Nike Dri-FIT Challenger

Men's 18cm (approx.) 2-in-1 Versatile Shorts

\$2,495



\$3,895

Nike Dri-FIT ADV TechKnit Ultra

Men's Short-Sleeve Running Top

\$2,495

Men's 18cm (approx.) 2-in-1 Versatile Shorts

## Don't Miss



## FLIGHT ESSENTIALS

Your built-to-last, all-week wears—but with style only Jordan Brand can deliver.

[Shop](#)

## The Essentials

[Men's](#)[Women's](#)[Kid's](#)

Icons

Shoes

Clothing

Kids'

Air Force 1

All Shoes

All Clothing

Infant &amp; Toddler Shoes

Huarache

Custom Shoes

Huarache

Kids' Shoes

Air Max 90

Jordan Shoes

Hoodies &amp; Pullovers

Air Max 90

Air Max 95

Running Shoes

Air Max 95

Air Max 95

Find A Store

Become A Member

Sign Up for Email

Send Us Feedback

Student Discounts

Get Help

Order Status

Delivery

Returns

Payment Options

Contact Us On Nike.com


About Nike

News

Career

Investors

Sustainability



## product.ts M X

```
src > sanity > schemaTypes > product.ts > ...
1  //schema
2  import { defineType } from "sanity";
3  // structure of your content
4  export const Product = defineType({
5    // backend
6    name: "product",
7    // UI show
8    title: "Product Shoes",
9    // document type
10   type: "document",
11   fields: [
12     {
13       name: "image",
14       title: "Image",
15       type: "array",
16       of: [{ type: "image" }],
17     },
18     {
19       name: "title",
20       title: "Title Name",
21       type: "string",
22     },
23     {
24       name: "gender",
25       title: "Gender Shoes",
26       type: "string",
27     },
28     {
29       name: "color",
30       title: "Color",
31       type: "string",
32     },
33     {
34       name: "price",
35       title: "Title Price",
36       type: "number",
37     },
38     {
39       name: "slug",
40       title: "Product slug",
41       type: "slug",
42       options: {
43         source: "title",
44         maxLength: 200,
45       },
46     },
47   ],
48 });
49
```

ts product.ts M

page1.tsx U X

```
src > app > products > page1.tsx > AllProducts
 1 "use client";
 2
 3 import Image from "next/image";
 4 import Link from "next/link";
 5 import { useEffect, useState } from "react";
 6 import { client } from "@/sanity/lib/client";
 7
 8 interface IProduct {
 9   title: string;
10   price: number;
11   productURL: string;
12   image: string[];
13   color: string;
14   gender: string;
15 }
16
17 export default function AllProducts() {
18   const [products, setProducts] = useState<IProduct[]>([]);
19   const [loading, setLoading] = useState(true);
20
21   useEffect(() => {
22     const fetchProducts = async () => {
23       const productsData: IProduct[] = await client.fetch(`...`);
24       setProducts(productsData);
25       setLoading(false);
26     };
27
28     fetchProducts();
29   }, []);
30
31   if (loading) {
32     return <div>Loading...</div>;
33   }
34
35   return (
36     <div className="px-6 pt-8">
37       <div className="w-full h-auto flex flex-wrap gap-4 justify-between">
38         {products.map((product) => (
39           <div
40             key={product.productURL}
41             className="w-[250px] flex flex-col items-center border p-4 rounded-lg shadow">
42             <Link href={`/products/${product.productURL}`}>
43               <div className="w-full h-[270px] flex items-center justify-center bg-gray-100">
44                 <Image
45                   src={product.image[0]}
46                   alt={product.title}
47                   width={200}
48                   height={200}
49                   className="object-contain"
50                 />
51               </div>
52             </Link>
53             <div className="text-left mt-4">
54               <h1 className="text-red-700">just In</h1>
55               <h3 className="text-lg font-medium">{product.title}</h3>
56               {/* <h3 className="text-lg font-medium">{product.}</h3> */}
57               <p className="text-md text-gray-500"></p>
58               <p className="text-md text-gray-500"></p>
59               <p className="text-lg text-black">MRP: ₹ {product.price}.00</p>
60             </div>
61           </div>
62         ))}
63       </div>
64     </div>
65   );
66 }
```

product.ts M

page.tsx M X

```
src > app > products > [productURL] > page.tsx > ProductDetail
 1 // "use client";
 2 import Image from "next/image";
 3 import { client } from "@sanity/lib/client";
 4 // import AllProducts from "../[productURL]/page"
 5 interface ProductDetailProps {
 6   params: { productURL: string };
 7 }
 8
 9 export default async function ProductDetail({ params }: ProductDetailProps) {
10   const { productURL } = params;
11
12   const product = await client.fetch(
13     `*[_type == "product" && slug.current == $productURL][0]{
14       title,
15       price,
16       description,
17       "image": image[].asset->url,
18       color,
19       gender,
20     }`,
21     { productURL }
22   );
23
24   if (!product) {
25     return <div>Product not found!</div>;
26   }
27
28   return (
29     <div className="flex flex-col md:flex-row items-center gap-8 p-6">
30       <div className="w-full md:w-1/2">
31         {product.image?.length > 0 ? (
32           <Image
33             src={product.image[0]}
34             alt={product.title}
35             width={600}
36             height={600}
37             className="object-contain"
38           />
39         ) : (
40           <div className="text-gray-500">No image available</div>
41         )}
42       </div>
43       <div className="w-full md:w-1/2 flex flex-col gap-4">
44         <h1 className="text-3xl font-bold">{product.title}</h1>
45         <h1 className="text-xl text-justify font-normal">Lorem ipsum dolor sit amet con
46         <p className="text-2xl font-semibold text-black">₹{product.price}</p>
47         <p className="text-black">{product.description}</p>
48         <button className="w-[200px] py-3 bg-black text-white rounded-md hover:b
49           data-item-id="product-id"
50           data-item-name="Product Name"
51           data-item-price={product.price}
52           data-item-url="/product-page-url"
53           data-item-description="Short description of the product">
54             Add to Cart
55           </button>
56         </div>
57       </div>
58     );
59   }
60 }
```

The screenshot shows a code editor interface with the following details:

- File Menu:** File, Edit, Selection, View, ...
- Search Bar:** hackathon-Full
- Toolbar:** Back, Forward, Home, Refresh, Stop, Minimize, Maximize, Close.
- Left Sidebar (EXPLORER):**
  - HACKATHON-F... (selected)
  - src (green folder)
  - app (red folder)
    - login
    - products
  - studio\[[...tool]] (blue folder)
    - page.tsx (selected)
    - favicon.ico
    - globals.css
    - layout.tsx
    - page.tsx
  - components
  - data
  - lib
  - sanity
  - .env.local
  - .eslintrc.json
  - .gitignore
  - components.json
  - next-env.d.ts
- Right Panel (page.tsx):**

src > app > studio > [[...tool]] > page.tsx > ...

```
1  /**
2   * This route is responsible for the built-in authoring environment using Sanity Studio.
3   * All routes under your studio path is handled by this file using Next.js' catch-all route.
4   * https://nextjs.org/docs/routing/dynamic-routes#catch-all-routes
5   *
6   * You can learn more about the next-sanity package here:
7   * https://github.com/sanity-io/next-sanity
8  */
9
10 import { NextStudio } from 'next-sanity/studio'
11 import config from '../../../../../sanity.config'
12
13 export const dynamic = 'force-static'
14
15 export { metadata, viewport } from 'next-sanity/studio'
16
17 export default function StudioPage() {
18   return <NextStudio config={config} />
19 }
20
```
- Bottom Status Bar:** Ln 1, Col 1, Spaces: 2, UTF-8, LF, {}, TypeScript JSX, Go Live, Prettier.