

CSC 209H1 F 2019 Midterm Test

Duration — 50 minutes

Aids allowed: none

UTORID:

chadhary
#

Last Name:

Chadhary

First Name:

Uzair

Instructor: Reid

Section: L0101

*Do **not** turn this page until you have received the signal to start.*
(Please fill out the identification section above, **write your name on the back of the test**, and read the instructions below.)

Good Luck!

This midterm consists of 5 questions on 8 pages (including this one). When you receive the signal to start, please make sure that your copy is complete.

Comments are not required.

No error checking is required.

You do not need to provide the include statements for your programs.

If you use any space for rough work, indicate clearly what you want marked.

1: 1 / 4

2: 2.5 / 5

3: 2.5 / 6

4: 2 / 3

5: 5 / 7

TOTAL: 13 / 25

Question 1. [4 MARKS]

(2/4)

These questions use the following struct:

```
struct rec {
    char *leader;
    int seats;
    struct rec *next;
};
```

Part (a) [1 MARK] Check the box that best explains the output of this program.

```
void set_record(struct rec *r, char *name, int seats) {
    r = malloc(sizeof(struct rec));
    r->leader = name;
    r->seats = seats;
}

int main() {
    struct rec party;
    set_record(&party, "Justin Trudeau", 155);
    printf("%s %d\n", party.leader, party.seats);
}
```

- ☐ Prints Justin Trudeau 155
- ☒ Prints empty string and 155 because the leader field is not initialized
- ☐ Justin Trudeau and garbage because seats is not initialized
- ☐ Unknown because party is not initialized

Part (b) [2 MARKS] Fill in the types so that the following statements are correct: (Assume appropriate memory has been allocated for all variables.)

```
struct rec party;
```

```
int * x = &party.seats;
```

```
char * y = &party.leader[0];
```

```
char z = party.leader[2];
```

```
struct rec a = *party.next;
```

(-1)

Part (c) [1 MARK] Check the box that best describes the error in this function.

```
void freelist(struct rec *head) {  
    while(head != NULL) {  
        free(head);  
        head = head->next;  
    }  
}
```

☐ segmentation fault

☐ memory leak

☐ dangling pointer

☒ None of the above. There is nothing wrong with this code.

Question 2. [5 MARKS]**Part (a)** [4 MARKS]

Suppose we have a directory that contains the following files:

```
Makefile    customer.o  item.o      library.h
customer.c  item.c      library.c   library.o
```

The Makefile contains the following:

```
library : library.o item.o customer.o
        gcc -Wall -g -std=gnu99 -o library library.o item.o customer.o

%.o : %.c library.h
        gcc -Wall -g -std=gnu99 -c $<
```

How many times is gcc called if we type `make library`? For each of the options below, circle "possible" or "not possible". For the case or cases where it is possible, explain under what circumstances it will occur.

0 times	<u>possible</u> not possible	If there's an error in the gcc code of Makefile	
1 time	<u>possible</u> not possible	library.h has an error	X
2 times	<u>possible</u> not possible	library.o has a error	X
4 times	<u>possible</u> not possible	library.o item.o customer.o and library.h all have no files errors	X
5 times	possible <u>not possible</u>		

Part (b) [1 MARK]

Check the statements are true about the following rule.

```
all : simpletest mytest
```

- ☐ The rule will only be executed if `simpletest` and `mytest` are newer than `all`
- ☒ The rule has no actions
- ☒ The rule has no prerequisites
- ☒ The rule will always evaluate the `simpletest` and `mytest` rules

Question 3. [6 MARKS]

2.5

For assignment 1 we could have dynamically allocated the two-dimensional matrix as illustrated in the following code.

Fill in the memory diagram to show the current state of the program exactly before the return statement on line 16 is executed. If there are uninitialized blocks of memory at that point in the program, write their values as ???.

```

1  int **create_matrix(int rows, int cols) {
2
3      int **matrix = malloc(rows * sizeof(int *));
4
5      for(int i = 0; i < rows; i++) {
6          matrix[i] = malloc(cols * sizeof(int));
7
8          for(int j = 0; j < cols; j++) {
9              if(i == j) {
10                 matrix[i][j] = 1;
11             } else {
12                 matrix[i][j] = 0;
13             }
14         }
15     }
16     return matrix;
17 }
18
19 int main() {
20     int d = 2;
21     int **m = create_matrix(d, d);
22     printf("%d %d\n", m[0][0], m[0][1]);
23     return 0;
24 }

```

Section	Address	Value	Label
Read-only	0x100		
	0x104		
	0x108		
	0x10c		
	0x110		
	:	:	
	0x23c		
	0x240	0x250	matrix[0]
	0x244	0x260	matrix[0]
	0x248		
Heap	0x24c		
	0x250	1	matrix[0][0]
	0x254	0	matrix[0][1]
	0x258		
	0x25c		
	0x260	0	matrix[1][0]
	0x264	1	matrix[1][1]
	:	:	
	0x454	2	d
	0x458	???	m
Stack	0x45c		
	0x460		
	0x464		
	0x468		
	0x46c		
	0x470		
	0x474		
	0x478		
	0x47c		
	0x480		

Question 4. [3 MARKS]

2

Consider the following program that illustrates how to use the `get_point` function. Assume no errors occur, opening the files is successful, and the files have the correct format.

The file "points.b" contains an array of `struct point` written to the file in binary using `fwrite`.

```
struct point {
    int x;
    int y;
};

int main(){
    FILE *fp1 = fopen("points.b", "rb");
    struct point *p1 = get_point(fp1, 2);
    printf("%d %d\n", p1->x, p1->y);

    return 0;
}
```

Complete the function below that returns a pointer to a `struct point` that contains the `nth` point in the binary file. The first `struct point` in the file would be stored at the beginning of the file. Assume the file is large enough to contain the `nth` point.

```
struct point *get_point(FILE *fp, int n) {
    ibk
    fp
    fseek(fp, (n-1) * sizeof(struct point), SEEK_SET);
    struct point x;
    fseek(fp, (n-1) * sizeof(struct point), SEEK_SET);
    fread(&x, sizeof(struct point), 1, fp);
    fread(&x, sizeof(struct point), 1, fp);
    return &x;
}
```

Needs to be heap allocated

Question 5. [7 MARKS]

The function `inject` will return a string containing `str` but with every occurrence of `c` replaced with `substr`. If `c` does not occur in `str`, then a copy of `str` is returned.

For example, if `inject` is called as `inject("abcabc", 'a', "def")`, then it will return "defbcdefbc"

You must allocate exactly the right amount of space to store the new string. You may make use of the function `count_chars()` defined below that returns the number of occurrences of `c` in `str`: (Do not write `count_chars()`.)

```
int count_chars(char *str, char c);
```

```
char *inject(char *str, char c, char *substr) {
```

~~int original_length = count_chars(str, c);~~

```
int occurrences = count_chars(str, c);
```

```
int str_length = strlen(str);
```

```
char * new_string;
```

```
if (occurrences == 0) {
```

```
    new_string = malloc(sizeof(char) * (str_length + 1));
```

```
    for (int x = 0; x < str_length; x++) {
```

```
        new_string[x] = str[x];
```

```
    new_string[str_length] = '\0';
```

```
    return new_string;
```

```
    }
```

```
    int sub_length = strlen(substr);
```

~~new_string = malloc(sizeof(char) * (str_length - occurrences + (occurrences * sub_length) + 1));~~

```
int new_length = str_length - occurrences + (occurrences * sub_length);
```

```
new_string = malloc(sizeof(char) * (new_length + 1));
```

```
for (int y = 0; y < new_length; y++) {
```

```
    if (str[y] == c) {
```

```
        for (int z = 0; z < sub_length; z++) {
```

```
            new_string[y] = substr[z];
```

```
        }
    }
    else {
```

```
        new_string[y] = str[y];
```

```
    }
    return new_string;
```

5

Why are you using y here?

Wrong indexing.
No null-termination
here.

C function prototypes:

```
int fclose(FILE *stream)
char *fgets(char *s, int n, FILE *stream)
FILE *fopen(const char *file, const char *mode)
size_t fread(void *ptr, size_t size, size_t nmemb, FILE *stream)
void free(void *ptr)
int fscanf(FILE *restrict stream, const char *restrict format, ...)
int fseek(FILE *stream, long offset, int whence)
    //set whence to SEEK_SET to seek from beginning of file
size_t fwrite(const void *ptr, size_t size, size_t nmemb, FILE *stream)
char *index(const char *s, int c)
void *malloc(size_t size)
void perror(const char *s)
int scanf(const char *restrict format, ...)
char *strchr(const char *s, int c)
size_t strlen(const char *s)
char *strcat(char *dest, const char *src)
char *strncat(char *dest, const char *src, size_t n)
int strncmp(const char *s1, const char *s2, size_t n)
char *strncpy(char *dest, const char *src, size_t n)
char *strstr(const char *haystack, const char *needle)
long int strtol(const char *nptr, char **endptr, int base);
```

Excerpt from strcpy/strncpy man page:

The strcpy() functions copy the string src to dst (including the terminating '\0' character). The strncpy() function copies at most n characters from src into dst. If src is less than n characters long, the remainder of dst is filled with '\0' characters. Otherwise, dst is not terminated.

Excerpt from strchr man page:

The strchr() function locates the first occurrence of c (converted to a char) in the string pointed to by s. The terminating null character is considered to be part of the string; therefore if c is '\0', the functions locate the terminating '\0'.

Excerpt from strcat man page:

The strcat() function appends the src string to the dest string, overwriting the terminating null byte ('\0') at the end of dest, and then adds a terminating null byte.

Useful Unix programs: cat, cut, wc, grep, sort, head, tail, echo, set, uniq, chmod

Makefile variables: \$@ target, \$^ all prerequisites, \$? all out of date prereqs, \$< first prereq

Print your name in this box.