1- List

Python lists are a versatile datatype available in Python which can be written as a list of comma-separated values (items) between square brackets. Lists are used to store multiple items in a single variable

```
In [1]: # empty list
First_list = []
In [2]: First_list2 = list()
```

list contains a list of elements, such as strings, integers, objects or a mixture of types.

1.1- Create List

```
In [7]: my_list = [1, 2, 3]
my_list
Out[7]: [1, 2, 3]
In [8]: my_list2 = ["a", "b", "c"]
my_list2
Out[8]: ['a', 'b', 'c']
In [9]: my_list3 = ["a", 1, "Python", 5]
my_list3
Out[9]: ['a', 1, 'Python', 5]
```

1.2- Nested List

```
In [10]: my_list = [1, 2, 3]
         my_list2 = ["a", "b", "c"]
         my_list3 = ["a", 1, "Python", 5]
         my_nested_list = [my_list, my_list2, my_list3]
         print(my_nested_list)
         [[1, 2, 3], ['a', 'b', 'c'], ['a', 1, 'Python', 5]]
         1.3- List Extend Method
In [12]: world_list = []
         one_list = [4, 5]
         world_list.extend(one_list)
         world_list
Out[12]: [4, 5]
In [13]: # Add two lists
         my list = [1, 2, 3]
         my_list2 = ["a", "b", "c"]
         world list 1 = my list + my list2
         world list 1
Out[13]: [1, 2, 3, 'a', 'b', 'c']
         1.4- Sorting out a list
In [14]: a_list = [34, 23, 67, 100, 88, 2]
         a_list.sort()
         a_list
```

Out[14]: [2, 23, 34, 67, 88, 100]

```
In [15]: # A none list
    a_list = [34, 23, 67, 100, 88, 2]
    sorted_list = a_list.sort()
    sorted_list
    print(sorted_list)
```

None

However, when you call the sort() method on a list, it sorts the list in □place. So if we try to assign the result to another variable, then we'll find out that we'll get a None object, which is like a Null in other languages. Thus when we want to sort something, just remember that we sort them in-place and we cannot assign it to a different variable

1.5- Slicing a list

```
In [17]: a_list = [34, 23, 67, 100, 88, 2]
a_list[0:3]
```

Out[17]: [34, 23, 67]

2- Tuples

Python Tuple is a collection of objects separated by commas. In some ways, a tuple is similar to a Python list in terms of indexing, nested objects, and repetition but the main difference between both is Python tuple is immutable.

```
In [18]: m_tuple=(1,2,3,4,5)
m_tuple[0:4]

Out[18]: (1, 2, 3, 4)

In [19]: # an empty
another_tuple=tuple()
```

2.1- Tuple casting

```
In [21]: my_tuple=tuple([1,2,3])
my_tuple
```

Out[21]: (1, 2, 3)

3- Dictionaries

Dictionaries are used to store data values in key:value pairs.

```
In [22]: # create empty dict
         my_dict = {}
In [23]: another_dict = dict()
In [24]: # dict with values
         other_dict = {"one":1, "two":2, "three":3}
         other_dict
Out[24]: {'one': 1, 'two': 2, 'three': 3}
         3.1- Accessing a value within a dictionary
In [25]: my dict = {"name":"ali", "address":"Uk 123"}
         my dict["name"]
Out[25]: 'ali'
          # Adding true and false statement
In [29]:
In [27]: "name" in my_dict
Out[27]: True
In [28]: "state" in my_dict
Out[28]: False
```

```
In [30]: # Checking all the keys in a dictionary
my_dict.keys()

Out[30]: dict_keys(['name', 'address'])

In [31]: # Checking values in dict
my_dict.values()

Out[31]: dict_values(['ali', 'Uk 123'])

In [32]: # The importance of in
"name" in my_dict

Out[32]: True

In [33]: "name" in my_dict.keys()

Out[33]: True
```