

FRONT - END DEVELOPMENT



① HTML

- Divided in 2 parts - Head and Body.
- Head tells the browser more about the page.
 - ↳ No things under head tag are not printed.

Q. Write the code for "Hello World".

```
<html>
```

```
<head>
```

```
<title> Sample </title>
```

```
</head>
```

```
<body>
```


Hello World

```
</body>
```

```
</html>
```

ending of an element

Output -



Tags -

$\frac{1}{2}$ `<div> </div>` - Breaks the line
`<span> </span>` - Shows on the same line.

Code -
↓
wraps content

`<html>`

`<head>`

`<title> sample </title>`

`</head>`

`<body>`

div1 → `<div> Hello. This is divendra </div>`

div2 → `<div> This is different line </div>`

span1 → `<span> Hello. How are </span>`

span2 → `<span> you? </span>`

`</body>`

`</html>`

Output -

Hello. This is divendra → div1

This is different line → div2

Hello, How are you?
span 1 span 2

~~2~~ <i> - italic
 - bold
<p> - paragraph

↓
it add space before and after every p element.

code -

<html>

<head>

<title> sample </title>

</head>

<body>

<i> He is the richest person in the world </i>

 He is 11th richest person in Asia.

<p> Mukesh Dhirubhai Ambani was born on
19th April 1957. </p>

<p> He has 1 younger brother and
two sisters. </p>

</body>

</html>

Output -

He is the richest person in the world. He is the 11th
richest person in the world.

Mukesh Dhirubhai 1957.

He has sisters.

3 `<a href = " " > </a>` - url links

Eg - `<a href = "www.google.com" > series </a>`

Output - series



this will come
in blue and
when you click it
the mentioned url will
open. (here google)

NOTE - leave ' ' empty or put # if you want the page to redirect to itself.

4 `<ul> </ul>` - unordered list

`<ol> </ol>` - ordered list

`<li> </li>` - list items

code -

`<body>`

`<div> My favourite video games </div>`

`<ol>`

`<li> Fallout 4 </li>`

`<li> Final Fantasy </li>`

`<ul>`

`<li> seven </li>`

`<li> Fifteen </li>`

`<li> eight </li>`

`</ul>`

`<li> Watcher </li>`

`</ol>`

`</body>`

sublist

1 <h> - heading - n_1 to n_6 $\rightarrow$ smallest
largest

2 <aside> <|aside>

code -

<body>

<aside style="float: left; width: 100px; height: 100px;">

This is going to be on the left side <|aside>

<n1> This is the largest <|n1>

<n6> This is the smallest <|n6>

Output -

This is going to be on the left side.

This is the largest

This is the smallest.

9 - image $\rightarrow$ link path

10 FORMS

<section id="contact-form">

<form method="get" action="place-order.php">

* Inputs - <input /> - text field for inputs

code -

<body>

<header>

<h2> Dominoz Pizza </h2>

<h3> Come and get some, homie! </h3>

</header>

<main>

<section id = "contact-form">

<h2> Place order </h2>

<form method = "post" action = "place-order.php">

<h4> Address </h4>

<input name = "address1" placeholder =
"Address Line 1" class = "lg-input">

<input name = "address2" placeholder =
"Address Line 2" class = "lg-input">

<input name = "address3" placeholder =
"Address Line 3" class = "lg-input">

<input name = "city" placeholder = "City"
class = "sm-input">

<input name = "state" placeholder = "state"
class = "sm-input">

</form>

</section>

</main>

</body>

Output -

Dominoz Pizza

Come and get some, homie!

Place Order

Address

Address Line 1	Address Line 2	Address Line 3
City	State	

* Check boxes - ~~check box~~ ☒

code -

```
< body >
```

```
< h4 > Ingredients < /h4 >
```

```
< input name = "pepperoni" type = "checkbox" / >
```

```
< / body >
```

Output -

☐ Pepperoni

* Radiobutton - ☐

code -

```
< input name = "Delivered" type = "radio" value =  
"delivery" / > Delivery < br / >
```

```
< input name = "Delivered" type = "radio" value =  
"pickup" / > Pickup
```


Output -

☐ Delivery

☐ Pickup.

NOTE = if the name of both the radiobuttons is same we can only select one radiobutton but if it is different more than one radiobutton can be selected.

* Select - select from the drop-down menu
code -

```
<h4> Size </h4>
```

```
<select name = "Size">
```

```
<option value = "small"> Small </option>
```

```
<option value = "medium"> Medium </option>
```

```
<option value = "Large"> Large </option>
```

```
</select>
```

Output -

Size

Small	☒
small	☐
Medium	☐
Large	☐

3 it clicked

* Button -

```
<button type = "submit"> Place Order </button>
```

Output -

Place Order

II Video

```
<video width = "520" height = "340" controls>
```

```
<source src = " " type = "video/mp4">
```

```
</video>
```

12 Audio

<audio width="600" controls >

<source src=" " type="audio/mpeg" >

</audio>

13 <hr /> - horizontal line

14 Ctrl + / $\Rightarrow$ to write comments

15 <big> </big> - big text

<small> </small> - small text

 - subscript

 - superscript

CO₂

a²

<pre> </pre> - if you want to render the text as it is