EXPERIMENT ASSESSMENT

ACADEMIC YEAR 2025-26

Course: Multidisciplinary Minor
Course code: MDC401
Year: SE SEM: IV

Experiment No. 4
AIM: Develop a dynamic webpage where content updates on button click using JavaScript DOM. Implement jQuery effects: hide/show elements, toggle visibility, and animate elements.
Name: Vallari Panvalkar
Roll Number: 51
Date of Performance:
Date of Submission:

Evaluation

Performance Indicator	Max. Marks	Marks Obtained
Performance	5	
Understanding	5	
Journal work and timely submission.	10	
Total	**20**	

Performance Indicator	Exceed Expectations (EE)	Meet Expectations (ME)	Below Expectations (BE)
Performance	5	3	2
Understanding	5	3	2
Journal work and timely submission.	10	8	4

Checked by

Name of Faculty : Dr. Yogesh Pingle

Aim: Develop a dynamic webpage where content updates on button click using JavaScript DOM. Implement jQuery effects: hide/show elements, toggle visibility, and animate elements.

Code:

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>experiment 4</title>
  <script  src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
  <style>
    #tb1 {
      height: 80px;
      width: 296px;
      text-align: center;
      font-size: large;
      shape-rendering: crispEdges;
      margin-bottom: 0.5%;
      background-color: rgb(255, 217, 0);
    }

    #tb2,
    #toggle,
    #Animate {
      height: 50px;
      width: 150px;
      text-align: center;
      font-size: medium;
      shape-rendering: crispEdges;
      margin-bottom: 0.5%;
      background-color: cornflowerblue;
    }

    #hide,
    #show {
      height: 50px;
      width: 73px;
      text-align: center;
      font-size: medium;
      shape-rendering: crispEdges;
      margin-bottom: 0.5%;
      background-color: cornflowerblue;
    }
  </style>
```

```
    <script>
        function update_text() {
            document.getElementById("tb1").value = "text updated successfully"
        }

        $(document).ready(function () {
            $("#hide").click(function () {
                $("#tb1").hide(100);
            })
            $("#show").click(function () {
                $("#tb1").show(100);
            })
            $("#toggle").click(function () {
                $("#tb1").toggle(300);
            })
            $("#Animate").click(function () {
                $("#tb1").animate({
                    height: '200px',
                    width: '500px',
                    fontSize: '30px'
                }, 1000).animate({
                    height: '80px',
                    width: '300px',
                    fontSize: '18px'
                }, 1000);
            })
        })
    </script>
</head>
<body>
    <h1>Implement jQuery effects</h1>
    <div class="textbox" id="text">
        <input type="text" id="tb1" name="t1" placeholder="enter your text">
        <div>
            <input type="button" id="tb2" name="t2" value="Update" onclick="update_text()">
            <input type="button" id="hide" name="t3" value="Hide">
            <input type="button" id="show" name="t4" value="Show">
            <br>
            <input type="button" id="toggle" name="t5" value="Toggle">
            <input type="button" id="Animate" name="t6" value="Animate">
        </div>
    </div>
</body>
</html>
```

Output:



Update Button is clicked: Message is printed saying "Text updated successfully"



Hide Button is clicked: the textbox is hidden



Show Button is clicked: the textbox reappears



Animate Button is clicked: the textbox increases its height, width and font size, after 1 second it restores back to initial shape.