

PENICILLIN SKIN ALLERGY TESTING CHECKLIST FOR ACUTE CARE PHARMACISTS (MARCH 2024):


This document will outline the process for becoming competent in PCN skin allergy testing. Once initial competency is passed, competency will be tested annually.

1) SCREENING

☐ Complete Allergy History Screening Questionnaire

[Allergy History Screening Questions.docx \(sharepoint.com\)](#)

2) CONSENT PATIENT VIA iMEDCONSENT



☐ Skin scratch test

☐ Intradermal test (possible)

☐ Medication oral challenge (possible)

3) SKIN TESTING [VHAANN Pharmacy Services - PRP Instructional Guide.pdf - All Documents \(sharepoint.com\)](#)

☐ Collect ancillary supplies and test materials

(1) Syringes, labels, alcohol swabs, reaction guide, recording form, skin test devices, Pre-Pen ampule, Histamine (1 mg/ml), PenG prefilled syringe, 0.9% Sodium Chloride vial

☐ Prepare each syringe with corresponding testing materials (as necessary)

(2) 0.2 mL Pre-Pen

(3) 0.1 mL Histamine (1 mg / 1 mL)

(4) 0.2 mL PenG (prefilled)

(5) 0.2 mL 0.9% NaCl

- ☐ Prepare skin for testing
 - (6) Wipe volar forearm with alcohol swab and create four sections labeled: Positive (+), Negative (-), PRP and PG.
- ☐ Drop test materials on skin
 - (7) Place a small drop of reagent in each of the four labeled testing sections *without touching the syringe to skin*. Be sure to match the label of syringe with appropriate labeled skin testing section.
- ☐ Perform skin scratch/prick test
 - (8) Using skin testing device, press down and twist through the small drop created in step
 - (9) Repeat until all four sections have been pricked
- ☐ Wait 15 minutes and measure results
 - Continue to the next portion of test if you can confirm a positive histamine reaction, negative Pre-Pen, PenG and saline. A positive result will be 3 mm larger than saline control. Record the results on the recording form.

4) INTRADERMAL TEST

- ☐ Prepare skin for ID testing
 - (1) Wipe back of upper arm or opposite volar forearm with alcohol swab.
- ☐ Label skin for ID testing
 - (2) ID testing will be done in duplicate. Mark skin with five sections labeled: PRP, PRP, PG, PG, Saline (-).
- ☐ Perform duplicate intradermals creating 3 mm blebs
- ☐ Mark/circle the perimeter of bleb
- ☐ Wait 15 minutes and measure results
 - (3) A positive result will be 2-3 mm larger than original bleb. Record the results on the recording form.

5) ORAL CHALLENGE

- ☐ Provide the patient an oral dose of 250 mg amoxicillin or 250 mg/ 125mg amoxicillin/clavulanate (or smallest available dose) of preferred antibiotic. The patient can be observed for 1 hour in a general patient waiting area as long as patient is visible to staff.

6) DOCUMENTING CPRS NOTES

- a) ALLERGY PENICILLIN ALLERGY HISTORY

Progress Note Properties

Progress Note Title: **ALLERGY <ALLERGY PENICILLIN ALLERGY HISTORY>**

ALLERGY <ADVERSE REACTION/ALLERGY>
 ALLERGY <ALLERGY & IMMUNOLOGY SECURE MESSAGING>
 ALLERGY <ALLERGY INPATIENT>
 ALLERGY <ALLERGY NON-VISIT E-CONSULT>
 ALLERGY <ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE>
 ALLERGY <ALLERGY OUTPATIENT PHYSICIAN FOLLOWUP NOTE>
ALLERGY <ALLERGY PENICILLIN ALLERGY HISTORY>
 ALLERGY <ALLERGY PENICILLIN ALLERGY TESTING>
 ALLERGY <ALLERGY SKIN TESTING RESULTS PROGRESS NOTE>
 ALLERGY <ALLERGY TELEPHONE NOTE>
 ALLERGY & IMMUNOLOGY SECURE MESSAGING
 ALLERGY INPATIENT
 ALLERGY NON-VISIT E-CONSULT
 ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE
 ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE <ALLERGY OUTPATIENT PHYSICIAN C
 ALLERGY OUTPATIENT PHYSICIAN FOLLOWUP NOTE
 ALLERGY PENICILLIN ALLERGY HISTORY
 ALLERGY PENICILLIN ALLERGY TESTING
 ALLERGY SKIN TESTING RESULTS PROGRESS NOTE
 ALLERGY TELEPHONE NOTE
 ALLOWANCE <PSAS CLOTHING ALLOWANCE REQUEST>

Date/Time of Note: Mar 12, 2024@13:12

Author: Heffran, Melissa Marie - Clinical Technician

Expected Cosigner:

Reminder Dialog Template: ALLERGY PENICILLIN ALLERGY HISTORY

This patient was assessed for a history of an allergic reaction to a penicillin group antibiotics on:

Patient allergy history:

What was the suspected medication and route of administration:

How long ago was the reaction? *

☐ 1 year
☐ 1-4 years
☐ 5-9 years
☐ 10-19 years
☐ >20 years
☐ Unknown

What was the indication for penicillin:

This patient was assessed for a history of an allergic reaction to a penicillin group antibiotics on:

Patient allergy history:

<No encounter information entered>

* Indicates a Required Field

b) ALLERGY PENICILLIN ALLERGY TESTING

Progress Note Properties

Progress Note Title: **ALLERGY <ALLERGY PENICILLIN ALLERGY TESTING>**

ALLERGY <ADVERSE REACTION/ALLERGY>
ALLERGY <ALLERGY & IMMUNOLOGY SECURE MESSAGING>
ALLERGY <ALLERGY INPATIENT>
ALLERGY <ALLERGY NON-VISIT E-CONSULT>
ALLERGY <ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE>
ALLERGY <ALLERGY OUTPATIENT PHYSICIAN FOLLOWUP NOTE>
ALLERGY <ALLERGY PENICILLIN ALLERGY HISTORY>
ALLERGY <ALLERGY PENICILLIN ALLERGY TESTING>
ALLERGY <ALLERGY SKIN TESTING RESULTS PROGRESS NOTE>
ALLERGY <ALLERGY TELEPHONE NOTE>
ALLERGY & IMMUNOLOGY SECURE MESSAGING
ALLERGY INPATIENT
ALLERGY NON-VISIT E-CONSULT
ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE
ALLERGY OUTPATIENT PHYSICIAN CONSULT NOTE <ALLERGY OUTPATIENT PHYSICIAN C
ALLERGY OUTPATIENT PHYSICIAN FOLLOWUP NOTE
ALLERGY PENICILLIN ALLERGY HISTORY
ALLERGY PENICILLIN ALLERGY TESTING
ALLERGY SKIN TESTING RESULTS PROGRESS NOTE
ALLERGY TELEPHONE NOTE
ALLOWANCE <PSAS CLOTHING ALLOWANCE REQUEST>

Date/Time of Note: Mar 12, 2024@13:15

Author: Heffran, Melissa Marie - Clinical Technician

Expected Cosigner:

OK Cancel

Reminder Dialog Template: ALLERGY PENICILLIN ALLERGY TESTING

If the patient meets criteria for penicillin allergy skin testing, testing was:

☐ Not performed due to patient refusal

☐ SCRATCH TESTING performed today with the results listed below:

☐ INTRADERMAL TESTING

Visit Info Finish Cancel

If the patient meets criteria for penicillin allergy skin testing, testing was:

<No encounter information entered>

* Indicates a Required Field

7) INITIAL PENICILLIN ALLERGY SKIN TESTING COMPETENCY

[PCN Allergy Skin Testing Competency - Initial.docx \(sharepoint.com\)](#)