

ISOLATION PRECAUTIONS FOR RESPIRATORY PANEL

Organism	Isolation Precautions	Duration
Adenovirus	Droplet and Contact	5-7 days after the onset of symptoms
Coronavirus 229E	Standard	
Coronavirus HKU1	Standard	
Coronavirus NL63	Standard	
Coronavirus OC43	Standard	
Human Metapneumovirus*	Droplet	5-7 days after the onset of symptoms
Human Rhinovirus-enterovirus	Droplet	5-7 days after the onset of symptoms
Influenza-A	Droplet	7 days after illness onset or until 24 hours after the resolution of symptoms, whichever is longer
Influenza-B	Droplet	7 days after illness onset or until 24 hours after the resolution of symptoms, whichever is longer
Parainfluenza virus 1	Standard	
Parainfluenza virus 2	Standard	
Parainfluenza virus 3	Standard	
Parainfluenza virus 4	Standard	
Respiratory syncytial virus*	Droplet	5-7 days after the onset of symptoms
<i>Bordetella pertussis</i>	Droplet	Until 5 days after initiation of effective antibiotic therapy
<i>Chlamydophila pneumoniae</i>	Standard	
<i>Mycoplasma pneumoniae</i>	Droplet	5-7 days after the onset of symptoms
<i>Bordetella parapertussis</i>	Droplet	Until 5 days after initiation of effective antibiotic therapy
COVID-19	Special Respiratory Precautions	

*VHAANN policy differs from CDC recommendations; droplet recommended due to high morbidity in the elderly and respiratory spread