4U Single Section Wall Cabinet

Standard

Comply with ANSI/EIARS-310-D,DIN41491;PART1,IEC297-2,DIN41494;PART7,GB.T3047.2-92
Standard.Compatible with metric ETSI and 19 inchintermational standard



Features

Material: Cold Rolled Steel
Modern stylish appearance and elegant exterior
19" standard assembly width
Detachable Composite Structure
Cable entry on the top cover and bottom panel with knockout plate or cover plate
Fan cutout on the top cover,easy to install fan
Installing back panel,eay to fix on the wall
Degrease, acid picking, rust prevention and parkerizing pure water cleaning, static
High strength toughened glass or perforated front door
Maximum Static Loading Capacity:40KG
Color: Light Gray or Black



Standard Attached Accessories





With key

Packing Method


Whole package or flat package
(Whole package: The cabinet have been assembled.The whole cabinet are packed into one export carton.
Flat package: The cabinet is disassembled and pakced into 1 export cartons.)


Other Optional Accessories:


1. Sliding shelf
2.Fan
3. 19" PDU
4.Fixed shelf
5.Others according to Customer's requirements


Main parts for floor cabinet


No.	Specification	Qty.	Unit	Material	Surface Finish	Remark
1	Mounting plate	2	PCS	SPCC Cold rolled steel 0.8	Powder coated	/
2	Top	1	PCS	SPCC Cold rolled steel 0.8	Powder coated	/
3	Side door	2	PCS	SPCC Cold rolled steel 0.8	Powder coated	/
4	Frame	2	PCS	SPCC Cold rolled steel 1.0	Powder coated	/
5	Mounting rail	2	PCS	SPCC Cold rolled steel 1.2	Powder coated	/
6	Bottom	1	PCS	SPCC Cold rolled steel 0.8	Powder coated	/
7	Toughened glass Door	1	PCS	SPCC 1.0/Toughened glass4.0	Powder coated	with small round lock











Flat Packaging Drawing

