



- [sqlite-netFx35-setup-bundle-x64-2008-1.0.81.0.exe \(6.79 MiB\)](#)

latter I found that third exe alone will serve my purpose. There is an easy way of integrating with Visual Studio without using any of these exes. I will explain below.

2. How to integrate System.Data.SQLite with your project as a package

- Download the precompiled binary package for your target framework and processor architecture (e.g. 32-bit x86, .NET Framework 2.0).
- Extract the package to a directory named "Externals" inside your project directory.
- Add a reference to the "System.Data.SQLite" assembly from the "Externals" directory.
- If necessary (i.e. you require LINQ support), also add a reference to the "System.Data.SQLite.Linq" assembly from the "Externals" directory.
- Alternatively, when using Visual Studio 2010, you can simply use the NuGet package that corresponds to your target processor architecture. Installing the assemblies into the Global Assembly Cache is not recommended as it may cause conflicts with other applications installed on the machine.

3. How to open a new connection to SQLite Database.

```
01. string inputFile = "test.s3db"
02. string dbConnection = String.Format("Data Source={0}", inputFile)
03. SQLiteConnection cnn = new SQLiteConnection(dbConnection);
04. cnn.Open();
```

Note: If database file does not exist then new file will be created with the above command. It is not necessary that there should be db file before opening connection.

4. How to create a table dynamically using SQLite command

```
01. // Define the SQL Create table statement
02. string createLogTableSQL = "CREATE TABLE [Log] (" +
03.     "[ID] INTEGER PRIMARY KEY AUTOINCREMENT," +
04.     "[Message] TEXT NULL" +
05.     ")";
06. using (SQLiteTransaction sqlTransaction = cnn.BeginTransaction())
```

```

07.     {
08.         // Create the table
09.         SQLiteCommand createCommand = new SQLiteCommand(createLogTableSQL, cnn);
10.         createCommand.ExecuteNonQuery();
11.         createCommand.Dispose();
12.         // Commit the changes into the database
13.         sqlTransaction.Commit();
14.     } // end using

```

5. How to insert a record in to a table

```

01. string sql = "insert into Log (Message) values ('This is sample      data');";
02. SQLiteConnection cnn = new SQLiteConnection(dbConnection);
03. cnn.Open();
04. SQLiteCommand mycommand = new SQLiteCommand(cnn);
05. mycommand.CommandText = sql;
06. int rowsUpdated = mycommand.ExecuteNonQuery();
07. cnn.Close();

```

6. How to check if a table exists or not

```

01. using (SQLiteConnection cnn = new SQLiteConnection(dbConnection))
02. {
03.     cnn.Open();
04.     String sql = string.Format("SELECT COUNT(*) FROM sqlite_master
05.         WHERE type = 'table'           AND name = '{0}'", tableName);
06.     count = ExecuteScalar(sql);
07. }

```

7. Create your helper class to manage crud operations with SQLite

```

01. using System;
02. using System.Collections.Generic;
03. using System.Data;
04. using System.Data.SQLite;
05. using System.IO;
06. using System.Configuration;
07.
08.
09. public class SQLiteDatabase
10. {
11.     protected String dbConnection;
12.
13.     /// <summary>
14.     ///     Single Param Constructor for specifying the DB file.
15.     /// </summary>
16.     /// <param name="inputFile">The File containing the DB</param>
17.     public SQLiteDatabase(string DBDirectoryInfo, String inputFile)
18.     {
19.         string sourceFile = Path.Combine(DBDirectoryInfo, inputFile);
20.         dbConnection = String.Format("Data Source={0}", sourceFile);
21.     }
22.
23.     /// <summary>
24.     ///     Single Param Constructor for specifying advanced connection options.
25.     /// </summary>
26.     /// <param name="connectionOpts">A dictionary containing all desired options and their
27.     ///     values</param>
28.     public SQLiteDatabase(Dictionary<String, String> connectionOpts)
29.     {
30.         String str = "";
31.         foreach (KeyValuePair<String, String> row in connectionOpts)
32.         {
33.             str += String.Format("{0}={1}; ", row.Key, row.Value);
34.         }
35.         str = str.Trim().Substring(0, str.Length - 1);
36.         dbConnection = str;
37.     }
38.
39.     /// <summary>
40.     ///     Allows the programmer to run a query against the Database.
41.     /// </summary>
42.     /// <param name="sql">The SQL to run</param>
43.     /// <returns>A DataTable containing the result set.</returns>
44.     public DataTable GetDataTable(string sql)
45.     {
46.         DataTable dt = new DataTable();
47.         try
48.         {
49.             SQLiteConnection cnn = new SQLiteConnection(dbConnection);
50.             cnn.Open();
51.             SQLiteCommand mycommand = new SQLiteCommand(cnn);
52.             mycommand.CommandText = sql;
53.             SQLiteDataReader reader = mycommand.ExecuteReader();

```



```

54.         dt.Load(reader);
55.         reader.Close();
56.         cnn.Close();
57.     }
58.     catch (Exception ex)
59.     {
60.     }
61.     return dt;
62. }
63.
64. /// <summary>
65. ///     Allows the programmer to interact with the database for purposes other than a quer
66. /// </summary>
67. /// <param name="sql">The SQL to be run.</param>
68. /// <returns>An Integer containing the number of rows updated.</returns>
69. public int ExecuteNonQuery(string sql)
70. {
71.     SQLiteConnection cnn = new SQLiteConnection(dbConnection);
72.     cnn.Open();
73.     SQLiteCommand mycommand = new SQLiteCommand(cnn);
74.     mycommand.CommandText = sql;
75.     int rowsUpdated = mycommand.ExecuteNonQuery();
76.     cnn.Close();
77.     return rowsUpdated;
78. }
79.
80. /// <summary>
81. ///     Allows the programmer to retrieve single items from the DB.
82. /// </summary>
83. /// <param name="sql">The query to run.</param>
84. /// <returns>A string.</returns>
85. public string ExecuteScalar(string sql)
86. {
87.     SQLiteConnection cnn = new SQLiteConnection(dbConnection);
88.     cnn.Open();
89.     SQLiteCommand mycommand = new SQLiteCommand(cnn);
90.     mycommand.CommandText = sql;
91.     object value = mycommand.ExecuteScalar();
92.     cnn.Close();
93.     if (value != null)
94.     {
95.         return value.ToString();
96.     }
97.     return "";
98. }
99.
100. /// <summary>
101. ///     Allows the programmer to easily update rows in the DB.
102. /// </summary>
103. /// <param name="tableName">The table to update.</param>
104. /// <param name="data">A dictionary containing Column names and their new values.
105. </param>
106. /// <param name="where">The where clause for the update statement.</param>
107. /// <returns>A boolean true or false to signify success or failure.</returns>
108. public bool Update(String tableName, Dictionary<String, String> data, String where)
109. {
110.     String vals = "";
111.     Boolean returnCode = true;
112.     if (data.Count >= 1)
113.     {
114.         foreach (KeyValuePair<String, String> val in data)
115.         {
116.             vals += String.Format(" {0} = '{1}',", val.Key.ToString(), val.Value.ToString(
117.         }
118.         vals = vals.Substring(0, vals.Length - 1);
119.     }
120.     try
121.     {
122.         this.ExecuteNonQuery(String.Format("update {0} set {1} where {2};", tableName,
123.             vals, where));
124.     }
125.     catch(Exception ex)
126.     {
127.         returnCode = false;
128.         //ServiceLogWriter.LogError(ex);
129.     }
130.     return returnCode;
131. }
132.
133. /// <summary>
134. ///     Allows the programmer to easily delete rows from the DB.
135. /// </summary>
136. /// <param name="tableName">The table from which to delete.</param>
137. /// <param name="where">The where clause for the delete.</param>
138. /// <returns>A boolean true or false to signify success or failure.</returns>
139. public bool Delete(String tableName, String where)
140. {
141.     Boolean returnCode = true;
142.     try
143.     {
144.         this.ExecuteNonQuery(String.Format("delete from {0} where {1};", tableName, where)
145.     }
146.     catch (Exception ex)

```

```

146.         {
147.             returnCode = false;
148.         }
149.         return returnCode;
150.     }
151.
152.     /// <summary>
153.     ///     Allows the programmer to easily insert into the DB
154.     /// </summary>
155.     /// <param name="tableName">The table into which we insert the data.</param>
156.     /// <param name="data">A dictionary containing the column names and data for the insert.
157. </param>
158.     /// <returns>A boolean true or false to signify success or failure.</returns>
159.     public bool Insert(String tableName, Dictionary<String, String> data)
160.     {
161.         String columns = "";
162.         String values = "";
163.         Boolean returnCode = true;
164.         foreach (KeyValuePair<String, String> val in data)
165.         {
166.             columns += String.Format(" {0}", val.Key.ToString());
167.             values += String.Format(" '{0}'", val.Value);
168.         }
169.         columns = columns.Substring(0, columns.Length - 1);
170.         values = values.Substring(0, values.Length - 1);
171.         try
172.         {
173.             this.ExecuteNonQuery(String.Format("insert into {0}({1}) values({2});", tableName,
174.             catch (Exception ex)
175.             {
176.                 returnCode = false;
177.             }
178.             return returnCode;
179.         }
180.
181.         /// <summary>
182.         ///     Allows the programmer to easily delete all data from the DB
183.         /// </summary>
184.         /// <returns>A boolean true or false to signify success or failure.</returns>
185.         public bool ClearDB()
186.         {
187.             DataTable tables;
188.             try
189.             {
190.                 tables = this.GetDataTable("select NAME from SQLITE_MASTER where type=
191.                 'table' order by NAME;");
192.                 foreach (DataRow table in tables.Rows)
193.                 {
194.                     this.ClearTable(table["NAME"].ToString());
195.                 }
196.                 return true;
197.             }
198.             catch
199.             {
200.                 return false;
201.             }
202.         }
203.
204.         /// <summary>
205.         ///     Allows the user to easily clear all data from a specific table.
206.         /// </summary>
207.         /// <param name="table">The name of the table to clear.</param>
208.         /// <returns>A boolean true or false to signify success or failure.</returns>
209.         public bool ClearTable(String table)
210.         {
211.             try
212.             {
213.
214.                 this.ExecuteNonQuery(String.Format("delete from {0};", table));
215.                 return true;
216.             }
217.             catch
218.             {
219.                 return false;
220.             }
221.         }
222.
223.         /// <summary>
224.         ///     Allows the programmer to easily test connect to the DB.
225.         /// </summary>
226.         /// <returns>A boolean true or false to signify success or failure.</returns>
227.         public bool TestConnection()
228.         {
229.             using (SQLiteConnection cnn = new SQLiteConnection(dbConnection))
230.             {
231.                 try
232.                 {
233.                     cnn.Open();
234.                     return true;
235.                 }
236.                 catch
237.                 {

```



```
238.         return false;
239.     }
240.     finally
241.     {
242.         // Close the database connection
243.         if ((cnn != null) && (cnn.State != ConnectionState.Open))
244.             cnn.Close();
245.     }
246. }
247.
248.
249. /// <summary>
250. ///     Allows the programmer to easily test if table exists in the DB.
251. /// </summary>
252. /// <returns>A boolean true or false to signify success on failure.</returns>
253. public bool IsTableExists(String tableName)
254. {
255.     string count = "0";
256.     if (dbConnection == default(string))
257.         return false;
258.     using (SQLiteConnection cnn = new SQLiteConnection(dbConnection))
259.     {
260.         try
261.         {
262.             cnn.Open();
263.             if (tableName == null || cnn.State != ConnectionState.Open)
264.             {
265.                 return false;
266.             }
267.             String sql = string.Format("SELECT COUNT(*) FROM sqlite_master WHERE type
268. = 'table' AND name = '{0}'", tableName);
269.             count = ExecuteScalar(sql);
270.         }
271.         finally
272.         {
273.             // Close the database connection
274.             if ((cnn != null) && (cnn.State != ConnectionState.Open))
275.                 cnn.Close();
276.         }
277.     }
278.     return Convert.ToInt32(count) > 0;
279. }
280. }
```

Tags: ASP.NET, SQLite



Can not serve default ad

Can not serve default ad

Can not serve default ad

Translate this page	<input type="text" value="Spanish"/>	<input type="button" value="GO"/>
Microsoft® Translator (http://www.bing.com/translator?ref=MSTWidget)		
<input type="button" value="X"/> <input type="button" value="Y"/>		



Related Blogs

Understanding ASP.NET Basics (<http://tech.just4sharing.com/Pages/ASP/Understanding-ASP.NET-Basics.aspx>)

ASP.NET is a Web application framework developed and marketed by Microsoft to allow programmers to build dynamic Web sites, Web applications and Web... view post... (<http://tech.just4sharing.com/Pages/ASP/Understanding-ASP.NET-Basics.aspx>)

How to do a simple RDLC report using Visual Studio (<http://tech.just4sharing.com/Pages/ASP/How-to-do-a-simple-RDLC-report-using-Visual-Studio.aspx>)

RDLC stands for Report Definition Language Client-side. RDLC can be run completely client-side in the ReportViewer control. This removes the need for... view post... (<http://tech.just4sharing.com/Pages/ASP/How-to-do-a-simple-RDLC-report-using-Visual-Studio.aspx>)

ASP interview questions (<http://tech.just4sharing.com/Pages/ASP/ASP-interview-questions.aspx>)

Explain the Validation Controls used in ASP.NET 2.0 - Validation controls allows you to validate a control against a set of rules. There are 6... view post... (<http://tech.just4sharing.com/Pages/ASP/ASP-interview-questions.aspx>)

How to use SQLite database in Visual Studio (<http://tech.just4sharing.com/Pages/ASP/How-to-use-SQLite-database-in-Visual-Studio.aspx>)

Recently I had a chance to work with SQLite to be used as dynamic storage media for Logging messages from Microsoft Message Queue. view post... (<http://tech.just4sharing.com/Pages/ASP/How-to-use-SQLite-database-in-Visual-Studio.aspx>)

SharePoint Developer Tools (<http://tech.just4sharing.com/Pages/sharepoint/SharePoint-Developer-Tools.aspx>)

SharePoint Manger 2010 and SPDisposeCheck are some of the great tools for developers and administrators. view post... (<http://tech.just4sharing.com/Pages/sharepoint/SharePoint-Developer-Tools.aspx>)

how to get IP address of the user (<http://tech.just4sharing.com/Pages/ASP/how-to-get-IP-address-of-the-user.aspx>)

I wanted to get the IP4 version of the user's IP and found this piece of code in net. Hope this will help you as well, view post... (<http://tech.just4sharing.com/Pages/ASP/how-to-get-IP-address-of-the-user.aspx>)

Working with Dependency Injection in Net (<http://tech.just4sharing.com/Pages/ASP/Working-with-Dependency-Injection-in-Net.aspx>)

Dependency Injection is also known as Inversion of Control (IOC). It is a design pattern that remove tight coupling between

dependent components.... view post... (<http://tech.just4sharing.com/Pages/ASP/Working-with-Dependency-Injection-in-Net.aspx>)

.Net Overview (<http://tech.just4sharing.com/Pages/ASP/Net-Overview.aspx>)

My objective is just to provide a real snap over the .Net Framework and it's architecture. As a windows programmer it is really important&n... view post... (<http://tech.just4sharing.com/Pages/ASP/Net-Overview.aspx>)

SP Master Page Content Placeholder Description (<http://tech.just4sharing.com/Pages/sharepoint/SP-Master-Page-Content-Placeholder-Description.aspx>)

SharePoint has various Page Content Placeholders in its Master Pages. Some of them are described here... view post... (<http://tech.just4sharing.com/Pages/sharepoint/SP-Master-Page-Content-Placeholder-Description.aspx>)

C-Sharp code to determine a visitor's IP address (<http://tech.just4sharing.com/Pages/ASP/C-Sharp-code-to-determine-a-visitor>)

Asp.net with C# provides ways of determining IP addresses of visitors to your website. Simply check the server variables HTTP_X_FORWARDED_FOR,... view post... (<http://tech.just4sharing.com/Pages/ASP/C-Sharp-code-to-determine-a-visitor>)

[Live Traffic Feed](#)

A visitor from Sibiti arrived from [google.com](#) and viewed "[How to use SQLite database in Visual Studio](#)" 9 mins ago

A visitor from Brighton, Victoria arrived from [google.com.au](#) and viewed "[How to creating Provider-hosted apps for SharePoint 2013](#)" 10 mins ago

A visitor from Canada arrived from [google.ca](#) and viewed "[How to use SQLite database in Visual Studio](#)" 12 mins ago

A visitor from Makati, Mindoro Occidental arrived from [google.com.ph](#) and viewed "[How to do a simple RDLC report using Visual Studio](#)" 49 mins ago

A visitor from United States arrived from [google.com](#) and viewed "[Service Applications and their databases in SharePoint 2013](#)" 1 hr 10 mins ago

A visitor from Mexico, Distrito Federal arrived from [google.com.mx](#) and viewed "[How to use SQLite database in Visual Studio](#)" 1 hr 22 mins ago

[Real-time view](#) · [Get FeedIt](#)

About

Welcome to my blogs. My SharePoint and .NET Experience is shared for everyone. Mail me (<mailto:biju@just4sharing.com?Subject=My%20Article>) your suggestions and they are always welcome.

EEmail Subscriptions

Would love to receive new blog alerts in your inbox?

Subscribe

Featured Blogs



How to do a simple RDLC report using Visual Studio (<http://tech.just4sharing.com/Pages/ASP/How-to-do-a-simple-RDLC-report-using-Visual-Studio.aspx>)



Content Type Hub in SharePoint 2013 (<http://tech.just4sharing.com/Pages/tech/Content-Type-Hub-in-SharePoint-2013.aspx>)

Configuring Windows Azure Access Control Service and Facebook authentication in SharePoint 2013 – Part 1 (<http://tech.just4sharing.com/Pages/tech/Configuring-Windows-Azure-Access-Control-Service->



and-Facebook-authentication-in-SharePoint-2013-Part-1.aspx)

Contact Us

Biju Joseph(MCSD)
SharePoint Consultant
Bangalore, INDIA
Phone: +919741600911
Email: biyu@just4sharing.com (<mailto:biyu@just4sharing.com>)

Stay Connected

2012 © just4sharing. All Rights Reserved. [Privacy Policy](#) | [Terms of Service](#)
(<http://just4sharing.com>)

Just 4 Sharing