



VB.Net Basic Tutorial
VB.Net - Home
VB.Net - Overview
VB.Net - Environment Setup
VB.Net - Program Structure
VB.Net - Basic Syntax
VB.Net - Data Types
VB.Net - Variables
VB.Net - Constants
VB.Net - Modifiers
VB.Net - Statements
VB.Net - Directives
VB.Net - Operators
VB.Net - Decision Making
VB.Net - Loops
VB.Net - Strings
VB.Net - Date & Time
VB.Net - Arrays
VB.Net - Collections
VB.Net - Functions
VB.Net - Subs
VB.Net - Classes & Objects
VB.Net - Exception Handling
VB.Net - File Handling
VB.Net - Basic Controls
VB.Net - Dialog Boxes
VB.Net - Advanced Forms
VB.Net - Event Handling
VB.Net Advanced Tutorial
VB.Net - Regular Expressions
VB.Net - Database Access
VB.Net - Excel Sheet


VB.Net - Send Email
VB.Net - XML Processing
VB.Net - Web Programming
VB.Net Useful Resources
VB.Net - Quick Guide
VB.Net - Useful Resources
VR Net - Discussion

Applications communicate with a database, firstly, to retrieve the data stored there and present it in a user-friendly way, and secondly, to update the database by inserting, modifying and deleting data.

Microsoft ActiveX Data Objects.Net (ADO.Net) is a model, a part of the .Net framework that is used by the .Net applications for retrieving, accessing and updating data.

ADO. Net Object Model

ADO.Net object model is nothing but the structured process flow through various components. The object model can be pictorially described as:



The data residing in a data store or database is retrieved through the **data provider**. Various components of the data provider retrieve data for the application and update data.

An application accesses data either through a dataset or a data reader.

Datasets store data in a disconnected cache and the application retrieves data from it.

Data readers provide data to the application in a read-only and forward-only mode.

Data Provider

A data provider is used for connecting to a database, executing commands and retrieving data, storing it in a dataset, reading the retrieved data and updating the database.

The data provider in ADO.Net consists of the following four objects:

Objects & Description
Connection
This component is used to set up a connection with a data source.
Command

A command is a SQL statement or a stored procedure used to retrieve, insert, delete or modify data in a data source.

DataReader

Data reader is used to retrieve data from a data source in a read-only and forward-only mode.

DataAdapter

This is integral to the working of ADO.Net since data is transferred to and from a database through a data adapter. It retrieves data from a database into a dataset and updates the database. When changes are made to the dataset, the changes in the database are actually done by the data adapter.

There are following different types of data providers included in ADO.Net

The .Net Framework data provider for SQL Server - provides access to Microsoft SQL Server.

The .Net Framework data provider for OLE DB - provides access to data sources exposed by using OLE DB.

The .Net Framework data provider for ODBC - provides access to data sources exposed by ODBC.


The .Net Framework data provider for Oracle - provides access to Oracle data source.

The EntityClient provider - enables accessing data through Entity Data Model (EDM) applications.

DataSet

DataSet is an in-memory representation of data. It is a disconnected, cached set of records that are retrieved from a database. When a connection is established with the database, the data adapter creates a dataset and stores data in it. After the data is retrieved and stored in a dataset, the connection with the database is closed. This is called the 'disconnected architecture'. The dataset works as a virtual database containing tables, rows, and columns.

The following diagram shows the dataset object model:



The DataSet class is present in the **System.Data** namespace. The following table describes all the components of DataSet:

S.N	Components & Description
1	DataTableCollection It contains all the tables retrieved from the data source.
	To contains an the tables retrieved from the data source.
2	DataRelationCollection
	It contains relationships and the links between tables in a data set.
3	ExtendedProperties
	It contains additional information, like the SQL statement for retrieving data, time of retrieval, etc.
4	DataTable
	It represents a table in the DataTableCollection of a dataset. It consists of the DataRow and DataColumn

	objects. The DataTable objects are case-sensitive.
5	DataRelation
	It represents a relationship in the DataRelationshipCollection of the dataset. It is used to relate two DataTable objects to each other through the DataColumn objects.
6	DataRowCollection
	It contains all the rows in a DataTable.
7	DataView
	It represents a fixed customized view of a DataTable for sorting, filtering, searching, editing and navigation.
8	PrimaryKey
	It represents the column that uniquely identifies a row in a DataTable.
9	DataRow
	It represents a row in the DataTable. The DataRow object and its properties and methods are used to retrieve, evaluate, insert, delete, and update values in the DataTable. The NewRow method is used to create a new row
	and the Add method adds a row to the table.
10	DataColumnCollection
	It represents all the columns in a DataTable.
11	DataColumn
	It consists of the number of columns that comprise a DataTable.

Connecting to a Database

The .Net Framework provides two types of Connection classes:

SqlConnection - designed for connecting to Microsoft SQL Server.

OleDbConnection - designed for connecting to a wide range of databases, like Microsoft Access and Oracle.

Example 1

We have a table stored in Microsoft SQL Server, named Customers, in a database named testDB. Please consult 'SQL Server' tutorial for creating databases and database tables in SQL Server.

Let us connect to this database. Take the following steps:


Select TOOLS -> Connect to Database




Select a server name and the database name in the Add Connection dialog box.

Add Connection


Enter information to connect to the selected data source or click "Change" to choose a different data source and/or provider.



Click on the Test Connection button to check if the connection succeeded.



Add a DataGridView on the form.



Click on the Choose Data Source combo box.

Click on the Add Project Data Source link.



This opens the Data Source Configuration Wizard.

Select Database as the data source type







Choose DataSet as the database model.



Choose the connection already set up.




Save the connection string.




Choose the database object, Customers table in our example, and click the Finish button.

Dies foods Configuration Water

Chooses Your Detabase Objects



Select the Preview Data link to see the data in the Results grid:



When the application is run using **Start** button available at the Microsoft Visual Studio tool bar, it will show the following window:



Example 2

In this example, let us access data in a DataGridView control using code. Take the following steps:

Add a DataGridView control and a button in the form.

Change the text of the button control to 'Fill'.


Double click the button control to add the required code for the Click event of the button, as shown below:

End Sub End Class

When the above code is executed and run using **Start** button available at the Microsoft Visual Studio tool bar, it will show the following window:



Clicking the Fill button displays the table on the data grid view control:



Creating Table, Columns and Rows

We have discussed that the DataSet components like DataTable, DataColumn and DataRow allow us to create tables, columns and rows, respectively.

The following example demonstrates the concept:

Example 3

So far, we have used tables and databases already existing in our computer. In this example, we will create a table, add columns, rows and data into it and display the table using a DataGridView object.

Take the following steps:

Add a DataGridView control and a button in the form.

Change the text of the button control to 'Fill'.

Add the following code in the code editor.

```
Public Class Form1
    {\tt Private \ Sub \ Form1\_Load} (sender \ As \ Object, \ e \ As \ EventArgs) \ Handles \ MyBase.Load}
           Set the caption bar text of the form.
         Me.Text = "tutorialspont.com"
    Private Function CreateDataSet() As DataSet
        'creating a DataSet object for tables
Dim dataset As DataSet = New DataSet()
          creating the student table
         Dim Students As DataTable = CreateStudentTable()
         dataset.Tables.Add(Students)
         Return dataset
    End Function
    Private Function CreateStudentTable() As DataTable
         Dim Students As DataTable
         Students = New DataTable("Student")
        'adding columns

AddNewColumn(Students, "System.Int32", "StudentID")

AddNewColumn(Students, "System.String", "StudentName")

AddNewColumn(Students, "System.String", "StudentCity")
           adding rows
        AddNewRow(Students, 1, "Zara Ali", "Kolkata")
AddNewRow(Students, 2, "Shreya Sharma", "Delhi")
AddNewRow(Students, 3, "Rini Mukherjee", "Hyderabad")
AddNewRow(Students, 4, "Sunil Dubey", "Bikaner")
```


2017-04-28, 11:30 AM

9 of 10

```
AddNewRow(Students, 5, "Rajat Mishra", "Patna")
Return Students
End Function
Private Sub AddNewColumn(ByRef table As DataTable, _
ByVal columnType As String, ByVal columnName As String)
Dim column As DataColumn = _
table.Columns.Add(columnName, Type.GetType(columnType))
End Sub

'adding data into the table
Private Sub AddNewRow(ByRef table As DataTable, ByRef id As Integer,_
ByRef name As String, ByRef city As String)
Dim newrow As DataRow = table.NewRow()
newrow("StudentIO") = id
newrow("StudentIO") = city
table.Rows.Add(newrow)
End Sub
Private Sub Button1_Click(sender As Object, e As EventArgs) Handles Button1.Click
Dim ds As New DataSet
ds = CreateDataSet()
DataGridView1.DataSource = ds.Tables("Student")
End Sub
End Class
```

When the above code is executed and run using **Start** button available at the Microsoft Visual Studio tool bar, it will show the following window:



Clicking the Fill button displays the table on the data grid view control:



♠ Previous Page
Advertisements



Write for us FAQ's Helping Contact

 $\ensuremath{\mathbb{C}}$ Copyright 2017. All Rights Reserved.

Enter email for newslette go