

Software Test Procedure

# **HUNagScreen Dialog**

Volume 1.0.0

Version 1.0.0

Date Apr 29, 2019

Hew Lines VA7HU

## Table of Contents

1	Introduction.....	1
2	Setup.....	1
3	Initial Program Launch with No .ini or User files.....	1
3.1	Appendix 1.....	4
3.2	Appendix 2.....	4

## 1 Introduction

This document contains the complete suite of Software Test Procedures for the HUNagScreen Dialog Box.

## 2 Setup

This section details setup procedures that are required before commencing the complete test suite.

The following modules must be available in the application:

**AppSettings;** and,

**HURegistration.**

Delete the following Files and Directories :

**AppData/Roaming/RVMasterLog** directory. This will also delete all Subdirectories; and,

**RVMasterLog.ini.** If necessary, rename or save the current .ini file so it can be reloaded upon completion of the test suite if needed..

## 3 Initial Program Launch with No .ini or User files.

Step	Test	Pass
1.	INITIAL DISPLAY	
2.		

## HUNagScreen Dialog

Step	Test	Pass
3.	Launch the application.	
4.	Select the <Yes> button of the <b>erNoDataDirectoriesFound</b> message.	
5.	Select the <Ok> button to dismiss the <b>imCreateUserDirs</b> message.	
6.	Select the <Ok> button to dismiss the <b>Read Settings INI file</b> message.	
7.	Ensure the <b>HUNagScreen</b> is displayed at screen centre.	
8.	Ensure the <b>Title bar</b> is blue.	
9.	Ensure the <b>Title bar</b> only displays the text “ <b>RVMasterLog.exe</b> ” on the left.	
10.	Ensure the <b>HUNagScreen</b> contains a memo box containing the text <b>cstrMemoText</b> .	
11.	Ensure the <b>HUNagScreen</b> contains three buttons along the bottom of the dialog box in the following order:	
12.	A <Help> button on the left that is <b>enabled</b> .	
13.	A <Yes> button to the right that is <b>enabled</b> .	
14.	A <No> button on the right that is <b>enabled</b> .	
15.	Ensure the <Yes> button has the <b>focus</b> .	
16.		
17.	<b>TAB ORDER</b>	
18.		
19.	Press the <TAB> key.	
20.	Ensure the <No> button receives the <b>Focus</b> .	
21.	Press the <TAB> key.	
22.	Ensure the <Help> button receives the <b>Focus</b> .	
23.	Press the <TAB> key.	
24.	Ensure the <Yes> button has the <b>focus</b> .	
25.		
26.	<b>FUNCTIONALITY</b>	
27.		
28.	Select the <Help> button.	

## HUNagScreen Dialog

Step	Test	Pass
29.	Ensure the Information message <b>imNotImplementedMsg</b> is displayed.	
30.	Select the <Ok> button to dismiss the message.	
31.	Select the <No> button of the <b>Nag Screen</b> .	
32.	Ensure the <b>NagScreen</b> is <b>dismissed</b> .	
33.	Ensure the <b>Main Form</b> of the application is <b>displayed</b> .	
34.	<b>Terminate</b> the Application.	
35.	Delete the <b>AppData/Roaming/RVMasterLog</b> directory.	
36.	<b>Delete</b> the ,ini file.	
37.		
38.	Launch the application.	
39.	Select the <Yes> button of the <b>erNoDataDirectoriesFound</b> message.	
40.	Select the <Ok> button to dismiss the <b>imCreateUserDirs</b> message.	
41.	Select the <Ok> button to dismiss the <b>Read Settings INI file</b> message.	
42.		
43.	Select the <Yes> button.	
44.	Ensure the <b>HURegistration</b> dialog box is displayed.	
45.	Select the <Cancel> button to dismiss the <b>HURegistration</b> dialog box.	
46.	Select the <Ok> message to dismiss the imSsssss message.	
47.	Terminate the application.	
48.		
49.	<b>END OF TEST</b>	
50.		

These are the different appendices

**3.1 Appendix 1**

**3.2 Appendix 2**