

**DIVISION- MCA/BCA/BSc(CS)** 

(Annexure-I)

A Project Report

On

#### PINGALWARA MANAGEMENT SYSTEM

Submitted in partial fulfillment of the requirements for the award of the degree of

#### MASTERS OF COMPUTER APPLICATIONS

in

Session: 2021-2022

By

**VAIBHAV** 

20MCA1024

**Supervised By:** 

Mr. Bachandeep Singh Bhathal



University Institute of Computing
CHANDIGARH UNIVERSITY, GHARUAN, MOHALI, PUNJAB,140413



**DIVISION- MCA/BCA/BSc(CS)** 

# **Acknowledgement**

I am grateful to **CHANDIGARH UNIVERSITY**, **GHARUAN** for providing me the opportunity to undertake the project at their organization and for allowing me to use all their resources during the course of the project.

I also take this opportunity to express my sincere, humble and deepest gratitude to **MR. Bachandeep Singh Bhathal,** our project managers for assigning me the project and assisting throughout the time period of my project.

I find it difficult to verbalize the deepest sense of indebtedness to my family and friends for their boundless love and support, which has always been a source of inspiration and kept my going to complete this venture.

And above all I must acknowledge with complete humility, the power and the mental ability given to me by the Almighty in completion of project as well as writing the report.



# DIVISION- MCA/BCA/BSc(CS)

#### Index

# **Table of Content**

Acknowledgement	2
Introduction	4
Objective	5
Features	5
Gaps of Existing System	6
Modules	7
Hardware and Software Requirements	8
Front End And Back End	9 - 11
Front End	9
HTML	9
<b>Cascading Style Sheet(CSS)</b>	9
Javascript	9
Bootstrap	10
PHP	10
Back End	11
MySQL	11
Data Flow Diagram	12 – 16
Data Design (Database Tables)	17 – 21
Code of the Project	21 - 75
Conclusion	76
Future Scope	76
References	76



**DIVISION- MCA/BCA/BSc(CS)** 

#### Introduction

This project entitled "Pingalwara Management" is for All India Pingalwara Charitable Society (Regd) Amritsar is to develop its social services in a more effective manner. So that they can improve society without any poverty and illiteracy. The module is used to display the information like their name, place, history of the Trust, when they established their organization, president of the organization, vice president, number of members of the Trust, etc. Past work module is used to display the Pingalwara's exiting service for society. It deals with the service of their poor people, illiterate people, and how they served their society. On going Programs is told about the currently running programs of this organization. It supports various programs of Education, Sports, Health and Awareness etc. The photo gallery is used to display their collection of photos of their good work done for the society. It tells their organization services in a more accurate way. It also provides materials for Awareness. Feedback is used to get the customers opinions. So that it can improve its functionality in a more accurate and easiest way. Based on the Customer feedback it can easily develop their services for society.

Pingalwara is a house for destitute in Amritsar in northern Indian state of Punjab. Pingalwara is working very compassionately for orphan, destitute, old age, mentally challenged, abandoned children and persons suffering from diseases.

Education standard of government run schools is very low and the poor people cannot afford to send their children to private schools. With this in view, Pingalwara is running Four schools where free education is provided. We provide detail of these school run by Pingalwara trust. User can fill enquiry form for admissions. User can also take test to check eligibility.

# CHANDIGARH

# UNIVERSITY INSTITUTE OF COMPUTING

#### **DIVISION- MCA/BCA/BSc(CS)**

#### **Objective**

- I. To promote primary and higher education among the visually challenged, differently-abled and economically underprivileged people.
- **II.** To encourage sports and games for people with disabilities, especially the visually challenged.
- III. To empower visually challenged, differently abled and economically underprivileged people through development initiatives focusing on educational, social, economic, cultural and technological aspects Vision.
- **IV.** An inclusive society free of discrimination against the differently-abled. Where people with Disabilities, especially the visually challenged, enjoy equal opportunities and an enhanced quality of life

#### Project features for identification of uniqueness

- Past work: Admin portal Adds the old work data using this admin module. It Contains Information about the Event id, Event Name, Event Description, Start Date, End Date.
- Ongoing/Upcoming events Program: In this module, the admin adds the current or upcoming events information.
- **Photo Gallery:** The admin adds the photos and Video of visitors, activities of Pingalwara
- **Volunteer:** The volunteers sponsors register their information to this volunteer portal. This information included the details of the person who want to do volunteering.
- Free Literature: it provides Free Literature of Pingalwara
- **Donation:** User can give online Donation by Web platform
- Join Our Trust: People can send request with cv to join our trust
- Admission Enquiry: User can send Admission enquiry for education institute.
- Eligibility test: User can also take eligibility test for admission
- **Ref Material:** Pingalwara has its own printing press where 20,000 pages are printed every day for free distribution amongst the general public. user can download this reference material and free books.
- **Branch's:** Provide Detail of domestic and overseas branches
- Articles & News: it provides articles for awareness and trust related news



**DIVISION- MCA/BCA/BSc(CS)** 

# Gaps in the Existing System

#### **EXISTING SYSTEM**

Generally, all the Non-governmental activities information like old(past) work and current ongoing work information and details are organized manually by these organization. But it takes extra time to preserve these records or data and very difficult to find the details for various particulars. Everything is to be done physically, so it is very burdensome to maintain the records. It's also very difficult to find the activities

#### PROPOSED SYSTEM

The proposed system is developed to overcome the demerits of the existing specified earlier. This system is being created using PHP and My SQL. Since PHP is our Front-End it looks more look and feels for the web application is very Effective & Security. This look and feel of it is more users friendly and easy to operate on. We can create dynamic and Interactive user application using PHP. This project is easy to use ,reliable and flexible. So it is easy to store and retrieve the huge amount of data.

- Takes less time to do the processes and faster than the existing system.
- Speed and accuracy is increased from the other existing systems
- It is fully automatic and easy to use.



#### DIVISION- MCA/BCA/BSc(CS)

#### **Modules**

The system has two major actors and each actor has its features to carry out as follows:

#### **Admin**

- Login to System
- Manage School details
- Add Team Members Details
- Manage Staff Details
- Update test Question Set
- View Donation Reports
- View Volunteers Request
- View Admission Enquiries
- Manage Branch Details

#### **Staff**

- Login to System
- Manage Profile
- Add Image & Video's to Gallery
- Manage Events Information
- Upload Reference Material
- Update Articles & News



**DIVISION- MCA/BCA/BSc(CS)** 

#### **Hardware and Software Requirements:**

#### **Hardware requirements:**

- Free Disk Space: Minimum 300MB of free disk space for installation.
- Installed Memory (RAM): Minimum 512MB of RAM required.
- Processor: Intel Pentium 4 or above

#### **Software Requirements:**

- Operating System: Windows XP/Vista or Windows 7/8/8.1/10/11.
- Web Browser (Google Chrome / Mozilla Firefox etc)
- Xampp Server 3.1
- Brackets (Text Editor)/Notepad ++



**DIVISION- MCA/BCA/BSc(CS)** 

#### Front End And Back End

#### Front End:-

**HTML** Html (Hyper Text Markup Language) mainly use for design a client side web pages, this is a static page it means you can only view Html page not give request and not get response from server using html page. Using Html pages browser get user information through form (This is an Html element). Html provides so many elements (like , <img>, <h1>) to design a web page.

Tim Berners-Lee is known as father of HTML. The first publicly available description of HTML was a document called "HTML Tags", first described, on the Internet by Berners-Lee in late 1991. **HTML5** is the latest version of Hypertext Mark- up Language, the code that describes web pages. It's actually three kinds of code: HTML, which provides the structure; Cascading Style Sheets

(CSS), which take care of presentation; and JavaScript, which makes things happen.

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a mark-up language. Along with HTML and JavaScript, CSS is a cornerstone technology used by most websites to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications.

CSS is designed primarily to enable the separation of presentation and content, including aspects such as the layout, colours, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple HTML pages to share formatting by specifying the relevant CSS in a separate CSS file, and reduce complexity and repetition in the structural content.

**JavaScript** often abbreviated as JS, is a high-level, dynamic, weakly typed, prototype-based, multiparadigm, and interpreted programming language. Alongside HTML and CSS, JavaScript is one of the three core technologies of World Wide Web content production. It is used to make webpages interactive and provide online programs, including video games.

JavaScript is a object-based scripting language. It is light weighted. Using HTML we can only design a web page but you can not run any logic on web browser like addition of two numbers, check any condition, looping statements (for, while), decision making statement (if else) at client side. All these are not possible using HTML So for perform all these task at client side you need to use JavaScript.



#### **DIVISION- MCA/BCA/BSc(CS)**

**Bootstrap** is an open source toolkit for developing with HTML, CSS, and JS. Quickly prototype your ideas or build your entire app with our Sass variables and mixings, responsive grid system, extensive prebuilt components, and powerful plugins built on query. Bootstrap is a front-end library for designing websites and web applications It contains HTML and CSS based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions.

PHP stands for Hypertext Pre-processor, is widely- used open source general- purpose scripting language that is especially suited for wed development and can be embedded into HTML. PHP is a server-side scripting language designed for web development. It was originated by Ramus Leadoff in 1994, the PHP reference implementation is now produced by The PHP Group. While PHP originally stood for Personal Home Page. PHP code may be embedded into HTML code, or it can be used in combination with various web template systems, web content management system and web frameworks. The web server combines the results of the interpreted and executed PHP code, which may be any type of data, including images, with the generated web page..

#### **Features of PHP**

- It is very simple and easy to use, compare to other scripting language it is very simple and easy, this is widely used all over the world.
- It is an interpreted language, i.e. there is no need for compilation.
- It is faster than other scripting language e.g. asp and jsp.
- Its Open Source, means you no need to pay for use php, you can free download and use.
- Its Platform Independent PHP code will be run on every platform, Linux, Unix, Mac OS X, Windows.
- PHP is case sensitive scripting language at time of variable declaration.
- PHP have some predefined error reporting constants to generate a warning or error notice.
- PHP provides access logging by creating the summary of recent accesses for the user.
- PHP supports variable usage without declaring its data type. It will be taken at the time of the execution based on the type of data it has on its value.



#### **DIVISION- MCA/BCA/BSc(CS)**

#### Back End:-

**MySQL** is a fast, easy-to-use RDBMS being used for many small and big businesses. MySQL is developed, marketed, and supported by MySQL AB, which is a Swedish company. My SQL is also used in many high-profile, large-scale websites, including Google, Facebook, Twitter, Flickr and You tube. My SQL database include: TYPO3, MoDx, Joomla, Wordpress, phpBB, MyBB, Drupal and other software. MySQL is a freely available open source Relational Database Management System (RDBMS) that uses Structured Query Language.

MySQL runs on virtually all platforms, including Linux, UNIX, and Windows. Although it can be used in a wide range of applications, MySQL is most often associated with web-based applications and online publishing and is an important component of an open source enterprise stack called LAMP. LAMP is a Web development platform that uses Linux as the operating system, Apache as the Web server, and MySQL as the relational database management system and PHP as the object-oriented scripting language.

#### MySQL is becoming so popular because of many good reasons:

- MySQL is released under an open-source license. So you have nothing to pay to use it.
- MySQL is a very powerful program in its own right. It handles a large subset of the functionality of the most expensive and powerful database packages.
- MySQL uses a standard form of the well-known SQL data language.
- MySQL works on many operating systems and with many languages
- MySQL works very quickly and works well even with large data sets.



#### **DIVISION- MCA/BCA/BSc(CS)**

#### **Data Flow Diagram**


DFD is an elegant modelling technique that can be used only to represent the results of structured analysis of a software problem but also useful for several other applications such as showing the flow of documents or items in an organization.

#### **Symbols Used For Constructing DFDs**

• **Function Symbol-** A function is represented using a circle. This symbol is called a process or bubble. Bubbles are annotated with the names of the corresponding functions.



• External Entity Symbol- An external entity such as a librarian, a library member, etc is represented by a rectangle. The external entities are essentially those physical entities external to the software system which interact with the system by inputting data to the system or by consuming the data produced by the system.



- Data Flow Symbol- A directed arc (or an arrow) is used as a data flow symbol. A data flow symbol represents the data flow occurring between two processes or between two external entity and a process in the direction of the data flow arrow. Data flow symbols are usually annotated with the corresponding data name.
- Data Store Symbol- A data store is represented using two parallel lines. It represents a logical file. That is, a data store symbol can represent either a data structure or a physical file on disk. Each data store is connected to a process by means of a data flow symbol. The direction of the data flow arrow shows whether data is being read from or written into a data store

**DATA STORE** 




# DIVISION- MCA/BCA/BSc(CS)


• **Output Symbol-** The output symbol is used when a hard copy is produced.

		_
















DIVISION- MCA/BCA/BSc(CS)

# **Data Design (Database Tables)**

#### Admin

	#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
ı	1	username	varchar(20)	latin1_swedish_ci		No	None		
	2	password	varchar(40)	latin1_swedish_ci		No	None		


#### **Account Detail**

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra
1	account_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	account_no	varchar(20)	latin1_swedish_ci		No	None		
3	bank_name	varchar(250)	latin1_swedish_ci		No	None		

#### Activity

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	activity_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	activity	varchar(100)	latin1_swedish_ci		No	None		
3	description	varchar(3000)	latin1_swedish_ci		No	None		
4	image	varchar(100)	latin1_swedish_ci		No	None		
5	posted_on	timestamp		on update CURRENT_TIMESTAMP	No	CURRENT_TIMESTAMP		ON UPDATE CURRENT_TIMESTAMP
6	activity_date	timestamp		on update CURRENT_TIMESTAMP	No	CURRENT_TIMESTAMP		ON UPDATE CURRENT_TIMESTAMP

#### Article





# DIVISION- MCA/BCA/BSc(CS)

#### **Branches**

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	branch_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	branch	varchar(300)	latin1_swedish_ci		No	None		
3	overview	varchar(2000)	latin1_swedish_ci		No	None		

#### **Contact Us**

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	full_name	varchar(100)	latin1_swedish_ci		No	None		
2	your_mail	varchar(100)	latin1_swedish_ci		No	None		
3	subject_line	varchar(300)	latin1_swedish_ci		No	None		
4	address_line	varchar(350)	latin1_swedish_ci		No	None		
5	city	varchar(100)	latin1_swedish_ci		No	None		
6	state	varchar(100)	latin1_swedish_ci		No	None		
7	message	varchar(500)	latin1_swedish_ci		No	None		
8	contact_id 🔑	int(20)			No	None		AUTO_INCREMENT
9	message_date	timestamp			No	CURRENT_TIMESTAMP		

#### E Books

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	e_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	title	varchar(200)	latin1_swedish_ci		No	None		
3	e_book	varchar(300)	latin1_swedish_ci		No	None		

# Gallery

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	id 🔑	int(11)			No	None		AUTO_INCREMENT
2	post_id	int(11)			No	None		
3	image	varchar(200)	latin1_swedish_ci		No	None		
4	title	varchar(200)	latin1_swedish_ci		No	None		
5	post_type	varchar(20)	latin1_swedish_ci		No	None		



# DIVISION- MCA/BCA/BSc(CS)

#### **Image Gallery**

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	image_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	title	varchar(200)	latin1_swedish_ci		No	None		
3	image	varchar(200)	latin1_swedish_ci		No	None		
4	tad	varchar(2000)	latin1 swedish ci		No	None		

#### Members

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	member_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	full_name	varchar(50)	latin1_swedish_ci		No	None		
3	about	varchar(4000)	latin1_swedish_ci		No	None		
4	image	varchar(200)	latin1_swedish_ci		No	None		
5	email	varchar(100)	latin1_swedish_ci		No	None		
6	contact	varchar(100)	latin1_swedish_ci		No	None		
7	password	varchar(100)	latin1_swedish_ci		No	None		

#### Page

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	page_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	page_title	varchar(200)	latin1_swedish_ci		No	None		
3	content1	varchar(5000)	latin1_swedish_ci		No	None		
4	content2	varchar(5000)	latin1_swedish_ci		No	None		
5	featured_image	varchar(200)	latin1_swedish_ci		No	None		
6	status	varchar(100)	latin1_swedish_ci		No	draft		
7	updated_on	timestamp		on update CURRENT_TIMESTAMP	No	CURRENT_TIMESTAMP		ON UPDATE CURRENT_TIMESTAMP
8	added_on	timestamp		on update CURRENT_TIMESTAMP	No	CURRENT_TIMESTAMP		ON UPDATE CURRENT_TIMESTAMP



# DIVISION- MCA/BCA/BSc(CS)

#### **Quiz Question**

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	quesid 🔑	int(11)			No	None		AUTO_INCREMENT
2	question	varchar(1000)	latin1_swedish_ci		No	None		
3	option1	varchar(40)	latin1_swedish_ci		No	None		
4	option2	varchar(40)	latin1_swedish_ci		No	None		
5	option3	varchar(40)	latin1_swedish_ci		No	None		
6	answer	varchar(40)	latin1_swedish_ci		No	None		

#### School

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	school_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	school_name	varchar(150)	latin1_swedish_ci		No	None		
3	about	varchar(10000)	latin1_swedish_ci		No	None		
4	image	varchar(200)	latin1_swedish_ci		No	None		
5	phone	varchar(30)	latin1_swedish_ci		No	None		
6	email	varchar(50)	latin1_swedish_ci		No	None		

#### Video

#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
1	vid_id 🔑	int(11)			No	None		AUTO_INCREMENT
2	video	varchar(200)	latin1_swedish_ci		No	None		
3	title	varchar(200)	latin1_swedish_ci		No	None		
4	tag	varchar(40)	latin1_swedish_ci		No	None		



#### DIVISION- MCA/BCA/BSc(CS)

#### Volunteer

#	#	Name	Туре	Collation	Attributes	Null	Default	Comments	Extra
	1	volunteer_id 🔑	int(11)			No	None		AUTO_INCREMENT
	2	first_name	varchar(50)	latin1_swedish_ci		No	None		
	3	last_name	varchar(20)	latin1_swedish_ci		No	None		
	4	email	varchar(50)	latin1_swedish_ci		No	None		
	5	contact	varchar(14)	latin1_swedish_ci		No	None		
	6	occupation	varchar(50)	latin1_swedish_ci		No	None		
	7	company	varchar(50)	latin1_swedish_cl		No	None		
	8	address	varchar(90)	latin1_swedish_ci		No	None		
	9	city	varchar(50)	latin1_swedish_ci		No	None		
1	10	pin	varchar(6)	latin1_swedish_ci		No	None		
1	11	reason	varchar(1000)	latin1_swedish_ci		No	None		
1	12	about	varchar(1000)	latin1_swedish_ci		No	None		
1	13	gender	varchar(20)	latin1_swedish_ci		No	None		
1	14	dob	date			No	None		
1	15	timeslot	varchar(200)	latin1_swedish_ci		No	None		
1	16	reqdate	timestamp			No	CURRENT_TIMESTAMP		
1	17	reqstatus	varchar(15)	latin1_swedish_ci		No	pending		
1	18	nationality	varchar(50)	latin1_swedish_ci		No	None		Activa

#### Code:-

#### Adminlogin.php

```
<?php include 'db_c.php';?>
    <?php session_start(); ?>
<html>
    <head>
    link href="css/bootstrap.min.css" rel="stylesheet" />
    link href="css/icofont.css" rel="stylesheet" />
    </head>
<body>
    <div class="container-fluid px-0" style="background:url(bg.jpg);">
         <div class="pt-5 pb-5" style="background:rgba(0,0,0,0.6)">
         <form action="" method="post">
         <div class="container bg-light pt-2 pb-2">
```



#### **DIVISION- MCA/BCA/BSc(CS)**

<h6 class="text-right"><a href='index.php' class="text-decoration-none text-secondary"> <i class='icofont-home'></i> Back To Home</a></h6>

```
<div class="row">
         <div class="col-md-6 text-center pt-3 pb-3">
           <img src="bggg.jpg" height="500px" width="85%">
         </div>
         <div class="col-md-5 pt-5 pb-5" >
           <div class="p-5 text-center">
             <h4>WELCOME BACK </h4>
              Admin Login 
             <hr/>
                                                   class="form-control"
           <input
                      type="text"
                                      required
                                                                           name="uname"
placeholder="USERNAME" ><br/>
           <input
                     type="password"
                                          required
                                                      class="form-control"
                                                                              name="pwd"
placeholder="Password"><br/>
           <button
                         type="submit"
                                            class="btn
                                                             btn-block"
                                                                             name="login"
style="background:mediumpurple;color:white">LOGIN</button>
             <br/>>
         </div>
      </div>
      </div></div></form>
      <?php
if(isset($_POST['login']))
{
$encpass=md5($_POST['pwd']);
$sql="select * from admin where username='$_POST[uname]'AND password='$encpass'";
$result=$conn->query($sql);
if($result->num_rows>0){
$row=$result->fetch_assoc();
 $_SESSION['ad']=$row['username'];
 echo "<script> window.location='admin/dashboard.php';</script>";
```



```
}else{
 echo"<br/>br/><div class='alert alert-info'>Invalid Username or Password</div>";
}
}
?>
     </div>
  </div>
  </body>
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
  <script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
</html>
Admission.php
<?php include 'db_c.php';?>
  <?php session_start(); ?>
<html>
  <head>
  <link href="css/bootstrap.min.css" rel="stylesheet" />
  <link href="css/icofont.css" rel="stylesheet" />
  </head>
<body>
  <div class="container-fluid px-0" style="background:url(bg.jpg);">
     <div class="pt-5 pb-5" style="background:rgba(0,0,0,0.6)">
     <form action="" method="post">
     <div class="container bg-light pt-2 pb-2">
               <h6 class="text-right"><a href='index.php' class="text-decoration-none text-
secondary"> <i class='icofont-home'></i> Back To Home</a></h6>
       <div class="row">
         <div class="col-md-6 text-center pt-3 pb-3">
            <img src="bggg.jpg" height="500px" width="85%">
```



```
</div>
         <div class="col-md-5 pt-5 pb-5" >
           <div class="p-5 text-center">
             <h4>WELCOME BACK </h4>
              Admin Login 
              <hr/>
                      type="text"
                                                   class="form-control"
           <input
                                      required
                                                                            name="uname"
placeholder="USERNAME" ><br/>
                                          required
                                                      class="form-control"
                                                                               name="pwd"
           <input
                      type="password"
placeholder="Password"><br/>
                         type="submit"
           <button
                                             class="btn
                                                             btn-block"
                                                                              name="login"
style="background:mediumpurple;color:white">LOGIN</button>
             <br/>br/>
         </div>
       </div>
       </div></div></form>
       <?php
if(isset($_POST['login']))
{
$encpass=md5($_POST['pwd']);
$sql="select * from admin where username='$_POST[uname]'AND password='$encpass'";
$result=$conn->query($sql);
if($result->num_rows>0){
$row=$result->fetch_assoc();
 $_SESSION['ad']=$row['username'];
 echo "<script> window.location='admin/dashboard.php';</script>";
}else{
echo"<br/>br/><div class='alert alert-info'>Invalid Username or Password</div>";
}
}
```



**DIVISION- MCA/BCA/BSc(CS)** 

```
?>
     </div>
  </div>
  </body>
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
  <script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
</html>
Article.php
<?php include 'header.php' ?>
      class="container-fluid px-0"
                                      style='background:url(image/main12.png); background-
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'>Article </h2>
  </div></div>
<div class="container pt-5">
     <div class="row pt-3">
<div class="col-md-9">
 <?php
$result=$conn->query("SELECT * from article order by posted_on DESC;");
while($row=$result->fetch_assoc()){
  $aid=$row['a_id'];
?>
  <div class="row pt-3">
<div class="col-md-3 text-center">
  <img src="staff/<?php echo $row['image'];?>" height="200" width="100%"> </div>
 <div class="col-md-9">
```

<h6 class="pt-2 text-muted"> <i class="icofont-calendar text-success"></i> <?php echo \$row['posted\_on'];?> </h6>

<h4 class="pt-2"> <?php echo \$row['article'];?> </h4>



```
 <?php echo substr( strip_tags($row['description']),0,300);?>...
                           href='fullarticle.php?id=$aid'
                                                          style='color:mediumpurple;
                echo"<a
decoration:none;'>Read More</a>"; ?>
     </div></div>
<?php } ?>
  </div>
  <div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div></div>
<?php include 'footer.php' ?>
Branch.php
<?php include 'header.php' ?>
 <?php
$result=$conn->query("SELECT * from branches where branch_id='$_GET[bid]';");
$row=$result->fetch_assoc();
?>
<div
          class="container-fluid
                                    px-0"style='background:url(image/manawala_branch.png);
background-repeat:no-repeat; background-size:cover; color:mediumpurple' >
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.7)"> <br/>
<h2 class="pt-5 pb-5" style='font-family:serif'> <?php echo $row['branch'];?> </h2>
  <br/>
  </div></div>
 <?php
$result=$conn->query("SELECT * from branches where branch_id='$_GET[bid]';");
$row=$result->fetch_assoc();
?>
<div class="container pt-5">
  <div class="row">
<div class="col-md-9 text-justify">
  <h4> <?php echo $row['branch'];?> </h4>
```



```
<br/>
  <?php echo $row['overview'];?>
<div class="row">
  <?php
  $sql="SELECT * from gallery where post_id='$_GET[bid]' and post_type='branch' order by title
ASC;";
  $result=$conn->query($sql);
  while($row=$result->fetch_assoc()) { ?>
<div class="col-md-3">
    <img src="admin/<?php echo $row['image']; ?>" width='95%' height='180px'>
      <?php echo $row['title']; ?>
</div>
  <?php }
              ?>
  </div></div>
<div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div></div>
<?php include 'footer.php' ?>
Contact_us.php
<?php include 'header.php' ?>
<?php
use PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;?>
      class="container-fluid px-0"
                                     style='background:url(image/main12.png); background-
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'>Contact Us </h2>
  </div></div>
<div class="container-fluid pt-5">
<div class="row text-center pt-3 pb-5">
  <div class="col-md-4">
```



#### **DIVISION- MCA/BCA/BSc(CS)**

<i class="icofont-home icofont-2x"style="color:mediumpurple; border:thin solid mediumpurple; padding:10px 12px; border-radius:50%">

```
</i>
    All India Pingalwara Charitable Society,<br/>
     G T Road, Amritsar – 143001 Punjab, India
  </div>
  <div class="col-md-4">
        class="icofont-phone icofont-2x"
                                          style="color:mediumpurple;
                                                                      border:thin
                                                                                  solid
mediumpurple; padding:10px 12px; border-radius:50%"></i>
    <i class="ion-ios-location-outline"></i>
     +91-183-2584713, <br/> +91-183-2584586
      </div>
 <div class="col-md-4">
        class="icofont-email icofont-2x"
                                          style="color:mediumpurple;
                                                                      border:thin
                                                                                  solid
mediumpurple; padding:10px 12px; border-radius:50%"></i>
    pingalwara57@gmail.com 
  </div>
  </div>
  <div class="social-links">
       <a href="#" class="twitter"><i class="fa fa-twitter"></i></a>
       <a href="#" class="facebook"><i class="fa fa-facebook"></i></a>
     </div>
<div class="container pb-5">
  <div class="row">
  <div class="col-md-8">
    <h4> Get In Touch </h4><sup style="color:green">____</sup>
    <form action="" method="post">
  <div class="row">
    <div class="col-md-6 pt-3"><input type="text" pattern="[A-Za-z]{2,30}"</pre>
                                                                           class="form-
control" name="nm" placeholder="FULL NAME" required="required"/></div>
```



#### **DIVISION- MCA/BCA/BSc(CS)**

```
<div class="col-md-6 pt-3"> <input type="email"</pre>
                                                            class="form-control" name="em"
placeholder="Your Email" required="required"/></div>
           class="col-md-12" pt-3"><input type="text"
                                                                         class="form-control"
                                                          name="sub"
placeholder="Subject Line" required /></div>
    <div class="col-md-12 pt-3"><input type="address"</pre>
                                                              required class="form-control"
class="form-control" name="add" placeholder="Address Line" /></div>
    <div class="col-md-6 pt-3"><input type="text"</pre>
                                                        class="form-control" pattern="[A-Za-
z]{2,30}" required name="city" placeholder="CITY" /></div>
    <div class="col-md-6 pt-3"><input type="text"</pre>
                                                          required pattern="[A-Za-z]{2,30}"
class="form-control" name="state" placeholder="STATE" /></div>
   <div class="col-md-12 pt-3"> <textarea name="msg"</pre>
                                                             class="form-control" required>
MESSAGE</textarea> </div>
    <div class="col-md-4 pt-4">
    <button type="submit" name="save" class="btn btn-outline-success btn-block rounded-0 ">
SUBMIT </button>
    </div>
  </div>
    </form>
    <?php
  if(isset($_POST['save']))
$sql="insert into contact_us (full_name,your_mail,subject_line,address_line,city,state,message)
values('\$_POST[nm]','\$_POST[em]','\$_POST[sub]','\$_POST[add]','\$_POST[city]','\$_POST[state]
','$_POST[msg]');";
    if($conn->query($sql))
    {
$email='itzaditisharma@gmail.com';
$password='satshriakal';
$to_id=$_POST['em'];
```

\$subject='Thanks for your Interest';

\$to\_name=\$\_POST['nm'];

\$message='<h5>Dear '.\$to\_name.'</h5> Thanks for your Message, We try to respond to your message within 48 Woking Hours <br/>
<h5> Regards </h5><h5> Pingalwara Team.</h5>';



```
require 'PHPMailer-master/src/Exception.php';
require 'PHPMailer-master/src/PHPMailer.php';
require 'PHPMailer-master/src/SMTP.php';
$mail = new PHPMailer(true);
try {
  $mail->isSMTP();
  \text{smail->} SMTPDebug = 0;
  $mail->Host = 'smtp.gmail.com';
  $mail->SMTPAuth = true;
  $mail->Username = $email;
  $mail->Password = $password;
  $mail->SMTPSecure = PHPMailer::ENCRYPTION STARTTLS;
  $mail->Port
                 = 587;
  $mail->setFrom($email,'Pingalwara Trust');
  $mail->addAddress($to_id,$to_name);
  $mail->addReplyTo($email,'Information');
  $mail->isHTML(true);
  $mail->Subject = $subject;
  $mail->Body = $message;
  $mail->send();
  echo"<div class='alert alert-success'> Message has been sent </div>";
} catch (Exception $e) {
  echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
}
    } else
       echo"<div class='alert alert-warning'> ERROR IN QUERY ".$conn->error." </div>";
  }
  ?>
  </div>
```



#### **DIVISION- MCA/BCA/BSc(CS)**

<div class="col-md-4">

<iframe

src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3397.157391220455!2d74.8 8477821449563!3d31.629540748909264!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2! 1s0x391964aa569e7355%3A0x33a7123a72fa9bde!2sAll%20India%20Pingalwara%20Charitable %20Society!5e0!3m2!1sen!2sin!4v1582446578047!5m2!1sen!2sin" width="100%" height="350" frameborder="0" style="border:0:" allowfullscreen=""></iframe>

```
frameborder="0" style="border:0;" allowfullscreen=""></iframe>
  </div>
  </div></div>
</div>
<?php include 'footer.php' ?>
Db_c.php
<?php
$server="localhost";
$uname="root";
$password="";
$dbname="pg_db";
$conn=new mysqli($server,$uname,$password,$dbname);
if(!$conn)
{
  die("Not Connection".$conn->error);
}
?>
Donation.php
<?php include 'header.php' ?>
<div class="container-fluid px-0"
                                      style='background:url(image/main12.png); background-
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'>Donation</h2>
  </div></div>
<div class="row pt-3 pt-5 pb-5">
  <div class="col-md-12">
```



<hr/>

#### UNIVERSITY INSTITUTE OF COMPUTING

#### **DIVISION- MCA/BCA/BSc(CS)**

<hr/><h5 class="text-center" style="color:mediumpurple"> DONATION's </h5> <hr/> Donors are kindly requested not to send the donation through Western Union or Money Gram. type="A" style="color:mediumpurple; line-height:2em"> style="color:#333">All donations to Pingalwara are exempted under Section 80G of Income Tax-II Amritsar letter No CIT-II/ASR/ITO(Tech.)/2011-12/4730 dated 11/12-01-2012 style="color:#333">PAN Number of the All India Pingalwara Charitable Society is AAATA 2237R style="color:#333">Cheques & Drafts may be sent in favour of 'All India Pingalwara Charitable Society (Regd.), Amritsar. Indian Donors Donate Online Donation with Icicibank and PayUMoney <div class="row pt-1 pb-1"> <div class="col-md-2"></div> <div class="col-md-4"><a href='https://www.payumoney.com/webfronts/#/index/PingalwaraCharitableSociety' target="\_blank"> <img src="image/pay.png" width="100%" height="90px"> </a></div> <div class="col-md-4"><a href='https://eazypay.icicibank.com/eazypayLink?P1=jIYGtWxFse/bUbgNPxhiPQ==' target="\_blank"> <img src="image/icic.png" width="100%" height="90px"> </a></div> <div class="col-md-2"></div> </div></div> <div class="col-md-12"> <hr/><h5 class="text-center" style="color:mediumpurple"> ACCOUNT NO'S WITH BANKS </h5>

colspan="4">Account Name : All India Pingalwara Charitable Society (Regd.), Amritsar



#### **DIVISION- MCA/BCA/BSc(CS)**

S.NO ACCOUNT NO.

NAME OF THE BANK SWIFT (INTERNATIONAL TRANSFER /IFS CODE (INLAND TRANSFER)

```
<?php
  i=0;
    $sql="SELECT * from account_detail order by account_id ASC;";
    $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
    { $i++;
      $cid=$row['account_id'];
      echo"";
      echo"".$i."";
      echo"".$row['account_no']."";
      echo"".$row['bank_name']."";
      echo"".$row['code']."";
      echo"";
    }
  ?>
    </div></div>
</div>
<?php include 'footer.php' ?>
E_book.php
<?php include 'header.php' ?>
                                   style='background:url(image/main12.png); background-
      class="container-fluid px-0"
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'>E-books </h2>
  </div></div>
<div class="container pt-5">
```



```
<div class="row text-center pt-3 pb-5">
  <div class="col-md-12">
    <h5> View / Download Books </h5> <br/>
   View Book Title View Book Title 
    <?php
    echo"";
    i=0;
    $sql="SELECT * from e_books order by title ASC;";
    $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
    { $i++;
      $cid=$row['e_id'];
     echo"<a href='staff/".$row['e_book']."' target='_blank'> <i
class='icofont-file-pdf icofont-2x' style='color:mediumpurple'> </i></a>";
          echo"".$row['title']."";
      if($i\%2 == 0)
      echo"";
    }
  ?>
        </div></div>
</div>
<?php include 'footer.php' ?>
Events.php
<?php include 'header.php' ?>
     class="container-fluid px-0"
                                style='background:url(image/main12.png); background-
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'> Recent Activities </h2>
```



```
</div></div>
<div class="container pt-5">
     <div class="row pt-3">
<div class="col-md-9">
 <?php
$result=$conn->query("SELECT * from activity order by activity_date DESC;");
while($row=$result->fetch_assoc()){
  $aid=$row['activity_id'];
?>
  <div class="row pt-3">
<div class="col-md-3 text-center">
  <img src="staff/<?php echo $row['image'];?>" height="200" width="100%"> </div>
 <div class="col-md-9">
    <h4 class="pt-2"> <?php echo $row['activity'];?> </h4>
    <h6 class="pt-2 text-muted"> <i class="icofont-calendar text-success"></i> <?php echo
$row['activity_date'];?></h6>
     <?php echo substr( strip_tags($row['description']),0,300);?>...
    <?php
                echo"<a
                            href='fullevent.php?id=$aid'
                                                          style='color:mediumpurple;
                                                                                       text-
decoration:none;'>Read More</a>"; ?>
     </div></div>
<?php } ?>
  </div>
  <div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div></div>
<?php include 'footer.php' ?>
Footer.php
<div class="container-fluid bg-dark text-white pt-5 pb-5">
 <div class="container">
  <div class="row" >
    <div class="col-md-4">
```



#### **DIVISION- MCA/BCA/BSc(CS)**

<h5> About Us </h5><h6 style="color:green"><sup>\_\_\_\_</sup></h6>

 Pingalwara was founded by Bhagat Puran Singh. It is a home for the homeless, a hope for the forlorn, a hospital for the sick and a cradle for the orphaned and abandoned childrens.

```
</div>
    <div class="col-md-2" >
    <h5> Important Links</h5><h6 style="color:green"><sup>____</sup></h6>
     <a href='events.php' class="text-decoration-none text-white"> Events/Activities </a>
<a href='video.php' class="text-decoration-none text-white"> Video Gallery </a> 
    <a href='gallery.php' class="text-decoration-none text-white">Image Gallery </a> 
    </div>
    <div class="col-md-2" >
    <h5> Get Involved </h5><h6 style="color:green"><sup>____</sup></h6>
    <a href='volunteer.php' class="text-decoration-none text-white"> Volunteering </a> 
    <a href='donate.php' class="text-decoration-none text-white"> Donate Now </a> 
    <a href='contact_us.php' class="text-decoration-none text-white"> Contact Us </a> 
    </div>
    <div class="col-md-4" >
      <h5> Contact us </h5><h6 style="color:green"><sup>____</sup></h6>
      <i class="icofont-phone"></i> +91-183-2584713, +91-183-2584586 
        <i class="icofont-email"></i> pingalwara57@gmail.com 
      <i class="icofont-home" ></i> All India Pingalwara Charitable Society,
        G T Road, Amritsar – 143001 Punjab, India. 
    </div>
    </div>
 </div>
</div>
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
<script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
```



### **DIVISION- MCA/BCA/BSc(CS)**

</body>

</html>

### Forget.php

```
<?php include 'db_c.php';?>
  <?php session_start(); ?>
 <?php use PHPMailer\PHPMailer\PHPMailer; use PHPMailer\PHPMailer\Exception; ?>
<html>
  <head>
  k href="css/bootstrap.min.css" rel="stylesheet" />
  <link href="css/icofont.css" rel="stylesheet" />
  </head>
<body>
  <div class="container-fluid px-0" style="background:url(bg.jpg);">
    <div class="pt-5 pb-5" style="background:rgba(0,0,0,0.6)">
    <div class="container bg-light pt-2 pb-2">
       <div class="row">
         <div class="col-md-6 text-center pt-3 pb-3">
           <img src="bggg.jpg" height="500px" width="85%">
         </div>
         <div class="col-md-5 pt-2 pb-5" >
              <h6 class="text-right"><a href='index.php' class="text-decoration-none text-
secondary"> <i class='icofont-home'></i> Back To Home</a></h6>
    <form action="" method="post">
           <div class="p-5 text-center">
              <h4>FORGET PASSWORD </h4>
              Can't Sign In ?Forget your Password?
              <hr/>
           <input type="email" required class="form-control" name="em" placeholder="E-mail"</pre>
><br/>
```



### **DIVISION- MCA/BCA/BSc(CS)**

<button type="submit" class="btn btn-block" style="background:mediumpurple;color:white"
name="login">Get Password Link</button>

```
</div></form>
    <?php
if(isset($_POST['login']))
{
$sql="select * FROM members WHERE email='$ POST[em]';";
$result=$conn->query($sql);
 if($result->num_rows>0)
  $row=$result->fetch_assoc();
  $code=rand(1000,9999);
  $_SESSION['code']=$code;
  $em=$_POST['em'];
$email = '4collegeproject@gmail.com';
$password = 'project@2020';
$to_id= $_POST['em'];
$subject='Password Recovery';
$message="Your Verification code is ".$code.".Please use this code to recover your password.Click
on the following link:<br/><a href='http://localhost/Pingalwara/reset.php?id=".$em."'>Click
Here</a><br/><br/><h5>Regards</h5><h5>Pingalwara</h5>";
require 'PHPMailer-master/src/Exception.php';
require 'PHPMailer-master/src/PHPMailer.php';
require 'PHPMailer-master/src/SMTP.php';
$mail = new PHPMailer(true);
try {
  $mail->isSMTP();
  $mail->Host = 'smtp.gmail.com';
  $mail->SMTPAuth = true;
  $mail->Username = $email;
```



}

}

}

}

# UNIVERSITY INSTITUTE OF COMPUTING

```
$mail->Password = $password;
  $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
  $mail->Port
                 = 587;
  $mail->setFrom($email);
  $mail->addAddress($to_id);
  $mail->addReplyTo($email,'Information');
  $mail->isHTML(true);
  $mail->Subject = $subject;
  $mail->Body = $message;
  $mail->send();
echo "<div class='alert alert-success m-4' style='padding:2px;'><h3>Password Reset Request
Sent</h3>
A password reset message was sent to your email address. Please click the link in that message
to reset your password.<br/>
If you do not recieve the password reset message within a few moments, please check your spam
folder or other filtering tools.<br/></div>";
} catch (Exception $e) {
  echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
else
echo"<br/>br/><div class='alert alert-info'>Invalid Username or Email Address</div>";
?>
    </div>
    </div>
       </div></div>
  </div>
```



### **DIVISION- MCA/BCA/BSc(CS)**

</body>

```
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
<script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
</html>
Fullarticle.php
<?php include 'header.php' ?>
 <?php
$result=$conn->query("SELECT * from article where a_id='$_GET[id]';");
$row=$result->fetch_assoc();
?>
<div class="container pt-5">
  <h4> <?php echo $row['article'];?> </h4>
  <div class="row">
<div class="col-md-9 text-justify"> <h6 class="pt-2 text-muted"> <i class="icofont-calendar text-</pre>
success"></i> <?php echo $row['posted_on'];?> </h6>
  <div class="p-3">
     <img src="staff/<?php echo $row['image'];?>" height="300" width="85%">
  </div>
  <?php echo $row['description'];?> </div>
    <div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div>
</div>
<?php include 'footer.php' ?>
Fullevent.php
<?php include 'header.php' ?>
 <?php
$result=$conn->query("SELECT * from activity where activity_id='$_GET[id]';");
$row=$result->fetch_assoc();
?>
<div class="container pt-5">
```



```
<h4> <?php echo $row['activity'];?> </h4>
  <div class="row">
<div class="col-md-9 text-justify"> <h6 class="pt-2 text-muted"> <i class="icofont-calendar text-</pre>
success"></i> Event Date <?php echo $row['activity_date'];?> Posted Date <?php echo
$row['posted_on'];?> </h6>
  <div class="p-3">
    <img src="staff/<?php echo $row['image'];?>" height="450" width="85%">
  </div>
  <?php echo $row['description'];?>
<div class="row">
  <?php
  $sql="SELECT * from gallery where post_id='$_GET[id]' and post_type='event' order by title
ASC;";
  $result=$conn->query($sql);
  while($row=$result->fetch_assoc()) { ?>
<div class="col-md-3">
    <img src="staff/<?php echo $row['image']; ?>" width='95%' height='180px'>
      <?php echo $row['title']; ?>
</div>
  <?php }
              ?>
  </div></div>
    <div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div>
</div>
<?php include 'footer.php' ?>
Gallery.php
<?php include 'header.php' ?>
<div class="container-fluid px-0"
                                     style='background:url(image/main12.png); background-
repeat:no-repeat; background-size:cover; color:mediumpurple'>
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'>Image Gallery </h2>
```



```
</div></div>
<div class="container pt-5">
    <div class="row">
 <?php
  if(isset($_GET['tag']))
  $result=$conn->query("SELECT * from image_gallery where tag='$_GET[tag]';");
else
$result=$conn->query("SELECT * from image_gallery ;");
while($row=$result->fetch_assoc()){
?>
<div class="col-md-3 pt-3 text-center">
<img src="staff/<?php echo $row['image'];?>" height="250" width="100%">
  </div>
<?php } ?>
  </div>
</div>
<?php include 'footer.php' ?>
Header.php
<!DOCTYPE html>
<html lang="en">
<?php session_start(); ?>
<?php include 'db_c.php';?>
<head>
  <meta charset="utf-8"/>
  k rel="icon" type="image/png" href="image/icon.png">
  <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
  <title> All India Pingalwara Charitable Society (Regd) Amritsar. </title>
  <meta content='width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0,</pre>
shrink-to-fit=no' name='viewport' />
  k href="css/bootstrap.min.css" rel="stylesheet" />
```



```
<link href="css/icofont.css" rel="stylesheet" />
</head>
<body>
  <div class="container-fluid" style='background:mediumpurple; color:white' >
    <div class="container">
<div class="row pt-3 pb-2" >
  <div class="col-md-4"> <i class="icofont icofont-phone"> +91-183-2584713, +91-183-
2584586</i> </div>
  <div class="col-md-4"><a href='https://www.facebook.com/pingalwara3' class="text-white"</pre>
text-decoration-none"><i class="icofont icofont-facebook icofont-primary"></i></a> &nbsp;
                     href='https://www.youtube.com/channel/UC-uHPN9Tq2cuhnMGD7ruSOg'
class="text-white text-decoration-none"><i class="icofont icofont-youtube"></i></a>
          <a href='https://twitter.com/pingalwara' class="text-white text-decoration-none"><i
class="icofont icofont-twitter"></i></a> &nbsp; &nbsp; <a href='donation.php' class="text-white
text-decoration-none "><i class="icofont icofont-dollar-true">DONATE NOW</i></a> </div>
  <div class="col-md-4 text-right">
    <?php if(!isset($ SESSION['ad']) and !isset($ SESSION['mm']) ) { ?>
    <a class="text-white text-decoration-none" href="stafflogin.php"><i class="icofont icofont-
login"> Staff Login </i></a> &nbsp; &nbsp; <a class="text-white text-decoration-none"
href="adminlogin.php"><i class="icofont icofont-login"> Admin Login </i></a>
    <?php } else if(!isset($_SESSION['mm'])) {?>
    <a class="text-white text-decoration-none" href="stafflogin.php"><i class="icofont icofont-
login"> Staff Login </i></a> &nbsp; &nbsp; <a class="text-white text-decoration-none"
href="admin/dashboard.php"><i class="icofont icofont-login"> Admin Account </i>
   <?php } else if(!isset($_SESSION['ad'])) {?>
    <a class="text-white text-decoration-none" href="staff/profile.php"><i class="icofont icofont-
login"> Staff Account </i></a> &nbsp; &nbsp; <a class="text-white text-decoration-none"
href="adminlogin.php"><i class="icofont icofont-login"> Admin Login </i></a>
    <?php } else { ?>
       <a class="text-white text-decoration-none" href="staff/profile.php"><i class="icofont"
icofont-login"> Staff Account </i></a> &nbsp; &nbsp; <a class="text-white text-decoration-none"
href="admin/dashboard.php"><i class="icofont icofont-login"> Admin Account </i>
    <?php } ?>
  </div>
       </div></div>
```



```
<nav class="navbar navbar-expand-lg navbar-light bg-light pt-4 pb-4">
 <a class="navbar-brand" href="index.php"><b>PINGALWARA</b></a>
             class="navbar-toggler"
                                     type="button"
                                                       data-toggle="collapse"
target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-
label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
 </button>
 <div class="collapse navbar-collapse" id="navbarNavDropdown">
  class="nav-link
                          dropdown-toggle"
                                            href="#"
                                                       id="navbarDropdownMenuLink"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     About
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
     <?php
    $sql="SELECT * from page order by page_title ASC;";
    $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
      $pid=$row['page_id'];
      $title=$row['page_title'];
 echo "<a class='dropdown-item' href='page.php?pid=$pid'>".$title."</a>";
    } ?>
 <a class='dropdown-item' href='team.php'>Our Team </a>
    </div>
   dropdown-toggle"
                                                       id="navbarDropdownMenuLink"
         class="nav-link
                                             href="#"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     Our Branches
```



```
<div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
    <?php
    $sql="SELECT * from branches order by branch ASC;";
    $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
    {
      $bid=$row['branch_id'];
      $title=$row['branch'];
 echo "<a class='dropdown-item' href='branch.php?bid=$bid'>".$title."</a>";
    } ?>
      </div>
   id="navbarDropdownMenuLink"
         class="nav-link
                           dropdown-toggle"
                                              href="#"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     Education
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
    <?php
    $sql="SELECT * from school order by school_name ASC;";
    $result=$conn->query($sql);
    while($row=$result->fetch_assoc())
      $sid=$row['school_id'];
      $school_name=$row['school_name'];
 echo "<a class='dropdown-item' href='school.php?sid=$sid'>".$school_name."</a>";
    } ?>
      </div>
```



### **DIVISION- MCA/BCA/BSc(CS)**

```
cli class="nav-item dropdown">
                          dropdown-toggle"
                                                         id="navbarDropdownMenuLink"
         class="nav-link
                                              href="#"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     Awareness
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
     <a class="dropdown-item" href="article.php">Articles</a>
     <a class="dropdown-item" href="events.php">Events</a>
     <a class="dropdown-item" href="e_book.php">E-Books</a>
    </div>
   cli class="nav-item dropdown">
                                                         id="navbarDropdownMenuLink"
         class="nav-link
                          dropdown-toggle"
                                              href="#"
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     Get Involved
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
     <a class="dropdown-item" href="donation.php">Donation </a>
     <a class="dropdown-item" href="volunteer.php">Volunter</a>
     <a class="dropdown-item" href="job.php">We're Hiring</a>
    </div>
   id="navbarDropdownMenuLink"
         class="nav-link
                          dropdown-toggle"
                                              href="#"
    <a
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
     Video
    </a>
    <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
          <a class="dropdown-item" href="video.php?tag=Documentary">Documentary </a>
```

<a class="dropdown-item" href="video.php?tag=Celebration">Celebration </a>



```
<a class="dropdown-item" href="video.php?tag=Stories of Pinaglwara">Stories of
Pinaglwara </a>
      <a class="dropdown-item" href="video.php?tag=Dr Inderjeet Kaur">Dr Inderjeet Kaur
</a>
      <a class="dropdown-item" href="video.php?tag=Other">Other </a>
      <a class="dropdown-item" href="video.php">All </a>
    </div>
   class="nav-link
                           dropdown-toggle"
                                              href="#"
                                                         id="navbarDropdownMenuLink"
    <a
role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
      Gallery
     </a>
     <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
      <a class="dropdown-item" href="gallery.php?tag=Memories of Bhagat Ji" >Memories of
Bhagat Ji</a>
      <a class="dropdown-item" href="gallery.php?tag=Dr Inderjeet Kaur">Dr Inderjeet Kaur
</a>
      <a class="dropdown-item" href="gallery.php?tag=Natural Farming">Natural Farming
</a>
      <a class="dropdown-item" href="gallery.php?tag=Patients">Patients </a>
       <a class="dropdown-item" href="gallery.php?tag=Visitors">Visitors </a>
       <a class="dropdown-item" href="gallery.php?tag=Overseas Activity">Overseas Activity
</a>
      <a class="dropdown-item" href="gallery.php?tag=Other">Other </a>
    </div>
     cli class="nav-item">
    <a class="nav-link" href="contact_us.php">Contact Us</a>
     </div>
```



### DIVISION- MCA/BCA/BSc(CS)

</nav>

</body>

#### Index.php

```
<?php include 'header.php' ?>
<div id="carouselExampleFade" class="carousel slide carousel-fade" data-ride="carousel">
 <div class="carousel-inner">
  <div class="carousel-item active">
   <img src="image/main.png" class="d-block w-100" alt="..." height="450">
  </div>
  <div class="carousel-item">
   <img src="image/slide6.jpg" class="d-block w-100" alt="..." height="450">
  </div>
  <div class="carousel-item">
   <img src="image/slide1.jpg" class="d-block w-100" alt="..." height="450">
  </div>
 </div>
       class="carousel-control-prev"
                                       href="#carouselExampleFade"
                                                                         role="button"
                                                                                          data-
slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="sr-only">Previous</span>
 </a>
       class="carousel-control-next"
                                       href="#carouselExampleFade"
                                                                         role="button"
 <a
                                                                                          data-
slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="sr-only">Next</span>
 </a>
</div>
<div class="container-fluid pt-5 pb-5 bg-light" >
<div class="container">
 <div class="row">
```



### **DIVISION- MCA/BCA/BSc(CS)**

<div class="col-md-12 text-center">

<h3 style='color:mediumpurple;font-family:serif; letter-spacing:2px;font-variant:small-caps' >All India Pingalwara Charitable Society (Regd) Amritsar.

Pingalwara means a home for the disabled, handicapped or crippled. The residents of Pingalwara in addition to being disabled, handicapped and crippled people, also include persons suffering from incurable and terminal diseases, old people, young and healthy males, females and children. Almost all the residents are destitute and most of them are going to spend their entire life in Pingalwara.

The concept of Pingalwara started forming in Bhagatji's mind when the Almighty entrusted him with the care of an abandoned spastic child in front of Gurdwara Dehra Sahib (in Lahore, Pakistan) in 1934. For 14 long years, Bhagatji carried the child on his back as the child was completely helpless and there was no one else to look after him.

Though he never finished his basic schooling, he became a writer, a publisher, an environmentalist, and a philanthropist.

```
<small><a href='page.php?pid=2' class="text-muted text-decoration-none">Read
More</a></small>
</div>
</div>
</div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
```



<div class="col-md-6">

# UNIVERSITY INSTITUTE OF COMPUTING

### **DIVISION- MCA/BCA/BSc(CS)**

```
<div class="card">
 <div class="row no-gutters">
  <div class="col-md-4">
   <img src="image/president.jpg" class="card-img" height="240">
  </div>
  <div class="col-md-8">
   <div class="card-body">
    <h5 class="card-title">President of Pingalwara</h5>
    Dr. (Ms.) Inderjit kaur is the patron-president of All India
Pingalwara Charitable Society, Amritsar since 1992.Dr. Kaur obtained M.B.B.S. degree from govt.
medical college, patiala .
                   href='page.php?pid=3'
                                            class="text-muted
                                                                 text-decoration-none">Read
     <small><a
More</a></small>
   </div>
  </div>
 </div>
</div>
  </div>
</div>
  </div>
  </div>
<br/>
<div class="container-fluid px-0"style='background:url(image/vol.png); background-repeat:no-</pre>
repeat; background-size:cover; color:white' >
<div class="pt-5" style="background:rgba(0,0,0,0.7)">
<div class="container text-center pt-2 pb-5">
  <h3>Volunteer Program </h3>
```

Volunteers are the backbone of Pingalwara Society UK. They make it possible to get assistance to those who need it most quickly and efficiently. Volunteers assist every day by performing integral administrative duties, offering expertise for special projects and by helping at fundraising events. Please email us if your intrested in supporting us at our events.



vision.

# UNIVERSITY INSTITUTE OF COMPUTING

### **DIVISION- MCA/BCA/BSc(CS)**

```
<h5 class="pb-3">Are you looking for a cause to support? </h5>
  <a href="volunteer.php" class="btn btn-primary btn-8"> Join As Volunteer</a>
  </div></div>
<div class="container-fluid pt-5 pb-5 bg-light">
<div class="container">
  <h3 class="text-center" style='color:mediumpurple;font-family:serif; letter-spacing:2px;font-
variant:small-caps'>Recent Activities </h3>
    <div class="row pt-4">
 <?php
$result=$conn->query("SELECT * from activity order by activity_date DESC limit 3;");
while($row=$result->fetch_assoc()){
  $aid=$row['activity_id'];
?>
<div class="col-md-4 text-center"><div class="bg-light border">
  <img src="staff/<?php echo $row['image'];?>" height="250" width="100%">
    <h4 class="pt-2"> <?php echo $row['activity'];?> </h4>
    <?php echo substr( strip_tags($row['description']),0,300);?>...
    <?php
                 echo"<a
                            href='fullevent.php?id=$aid'
                                                          style='color:mediumpurple;
                                                                                        text-
decoration:none;'>Read More</a>"; ?>
  </div></div>
<?php } ?>
  </div></div>
<br/>
<div class="container-fluid px-0"style='background:url(image/job.png); background-repeat:no-</pre>
repeat; background-size:cover; color:white' >
<div class="pt-5" style="background:rgba(0,0,0,0.7)">
<div class="container text-center pt-2 pb-5">
  <h3>We're Hiring </h3>
  There is no way around it: hiring takes work.<br/> If you are willing to put in the work, you
```

will be rewarded with an employee or team of PINGALWARA that works for you and propels your



### **DIVISION- MCA/BCA/BSc(CS)**

```
<h5 class="pb-3">Are you looking for a Job? </h5>
  <a href="job.php" class="btn btn-primary btn-8"> Join As Employee </a>
  </div></div>
<div class="container-fluid pt-5">
<div class="container">
  <h3 class="text-center" style='color:mediumpurple;font-family:serif; letter-spacing:2px;font-
variant:small-caps'>Video Gallery</h3>
    <div class="row">
 <?php
$result=$conn->query("SELECT * from video_gallery limit 6;");
while($row=$result->fetch_assoc()){
?>
<div class="col-md-4 pt-3 text-center">
                                       src="<?php echo $row['video'];?>" frameborder="0"
<iframe width="100%"
                         height="220"
allow="accelerometer;
                                                                            picture-in-picture"
                                       encrypted-media;
                                                             gyroscope;
                          autoplay;
allowfullscreen></iframe>
       </div>
<?php } ?>
  </div>
</div>
</div>
<br/>br/>
<div class="container-fluid px-0"style=background:url(image/sc7.jpg); background-repeat:no-</pre>
repeat; background-size:cover; color:white' >
<div class="pt-5" style="background:rgba(0,0,0,0.7)">
<div class="container text-center pt-2 pb-5">
  <h3>Admission Program </h3>
```

School is VERY Important. I am sure you have probably heard every grown-up in your life tell you. But the honest truth is that schooling is an absolute fundamental step to a successful life. We sometimes take school and classes for granted. But we forget that by going to school you get a compressed crash course on the collective knowledge of mankind.



### **DIVISION- MCA/BCA/BSc(CS)**

<h5 class="pb-3">Are you looking for a School to Study? &nbsp; We provide Free Education and much more Facilities.</h5>

```
<a href="admission.php?sid=5" class="btn btn-primary btn-8"> Join As Student</a>
  </div></div>
<div class="container pt-5 pb-5 text-center">
  <h3 class="text-center" style='color:mediumpurple;font-family:serif; letter-spacing:2px;font-
variant:small-caps'> Get In Touch </h3>
<div class="row pt-4">
<div class="col-md-4 pt-4 pb-4">
<h6 class='pb-2'style='color:mediumpurple;'> ADDRESS </h6>
All India Pingalwara Charitable Society,
G T Road, Amritsar – 143001 Punjab, India 
</div>
<div class="col-md-4 pt-4 pb-4 border-left border-right">
<h6 class='pb-2' style='color:mediumpurple;'> PHONE NUMBER </h6>
+91-183-2584713<br/>
+91-183-2584586 
</div>
<div class="col-md-4 pt-4 pb-4">
<h6 class='pb-2'style='color:mediumpurple;'> EMAIL </h6>
pingalwara57@gmail.com
</div>
  </div></div>
<?php include 'footer.php' ?>
Job.php
<?php include 'header.php' ?>
       class="container-fluid
                               px-0"style='background:url(image/main12.png);
<div
                                                                               background-
repeat:no-repeat; background-size:cover; color:mediumpurple' >
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'> Employee Hiring Program </h2>
```



disabled

### UNIVERSITY INSTITUTE OF COMPUTING

### **DIVISION- MCA/BCA/BSc(CS)**

</div></div>

Hiring the right people takes time, the right questions and a healthy
dose of curiosity. What do you think is the most important factor when building your team? For us,
it's personality.

<b>For the employees</b>, our program offers a wide range of
experiences from unique friendships and life enriching cross-cultural encounters to work experience
rarely available in the outside world.

```
<img src="../PINGALWARA/image/job.png" height="300" width="85%">
    </div>
  <div class="col-md-8">
    <h4> Join As Employee </h4><sup style="color:green"> </sup>
    Tell Us about your joining interest with Pingalwara. We will get back to you!
    <form action="" method="post" enctype="multipart/form-data">
  <div class="row">
    <h6>*Upload your resume here*</h6>
    <div class="col-md-6 pt-3"><input type="file" pattern="[A-Za-z]{2,30}"</pre>
                                                                              class="form-
control" placeholder="RESUME" name="res" ></div>
                                                          class="form-control"
    <div class="col-md-6 pt-3"><input type="text"</pre>
                                                                               name="fn"
placeholder="FIRST NAME" required="required"/></div>
                                                          class="form-control"
    <div class="col-md-6 pt-3"><input type="text"</pre>
                                                                               name="ln"
placeholder="LAST NAME" required="required"/></div>
    <div class="col-md-6 pt-3"> <input type="email"</pre>
                                                          class="form-control"
                                                                              name="em"
placeholder="Your Email" required="required"/></div>
    <div class="col-md-6 pt-3"> <input type="text"</pre>
                                                          class="form-control"
                                                                               name="cn"
placeholder="Your Contact Number" required="required"/></div>
    <div class="col-md-6 pt-3"> <select name="gen" class="form-control" required><option
```

selected



### **DIVISION- MCA/BCA/BSc(CS)**

 $>\!\!Gender<\!\!/option>\!\!<\!\!option>\!\!MALE<\!\!/option>\!\!<\!\!option>\!\!TRANSGENDER<\!\!/option><\!\!/select><\!\!/div>$ 

<div class="col-md-6 pt-3"><input type="text" class="form-control" name="nat"
placeholder="NATIONALITY" /></div>

<div class="col-md-6 pt-3"><input type="text" required class="form-control" name="city"
placeholder="CITY" /></div>

<div class="col-md-12 pt-3"><input type="address" class="form-control" class="form-control" name="add" placeholder="Address Line" required /></div>

ption><option>Prosthetic</option><option>Lab
Technician</option><option>Dentist</option><option>Homeopathy

Doctor</option></select></div>

<div class="col-md-12 pt-3"> <textarea name="res" rows="4"class="form-control"> WHY
YOU WANT TO JOIN??</textarea> </div>

<div class="col-md-12 pt-3"> <textarea rows="4" name="msg" class="form-control"> TELL
ABOUT YOURSELF</textarea> </div>

```
<div class="col-md-4 pt-4">
```

<button type="submit" name="save" class="btn btn-outline-success btn-block rounded-0 ">
SUBMIT </button> </div>

<div class="col-md-4 pt-4"> <button type="reset" name="save" class="btn btn-outlinesuccess btn-block rounded-0 "> CLEAR </button>

```
</div>
</div>
</form>
</php

if(isset($_POST['save']))
{
```



```
$dirname="uploadimg/";
   $tmpname=$_FILES['res'] ['tmp_name'];
   $filename=$dirname.$_FILES['res']['name'];
   $ext=strtolower(pathinfo($filename,PATHINFO_EXTENSION));
   if(\text{sext}==\text{"pdf"})
   {
   if(move uploaded file($tmpname,$filename))
    {
      $add=addslashes($_POST['add']);
$sql="insert into job
(first_name,last_name,email,contact,address,city,reason,about,gender,dob,nationality,res,position,
eposition)
values('$_POST[fn]','$_POST[ln]','$_POST[em]','$_POST[cn]','$add','$_POST[city]','$_POST[res
]','$_POST[msg]','$_POST[gen]','$_POST[dob]','$_POST[nat]','$filename','$_POST[pos]','$_POS
T[epos]');";
    if($conn->query($sql))
       echo"<div class='alert alert-success'> DATA SAVED SUCCESSFULLY </div>";
    else
       echo"<div class='alert alert-warning'> ERROR IN QUERY ".$conn->error." </div>";
  }
    else
    {
      echo"<div class='alert alert-warning'> ERROR IN UPLOADING</div>";
    } }
   else
   {
     echo"<div class='alert alert-warning'> ONLY PDF FILES ARE ALLOWED</div>";
   }}
  ?>
  </div>
</div>
<?php include 'footer.php' ?>
```



### **DIVISION- MCA/BCA/BSc(CS)**

#### Logout.php

```
<?php
session_start();
unset($_SESSION['aid']);
echo "<script>window.location='../adminlogin.php';</script>";
?>
Member.php
<?php include 'header.php' ?>
 <?php
$result=$conn->query("SELECT * from members where member_id='$_GET[id]';");
$row=$result->fetch_assoc();
?>
<div class="container pt-5">
  <div class="row">
<div class="col-md-9 text-center">
    <div class="row">
  <div class="col-md-4">
    <img src="admin/<?php echo $row['image'];?>" height="300" width="95%">
    <h5 class="mt-3"> <?php echo $row['full_name'];?> </h5>
    <i class='icofont-email'style='color:mediumpurple' > </i>?php
echo $row['email'];?> 
    <i class='icofont-phone'style='color:mediumpurple' > </i> <?php</pre>
echo $row['contact'];?> 
      </div>
<div class="col-md-8 text-justify">
  <?php echo $row['about'];?> </div></div>
   <div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div>
</div>
<?php include 'footer.php' ?>
```



**DIVISION- MCA/BCA/BSc(CS)** 

#### Ourcontact.php

```
<?php include 'header.php'; ?>
<div class="content">
   <div class="container-fluid">
     <div class="row">
      <div class="col-md-12">
        <div class="card">
         <div class="card-header">
           <h4 class="card-title">CONTACT US</h4>
           Contact Details of Pingalwara
         </div>
         <div class="card-body">
        FULL NAME
   YOUR MAIL  SUBJECT LINE  ADDRESS LINE  <
CITY  STATE
 <?php
   $sql="SELECT * from contact_us order by full_name ASC;";
   $result=$conn->query($sql);
   while($row=$result->fetch_assoc())
   {
     $cid=$row['contact_us'];
     echo"";
     echo"".$row['full_name']."";
     echo"".$row['your_mail']."";
     echo"".$row['subject_line']."";
     echo"".$row['address_line']."";
     echo"".$row['city']."";
     echo"".$row['state']."";
```



```
echo"<a
                       href='ourcontact.php?del=$cid'></a>
                                                               
                                                                           
                                                                                      <a
href='editcontact.php?id=$cid'><i class='icofont-edit'></i></a>";
      echo"";
    }
  ?>
  <?php
  if(isset($_GET['del']))
  {
    $sql="DELETE FROM branches where branch_id='$_GET[del]';";
    if($conn->query($sql))
       echo "<script>window.alert(' Deleted');
       window.location='ourbranches.php';</script>";
    else
       echo "<div class='alert alert-danger'>Error In Query.$conn->error";
     }
  }
  ?>
  </div>
           </div>
         </div>
                  </div>
    </div>
  </div>
<?php include 'footer.php';?>
```



**DIVISION- MCA/BCA/BSc(CS)** 

#### Question.php

About 75–80 percent of mental retardation is familial (runs in families), and 20–25 percent is due to organic problems, such as chromosomal abnormalities or brain damage. Mild to severe mental retardation is a symptom of several hundred single-gene disorders and many chromosomal abnormalities, including small deletions. Based on twin studies, moderate to severe mental retardation does not appear to be familial, but mild mental retardation does. That is, the relatives of the moderate to severely mentally retarded have normal ranges of IQs, whereas the families of the mildly mentally retarded have IQs skewing lower.

```
</div>
  <div class="col-md-12">
  <?php
$sql="SELECT * from questions group by type ASC;";
$resultt=$conn->query($sql);
$i=0;$count=0;
while($rowt=$resultt->fetch_assoc())
  $type=$rowt['type'];
  echo"<h3 class='bg-light text-center' >".$type."</h3>";
    $sql="SELECT * from questions where type='$type' order by quesid ASC;";
    $result=$conn->query($sql);
      $count+=$result->num rows;
?>
   <form action="" method="post">
```



### **DIVISION- MCA/BCA/BSc(CS)**

```
<?php
          while($row=$result->fetch_assoc())
    {
      $qid=$row['quesid'];
      $nm="Que".$i;
      echo"";
      echo"".$row['question']."";
      echo"<input type='radio' name='".$nm."' value='4' checked > ";
      echo"<input type='radio' name='".$nm."' value='3' > ";
      echo"<input type='radio' name='".$nm."' value='2'> ";
      echo"<input type='radio' name="".$nm."' value='1'> ";
      echo"";
  $i++;
    } ?>
<?php }
  ?>
     <div class='row'>
     <div class="col-md-4 pt-4">
    <button type="submit" name="save" class="btn btn-outline-success btn-block rounded-0 ">
SUBMIT & Proceed </button> </div>
    <div class="col-md-4 pt-4"> <button type="reset" name="save" class="btn btn-outline-
success btn-block rounded-0 "> CLEAR </button>
        </div></div>
    </form>
    <?php
  if(isset($_POST['save'])) {
    $rec=$_GET['formid'];
```



```
$score=0;
    for($i=0;$i<$count;$i++){
         $nm="Que".$i;
      $score+=$_POST[$nm];
    }
    echo $score;
    $sql="UPDATE igtest set result='$score' where formid='$_GET[formid]'; ";
    if($conn->query($sql)){
       echo"<script>window.location='result.php?formid=$rec'</script>";
    }
    else
       echo"<div class='alert alert-warning'> ERROR IN QUERY ".$conn->error." </div>";
  }
  ?>
  </div></div>
</div>
<?php include 'footer.php' ?>
Reset.php
<?php include 'db_c.php';?>
  <?php session_start(); ?>
 <?php use PHPMailer\PHPMailer\PHPMailer; use PHPMailer\PHPMailer\Exception; ?>
<html>
  <head>
  <link href="css/bootstrap.min.css" rel="stylesheet" />
  <link href="css/icofont.css" rel="stylesheet" />
  </head>
<body>
  <div class="container-fluid px-0" style="background:url(bg.jpg);">
    <div class="pt-5 pb-5" style="background:rgba(0,0,0,0.6)">
```



```
<div class="container bg-light pt-2 pb-2">
       <div class="row">
         <div class="col-md-6 text-center pt-3 pb-3">
           <img src="bggg.jpg" height="500px" width="85%">
         </div>
         <div class="col-md-5 pt-2 pb-5" >
              <h6 class="text-right"><a href='index.php' class="text-decoration-none text-
secondary"> <i class='icofont-home'></i> Back To Home</a></h6>
    <form action="" method="post">
           <div class="p-5 text-center">
              <h4>RESET PASSWORD </h4>
              <hr/>
           <input type="text" required class="form-control" name="code" placeholder="Enter</pre>
OTP" ><br/>
            <input type="password" name="np" placeholder="Enter new Password" pattern
="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}"
title="must contain atleast one number and one uppercase and lowercase letter and atleast 8 or more
characters" class="form-control">
       <br/>br/>
         <input type="password" name="cp" placeholder="Confirm Password" class="form-
control"><br/>
                                type="submit"
                                                           class="btn
                                                                                  btn-block"
style="background:mediumpurple;color:white" name="change">Reset Password</button>
       </div></form>
    <?php
if(isset($_POST['change']))
if($_POST['np']==$_POST['cp'])
if($_POST['code']==$_SESSION['code'])
       {
  $sql="Update members SET password='$_POST[np]' where email='$_GET[id]';";
```



```
if($conn->query($sql)===TRUE)
echo
         "<script>window.alert('Password
                                                         Successfully.Login
                                            Changed
                                                                                      your
                                                                               to
Account'); window.location='stafflogin.php'; </script>";
}
else
{
echo "Error:-"."$sql".$conn->error;
}}
else
echo "Invalid Code";
}}
else
echo "Retype password doesnot match";
}
?>
    </div></div></div></div>
  </body>
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
<script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
</html>
Result.php
<?php include 'header.php' ?>
<div class="container pt-5">
  <iframe width="500" height="200" src="https://www.youtube.com/embed/0JqAtARhjRE"</pre>
frameborder="0" allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></iframe>
```



### **DIVISION- MCA/BCA/BSc(CS)**

<iframe width="500" height="200" src="https://www.youtube.com/embed/7HB7HKhqR18"
frameborder="0" allow="accelerometer; autoplay; encrypted-media; gyroscope; picture-in-picture"
allowfullscreen></iframe>

```
<div class="row pt-3 pb-5">
    <div class="col-md-12">
    <hr/>
    <hr/>
    <hf class="text-center" style="color:mediumpurple"> MENTAL ABILITY TEST </h5>
    <hr/>
    <hr/>
    <hr/>
    </hr>
```

About 75–80 percent of mental retardation is familial (runs in families), and 20–25 percent is due to organic problems, such as chromosomal abnormalities or brain damage. Mild to severe mental retardation is a symptom of several hundred single-gene disorders and many chromosomal abnormalities, including small deletions. Based on twin studies, moderate to severe mental retardation does not appear to be familial, but mild mental retardation does. That is, the relatives of the moderate to severely mentally retarded have normal ranges of IQs, whereas the families of the mildly mentally retarded have IQs skewing lower.

```
</div>
</div>
<div class="col-md-1"></div>
<div class="col-md-10">
</php

$sql="SELECT * from iqtest where formid='$_GET[formid]';";
$resultt=$conn->query($sql);
$row=$resultt->fetch_assoc();
$score=$row['result'];
$res=round((($score/144)*100),0);
if($res<=30){
$msg="<b> Profound Mental Retardation </b>
```

Usually caused by a neurological condition. He/She require constant care. They have very limited ability to communicate and often have physical limitations. Individuals with mild to moderate disability are less likely to have associated medical conditions than those with severe or profound ID. "; // poor

```
}
else if($res<=60){
    $msg=" <b>Severe Mental Retardation</b>
```



### **DIVISION- MCA/BCA/BSc(CS)**

They can be taught basic life skills and simple tasks with supervision. Severe ID manifests as major delays in development, and individuals often have the ability to understand speech but otherwise have limited communication skills. Despite being able to learn simple daily routines and to engage in simple self-care, individuals with severe ID need supervision in social settings and often need family care to live in a supervised setting such as a group home."; // consult

```
}
else if(\frac{5}{e}
  $msg="<b>Moderate Retardation</b>
  Children require moderate supervision and assistance. They formally called Trainable Mentally
Retarded hese individuals can learn practical life skills, which allows them to function in ordinary
life with minimal levels of support. Individuals with moderate ID can take care of themselves, travel
to familiar places in their community, and learn basic skills related to safety and health. Their self-
care requires moderate support.."; // ok
}
else {
  $msg="<b>Mild Mental retardation</b><br>
  Children require mild support. They formally called Educable Mentally Retarded. <br/> <br/> try
  Here is the list of some schools in Punjab.
  AV Red Cross School for Special Children
School
Ibadat Special School
Special education school
Smile Special School
Listening Ears Amritsar
Hukamnama Seva Ji
Nayee Disha, education for special children
Study For Success
Being A Brand
Deep Special School
Mothers Care Special School
Udaan Special School
```

Trident Academy- Special School



```
Shri Parkash Special School & therapy center moga punjab
Govt.Special Education School
Ambika Special school
Urga Das Agrawal Durga special school
Narowal Special Education School.

}
  ?>
     First Name  <?php echo $row['first_name']; ?>
      Last Name <?php echo $row['last_name']; ?>
     Gender <?php echo $row['gender']; ?>
      Date of Birth  <?php echo $row['dob']; ?>
     Max Point  144
     Obtained <?php echo $row['result']; ?>
       style="background:mediumpurple;color:white" > 
Score 
   <div class='bg-light p-3 border border-dark'>
   <?php echo $msg ?>
   </div>
 </div></div>
</div>
<?php include 'footer.php' ?>
School.php
<?php include 'header.php' ?>
<?php
$result=$conn->query("SELECT * from school where school_id='$_GET[sid]';");
$row=$result->fetch_assoc();
$sid=$_GET['sid'];
?>
```



```
<div class="container-fluid px-0"style='background:url(image/sc7.jpg); background-repeat:no-</pre>
repeat; background-size:cover; color:mediumpurple' >
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'> <?php echo $row['school_name'];?> </h2>
  </div>
<div class="container pt-5">
  <div class="row">
<div class="col-md-9 text-justify">
  <?php if($_GET['sid']==5 or $_GET['sid']==4){ ?>
  <div class="row">
<div class="col-md-7"> <h4> <?php echo $row['school_name'];?> </h4></div>
    <div class="col-md-5"> <?php echo "<a href='admission.php?sid=$sid' class='btn btn-sm btn-</pre>
success'> Apply Now </a>";?> </div> </div>
  <?php } else if($_GET['sid']==2){ ?>
  <div class="row">
<div class="col-md-7"> <h4> <?php echo $row['school_name'];?> </h4></div>
    <div class="col-md-5"> <a href='test1.php' class="btn btn-sm btn-success"> Mental Ability
Test </a> </div> </div>
  <?php } else { ?>
  <h4> <?php echo $row['school_name'];?> </h4>
  <?php } ?>
  <br/>>
  <i class="icofont-phone" style="color:mediumpurple"></i> <?php echo $row['phone'];?>
  
    <i class="icofont-mail" style="color:mediumpurple"></i> <?php echo $row['email'];?> 
  <div class="p-3">
    <img src="admin/<?php echo $row['image'];?>" height="300" width="85%"> </div>
<?php echo $row['about'];?>
  <div class="row">
  <?php
```



### DIVISION- MCA/BCA/BSc(CS)

\$sql="SELECT \* from gallery where post\_id='\$\_GET[sid]' and post\_type='school' order by title
ASC;";

```
$result=$conn->query($sql);
  while($row=$result->fetch_assoc()) { ?>
<div class="col-md-3">
    <img src="admin/<?php echo $row['image']; ?>" width='95%' height='180px'>
      <?php echo $row['title']; ?>
</div>
  <?php } ?>
  </div></div>
<div class="col-md-3"> <?php include 'sidebar.php' ?></div>
  </div>
</div>
<?php include 'footer.php' ?>
Stafflogin.php
<?php include 'db_c.php';?>
  <?php session_start(); ?>
<html>
  <head>
  k href="css/bootstrap.min.css" rel="stylesheet" />
  <link href="css/icofont.css" rel="stylesheet" />
  </head>
<body>
  <div class="container-fluid px-0" style="background:url(bg.jpg);">
    <div class="pt-5 pb-5" style="background:rgba(0,0,0,0.6)">
    <div class="container bg-light pt-2 pb-2">
       <div class="row">
         <div class="col-md-6 text-center pt-3 pb-3">
           <img src="bggg.jpg" height="500px" width="85%">
         </div>
```



```
<div class="col-md-5 pt-2 pb-5" >
              <h6 class="text-right"><a href='index.php' class="text-decoration-none text-
secondary"> <i class='icofont-home'></i> Back To Home</a></h6>
    <form action="" method="post">
           <div class="p-5 text-center">
              <h4>WELCOME BACK </h4>
              Login to your Account
              <hr/>
           <input type="email" required class="form-control" name="em" placeholder="E-mail"</pre>
><br/>
           <input
                      type="password"
                                          required
                                                       class="form-control"
                                                                               name="pwd"
placeholder="Password"><br/>
           <button
                                type="submit"
                                                           class="btn
                                                                                 btn-block"
style="background:mediumpurple;color:white" name="login">LOGIN</button>
              <br/><br/>class="text-right"> <a href="forget.php"> Forget Password ? </a>
       </div></form>
    <?php
if(isset($_POST['login']))
{
$sql="select * from members where email='$_POST[em]' AND password='$_POST[pwd]'";
$result=$conn->query($sql);
if($result->num rows>0)
{
       $row=$result->fetch_assoc();
       $_SESSION['mm']=$row['member_id'];
       $_SESSION['em']=$row['email'];
       echo"<script> window.location='staff/article.php';</script>";
}
       else
              echo"<div class='alert alert-warning'>Invalid email or password.</div>";
```



### DIVISION- MCA/BCA/BSc(CS)

```
}
?>
    </div></div></div></div>
  </body>
<script src="js/jquery-3.4.1.min.js" type="text/javascript"></script>
<script src="js/bootstrap.bundle.min.js" type="text/javascript"></script>
</html>
Volunteer.php
<?php include 'header.php' ?>
<?php
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;?>
<div class="container-fluid px-0"style='background:url(image/vol.png); background-repeat:no-</pre>
repeat; background-size:cover; color:mediumpurple' >
<div class="pt-5 pb-5 text-center" style="background:rgba(0,0,0,0.8)">
<h2 class="pt-5 pb-5" style='font-family:serif'> Volunteer Program </h2>
  </div></div>
<div class="container pt-5 pb-5">
  <div class="row">
    <div class="col-md-4">
    <h4>Volunteer Program </h4> <br/>
    <h6>The best way to find yourself is to lose yourself in the service of others.</h6>
       Are you looking for a cause to support?
```

The volunteer program at PINGALWARA is full of opportunities. We invite people of all backgrounds to participate in the endeavor to create a life of dignity for orphaned and abandoned children in the countries we serve. We open this invitation to people who have the desire to be of service to the PINGALWARA community and who have an open heart and mind.

<b>For the volunteers</b>, our program offers a wide range of
experiences from unique friendships and life enriching cross-cultural encounters to work experience



### **DIVISION- MCA/BCA/BSc(CS)**

rarely available in the outside world. The idea of having volunteers here at PINGALWARA is to support our staff members and to give additional attention to our children.

```
<img src="image/vol.png" height="300" width="85%">
    </div>
  <div class="col-md-8">
    <h4> Join As Volunteer </h4><sup style="color:green"> </sup>
    Tell Us about your volunteering interest with Pingalwara. We will get back to you!
    <form action="" method="post" enctype="multipart/form-data">
  <div class="row">
    <div class="col-md-6 pt-3"><input type="text" pattern="[A-Za-z]{2,30}"</pre>
                                                                            class="form-
control" name="fn" placeholder="FIRST NAME" required="required"/></div>
    <div class="col-md-6 pt-3"><input type="text"</pre>
                                                     class="form-control" pattern="[A-Za-
z]{2,30}" name="ln" placeholder="LAST NAME" required="required"/></div>
    <div class="col-md-6 pt-3"> <input type="email"</pre>
                                                         class="form-control" name="em"
placeholder="Your Email" required="required"/></div>
    <div class="col-md-6 pt-3"> <input type="text" pattern="[0-9 -+]{10,15}" title='Invalid</pre>
Phone No (10 digit Numeric only)' class="form-control" name="cn" placeholder="Your Contact
Number" required="required"/></div>
    <div class="col-md-6 pt-3"> <select name="gen" class="form-control" required><option
disabled
>Gender</option><option>MALE</option><option>FEMALE</option><option>TRANSGEND
ER</option></select></div>
    <div class="col-md-6 pt-3"> <input type="date"</pre>
                                                        class="form-control" name="dob"
required="required"/></div>
    <div class="col-md-6 pt-3"> <select name="occ" class="form-control" required>
                                           disabled
                                                                                 selected
>Occupation</option><option>STUDENT</option><option>UNEMPLOYED</option><option
>GOVT EMPLOYEE</option><option>PESONAL BUSSINESS</option><option>PRIVATE
JOB</option>option>WORK FROM HOME</option></select></div>
    <div class="col-md-6 pt-3"> <input type="text"</pre>
                                                       class="form-control" name="com"
placeholder="COMPANY/ORGANIZATION(If any) " /></div>
    <div class="col-md-6 pt-3"><input type="file" class="form-control" name="img" ></div>
    <div class="col-md-6 pt-3"><input
                                          type="text"
                                                        class="form-control" name="nat"
placeholder="NATIONALITY" /></div>
    <div class="col-md-12 pt-3"><input type="address"</pre>
                                                       class="form-control" class="form-
```

control" name="add" placeholder="Address Line" required /></div>



### **DIVISION- MCA/BCA/BSc(CS)**

```
<div class="col-md-6 pt-3"><input type="text" pattern="[A-Za-z]{2,30}" required
class="form-control" name="city" placeholder="CITY" /></div>
```

<div class="col-md-6 pt-3"><input type="pin" required class="form-control" name="pin"
placeholder="PIN CODE" /></div>

<div class="col-md-12 pt-3"> <select name="time" class="form-control" required>

<option disabled selected >Select Your TimeSlot For Volunteering/option>

<option>Full Time</option><option>Weekends(Saturday/Sunday)</option><option>2
Hours a day</option><option>2 Days in Week</option></select></div>

<div class="col-md-12 pt-3"> <textarea name="res" rows="4"class="form-control"> WHY
YOU WANT TO JOIN??</textarea> </div>

<div class="col-md-12 pt-3"> <textarea rows="4" name="msg" class="form-control"> TELL
ABOUT YOURSELF</textarea> </div>

```
<div class="col-md-4 pt-4">
```

<button type="submit" name="save" class="btn btn-outline-success btn-block rounded-0 ">
SUBMIT </button> </div>

<div class="col-md-4 pt-4"> <button type="reset" name="save" class="btn btn-outlinesuccess btn-block rounded-0 "> CLEAR </button>



### **DIVISION- MCA/BCA/BSc(CS)**

\$sql="insert into volunteer

```
\label{eq:contact} (first\_name,last\_name,email,contact,address,city,pin,reason,about,gender,occupation,company,dob,timeslot,nationality,img) values ('$\_POST[fn]','$\_POST[ln]','$\_POST[em]','$\_POST[cn]','$\_POST[cn]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[cot]','$\_POST[co
```

```
if($conn->query($sql))
        $email='vaibhav.budhiraja23@gmail.com';
$password='Budhiraja@23';
$to_id=$_POST['em'];
$to_name=$_POST['fn'];
$subject='Thanks for your Interest';
$message='<h5>Dear '.$to_name.'</h5> Thanks for your Message, We try to respond to your
message within 48 Woking Hours <br/>
<h5> Regards </h5><h5> Pingalwara Team.</h5>';
require 'PHPMailer-master/src/Exception.php';
require 'PHPMailer-master/src/PHPMailer.php';
require 'PHPMailer-master/src/SMTP.php';
$mail = new PHPMailer(true);
try {
  $mail->isSMTP();
  \text{smail->}SMTPDebug = 0;
  $mail->Host = 'smtp.gmail.com';
  $mail->SMTPAuth = true;
  $mail->Username = $email;
  $mail->Password = $password;
  $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
  $mail->Port
                 = 587:
  $mail->setFrom($email,'Pingalwara Trust');
  $mail->addAddress($to_id,$to_name);
  $mail->addReplyTo($email,'Information');
  $mail->isHTML(true);
  $mail->Subject = $subject;
```



```
$mail->Body = $message;
  $mail->send();
  echo"<div class='alert alert-success'> Message has been sent </div>";
} catch (Exception $e) {
  echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
}
    }
    else
      echo"<div class='alert alert-warning'> ERROR IN QUERY ".$conn->error." </div>";
 }
    else
    {
      echo"<div class='alert alert-warning'> ERROR IN UPLOADING</div>";
    }}
   else
   {
                                alert-warning'>
                                                           JPG,PNG,JPEG
     echo"<div
                  class='alert
                                                 ONLY
                                                                             FILES
                                                                                       ARE
ALLOWED</div>";
   }
     }
  ?>
  </div></div>
</div>
<?php include 'footer.php' ?>
```



### **DIVISION- MCA/BCA/BSc(CS)**

#### Conclusion: -

NGO's like Pingalwara are playing an important role in rural development, including various subjects like farm development, agricultural extension programme, irrigation, water-shed development, energy conservation, environment protection, socio-economic empowerment of under-privileged, housing, education, health, mass awareness against addiction, livelihood activities, women-empowerment, community development, formation of SHGs, self-employment and entrepreneurial development programme etc. But still the work to be done is vast and wide.

From the above study we can say that Pingalwara is doing good job towards the future of the disabled children. We can also conclude that the organization requires more awareness and services regarding education.

### **Future Scope:-**

Nothing can be ended in a single step. It is the fact that nothing is permanent in this world. So this project also has some future enhancements in the evergreen and booming IT industry. Change is inevitable. The project Pingalwara management system has been developed as per the requirement specification. It has been developed using PHP and MySQL .The future scope of the project Pingalwara is very wide .there are many additional features, which are planned to be incorporated during the future enhancement of this project the Future version of System we can add following modules:

- 1. One can extend this project with any of the new article & video.
- 2. We can make this project to support latest events.
- 3. This project can be made more user friendly than now.
- **4.** We can add online shopping feature, People can buy handmade material which is made by special students.

#### **References: -**

https://www.w3schools.com/html/

https://www.tutorialspoint.com/php/index.htm

https://pingalwara.org